

SCHEDULE A: LIST OF SAFETY AND FIRE PROTECTION REQUIREMENTS UNDER ARTICLE 7-B OF THE MULTIPLE DWELLING LAW.

- | | |
|--|---|
| <ol style="list-style-type: none">1. Section 277.1 (a)2. Section 277.1 (b)3. Section 277.2 (a)4. Section 277.2 (b)5. Section 277.2 (c)6. Section 277.37. Section 277.48. Section 277.5
9. Pursuant to Section 277.6 (a), the following requirement:<ul style="list-style-type: none">Section 212.4Section 216.5 fSection 185Section 186Section 188Section 189Section 190Section 191Section 194
10. Pursuant to Section 277.7 (e) & (f), where ducts or vent shafts are used for mechanical ventilation of spaces, they shall be constructed of incombustible material; and a fire damper shall be installed where a duct penetrates a rated wall or ceiling.
11. Section 277.7 (g) | <ol style="list-style-type: none">12. Section 277.813. Section 277.914. Section 277.1015. Section 277.1116. Section 277.12
17. Pursuant to Section 277.13, where central heating is provided, the boiler shall be properly enclosed as required in Section 65 and installation of the boiler; gas piping and connections shall comply with Reference Standards 14 and 16.
18. Section 277.1419. Section 277.15
20. Pursuant to Section 278, the following requirements:<ul style="list-style-type: none">Section 37Section 53Section 55Section 56Section 57Section 58Section 59Section 60Section 61 (except 61.1 (c) and 61.3)Section 62 |
|--|---|