

# 19 EAST 70TH STREET

19 East 70th Street  
New York, New York 11225



## LANDMARKS PRESERVATION COMMISSION FILING SUBMISSION

SEPTEMBER 22, 2015

Lee H. Skolnick Architecture + Design Partnership  
75 Broad Street  
New York, NY 10004  
www.skolnick.com

### DRAWING LIST

- BLOCK PANORAMA PHOTOS - SITE LOCATION MAP
- TAX PHOTOS
- SITE PHOTOS - FRONT FAÇADE AND BUILDING ELEMENTS
- FRONT FAÇADE ELEVATIONS - EXISTING, PREVIOUS DESIGN FROM JULY 21, PROPOSED
- VIEW FROM ACROSS 70TH STREET - EXISTING, PROPOSED, MOCKUP PHOTO
- VIEW FROM CORNER OF 70TH STREET AT MADISON AVENUE - EXISTING, PROPOSED, MOCKUP PHOTO
- FIRST FLOOR ENTRY PHOTOS
- ENTRY DOOR ITEMS TO BE RESTORED
- CONTEXTUAL REFERENCE IMAGES FOR FULL HEIGHT METAL GATES
- FRONT ENTRY PLANS & ELEVATIONS - EXISTING & PROPOSED
- SIGNAGE - ELEVATIONS
- REAR FAÇADE BUILDING ELEMENTS
- REAR FAÇADE SETBACKS & EXISTING CONDITIONS PHOTOS
- IMMEDIATE REAR YARD CONTEXT
- BUILDING SECTION - EXISTING, PREVIOUS DESIGN FROM JULY 21, PROPOSED
- REAR FAÇADE ELEVATIONS - EXISTING, PREVIOUS DESIGN FROM JULY 21, PROPOSED
- REAR FAÇADE AXONOMETRIC VIEW - EXISTING, PREVIOUS DESIGN FROM JULY 21, PROPOSED
- ORIGINAL HISTORIC PHOTOS
- EAST ROOFTOP 3D VIEWS - EXISTING & PROPOSED
- PENTHOUSE ENLARGED SECTIONS - EXISTING & PROPOSED
- PROPOSED BUILDING SECTION - SKY EXPOSURE PLANE
- SITE PHOTOS OF MOCK-UP
- VIEW FROM CORNER OF 70TH STREET - EXISTING, PROPOSED, MOCKUP PHOTO
- VIEW FROM MADISON AVENUE - EXISTING, PROPOSED, MOCKUP PHOTO
- BUILDING PLANS
- BUILDING PLANS
- BUILDING PLANS
- BUILDING PLANS
- ROOF PLAN - PARTIAL ELEVATIONS
- BUILDING ELEVATION EAST - EXISTING & PROPOSED
- BUILDING ELEVATION WEST - EXISTING & PROPOSED



### GENERAL NOTES:

1. SCOPE OF WORK:  
PROPOSED WORK TO INCLUDE PARTIAL DEMOLITION AND CONSTRUCTION OF REAR FAÇADE WALL, RE-FRAMING OF INTERIOR FLOORS, REPLACEMENT AND/OR RELOCATION OF EXISTING PLUMBING AND ELECTRICAL DISTRIBUTION BRANCH LINES, APPLIANCES, AND FIXTURES, INSTALLATION OF NEW INTERIOR PARTITIONS, FINISHES, FIXTURES, AND LIGHTING, REPLACEMENT OF ROOF STRUCTURE AND ASSEMBLIES, RE-FRAMING OF ROOF BULKHEAD AND ACCESS STAIR, INSTALLATION OF CELLAR LEVEL POOL AND EQUIPMENT.
2. CONTRACTOR MUST BE EPA LEAD CERTIFIED TO PERFORM WORK IN THIS BUILDING.
3. ALL WORK SHALL CONFORM TO THE REQUIREMENTS OF THE NEW YORK CITY BUILDING CODE, FIRE DEPARTMENT RULES AND REGULATIONS, UTILITY COMPANY REQUIREMENTS, AND THE BEST TRADE PRACTICES.
4. BEFORE COMMENCING WORK, CONTRACTOR SHALL FILE ALL REQUIRED INSURANCE CERTIFICATES WITH THE DEPARTMENT OF BUILDINGS, OBTAIN ALL REQUIRED PERMITS, AND PAY ALL FEES REQUIRED BY GOVERNING NEW YORK CITY AGENCIES.
5. MINOR DETAILS NOT USUALLY SHOWN OR SPECIFIED, BUT REQUIRED FOR PROPER CONSTRUCTION OF ANY PART OF THE WORK SHALL BE INCLUDED AS IF THEY WERE INDICATED IN THE DRAWINGS.
6. THE CONTRACTOR SHALL COORDINATE ALL WORK PROCEDURES WITH THE STIPULATIONS OF LOCAL AUTHORITIES, BUILDING MANAGEMENT OR OWNER.
7. THE CONTRACTOR SHALL COORDINATE AND BE RESPONSIBLE FOR THE PROTECTION OF ALL CONDITIONS AND MATERIALS WITHIN THE PROPOSED CONSTRUCTION AREA. THE CONTRACTOR SHALL DESIGN AND INSTALL ADEQUATE SHORING AND BRACING FOR ALL STRUCTURAL OR REMOVAL TASKS. THE CONTRACTOR SHALL HAVE SOLE RESPONSIBILITY FOR ANY DAMAGE OR INJURIES CAUSED BY OR DURING THE EXECUTION OF THE WORK.
8. THE CONTRACTOR SHALL LAY OUT HIS OWN WORK, AND SHALL PROVIDE ALL DIMENSIONS REQUIRED FOR OTHER TRADES: PLUMBING, ELECTRICAL, ETC.
9. THE CONTRACTOR SHALL DO ALL CUTTING, PATCHING, REPAIRING AS REQUIRED TO PERFORM ALL OF THE WORK INDICATED ON THE DRAWINGS, AND ALL OTHER WORK THAT MAY BE REQUIRED TO COMPLETE THE JOB.
10. PLUMBING AND ELECTRICAL WORK SHALL BE PERFORMED BY PERSONS LICENSED IN THEIR TRADES, WHO SHALL ARRANGE FOR AND OBTAIN THROUGH THE DEPARTMENT OF BUILDINGS ALL REQUIRED PERMITS, INSPECTIONS AND REQUIRED SIGN OFFS.
11. ALL PIPING AND WIRING SHALL BE REMOVED TO A POINT OF CONCEALMENT AND SHALL BE PROPERLY CAPPED OR PLUGGED. CONTRACTOR IS TO PROVIDE A UL-RATED FIRESTOPPING SYSTEM AS REQUIRED BY CODE AT ALL EXISTING OR NEW OPENING IN CHASES, SHAFTS, DEMISING WALLS, OR STRUCTURAL ELEMENTS OPENED DURING CONSTRUCTION.

### SPECIAL AND PROGRESS INSPECTIONS

SPECIAL INSPECTIONS REQUIRED BY THE LOCAL JURISDICTIONS SHALL BE PERFORMED BY A TESTING AGENCY PROVIDED BY THE OWNER FOR THE FOLLOWING ITEMS. THE TESTING AGENCY FOR THE INSPECTION SHALL FILE ALL APPROPRIATE FORMS WITH THE BUILDING DEPARTMENT.

1. A. FRAME INSPECTION (B.C. 109.3.3)  
B. STRUCTURAL STEEL - WELDING (B.C. 1704.3.1)  
C. STRUCTURAL STEEL - ERECTION AND BOLTING (B.C. 1704.3.2, 1704.3.3)  
D. CONCRETE - CAST-IN-PLACE (B.C. 1704.4)  
E. MASONRY (B.C. 1704.5)  
F. SOILS - SITE PREPARATION (B.C. 1704.7.1)  
G. SOILS - FILLS PLACEMENT & IN-PLACE DENSITY (B.C. 1704.7.2, 1704.7.3)  
H. UNDERPINNING (B.C. 1704.9.1)  
I. STRUCTURAL SAFETY - STRUCTURAL STABILITY (B.C. 1704.19)  
J. EXCAVATION - SHEETING, SHORING, AND BRACING (B.C. 1704.19, 3304.4.1)  
K. CONCRETE TEST CYLINDERS - TR-3 (B.C. 1905.3)  
L. CONCRETE DESIGN MIX - TR-3 (B.C. 1905.3)  
M. ADHESIVE ANCHORAGE (B.B. 2009.019)  
N. EXPANSION ANCHORAGE (B.B. 2010.005)
2. MECHANICAL SYSTEMS
3. FIRE-RESISTIVE RATED CONSTRUCTION
4. FIRESTOP, DRAFTSTOP, AND FIREBLOCK SYSTEMS
5. ENERGY CODE COMPLIANCE INSPECTIONS:  
A. INSULATION PLACEMENT AND R VALUES  
B. HVAC AND SERVICE WATER HEATING EQUIPMENT  
C. HVAC AND SERVICE WATER HEATING SYSTEM CONTROLS  
D. DUCT PLENUM AND PIPING INSULATION AND SEALING  
E. DUCT LEAKAGE TESTING  
F. INTERIOR LIGHTING POWER  
G. LIGHTING CONTROLS
6. FINAL INSPECTION

UNDERPINNING AND EXCAVATION - SHEETING, SHORING AND BRACING SHALL BE FILED DIRECTLY WITH THE NYC DOB BY THE NEW YORK LICENSED PROFESSIONAL ENGINEER(S) RESPONSIBLE FOR THE DESIGN(S), UNDER SEPARATE APPLICATION(S) FROM DESIGN APPLICANT FILINGS FOR FINAL STRUCTURAL ASSEMBLY.

SOILS - SITE SEPARATION, SOILS - FILL PLACEMENT & IN-PLACE DENSITY, SHALL BE: (A) FILED DIRECTLY WITH NYC DOB BY THE GEOTECHNICAL ENGINEER RESPONSIBLE FOR THE SUBSURFACE INVESTIGATION AND GEOTECHNICAL RECOMMENDATIONS; OR (B) WHEN REQUIRED BY THE GEOTECHNICAL ENGINEER, THESE ITEMS SHALL BE INCLUDED IN DESIGN APPLICANT FILING OR FINAL STRUCTURAL ASSEMBLY, WITH THE GEOTECHNICAL ENGINEER AS SPECIAL INSPECTOR FOR THOSE ITEMS.

### SMOKE / CARBON MONOXIDE DETECTOR NOTES:


1. SMOKE/CARBON MONOXIDE DETECTORS OR DEVICES SHALL BE INSTALLED IN ACCORDANCE WITH THE HOUSING MAINTENANCE CODE, MULTIPLE DWELLING LAW, THE NEW YORK CITY BUILDING CODE, AND THE NEW YORK CITY ELECTRICAL CODE AND NFPA 72.
2. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS MAY BE COMBINED PROVIDING THE DEVICES COMPLY WITH THE PROVISIONS OF TITLE 27 ADMINISTRATIVE CODE OF THE CITY OF NEW YORK AND ANY APPLICABLE RULES PROMULGATED THERE UNDER.
3. EACH SMOKE/CARBON MONOXIDE DETECTOR SHALL BE INSTALLED IN ACCORDANCE WITH REFERENCE STANDARD UL 2034 AND UL 2075 OF THE NEW YORK CITY BUILDING CODE.
4. EACH SMOKE/CARBON MONOXIDE SHALL BE INSTALLED OUTSIDE OF EACH SLEEPING ROOM IN THE IMMEDIATE VICINITY OF WITHIN 15'-0" OF THE ENTRANCE TO A SLEEPING ROOM.
5. EACH SMOKE/CARBON MONOXIDE DETECTOR SHALL BE OF A TYPE THAT ALLOWS FOR READILY TESTING OF SUCH DEVICE.
6. DUPLEX UNITS SHALL HAVE A DEVICE LOCATED ON EACH LEVEL IF ONLY ONE MEANS OF EGRESS IS PROVIDED FROM EACH LEVEL.
7. CEILING MOUNTED DEVICES SHALL BE A MINIMUM DISTANCE OF 4" FROM ANY WALL.
8. WALL MOUNTED DEVICES SHALL BE A MINIMUM OF 4" TO A MAXIMUM OF 12" FROM THE CEILING.
9. EACH DWELLING UNIT SHALL BE EQUIPPED WITH AN APPROVED TYPE SMOKE/CARBON MONOXIDE DETECTOR RECEIVING PRIMARY POWER FROM THE BUILDING WIRING WITH NO SWITCHES IN THE CIRCUIT OTHER THAN THE OVER CURRENT DEVICE PROTECTING THE BRANCH CIRCUIT AS PER NEW YORK CITY BUILDING CODE SEC. 907.7.10.2 THROUGH 907.210.4.
10. EXISTING BUILDINGS THAT ARE NOT EQUIPPED WITH HARDWIRED CONNECTIONS SHALL BE SUPPLIED WITH BATTERY OPERATED DEVICES.
11. SUCH SMOKE/CARBON MONOXIDE DETECTOR BE EITHER IONIZATION CHAMBER TYPE OF THE PHOTOELECTRIC DETECTOR TYPE AS PER NEW YORK CITY BUILDING CODE SEC.907 AND 908.
12. A "CERTIFICATE OF SATISFACTORY INSTALLATION FOR SMOKE/CARBON MONOXIDE DETECTORS" MUST BE FILED WITH THE DIVISION OF CODE ENFORCEMENT H.P.D. 10 DAYS AFTER INSTALLATION.
13. WRITTEN INFORMATION OF TESTING AND MAINTENANCE OF THE DEVICES SHALL BE PROVIDED TO THE DWELLING UNIT OWNER.
14. IN MULTIPLE DWELLINGS (R-2), SMOKE ALARMS SHALL BE ABLE TO SUPPORT VISIBLE ALARM PER ANSI A117.1.

### ENERGY STATEMENT:

TO THE BEST OF MY KNOWLEDGE, BELIEF, AND PROFESSIONAL JUDGEMENT, THESE PLANS AND SPECIFICATIONS ARE IN COMPLIANCE WITH THE 2011 NEW YORK STATE ENERGY CONSERVATION CODE.

### ABBREVIATIONS:

A/C	AIR CONDITIONER	NO	NUMBER
ACU	ACOUSTIC	OC	ON CENTER
ACT	ACOUSTICAL CEILING TILE	PC	PRE-CAST CONCRETE
ADD	ADDITION OR ADDENDUM	PSF	POUNDS PER SQUARE FOOT
ADJ	ADJUST OR ADJACENT	PTD	PAINTED
AFB	ABOVE FINISH FLOOR	PWR	POWER
ALUM	ALUMINUM	QTY	QUANTITY
ALT	ALTERNATE	R	RADIUS
ARCH	ARCHITECT	RAD	RADIATOR
ASPH	ASPHALT	RD	ROOF DRAIN
BD	BOARD	RO	ROUGH OPENING
BM	BEAM, BENCH MARK	REF	REFERENCE
BO	BOTTOM OF	REF	REFRIGERATOR
CAB	CABINET	REV	REVISION
CB	CATCH BASIN	RM	ROOM
CH	CHANNEL	RWC	RAIN WATER CONDUCTOR
CIP	CAST IN PLACE	SIM	SIMILAR
CL	CLOSET	SGNG	SIGNAGE-SEE SIGNAGE DRAWINGS
CLG	CEILING	SPEC	SPECIFICATIONS
CMU	CONCRETE MASONRY UNIT	SF	SQUARE FEET
CO	CLEAN OUT	SI	SQUARE INCHES
COL	COLUMN	SS	STAINLESS STEEL
CONT	CONTINUOUS	STC	SOUND TRANSMISSION CLASS
CONTR	CONTRACTOR	STD	STANDARD
CONC	CONCRETE	STL	STEEL
CT	CERAMIC TILE	STR	STAIR
D	CLOTHES DRYING MACHINE	SYS	SYSTEM
DS	DOWN SPOUT	THK	THICK
DEMO	DEMOLITION	T&G	TONGUE AND GROOVE
DIA	DIAMETER	TYP	TYPICAL
DIM	DIMENSION	UN	UNLESS OTHERWISE NOTED
DN	DOWN	W	CLOTHES WASHING MACHINE
DR	DOOR	WDW	WINDOW
DWG	DRAWING	WP	WEATHERPROOF
DW	DISHWASHING MACHINE	WT	WEIGHT
EJ	EXPANSION JOINT	WD	WOOD
EL	ELEVATION		



**Consultants:**  
Peter Marino Architect, PLLC  
150 East 58th Street  
New York, NY 10155-3898  
ph: (212) 752-5444

**MEP ENGINEER:**  
Allison Soter Walker, LLC  
31 Knight Street  
Norwalk, CT 06851  
ph:(203) 858-5538  
fax:(203) 858-5243  
Attn: Michael A. Frelach

**STRUCTURAL ENGINEER:**  
Silman  
32 Old Slip, 10th Floor  
New York, NY 10005  
ph:(212) 620-7870  
fax:(212) 620-8157  
Attn: Ben Rosenzweig

**CODE CONSULTANT & EXPERTISE:**  
KRM Associates of New York, Inc.  
158 West 29th Street, 7th Floor  
New York, NY 10001  
ph:(212) 563-6360  
fax:(212) 563-6753  
Attn: Adam Matly

**ELEVATOR CONSULTANT:**  
Ives Elevator Design Services  
854 Palisades Ave.  
East Rutherford, NY 07073  
ph:(73) 773-4404  
fax:(73) 773-4711  
Attn: Michael Sosa

**GEOTECHNICAL ENGINEER:**  
R&B Consultants, LLC  
512 7th Avenue, 8th Floor  
New York, NY 10018  
ph:(201) 374-1354  
fax:(201) 374-1795  
Attn: Walter J. Papp

**SHORING & BRACING ENGINEER:**  
Plan B Engineering  
1 Hochstadt Interpark, Suite 302  
Trenton, PA 19083  
ph:(215) 638-0787  
fax:(215) 638-0787  
Attn: John McGowan

**Issued:**

**Seal:**

TO THE BEST OF MY KNOWLEDGE, BELIEF, AND PROFESSIONAL JUDGEMENT, THESE PLANS AND SPECIFICATIONS ARE IN COMPLIANCE WITH THE 2011 NEW YORK STATE ENERGY CONSERVATION CODE.

#14050

19 East 70th Street  
19 East 70th Street, New York, NY 10021

Paul S. Alter  
Lee H. Skolnick Architecture + Design Partnership  
75 Broad Street, Suite 2700  
New York, NY 10004  
ph: 212.698.2824 fax: 212.727.1702  
www.skolnick.com

**OWNERSHIP AND USE OF DOCUMENTS:**  
These Drawings and specifications including the ideas, design and arrangements represented thereon, are the property of the designer and/or client. No part thereof shall be copied, disclosed to others or used in connection with any work or project other than for which they have been prepared without the express written consent of the designer and/or client. All drawings and digital files issued by the designer are declared to show design intent only and shall not be used for fabrication, construction or installation. These drawings and digital files are to be used solely for bidding purposes and as a guide for the preparation of shop drawings. Shop drawings and finish samples must be submitted for all work of this contract. All fabrication, construction, finishing and installation shall conform to approved shop drawings and finish samples.

**Drawing title:**  
TITLE SHEET

**Date:**

**Scale:**

**Drawn By:**

**Dwg No.**  
T001.00

**Page No.:**

**NYC DOB Number:**



895 FIFTH AVE



11 EAST 70TH STREET



15 EAST 70TH STREET



17 EAST 70TH STREET





19 EAST 70TH STREET



21 EAST 70TH STREET



856 MADISON AVE



BUILDING FROM CORNER OF 70TH STREET AT MADISON AVENUE



1940 TAX PHOTO



1980 TAX PHOTO



CURRENT PHOTO



FRONT FACADE



ROOFTOP ELEVATOR BULKHEAD



MASONRY CHIMNEY WITH METAL FLUES



SIXTH FLOOR FRONT TERRACE




FIFTH FLOOR COPPER ROOF



FIFTH FLOOR FRONT TERRACE



SECOND FLOOR TERRACE DOORS






EXISTING VIEW FROM ACROSS 70TH STREET




PROPOSED VIEW FROM ACROSS 70TH STREET



PHOTO OF MOCK-UP FROM ACROSS 70TH STREET



EXISTING VIEW FROM CORNER



PROPOSED VIEW FROM CORNER



PHOTO FROM CORNER



ORIGINAL ENTRY AND FENCE



CURRENT ENTRY



CURRENT FRONT FENCE



CURRENT FRONT FENCE AND SIAMESE CONNECTION



PREVIOUS AWNING AND PLAQUE AT ENTRY



STORM DOORS IN FRONT OF SOLID WOOD ENTRY DOORS



EXISTING LIGHT FIXTURE LOCATIONS



CURRENT FRONT WINDOW AND BARS



SPLIT FACE OF PANEL



WOODEN ENTRY DOOR AND GLASS STORM DOOR



DOOR JAMB



DOOR JAMB & CLOSER



LATCH DETAIL



INTERIOR DOOR FACE



MAIL SLOT



LATCH DETAIL



FLOOR BOLT



ROSETTE DETAIL



FULL GATES  
11 EAST 73RD STREET



FULL GATES  
16 EAST 68TH STREET



PLAQUE  
25 EAST 69TH STREET



FULL GATES  
77 EAST 77TH STREET




FULL GATES  
47 EAST 65TH STREET




PLAQUE  
20 EAST 65TH STREET




EXISTING FRONT ENTRY PARTIAL ELEVATION



PROPOSED FRONT ENTRY PARTIAL ELEVATION



EXISTING FRONT ENTRY PARTIAL PLAN



PROPOSED FRONT ENTRY PARTIAL PLAN



DETAIL @ ADDRESS OVER DOOR




DETAIL @ ADDRESS PLAQUE



DETAIL OF PROPOSED LANTERN



ORIGINAL ENTRY AND FENCE



A - PROPOSED FRONT ENLARGED BAY



REAR FACADE SEEN FROM MADISON AVENUE



REAR FACADE SEEN FROM 22E 71ST ST



REAR FACADE SEEN FROM 22E 71ST ST



REAR FACADE BAY WINDOW DETAIL



REAR FACADE BAY WINDOW



REAR FACADE THIRD FLOOR RAILING




EXISTING CONDITIONS

Rear facade curved setback skylight




DINING ROOM, LOOKING WEST  
PUBLISHED *ARCHITECTURAL RECORD*, JANUARY 1915

Rear facade curved setback skylight



DINING ROOM, WEST ELEVATION




DINING ROOM, NORTH ELEVATION  
ORIGINAL DRAWINGS BY THORNTON CHARD ARCHITECT, CIRCA 1909



856 MADISON AVE 21E 70TH ST 19E 70TH STREET



19E 70TH STREET 17E 70TH ST 15E 70TH ST



14E 71ST ST 16E 71ST ST



20E 71ST ST




20E 71ST ST



18E 71ST ST



870 MADISON AVE 860 MADISON AVE



EXISTING SECTION

PREVIOUS SECTION FROM JULY 21, 2015

PROPOSED SECTION





EXISTING REAR FACADE AXONOMETRIC



PREVIOUS REAR FACADE AXONOMETRIC FROM JULY 21, 2015



PROPOSED REAR FACADE AXONOMETRIC



HISTORIC PHOTO OF EXISTING ROOF BULK  
PHOTOGRAPH FROM 1915 *AMERICAN ARCHITECT*




VIEW WEST SHOWING ROOF BULK FROM MADISON AVENUE  
COPYRIGHT NYPL. PHOTOGRAPH TAKEN 1928 BY SPERR, PERCY LOOMIS




EXISTING 3D VIEW FROM EAST



PROPOSED 3D VIEW FROM EAST




EXISTING ROOF PLAN




PROPOSED ROOF PLAN






EXISTING ENLARGED PARTIAL SECTION


PROPOSED ENLARGED PARTIAL SECTION





EXISTING ROOF PLAN




PROPOSED ROOF PLAN





E - VIEW FROM NORTHEAST ACROSS MADISON AVENUE




A - VIEW FROM SOUTHWEST ACROSS 5TH AVENUE



B - VIEW FROM SOUTH ACROSS EAST 70TH STREET



C - VIEW FROM SOUTHEAST ACROSS MADISON AVENUE



D - VIEW FROM EAST ALONG 70TH STREET



EXISTING VIEW ACROSS MADISON



PROPOSED VIEW ACROSS MADISON




PHOTO OF MOCK-UP ACROSS MADISON



EXISTING VIEW FROM MADISON AVENUE



PROPOSED VIEW FROM MADISON AVENUE







PHOTO OF MOCK-UP FROM MADISON AVENUE




EXISTING CELLAR




PROPOSED CELLAR




EXISTING SUB CELLAR 1




PROPOSED SUB CELLAR 1




PROPOSED SUB CELLAR 2




EXISTING THIRD FLOOR




PROPOSED THIRD FLOOR




EXISTING SECOND FLOOR




PROPOSED SECOND FLOOR




EXISTING FIRST FLOOR




PROPOSED FIRST FLOOR




EXISTING SIXTH FLOOR




PROPOSED SIXTH FLOOR




EXISTING FIFTH FLOOR




PROPOSED FIFTH FLOOR




EXISTING FOURTH FLOOR




PROPOSED FOURTH FLOOR




EXISTING PENTHOUSE ROOF





PROPOSED PENTHOUSE ROOF




EXISTING PENTHOUSE




PROPOSED PENTHOUSE







EXISTING



PROPOSED



EXISTING



PROPOSED