

**REDEVELOPMENT PROJECT  
390 - 398 WALLABOUT STREET  
BROOKLYN, NEW YORK**

---

**Remedial Investigation Report**

**NYC VCP Site Number: 12CVCP056K**

**Prepared for:**

The Rabsky Group, LLC  
39 Heyward Street  
Brooklyn, NY 11211

**Prepared by:**

***EBC***

***ENVIRONMENTAL BUSINESS CONSULTANTS***

1808 Middle Country Road  
Ridge, NY 11961

---

MAY 2012

# REMEDIAL INVESTIGATION REPORT

## TABLE OF CONTENTS

---

EXECUTIVE SUMMARY .....	i
REMEDIAL INVESTIGATION REPORT .....	1
1.0 SITE BACKGROUND.....	1
1.1 SITE LOCATION AND CURRENT USAGE.....	1
1.2 PROPOSED REDEVELOPMENT PLAN.....	1
1.3 DESCRIPTION OF SURROUNDING PROPERTY.....	2
2.0 SITE HISTORY.....	4
2.1 PAST USES AND OWNERSHIP.....	4
2.2 PREVIOUS INVESTIGATIONS.....	5
2.3 SITE INSPECTION.....	5
2.4 AREAS OF CONCERN.....	6
3.0 PROJECT MANAGEMENT.....	7
3.1 PROJECT ORGANIZATION.....	7
3.2 HEALTH AND SAFETY.....	7
3.3 MATERIALS MANAGEMENT.....	7
4.0 REMEDIAL INVESTIGATION ACTIVITIES.....	8
4.1 GEOPHYSICAL INVESTIGATION.....	8
4.2 BORINGS AND MONITORING WELLS.....	8
4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS.....	10
5.0 ENVIRONMENTAL EVALUATION.....	15
5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS.....	15
5.2 SOIL CHEMISTRY.....	15
5.3 GROUNDWATER CHEMISTRY.....	16
5.4 SOIL VAPOR CHEMISTRY.....	16
5.5 PRIOR ACTIVITY.....	17
5.6 IMPEDIMENTS TO REMEDIAL ACTION.....	17

# REMEDIAL INVESTIGATION REPORT

## TABLE OF CONTENTS

---

### ***TABLES***

---

Table 1 - Construction Details for Soil Borings and Monitoring Wells
Table 2 - Soil Analytical Results (VOCs)
Table 3 - Soil Analytical Results (SVOCs)
Table 4 - Soil Analytical Results (Pesticides / PCBs)
Table 5 - Soil Analytical Results (Metals)
Table 6 - Groundwater Analytical Results (VOCs)
Table 7 - Groundwater Analytical Results (SVOCs)
Table 8 - Groundwater Analytical Results (Pesticides / PCBs)
Table 9 - Groundwater Analytical Results (Metals)
Table 10 - Groundwater Analytical Results (Dissolved Metals)
Table 11 - Soil Gas Analytical Results (VOCs)

### **FIGURES**

---

Figure 1 - Site Location Map
Figure 2 - Site Boundary Map
Figure 3 - Redevelopment Plan
Figure 4 - Surrounding Land Use
Figure 5 - Site Plan
Figure 6 - Soil Exceedences
Figure 7 - Groundwater Exceedences
Figure 8 - Soil Vapor Detections

### **APPENDICES**

---

Appendix A - Phase I Report
Appendix B - Soil Boring Logs
Appendix C - Groundwater Sampling Logs
Appendix D - Soil Gas Sampling Logs
Appendix E - Laboratory Reports in Digital Format

## LIST OF ACRONYMS


Acronym	Definition
AOC	Area of Concern
CAMP	Community Air Monitoring Plan
COC	Contaminant of Concern
CPP	Citizen Participation Plan
CSM	Conceptual Site Model
DER-10	New York State Department of Environmental Conservation Technical Guide 10
FID	Flame Ionization Detector
GPS	Global Positioning System
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
IRM	Interim Remedial Measure
NAPL	Non-aqueous Phase Liquid
NYC VCP	New York City Voluntary Cleanup Program
NYC DOHMH	New York City Department of Health and Mental Hygiene
NYC OER	New York City Office of Environmental Remediation
NYS DOH ELAP	New York State Department of Health Environmental Laboratory Accreditation Program
OSHA	Occupational Safety and Health Administration
PID	Photoionization Detector
QEP	Qualified Environmental Professional
RI	Remedial Investigation
RIR	Remedial Investigation Report
SCO	Soil Cleanup Objective
SPEED	Searchable Property Environmental Electronic Database

# CERTIFICATION

I, Kevin Brussee, am a Qualified Environmental Professional, as defined in RCNY § 43-1402(ar). I have primary direct responsibility for implementation of the Remedial Investigation for the Redevelopment Project at 390 to 398 Wallabout Street, (NYC VCP Site No. 12CVCP056K). I am responsible for the content of this Remedial Investigation Report (RIR), have reviewed its contents and certify that this RIR is accurate to the best of my knowledge and contains all available environmental information and data regarding the property.

KEVIN BRUSSEE

4/30/2012



Qualified Environmental Professional

Date

Signature

## EXECUTIVE SUMMARY

The Remedial Investigation Report (RIR) provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy pursuant to RCNY§ 43-1407(f). The remedial investigation (RI) described in this document is consistent with applicable guidance.

### Site Location and Current Usage

The Site is located at 390 to 398 Wallabout Street in the Williamsburg section in Brooklyn, New York and is identified as Block 2266, Lots 21, 22, 23, 24 and 25 on the New York City Tax Map. **Figure 1** shows the Site location. The Site is 12,500-square feet and is bounded by Wallabout Street to the north, a vacant lot, 2 residential buildings, and a parking lot to the south, a 1-story commercial building and an undeveloped lot to the east, and a construction site to the west. A map of the Site boundary is shown in **Figure 2**. Currently, the undeveloped lots of the Site (Lots 21, 22, 23 and 24) are used as a parking lot for a car and truck rental company, and the Lot developed with a one-story concrete block building (Lot 25) is used as a tire repair facility. Each of the 5 Site Lots is rectangular, consisting of 25 feet of street frontage on Wallabout Street and a depth of 100 feet.

### Summary of Proposed Redevelopment Plan

The proposed future use of the Site will consist of five identical 4-story apartment buildings. Layout of the proposed site development is presented in **Figure 3**. The current zoning designation for each of the Site Lots is R7A. R7A is a contextual district that allows residential and community facility buildings. The proposed use is consistent with existing zoning for the property.

The five 25 ft wide tax lots will be developed with identical residential four-story masonry buildings with full cellars. Each of the five buildings will extend approximately 65 feet, meeting both side lot lines. Therefore, the gross building square footage for each building is 8,125 ft<sup>2</sup>. There will be a rear cellar level walk-out court yard behind each building, that will be extend from the rear of the building to the rear property line. The concrete slab of the cellar will be approximately 6 feet 4 inches below sidewalk level. The street front portion of the cellar will



consist of a boiler room, gas meter room, electric meter room and a large open cellar area. The remaining portions of the cellar will be used as residential and accessory residential space.

Each building will consist of three residential units. Unit #1 consists of the cellar level and first floor, Unit #2 is the second floor and Unit #3 is the third and fourth floors.

Excavation for each new building will likely extend to a depth of approximately 8 feet below grade for construction of the buildings' cellar levels and foundations. In addition, each rear cellar level court yard will require excavation to approximately 8 feet below grade. Assuming an excavation volume of approximately 25 feet (wide) by 100 feet long (length) and 8 feet (deep), a total of approximately 740 cubic yards (1,000 tons) of soil will require excavation per building. The total excavated volume of soil for the entire Site will be approximately 3,700 cubic yards (5,000 tons). The rear cellar level court yard will be capped with concrete.

### **Summary of Past Uses of Site and Areas of Concern**

A Phase I Environmental Site Assessment was performed by Environmental Business Consultants in January of 2012. Historical information (DOB records, Sanborn Maps and City Directory listings) reviewed for the Site identified the Site as being developed prior to 1887 with mixed use buildings.

#### *Lot 21 (390 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling. By 1904 the property was redeveloped with a 3-story dwelling. By 1976 the entire lot was vacant/undeveloped. The lot has remained undeveloped since.

#### *Lot 22 (392 Wallabout Street)*

Developed prior to 1887 with a small 2-story dwelling located in the front of the lot. A 1½-story building was located in the rear of the lot and a 2-story stable was located in the southwest corner of the lot. The rear buildings were replaced prior to 1918 with a larger 2-story storage building. The lot was undeveloped and vacant by 1965 and has remained undeveloped since.



*Lot 23 (394 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot and a 2-story dwelling in the rear of the lot. In 1904 the 2-story dwelling in the rear yard was labeled as a “tailor”. The rear building was demolished by 1954 and the entire lot was drawn as vacant/undeveloped by 1979.

*Lot 24 (396 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling located in the front of the lot and a 2-story stable in the rear of the lot. By 1904, the lot was redeveloped with a 4-story dwelling that fronted Wallabout Street and a 1-story dwelling in the rear. In the 1950's, the 1-story dwelling in the rear yard was demolished and the 4-story dwelling in the front of the lot was demolished in late 1960's. The lot has remained undeveloped since.

*Lot 25 (398 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot along Wallabout Street. A 2½-story stable was located in the rear of the lot. However, according to historic Sanborn maps, the lot was undeveloped by 1947. The property remained undeveloped until the 1960's, when a 1-story office/warehouse building was constructed. The building was converted for use as an auto repair facility in the early 1980's. The building is now utilized as a tire repair center.

The AOCs identified for this site include:

- Historic fill layer is present at the Site from grade to 6 to 8 feet below grade.

**Summary of the Work Performed under the Remedial Investigation**

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed 8 soil borings across the entire project Site, and collected 17 soil samples for chemical analysis from the soil borings to evaluate soil quality;



3. Installed 4 groundwater monitoring wells throughout the Site to establish groundwater flow and collected 4 groundwater samples for chemical analysis to evaluate groundwater quality;
4. Installed 5 soil vapor probes around Site perimeter and collected 5 samples for chemical analysis.

### **Summary of Environmental Findings**

1. Elevation of the property is approximately 14 feet.
2. Depth to groundwater ranges from 8 to 9 feet at the Site.
3. Groundwater flow is generally from South to North beneath the Site.
4. Depth to bedrock is greater than 100 feet at the Site.
5. The stratigraphy of the Site, from the surface down, consists of 6 to 8 feet of historic fill underlain by a brown sand.
6. Soil/fill samples collected during the RI showed no PCBs at detectable concentrations. No VOCs were detected above Unrestricted Use SCOs, as only 1,2,4-trimethylbenzene was detected at a low level (11 ppb) in one sample. Ten SVOCs were detected above Restricted Residential SCOs in the shallow soil horizon, and one shallow soil sample showed relatively high levels of SVOCs (total SVOCs were found to be 1076 ppm) and is believed to be a hotspot. These SVOCs were all PAH compounds and their concentrations, with the exception of the SVOC hotspot, and distributions indicate that they are associated with historic fill material observed in shallow samples. Four pesticides (4,4,4-DDT, 4,4,4-DDE, chlordane, and dieldrin) were detected in shallow soil samples at concentrations above Unrestricted Use SCOs, but well below RRSCOs. Six metals exceeded UUSCOs in shallow soil samples, and of these metals, barium (max of 1190 ppm), mercury (max of 18.6 ppm), and lead (max of 863 ppm) also exceeded their respective RRSCOs in shallow soil. No SVOCs, Pesticides, or Metals were detected above UUSCOs within the deeper soil samples. Overall, with the exceptions of the mercury and SVOC hotspots, the findings were consistent with observations for other historical fill sites in Brooklyn.
7. Groundwater samples collected during the RI showed chlorinated VOCs in three of four groundwater samples. Trichloroethene (TCE) at a maximum concentration of 18 ug/L



and cis-1,2-dichloroethene at a maximum concentration of 41 ug/L were found above their GQSs, and tetrachloroethene (PCE) was found below its GQS at 1.8 ug/L in one sample. No chlorinated VOCs were identified in any of the soil samples collected on Site and are believed to be associated with offsite impacts. Four SVOCs, all PAHs, were detected above their corresponding GQSs in three of four groundwater samples. The pesticide 4,4,4-DDT was detected in one groundwater sample slightly above its GQS. Magnesium, manganese, and sodium were the only metals identified in the dissolved groundwater sample from GW4. The three remaining samples were not filtered and also showed total concentrations of lead, arsenic, beryllium, chromium, and nickel above their GQSs. The levels of metals, SVOCs, and pesticides in groundwater are likely the impact of turbid samples, rather than dissolved groundwater quality. The RI indicates that groundwater is not impacted by site conditions and did not reveal any sources of contaminants onsite.

8. Soil vapor samples collected during the RI showed petroleum and chlorinated VOCs at low to moderate concentrations. Total petroleum VOCs were identified from 29 to 498 ug/m<sup>3</sup>. PCE was identified in all samples at a maximum concentration of 183 ug/m<sup>3</sup>, TCE was also identified at a maximum concentration of 14 ug/m<sup>3</sup>. These results for TCE and PCE are within the monitoring level ranges of the State DOH soil vapor guidance matrix. Neither PCE nor TCE were detected within any of the soil samples collected at the Site and these low levels suggest a possible offsite origin.

# REMEDIAL INVESTIGATION REPORT

## 1.0 SITE BACKGROUND

The Rabsky Group has enrolled in the New York City Voluntary Cleanup Program (NYC VCP) to investigate and remediate a 0.287-acre site located at 390 to 398 Wallabout Street in Williamsburg section of Brooklyn, New York. Residential use is proposed for the property. The RI work was performed in two stages. The first investigation was performed January 2, 2012. A second supplemental investigation was performed on February 27, 2012. This RIR summarizes the nature and extent of contamination and provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy that is protective of human health and the environment consistent with the use of the property pursuant to RCNY§ 43-1407(f).

## 1.1 SITE LOCATION AND CURRENT USAGE

The Site is located at 390 to 398 Wallabout Street in the Williamsburg section in Brooklyn, New York and is identified as Block 2266 and Lots 21, 22, 23, 24 and 25 on the New York City Tax Map. **Figure 1** shows the Site location. The Site is 12,500-square feet and is bounded by Wallabout Street to the north, , a vacant lot, 2 residential buildings, and a parking lot to the south, a 1-story commercial building and an undeveloped lot to the east, and a construction site to the west. A map of the site boundary is shown in **Figure 2**. Currently, the undeveloped lots of the Site (Lots 21, 22, 23 and 24) are used as a parking lot for a car and truck rental company, and the Lot developed with a one-story concrete block building (Lot 25) is used as a tire repair facility. Each of the 5 Site Lots is rectangular, consisting of 25 feet of street frontage on Wallabout Street and a depth of 100 feet.

## 1.2 PROPOSED REDEVELOPMENT PLAN

The proposed future use of the Site will consist of five identical 4-story apartment buildings. Layout of the proposed Site development is presented in **Figure 3**. The current zoning designation for each of the Site Lots is R7A. R7A is a contextual district that allows residential and community facility buildings. The proposed use is consistent with existing zoning for the property.

The five 25 ft wide tax lots will be developed with identical residential four-story masonry buildings with full cellars. Each of the five buildings will extend approximately 65 feet, meeting both side lot lines. Therefore, the gross building square footage for each building is 8,125 ft<sup>2</sup>. There will be a rear cellar level walk-out court yard behind each building, that will be extend from the rear of the building to the rear property line. The concrete slab of the cellar will be approximately 6 feet 4 inches below sidewalk level. The street front portion of the cellar will consist of a boiler room, gas meter room, electric meter room and a large open cellar area. The remaining portions of the cellar for each building will be used for residential and accessory residential space.

Each building will consist of three residential units. Unit #1 consists of the cellar level and first floor, Unit #2 is the second floor and Unit #3 is the third and fourth floors.

Excavation for each new building will likely extend to a depth of approximately 8 feet below grade for construction of the buildings' cellar levels and foundations. In addition, each rear cellar level court yard will require excavation to approximately 8 feet below grade. Assuming an excavation volume of approximately 25 feet (wide) by 100 feet long (length) and 8 feet (deep), a total of approximately 740 cubic yards (1,000 tons) of soil will require excavation per building. The total excavated volume of soil for the entire Site will be approximately 3,700 cubic yards (5,000 tons). The rear cellar level court yard will be capped with concrete.

### 1.3 DESCRIPTION OF SURROUNDING PROPERTY

The area surrounding the Site consists of a mix of residential and commercial properties. **Figure 4** shows the surrounding land usage of the adjacent properties listed below as well as additional properties located up to 500 feet away from the Site. No hospitals, daycare facilities or schools are located within a 250 ft radius of the Site.

Direction	Property Description
North – Opposite side of Wallabout Street	<u>Block 2250, Lot 33</u> (66 Throop Avenue) – Developed with a 1-story brick industrial/manufacturing building built around 1993.
	<u>Block 2250, Lot 36</u> (313 Wallabout Street) – A 2,500 ft <sup>2</sup> undeveloped lot. The property is owned by John K. Vartoughian.
	<u>Block 2250, Lot 37</u> (311 Wallabout Street) – Developed with a 2-story residential

	<p>building located along Wallabout Street building around 1901. The building has 3 residential units.</p> <p><u>Block 2250, Lot 38</u> (307 Wallabout Street) – Developed with a 1-story brick industrial/manufacturing building occupying the entire lot. Built in 1993. The property is owned by A. Holding.</p>
<b>South –</b> Adjacent properties	<p><u>Block 2266, Lot 36</u> (99 Gerry Street) – A 2,500ft<sup>2</sup> lot that is undeveloped. The property is owned by the NYC Housing Preservation and Development.</p> <p><u>Block 2266, Lot 37</u> (97 Gerry Street) – Developed with a 3-story residential building. Built approximately 1968.</p> <p><u>Block 2266, Lot 38</u> (95 Gerry Street) – Developed with a 1-story industrial building occupying the entire lot. The building is used as a sheet metal workshop.</p> <p><u>Block 2266, Lot 39</u> (93 Gerry Street) – A 2,500 ft<sup>2</sup> undeveloped lot owned by Vinfield Realty Corporation. Lots 39, 40, and 41 are used as a coach bus parking area.</p> <p><u>Block 2266, Lot 40</u> (91 Gerry Street) – A 2,500 ft<sup>2</sup> undeveloped lot owned by Vinfield Realty Corporation. Lots 39, 40, and 41 are used as a coach bus parking area.</p> <p><u>Block 2266, Lot 41</u> (No # Gerry Street or 89 Gerry Street) – A 2,500 ft<sup>2</sup> undeveloped lot owned by Vinfield Realty Corporation. Lots 39, 40, and 41 are used as a coach bus parking area.</p>
<b>East –</b> Adjacent properties	<p><u>Block 2266, Lot 29</u> (72 Throop Street) – A 7,500 ft<sup>2</sup> vacant and undeveloped corner lot consisting of 100 feet of frontage on Wallabout Street and 75 feet of frontage on Throop Avenue.</p> <p><u>Block 2266, Lots 30 and 31</u> (74-76 Throop Avenue) – Two 2,500 ft<sup>2</sup> lots developed with a single 1-story warehouse building that occupies the entire area of the two lots.</p>
<b>West –</b> Adjacent properties	<p><u>Block 2266, Lot 20</u> (388 Wallabout Street) – Vacant 2,500 square foot lot owned by the Wallabout Throop Realty Partners.</p>

## **2.0 SITE HISTORY**

### **2.1 PAST USES AND OWNERSHIP**

A Phase I Environmental Site Assessment was performed by Environmental Business Consultants in January of 2012. Historical information (DOB records, Sanborn Maps and City Directory listings) reviewed for the Site identified the Site as being developed prior to 1887 with mixed use buildings.

#### *Lot 21 (390 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling. By 1904 the property was redeveloped with a 3-story dwelling. By 1976 the entire lot was vacant/undeveloped. The lot has remained undeveloped since.

#### *Lot 22 (392 Wallabout Street)*

Developed prior to 1887 with a small 2-story dwelling located in the front of the lot. A 1½-story building was located in the rear of the lot and a 2-story stable was located in the southwest corner of the lot. The rear buildings were replaced prior to 1918 with a larger 2-story storage building. The lot was undeveloped and vacant by 1965 and has remained undeveloped since.

#### *Lot 23 (394 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot and a 2-story dwelling in the rear of the lot. In 1904 the 2-story dwelling in the rear yard was labeled as a “tailor”. The rear building was demolished by 1954 and the entire lot was drawn as vacant/undeveloped by 1979.

#### *Lot 24 (396 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling located in the front of the lot and a 2-story stable in the rear of the lot. By 1904, the lot was redeveloped with a 4-story dwelling that fronted Wallabout Street and a 1-story dwelling in the rear. In the 1950's, the 1-story dwelling in the rear yard was demolished and the 4-story dwelling in the front of the lot was demolished in late 1960's. The lot has remained undeveloped since.

*Lot 25 (398 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot along Wallabout Street. A 2½-story stable was located in the rear of the lot. However, according to historic Sanborn maps, the lot was undeveloped by 1947. The property remained undeveloped until the 1960's, when a 1-story office/warehouse building was constructed. The building was converted for use as an auto repair facility in the early 1980's. The building is now utilized as a tire repair center.

## **2.2 PREVIOUS INVESTIGATIONS**

EBC has not been made aware of any previous subsurface investigations conducted at the Site.

## **2.3 SITE INSPECTION**

Mr. Kevin Waters of EBC performed the Site inspection on Thursday, December 29<sup>th</sup>, 2011, beginning at approximately 11:30 am. The reconnaissance included a visual inspection of the undeveloped/vacant lots comprising the subject site, the sidewalk immediately in front of the subject site lots, and the exterior of adjacent properties.

At the time of the inspection, Lot 25 was developed with a one-story tire repair shop. The front third of the tire repair shop, contained a small plywood framed office and tire balancing and tire repair machinery. The remaining portion of the building was used as tire storage with dual level storage racks. There was also a second plywood framed office along the west wall of the building adjacent to Lot 24. The flooring of the tire repair shop consisted of a concrete floor with concrete block walls. Two floor drains were also present. No basement was identified, and employees of the tire repair shop stated there was no basement. Small containers (1 pint to 5 gallons in size) of automotive fluids (such as antifreeze, motor oil and lubricants) were stored on shelving in the front third of the building. Two large air compressors were housed in the rear of the building. The tire repair shop had a natural gas meter with an overhead natural gas heater suspended from the ceiling. The remaining lots (Lots 21 through 24) of the Site consisted of one large open lot. An eight foot high fence bordered the lots along Wallabout Street. Signage on the fence stated the lots were utilized by Quality Car Rental. The Quality Car Rental facility consisted of an office trailer situated in the approximate center/front of the Site, and numerous

rental cars parked throughout the lots. A few 5 gallon containers of car cleaning fluids were stored on shelving next to the office trailer. Two 55 gallon drums were also stored outside of the office trailer. Both drums were partially filled. One drum read antifreeze and one drum had only Zep labeled on it. Several steel shipping containers were staged on the lots and for additional tire storage. A number of box trucks and additional tires were also present on the Lots. The ground cover consisted of both concrete and gravel.

## **2.4 AREAS OF CONCERN**

The AOCs identified for this site include:

1. Historic fill layer is present at the Site from grade to 6 to 8 feet below grade.

A copy of the Phase 1 Report is presented in **Appendix A**.

### **3.0 PROJECT MANAGEMENT**

#### **3.1 PROJECT ORGANIZATION**

The Qualified Environmental Profession (QEP) responsible for preparation of this RIR is Kevin Brussee.

#### **3.2 HEALTH AND SAFETY**

All work described in this RIR was performed in full compliance with applicable laws and regulations, including Site and OSHA worker safety requirements and HAZWOPER requirements.

#### **3.3 MATERIALS MANAGEMENT**

All material encountered during the RI was managed in accordance with applicable laws and regulations.

## 4.0 REMEDIAL INVESTIGATION ACTIVITIES

The Rabsky Group performed the following scope of work:

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed 8 soil borings across the entire project Site, and collected 17 soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed 4 groundwater monitoring wells throughout the Site to establish groundwater flow and collected 4 groundwater samples for chemical analysis to evaluate groundwater quality;
4. Installed 5 soil vapor probes around Site perimeter and collected 5 samples for chemical analysis.

### 4.1 GEOPHYSICAL INVESTIGATION

A geophysical investigation was not performed as a part of this assessment.

### 4.2 BORINGS AND MONITORING WELLS

#### Drilling and Soil Logging

As previously noted, the Remedial Investigation was performed in two stages. On January 2, 2012, a total of five soil borings (B1-B5) were performed in the approximate locations shown on **Figure 5**. The five soil boring locations (B1-B5) were chosen to gain representative soil and groundwater quality information across the Site. For each of the five soil borings, soil samples were collected continuously from grade to a final depth of 12 feet below existing grade using a four-foot steel macro-core sampler with acetate liners and Geoprobe direct-push equipment. Soil recovered from each of the soil borings was field screened for the presence of VOCs with a photo-ionization detector (PID) and visually inspected for evidence of contamination. A slight odor and PID readings as high as 20 ppmv were observed for soil recovered at the groundwater interface from soil boring B2 (center of Lot 23). No other PID readings above background concentrations were obtained from any of the soil borings and no visual discoloration, odor/vapors or presence of free and/or residual product was observed.

Based on the final excavation depth required for construction of the new building (approximately 10 feet below grade), one soil sample was retained from each soil boring representing the interval 0 to 2 feet below grade and one soil sample was retained from each soil boring representing the interval 10 to 12 feet below grade. An additional soil sample was retained for soil boring B2 representing the interval 7 to 9 feet below grade based on the visual staining and slightly elevated PID reading noted for that interval. Soil boring details are provided in **Table 1**. Boring logs were prepared by a QEP and are attached in **Appendix C**. A map showing the location of soil borings and monitor wells is shown in **Figure 5**.

On February 27, 2012 three additional soil borings (B6, B7 and B8) were performed in the approximate locations shown on **Figure 5**. The three additional soil boring locations were selected by OER to provide additional soil and groundwater quality information across the Site. For each of the soil borings, soil samples were collected continuously from grade to a final depth of 15 feet below existing grade using a five-foot steel macro-core sampler with acetate liners and Geoprobe direct-push equipment. Soil recovered from each of the soil borings was field screened for the presence of VOCs with a PID and visually inspected for evidence of contamination. No PID readings above background concentrations were obtained from any of the soil borings and no visual discoloration, odor/vapors or presence of free and/or residual product was observed.

One soil sample was retained from each of the three additional soil borings representing the interval 0 to 2 feet below grade and one soil sample was retained from each soil boring representing the interval 8 to 10 feet below grade (2 foot interval below the bottom of the proposed building). Soil boring details are provided in **Table 1**. Boring logs were prepared by a QEP and are attached in **Appendix C**. A map showing the location of the soil borings and monitor wells is shown in **Figure 5**.

### **Groundwater Monitoring Well Construction**

A temporary 1-inch diameter PVC monitoring well with 10 feet of 0.010 slot screen was installed at borings B1, B2, B2, B4 and B7 and set to intersect the water table. Since groundwater was encountered at approximately 9 feet below grade, monitoring wells were

installed to a depth of 14 feet. Monitoring well sampling details are provided in **Table 1**. Monitoring well locations are shown in **Figure 5**.

### **Survey**

Soil borings and wells were located to the nearest 0.10 foot with respect to two or more permanent site features.

### **Water Level Measurement**

Approximate groundwater level measurements were collected using a Solinst oil/water interface meter to ensure the surface of the water table was within the screened section of the monitoring well. No free product was observed within the three monitoring wells. Water level data is included in **Table 1**.

## **4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS**

Sampling performed as part of the field investigation was conducted for all Areas of Concern and also considered other means for bias of sampling based on professional judgment, area history, discolored soil, stressed vegetation, drainage patterns, field instrument measurements, odor, or other field indicators. All media including soil, groundwater and soil vapor have been sampled and evaluated in the RIR. Discrete (grab) samples have been used for final delineation of the nature and extent of contamination and to determine the impact of contaminants on public health and the environment. The sampling performed and presented in this RIR provides sufficient basis for evaluation of remedial action alternatives, establishment of a qualitative human health exposure assessment, and selection of a final remedy.

### **Soil Sampling**

17 soil samples were collected for chemical analysis during this RI. Data on soil sample collection for chemical analyses, including dates of collection and sample depths, is reported in **Tables 2** through **5**. **Figure 5** shows the location of samples collected in this investigation. Laboratories and analytical methods are shown below.

Each of the 17 soil samples was collected in pre-cleaned, laboratory supplied glassware, stored in a cooler with ice and submitted for analysis to Phoenix Environmental Laboratories (Phoenix) of

587 East Middle Turnpike, Manchester, CT 06040, a New York State ELAP certified environmental laboratory (ELAP Certification No. 11301). All soil samples were analyzed for the presence of volatile organic compounds (VOCs) by EPA Method 8260, semi-volatile organic compounds (SVOCs-BN) by EPA Method 8270, pesticides/PCBs by EPA Methods 8081/8082 and target analyte list (TAL) metals.

### **Groundwater Sampling**

Four groundwater samples were collected for chemical analysis during this RI. Groundwater samples were collected by installing a one-inch diameter PVC well, 5-feet below the water table interface (set at approximately 14 feet below grade). A groundwater sample was then collected from each temporary well utilizing dedicated polyethylene tubing and a peristaltic pump. Groundwater samples were collected in pre-cleaned, laboratory supplied glassware, stored in a cooler with ice and submitted to Phoenix for analysis of VOCs by EPA Method 8260, SVOCs by EPA Method 8270, pesticides/PCBs by EPA Methods 8081/8082 and TAL metals. Groundwater sample collection data is reported in **Tables 6** through **10**. Sampling logs with information on purging and sampling of groundwater monitor wells are included in **Appendix D**. **Figure 5** shows the location of groundwater sampling. Laboratories and analytical methods are shown below.

### **Soil Vapor Sampling**

Five soil vapor probes were installed and five soil vapor samples were collected for chemical analysis during this RI. Soil vapor sampling locations are shown in **Figure 5**. Soil vapor sample collection data is reported in **Table 11**. Soil vapor sampling logs are included in **Appendix E**. Methodologies used for soil vapor assessment conform to the *NYS DOH Final Guidance on Soil Vapor Intrusion, October 2006*.

Four of the five soil vapor implants were installed on January 2, 2012, and the fifth was installed on February 27, 2012. Each of the soil vapor implants was installed using Geoprobe™ equipment and tooling. The approximate location of each of the soil vapor implants is shown on **Figure 5**. The vapor implants that were installed were the Geoprobe™ Model AT86 series, which are constructed of a 6-inch length of double woven stainless steel wire. The implants were

installed to a depth of 6 feet below grade at all locations. Each implant was attached to ¼ inch polyethylene tubing which extended approximately 18 inches beyond that needed to reach the surface. The tubing was capped with a ¼ inch plastic end to prevent the infiltration of foreign particles into the tube. Coarse sand was placed around the vapor implant to a height of approximately 1 foot above the bottom of the implant. The remainder of the borehole was sealed with a bentonite slurry to the surface.

Soil vapor sampling for the four implants installed on January 2, 2012, was conducted on January 6, 2012. Soil vapor sampling for the fifth implant installed on February 27, 2012 was conducted on March 2, 2012. Prior to sampling, each sampling location was tested to ensure a proper surface seal had been obtained. In accordance with NYSDOH guidance (NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York, February 2005), a tracer gas (helium) was used as a quality assurance/quality control device to verify the integrity of the sampling point seal prior to collecting the samples. Prior to testing and collecting samples, the surface immediately surrounding the polyethylene tubing of the vapor implant was sealed using a 1 foot ft by 1 ft square sheet of 2 mil HDPE plastic firmly adhered to a wetted layer of granular bentonite. The seal was then tested by enriching the air space above the seal with a tracer gas (helium) while continuously monitoring air drawn from the implant with a helium detector (Dielectric Model MGD-2002, Multi-Gas Detector) for a minimum of 15 minutes. The tracer gas test procedure was employed at all three soil vapor sampling locations. No surface seal leaks were observed at any of the locations.

Following verification that the surface seal was tight, one to three volumes (i.e., the volume of the sample probe and tube) of air was purged from the implant using a calibrated vacuum pump. After purging, a 6-liter Summa® canister, fitted with a 2-hour flow regulator, was attached to the surface tube of each of the four vapor implants. Prior to initiating sample collection, sample identification, canister number, date and start time were recorded on tags attached to each canister and in a bound field note book. Sampling then proceeded by fully opening the flow control valve on each canister in turn. Immediately after opening the flow control valve on a canister, the initial vacuum (inches of mercury) was recorded in the field book and on the sample tag. When the vacuum level in the canister was between 5 and 8 inches of mercury (approx 2

hours), the flow controller valve was closed, and the final vacuum recorded in the field notebook and on the sample tag.

The soil gas Sample identification, date, start time, start vacuum, end time and end vacuum were recorded on tags attached to each canister and on a sample log sheet (**Appendix E**). Samples were submitted to Phoenix for laboratory analysis of VOCs EPA Method TO-15.

### Chemical Analysis

Chemical analytical work presented in this RIR has been performed in the following manner:

Factor	Description
Quality Assurance Officer	The chemical analytical quality assurance is directed by Phoenix Environmental Laboratories
Chemical Analytical Laboratory	Chemical analytical laboratory(s) used in the RI is NYS ELAP certified and was Phoenix Environmental Laboratories
Chemical Analytical Methods	<p>Soil analytical methods:</p> <ul style="list-style-type: none"> <li>• TAL Metals by EPA Method 6010C (rev. 2007);</li> <li>• VOCs by EPA Method 8260C (rev. 2006);</li> <li>• SVOCs by EPA Method 8270D (rev. 2007);</li> <li>• Pesticides by EPA Method 8081B (rev. 2000);</li> <li>• PCBs by EPA Method 8082A (rev. 2000);</li> </ul> <p>Groundwater analytical methods:</p> <ul style="list-style-type: none"> <li>• TAL Metals by EPA Method 6010C (rev. 2007);</li> <li>• VOCs by EPA Method 8260C (rev. 2006);</li> <li>• SVOCs by EPA Method 8270D (rev. 2007);</li> <li>• Pesticides by EPA Method 8081B (rev. 2000);</li> <li>• PCBs by EPA Method 8082A (rev. 2000);</li> </ul> <p>Soil vapor analytical methods:</p> <ul style="list-style-type: none"> <li>• VOCs by TO-15 VOC parameters.</li> </ul>

## **Results of Chemical Analyses**

Laboratory data for soil, groundwater and soil vapor are summarized in **Tables 2** through **11**, respectively. Laboratory data deliverables for all samples evaluated in this RIR are provided in digital form in **Appendix F**.

## 5.0 ENVIRONMENTAL EVALUATION

### 5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS

#### Stratigraphy

Subsurface soil at the Site consisted of urban fill, which was primarily comprised of brick, concrete, wood and other debris in a brown silty-sand matrix. The layer of urban fill extended to a depth ranging from ground surface to approximately 6 to 8 feet below grade. Native soil consisting of a brown sand is present below the urban fill layer.

#### Hydrogeology

Groundwater was encountered at a depth of approximately 9 feet below grade. Regional groundwater flow is from south to north.

### 5.2 SOIL CHEMISTRY

A summary table of data for chemical analyses performed on soil samples is included in **Tables 2 through 5**. Results were compared to NYSDEC Unrestricted Use and Restricted Residential soil cleanup objectives (SCOs) as presented in NYSDEC Part 375-6 and CP51. A copy of the laboratory report is provided in **Appendix F**. **Figure 6** shows the location and posts the values for soil/fill that exceed the 6NYCRR Part 375-6.8 Track 1 (Unrestricted Use) Track 2 (Restricted Residential) SCOs.

Soil/fill samples collected during the RI showed no PCBs at detectable concentrations. No VOCs were detected above Unrestricted Use SCOs, as only 1,2,4-trimethylbenzene was detected at a low level (11 ppb) in one sample. Ten SVOCs were detected above Restricted Residential SCOs in the shallow soil horizon, and one shallow soil sample showed relatively high levels of SVOCs (total SVOCs were found to be 1076 ppm) and is believed to be a hotspot. These SVOCs were all PAH compounds and their concentrations, with the exception of the SVOC hotspot, and distributions indicate that they are associated with historic fill material observed in shallow samples. Four pesticides (4,4,4-DDT, 4,4,4-DDE, chlordane, and dieldrin) were detected in shallow soil samples at concentrations above Unrestricted Use SCOs, but well below RRSCOs. Six metals exceeded UUSCOs in shallow soil samples, and of these metals, barium (max of 1190

ppm), mercury (max of 18.6 ppm), and lead (max of 863 ppm) also exceeded their respective RRSCOs in shallow soil. No SVOCs, Pesticides, or Metals were detected above UUSCOs within the deeper soil samples. Overall, with the exceptions of the mercury and SVOC hotspots, the findings were consistent with observations for other historical fill sites in Brooklyn.

### 5.3 GROUNDWATER CHEMISTRY

Data collected during the RI is sufficient to delineate the distribution of contaminants in groundwater at the Site. A summary table of data for chemical analyses performed on groundwater samples is included in **Tables 6** through **10**. Exceedences of applicable groundwater standards are shown. **Figure 7** shows the location and posts the values for groundwater that exceed the New York State 6NYCRR Part 703.5 Class GA groundwater standards.

Groundwater samples collected during the RI showed chlorinated VOCs in three of four groundwater samples. Trichloroethene (TCE) at a maximum concentration of 18 ug/L and cis-1,2-dichloroethene at a maximum concentration of 41 ug/L were found above their GQSs, and tetrachloroethene (PCE) was found below its GQS at 1.8 ug/L in one sample. No chlorinated VOCs were identified in any of the soil samples collected on Site and are believed to be associated with offsite impacts. Four SVOCs, all PAHs, were detected above their corresponding GQSs in three of four groundwater samples. The pesticide 4,4,4-DDT was detected in one groundwater sample slightly above its GQS. Magnesium, manganese, and sodium were the only metals identified in the dissolved groundwater sample from GW4. The three remaining samples were not filtered and also showed total concentrations of lead, arsenic, beryllium, chromium, and nickel above their GQSs. The levels of metals, SVOCs, and pesticides in groundwater are likely the impact of turbid samples, rather than dissolved groundwater quality. The RI indicates that groundwater is not impacted by site conditions and did not reveal any sources of contaminants onsite.

### 5.4 SOIL VAPOR CHEMISTRY

Soil vapor samples collected during the RI showed petroleum and chlorinated VOCs at low to moderate concentrations. Total petroleum VOCs were identified from 29 to 498 ug/m<sup>3</sup>. PCE

was identified in all samples at a maximum concentration of 183 ug/m<sup>3</sup>, TCE was also identified at a maximum concentration of 14 ug/m<sup>3</sup>. These results for TCE and PCE are within the monitoring level ranges of the State DOH soil vapor guidance matrix. Neither PCE nor TCE were detected within any of the soil samples collected at the Site and these low levels suggest a possible offsite origin.

Data collected during the RI is sufficient to delineate the distribution of contaminants in soil vapor at the Site. A summary table of data for chemical analyses performed on soil vapor samples is included in **Table 11**.

**Figure 8** shows the location and posts the values for soil vapor samples with detected concentrations.

## **5.5 PRIOR ACTIVITY**

Based on an evaluation of the data and information from the RIR, disposal of significant amounts of hazardous waste is not suspected at this site.

## **5.6 IMPEDIMENTS TO REMEDIAL ACTION**

There are no known impediments to remedial action at this property.

# **TABLES**

**Table 1**  
**390 to 398 Wallabout Street, Brooklyn, New York**  
**Soil Boring / Well Information**

<b>Boring/Well No.</b>	<b>Date</b>	<b>Total Depth (ft)</b>	<b>Diameter (in)</b>	<b>Construction Materials</b>	<b>Screen Length (ft)</b>	<b>DTW (ft)</b>
B1	1/2/2012	12	2			-
B2	1/2/2012	12	2			-
B3	1/2/2012	12	2			-
B4	1/2/2012	12	2			-
B5	1/2/2012	12	2			-
B6	2/29/2012	15	2			-
B7	2/29/2012	15	2			-
B8	2/29/2012	15	2			-
GW1 - Well	1/2/2012	14	1	pvc	10.00	9
GW2 - Well	1/2/2012	14	1	pvc	10.00	9
GW3 - Well	1/2/2012	14	1	pvc	10.00	9
GW4 - Well	2/29/2012	14	1	pvc	10.00	9

TABLE 2  
390 to 398 Wallabout Street, Brooklyn, New York  
Soil Analytical Results  
Volatile Organic Compounds

COMPOUND	NYSDEC Part 375.6 Unrestricted Use Soil Cleanup Objectives	NYDEC Part 375.6 Restricted Residential Soil Cleanup Objectives	B1		B2			B3		B4		B5		B6		B7		B8	
			(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(7-9') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg
1,1,1,2-Tetrachloroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	680	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	270	26,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	330	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	3,600	52,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	1,100	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	20	3,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	8,400	52,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	2,400	4,900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1,800	13,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone (Methyl Butyl Ketone)			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Isopropyltoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	50	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acrylonitrile			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	60	4,800	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	760	2,400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	1,100	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	370	49,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cis-1,2-Dichloroethane	250	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Cis-1,3-Dichloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromoethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	1,000	41,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
m,p-Xylenes	260		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl Ethyl Ketone (2-Butanone)	120	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl t-butyl ether (MTBE)	930	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	50	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene			ND	ND	ND	12	ND	ND	ND	ND	ND	ND	1,600	ND	ND	ND	ND	6.9	ND
n-Butylbenzene	12,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	3,900	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	260	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	11,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	5,900	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethane	1,300	19,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrahydrofuran (THF)			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	700	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethane	190	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,4-dichloro-2-butene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethane	470	21,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorotrifluoroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	20	900	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total BTEX Concentration			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total VOCs Concentration			0.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,611.0	0.0	0.0	0.0	6.9	0.0

Notes:

\*\* - 6 NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives

ND - Not detected

**boldhighlighted**- Indicated exceedance of the NYSDEC URSCO Guidance Value

**boldhighlighted**- Indicated exceedance of the NYSDEC RRSCO Guidance Value

TABLE 2  
390 to 398 Wallabout Street, Brooklyn, New York  
Soil Analytical Results  
Semi-Volatile Organic Compounds

COMPOUND	NYSDEC Part 375.6 Unrestricted Use Soil Cleanup Objectives	NYDEC Part 375.6 Restricted Residential Soil Cleanup Objectives*	B1		B2		B3		B4		B5		B6		B7		B8	
			(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(7-9') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg	(0-2') µg/Kg
1,2,4,5-Tetrachlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4,5-Trichlorophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4,6-Trichlorophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4-Dichlorophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4-Dimethylphenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4-Dinitrophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4-Dinitrotoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,6-Dinitrotoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chloronaphthalene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	14,000	ND	ND	ND	260
2-Methylphenol (o-cresol)	330	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Nitroaniline			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Nitrophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
3&4-Methylphenol (m&p-cresol)	330	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
3,3'-Dichlorobenzidine			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
3-Nitroaniline			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4,6-Dinitro-2-methylphenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Bromophenyl phenyl ether			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chloro-3-methylphenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chloroaniline			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorophenyl phenyl ether			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Nitroaniline			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Nitrophenol			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthene	20,000	100,000	ND	ND	ND	390	ND	ND	ND	ND	ND	ND	ND	17,000	ND	ND	ND	770
Acenaphthylene	100,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4,400	ND	610	ND	ND
Acetophenone			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aniline			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Anthracene	100,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	40,000	ND	1,400	ND	1,700
Azobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	1,000	1,000	530	ND	1,700	ND	ND	620	ND	1,400	ND	ND	ND	71,000	ND	8,000	ND	4,900
Benztidine			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	1,000	1,000	520	ND	1,600	ND	ND	660	ND	1,400	ND	ND	ND	59,000	ND	5,900	ND	5,100
Benzo(b)fluoranthene	1,000	1,000	780	ND	2,500	ND	ND	1,100	ND	2,000	ND	ND	ND	79,000	ND	10,000	ND	7,000
Benzo(g,h,i)perylene	100,000	100,000	ND	ND	870	ND	ND	560	ND	710	ND	ND	ND	28,000	ND	2,300	290	1,500
Benzo(k)fluoranthene	800	3,900	310	ND	1,100	ND	ND	ND	ND	810	ND	ND	ND	28,000	ND	3,100	ND	2,900
Benzoic Acid			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Butyl benzyl phthalate			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7,700
Bis(2-chloroethoxy)methane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bis(2-chloroethyl)ether			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bis(2-chloroisopropyl)ether			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bis(2-ethylhexyl)phthalate			ND	ND	ND	ND	ND	1,800	ND	ND	ND	ND	ND	ND	ND	620	ND	53,000
Carbazole			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	1,000	3,900	600	ND	1,900	ND	ND	710	ND	1,400	ND	ND	ND	64,000	ND	7,500	ND	3,500
Dibenzo(a,h)anthracene	330	330	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7,200	ND	830	ND	380
Dibenzofuran			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	22,000	ND	ND	ND	520
Diethyl phthalate			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dimethyl phthalate			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Di-n-butylphthalate			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Di-n-octylphthalate			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	100,000	100,000	1,000	ND	3,600	ND	ND	1,200	ND	2,500	ND	ND	ND	180,000	ND	15,000	ND	12,000
Fluorene	30,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	25,000	ND	ND	ND	750
Hexachlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorocyclopentadiene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachloroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	500	500	ND	ND	720	ND	ND	ND	ND	600	ND	ND	ND	26,000	ND	2,300	ND	1,300
Isophorone			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	12,000	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	42,000	ND	ND	ND	500
Nitrobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-Nitrosodimethylamine			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-Nitrosodi-n-propylamine			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-Nitrosodiphenylamine			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pentachloronitrobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pentachlorophenol	800	6,700	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Phenanthrene	100,000	100,000	650	ND	2,600	ND	ND	660	ND	1,500	ND	ND	ND	220,000	ND	6,000	ND	9,000
Phenol	330	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	100,000	100,000	890	ND	3,200	280	ND	1,600	ND	2,200	ND	ND	ND	150,000	ND	13,000	ND	9,200
Pyridine			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:  
 \* - NYSDEC Technical and Administrative Guidance Memorandum 4046, 1994  
 \*\* - 6 NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives  
 ND - Not detected  
 NA - Guidance value not available  
 Bold/highlighted - Indicated exceedance of the NYSDEC UUSCO Guidance Value  
 Bold/highlighted - Indicated exceedance of the NYSDEC RRSO Guidance Value

TABLE 5  
390 to 398 Wallabout Street, Brooklyn, New York  
Soil Analytical Results  
Metals

COMPOUND	NYSDEC Part 375.6 Unrestricted Use Soil Cleanup Objectives	NYDEC Part 375.6 Restricted Residential Soil Cleanup Objectives*	B1		B2			B3		B4		B5		B6		B7		B8	
			(0-2') mg/Kg	(10-12') mg/Kg	(0-2') mg/Kg	(7-9') mg/Kg	(10-12') mg/Kg	(0-2') μg/Kg	(8-10') μg/Kg	(0-2') μg/Kg	(8-10') μg/Kg	(0-2') μg/Kg	(8-10') μg/Kg						
Silver	2	180	0.45	<0.37	<0.38	<0.38	<0.37	<0.39	<0.42	<0.35	<0.36	<0.36	<0.42	<0.4	<0.35	<0.41	<0.43	<0.35	<0.38
Aluminum			8,540	55	7040	8970	8470	8500	6370	7070	9170	11100	4260	7900	8530	9520	16600	8350	8000
Arsenic	13	16	9.17	0.74	1.68	<0.75	<0.72	6.09	<0.83	2.44	<0.73	1.76	<0.83	7.68	0.85	7.14	2.8	5	1.58
Barium	350	400	384	12.3	706	25.9	26.5	277	13.6	1190	31	72.5	14.2	261	29.9	462	33.2	935	43.3
Beryllium	7.2	72	<0.28	<0.29	<0.31	<0.30	<0.29	<0.31	<0.33	<0.28	<0.29	<0.29	<0.33	0.37	0.32	0.47	0.38	0.34	0.48
Calcium			5,800	414	27100	893	730	27900	635	48900	841	9110	736	39900	856	25100	1080	44100	7.39
Cadmium	2.5 c	4.3	1.17	<0.37	2.11	<0.38	<0.36	1.3	<0.42	1.89	<0.36	0.69	<0.42	<0.4	<0.35	0.83	<0.43	1.15	<0.38
Cobalt			7.22	4.75	6.13	4.84	8.38	5.26	3.1	6.4	6.72	7.52	2.88	3.83	3.79	6.17	2.82	5.26	7.34
Chromium	30 c	180 - trivalent	23.2	10.3	20.5	15	10.6	26.6	12.2	19.9	15.3	17.5	10.9	24.5	13.3	21.3	22.6	22.7	16.5
Copper	50	270	85.5	5.89	69.1	11.9	16.9	47.9	9.3	76	14.8	23	6.11	52.5	14.7	64.4	10.4	88.6	12.1
Iron			17,200	6560	13600	8960	6740	14900	4180	13000	8040	20700	5260	17100	7490	20700	15600	17900	11500
Mercury	0.18 c	0.81	18.6	<0.08	1.19	<0.07	<0.08	<0.07	<0.1	0.32	<0.09	0.48	<0.10	0.74	<0.08	0.31	0.15	0.77	<0.08
Potassium			672	583	1080	680	581	969	494	849	767	865	367	1020	647	1380	704	1800	798
Magnesium			1,840	890	5080	1640	2310	2630	1590	5430	1850	2700	1240	5580	1480	4110	1680	4170	1720
Manganese	1,600 c	2,000	290	69.5	267	74.1	206	259	39.6	245	81.7	433	39.5	343	60.2	279	45.3	313	51.5
Sodium			160	67.1	278	50.2	42.7	487	33.6	565	46	207	36.4	666	48.8	374	50.4	364	44.3
Nickel	30	310	32.8	6.35	21.9	14.6	23.4	18.9	13.8	18.4	12.1	13.6	10.9	21.5	12.3	32.9	9.02	18.2	12.3
Lead	63 c	400	780	3.81	480	6.25	5.51	863	4.34	429	8.36	100	2.69	326	3.86	645	9.42	800	5.77
Antimony			<3.5	<3.7	<3.8	<3.8	<3.6	<3.9	<4.2	<3.5	<3.6	<3.6	<4.2	<4.0	<3.5	<4.1	<4.3	<3.5	<3.8
Selenium	3.9c	180	<1.4	<1.5	<1.5	<1.5	<1.4	<1.6	<1.7	<1.4	<1.5	<1.5	<1.7	<1.6	<1.4	<1.6	<1.7	<1.4	<1.5
Thallium			<3.2	<3.3	<3.4	<3.4	<3.2	<3.5	<3.8	<3.1	<3.3	<3.3	<3.8	<3.6	<3.1	<3.7	<3.8	<3.1	<3.5
Vanadium			28.2	15.5	27.3	15.5	15.6	23.4	9.11	22.1	21.9	24.9	7.39	26.3	13.7	41.1	47	31.5	17.2
Zinc	109 c	10,000	210	18.7	551	27.6	21.7	301	16.3	819	30.6	70.1	15.2	254	19.6	435	41.7	655	38.3

Notes:

\* - NYSDEC Technical and Administrative Guidance Memorandum 4046, 1994

\*\* - 6 NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives

ND - Not-detected

NA - Guidance value not available

Bold/highlighted- Indicated exceedance of the NYSDEC UUSOC Guidance Value

Bold/highlighted- Indicated exceedance of the NYSDEC RRSCO Guidance Value

TABLE 4  
390 to 398 Wallabout Street, Brooklyn, New York  
Soil Analytical Results  
Pesticides / PCBs

COMPOUND	NYSDEC Part 375.6 Unrestricted Use Soil Cleanup Objectives	NYDEC Part 375.6 Restricted Residential Soil Cleanup Objectives*	B1		B2			B3		B4		B5		B6		B7		B8	
			(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(7-9') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(10-12') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg	(0-2') µg/Kg	(8-10') µg/Kg
PCB-1016	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1221	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1232	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1242	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1248	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1254	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1260	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1262	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PCB-1268	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4,4-DDD	3.3	13,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4,4-DDE	3.3	8,900	ND	ND	ND	ND	ND	ND	ND	62	ND	ND	ND	ND	ND	ND	ND	ND	ND
4,4-DDT	3.3	7,900	51	ND	90	ND	ND	ND	ND	290	ND	ND	ND	ND	ND	49	ND	85	ND
a-BHC	20	480	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Atachlor			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Aldrin	5	97	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
b-BHC	36	360	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlordane	94	4,200	ND	ND	120	ND	ND	91	ND	130	ND	ND	ND	ND	ND	ND	180	ND	ND
d-BHC	40	100,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dieldrin	5	200	ND	ND	16	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND
Endosulfan I	2,400	24,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Endosulfan II	2,400	24,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Endosulfan Sulfate	2,400	24,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Endrin	14	11,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Endrin aldehyde			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Endrin ketone			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
gamma-BHC			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Heptachlor	42	2,100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Heptachlor epoxide			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methoxychlor			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toxaphene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

\* - NYSDEC Technical and Administrative Guidance Memorandum 4046, 1994

\*\* - 6 NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives

ND - Not-detected

NA - Guidance value not available

**Bold/highlighted**- Indicated exceedance of the NYSDEC UUSCO Guidance Value

**Bold/highlighted**- Indicated exceedance of the NYSDEC RRSCO Guidance Value

TABLE 6  
390 to 398 Wallabout Street, Brooklyn, New York  
Groundwater Analytical Results  
Volatile Organic Compounds

Compound	NYSDEC Groundwater Quality Standards	GW1	GW2	GW3	GW4
	µg/L	µg/L	µg/L	µg/L	µg/L
1,1,1,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,1-Trichloroethane	5	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	ND	ND	ND
1,1,2-Trichloroethane	1	ND	ND	ND	ND
1,1-Dichloroethane	5	ND	ND	ND	ND
1,1-Dichloroethene		ND	ND	ND	ND
1,1-Dichloropropene		ND	ND	ND	ND
1,2,3-Trichlorobenzene		ND	ND	ND	ND
1,2,3-Trichloropropane		ND	ND	ND	ND
1,2,4-Trichlorobenzene		ND	ND	ND	ND
1,2,4-Trimethylbenzene	5	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane		ND	ND	ND	ND
1,2-Dichlorobenzene		ND	ND	ND	ND
1,2-Dichloroethane	0.6	ND	ND	ND	ND
1,2-Dichloropropane	0.94	ND	ND	ND	ND
1,3,5-Trimethylbenzene	5	ND	ND	ND	ND
1,3-Dichlorobenzene		ND	ND	ND	ND
1,3-Dichloropropane		ND	ND	ND	ND
1,4-Dichlorobenzene		ND	ND	ND	ND
2,2-Dichloropropane		ND	ND	ND	ND
2-Chlorotoluene		ND	ND	ND	ND
2-Hexanone (Methyl Butyl Ketone)		ND	ND	ND	ND
2-Isopropyltoluene		ND	ND	ND	ND
4-Chlorotoluene		ND	ND	ND	ND
4-Methyl-2-Pentanone		ND	ND	ND	ND
Acetone		ND	ND	ND	ND
Acrylonitrile		ND	ND	ND	ND
Benzene	1	ND	ND	ND	ND
Bromobenzene		ND	ND	ND	ND
Bromochloromethane	5	ND	ND	ND	ND
Bromodichloromethane		ND	ND	ND	ND
Bromoform		ND	ND	ND	ND
Bromomethane	5	ND	ND	ND	ND
Carbon Disulfide		ND	ND	ND	ND
Carbon tetrachloride	5	ND	ND	ND	ND
Chlorobenzene		ND	ND	ND	ND
Chloroethane		ND	ND	ND	ND
Chloroform	7	ND	ND	ND	ND
Chloromethane		ND	ND	ND	ND
cis-1,2-Dichloroethene	5	<b>14</b>	ND	<b>5.7</b>	<b>41</b>
cis-1,3-Dichloropropene		ND	ND	ND	ND
Dibromochloromethane		ND	ND	ND	ND
Dibromoethane		ND	ND	ND	ND
Dibromomethane		ND	ND	ND	ND
Dichlorodifluoromethane		ND	ND	ND	ND
Ethylbenzene	5	ND	ND	ND	ND
Hexachlorobutadiene		ND	ND	ND	ND
Isopropylbenzene	5	ND	ND	ND	ND
m&p-Xylenes	5	ND	ND	ND	ND
Methyl Ethyl Ketone (2-Butanone)		ND	ND	ND	ND
Methyl t-butyl ether (MTBE)		ND	ND	ND	ND
Methylene chloride		ND	ND	ND	ND
Naphthalene		ND	ND	ND	ND
n-Butylbenzene	5	ND	ND	ND	ND
n-Propylbenzene	5	ND	ND	ND	ND
o-Xylene	5	ND	ND	ND	ND
p-Isopropyltoluene		ND	ND	ND	ND
sec-Butylbenzene		ND	ND	ND	ND
Styrene		ND	ND	ND	ND
tert-Butylbenzene		ND	ND	ND	ND
Tetrachloroethane	5	<b>1.8</b>	ND	ND	ND
Tetrahydrofuran (THF)		ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND
Total Xylenes		ND	ND	ND	ND
trans-1,2-Dichloroethene		ND	ND	ND	ND
trans-1,3-Dichloropropene		ND	ND	ND	ND
trans-1,4-dichloro-2-butene		ND	ND	ND	ND
Trichloroethene	5	<b>2</b>	ND	<b>1.2</b>	<b>18</b>
Trichlorofluoromethane		ND	ND	ND	ND
Trichlorotrifluoroethane		ND	ND	ND	ND
Vinyl Chloride		ND	ND	ND	ND

Notes:

ND - Not detected

**Bold/highlighted-** Indicated exceedance of the NYSDEC Groundwater Standard

TABLE 7  
390 to 398 Wallabout Street, Brooklyn, New York  
Groundwater Analytical Results  
Semi-Volatile Organic Compounds

Compound	NYSDEC Groundwater Quality Standards	GW1	GW2	GW3	GW4
	µg/L	µg/L	µg/L	µg/L	µg/L
1,2-Dichlorobenzene	3	ND	ND	ND	ND
1,3-Dichlorobenzene	3	ND	ND	ND	ND
1,4-Dichlorobenzene		ND	ND	ND	ND
2,4-Dinitrotoluene	5	ND	ND	ND	ND
2,6-Dinitrotoluene	5	ND	ND	ND	ND
2-Chloronaphthalene	0.11	ND	ND	ND	ND
2-Methylnaphthalene		ND	ND	ND	ND
2-Nitroaniline	0.94	ND	ND	ND	ND
3,3'-Dichlorobenzidine	5	ND	ND	ND	ND
3-Nitroaniline	5	ND	ND	ND	ND
4-Bromophenyl phenyl ether		ND	ND	ND	ND
4-Chloroaniline		ND	ND	ND	ND
4-Chlorophenyl phenyl ether		ND	ND	ND	ND
4-Nitroaniline	5	ND	ND	ND	ND
Acenaphthene	20	<b>0.16</b>	<b>0.07</b>	ND	ND
Acenaphthylene	5	ND	ND	ND	<b>0.033</b>
Anthracene	50	ND	ND	ND	ND
Azobenzene		ND	ND	ND	ND
Benzo(a)anthracene	0.002	ND	<b>0.15</b>	<b>0.66</b>	<b>0.3</b>
Benzidine	5	ND	ND	ND	ND
Benzo(a)pyrene		ND	<b>0.15</b>	<b>0.6</b>	<b>0.17</b>
Benzo(b)fluoranthene	0.002	ND	<b>0.25</b>	<b>0.94</b>	<b>0.28</b>
Benzo(g,h,i)perylene		ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	ND	<b>0.06</b>	<b>0.32</b>	<b>0.11</b>
Benzoic Acid		ND	ND	ND	ND
Benzyl Alcohol		ND	ND	ND	ND
Butyl benzyl phthalate	50	ND	ND	ND	ND
Bis(2-chloroethoxy)methane	5	ND	ND	ND	ND
Bis(2-chloroethyl)ether	1	ND	ND	ND	ND
Bis(2-chloroisopropyl)ether		ND	ND	ND	ND
Bis(2-ethylhexyl)phthalate	5	ND	ND	ND	ND
Chrysene	0.002	ND	<b>0.16</b>	<b>0.54</b>	<b>0.27</b>
Dibenzo(a,h)anthracene		ND	<b>0.02</b>	<b>0.07</b>	<b>0.022</b>
Dibenzofuran		ND	ND	ND	ND
Diethylphthalate		ND	ND	ND	ND
Dimethylphthalate		ND	ND	ND	ND
Di-n-butylphthalate		ND	ND	ND	ND
Di-n-octylphthalate		ND	ND	ND	ND
Fluoranthene		ND	ND	ND	ND
Fluorene		ND	ND	ND	ND
Hexachlorobenzene	0.04	ND	ND	ND	ND
Hexachlorobutadiene	0.5	ND	ND	ND	ND
Hexachlorocyclopentadiene	5	ND	ND	ND	ND
Hexachloroethane	5	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene		ND	<b>0.09</b>	<b>0.32</b>	<b>0.089</b>
Isophorone		ND	ND	ND	ND
Naphthalene		ND	ND	ND	ND
Nitrobenzene	0.4	ND	ND	ND	ND
N-Nitrosodimethylamine		ND	ND	ND	ND
N-Nitrosodi-n-propylamine		ND	ND	ND	ND
N-Nitrosodiphenylamine		ND	ND	ND	ND
Phenanthrene		ND	<b>0.24</b>	<b>0.43</b>	<b>0.61</b>
Pyrene		ND	ND	ND	ND

**Notes:**

ND - Not detected

**Bold/highlighted-** Indicated exceedance of the NYSDEC Groundwater Standard

TABLE 8  
390 to 398 Wallabout Street, Brooklyn, New York  
Groundwater Analytical Results  
Pesticides/PCBs

Compound	NYSDEC Groundwater Quality Standards µg/L	GW1 µg/L	GW2 µg/L	GW3 µg/L	GW4 µg/L
PCB-1016	0.09	ND	ND	ND	ND
PCB-1221	0.09	ND	ND	ND	ND
PCB-1232	0.09	ND	ND	ND	ND
PCB-1242	0.09	ND	ND	ND	ND
PCB-1248	0.09	ND	ND	ND	ND
PCB-1254	0.09	ND	ND	ND	ND
PCB-1260	0.09	ND	ND	ND	ND
PCB-1262	0.09	ND	ND	ND	ND
PCB-1268	0.09	ND	ND	ND	ND
4,4-DDD	0.3	ND	ND	ND	ND
4,4-DDE	0.2	ND	ND	ND	ND
4,4-DDT	0.11	ND	<b>0.16</b>	ND	ND
a-BHC	0.94	ND	ND	ND	ND
Alachlor		ND	ND	ND	ND
Aldrin		ND	ND	ND	ND
b-BHC	0.04	ND	ND	ND	ND
Chlordane	0.05	ND	ND	ND	ND
d-BHC	0.04	ND	ND	ND	ND
Dieldrin	0.004	ND	ND	ND	ND
Endosulfan I		ND	ND	ND	ND
Endosulfan II		ND	ND	ND	ND
Endosulfan Sulfate		ND	ND	ND	ND
Endrin		ND	ND	ND	ND
Endrin aldehyde	5	ND	ND	ND	ND
Endrin ketone		ND	ND	ND	ND
gamma-BHC	0.05	ND	ND	ND	ND
Heptachlor	0.04	ND	ND	ND	ND
Heptachlor epoxide	0.03	ND	ND	ND	ND
Methoxychlor	35	ND	ND	ND	ND
Toxaphene		ND	ND	ND	ND

Notes:

ND - Non-detect

**Bold/highlighted- Indicated exceedance of the NYSDEC Groundwater Standard**

Table 9  
390 to 398 Wallabout Street, Brooklyn, New York  
Groundwater Analytical Results  
TAL Metals

Compound	NYSDEC Groundwater Quality Standards µg/L	GW1 µg/L	GW2 µg/L	GW3 µg/L	GW4 µg/L
Silver	50	<1.0	<1.0	<1.0	<1.0
Aluminum	NS	<b>3,240</b>	<b>8,860</b>	<b>76,500</b>	<b>12,300</b>
Arsenic	25	<4.0	<4.0	<b>40</b>	<4.0
Barium	1000	<b>47</b>	<b>65</b>	<b>687</b>	<b>161</b>
Beryllium	3	<1.0	<1.0	<b>5</b>	<1.0
Calcium	NS	<b>217,000</b>	<b>256,000</b>	<b>201,000</b>	<b>180,000</b>
Cadmium	5	<1.0	<1.0	<1.0	<1.0
Cobalt	NS	<b>6</b>	<b>4</b>	<b>34</b>	<b>16</b>
Chromium	50	<b>5</b>	<b>10</b>	<b>174</b>	<b>43</b>
Copper	200	<b>4</b>	<b>11</b>	<b>119</b>	<b>46</b>
Iron	500	<b>4,210</b>	<b>30,100</b>	<b>49,000</b>	<b>17</b>
Mercury	0.7	<0.2	<0.2	<b>0.4</b>	<0.2
Potassium	NS	<b>19,200</b>	<b>11,000</b>	<b>16,600</b>	<b>36,600</b>
Magnesium	35000	<b>18,500</b>	<b>15,000</b>	<b>17,600</b>	<b>56,800</b>
Manganese	300	<b>1,310</b>	<b>291</b>	<b>523</b>	<b>1,800</b>
Sodium	2000	<b>27,900</b>	<b>14,600</b>	<b>13,300</b>	<b>28,700</b>
Nickel	100	<b>5</b>	<b>3</b>	<b>145</b>	<b>39</b>
Lead	25	<b>3</b>	<b>71</b>	<b>951</b>	<b>80</b>
Antimony	3	<5.0	<5.0	<b>7</b>	<5.0
Selenium	10	<10	<10	<10	<10
Thallium	0.5	<2.0	<2.0	<2.0	<2.0
Vanadium	NS	<b>15</b>	<b>7</b>	<b>153</b>	<b>48</b>
Zinc	2000	<b>17</b>	<b>40</b>	<b>356</b>	<b>139</b>

Notes:

ND - ND

NS - No Standard

**Bold/highlighted-** Indicated exceedance of the NYSDEC Groundwater Standard

Table 10  
 390 to 398 Wallabout Street, Brooklyn, New York  
 Groundwater Analytical Results  
 Dissolved Metals

Compound	NYSDEC Groundwater Quality Standards µg/L	GW4 µg/L
Silver	50	<1.0
Aluminum	NS	<b>210</b>
Arsenic	25	<4.0
Barium	1000	<b>67</b>
Beryllium	3	<1.0
Calcium	NS	<b>186,000</b>
Cadmium	5	<1.0
Cobalt	NS	<b>7</b>
Chromium	50	<1.0
Copper	200	<b>19</b>
Iron	500	<b>376</b>
Mercury	0.7	<0.2
Potassium	NS	<b>36,200</b>
Magnesium	35000	<b>54,800</b>
Manganese	300	<b>1,640</b>
Sodium	2000	<b>36</b>
Nickel	100	<b>8</b>
Lead	25	<2
Antimony	3	<5.0
Selenium	10	<11
Thallium	0.5	<2.0
Vanadium	NS	<b>3</b>
Zinc	2000	<b>20</b>

Notes:

ND - ND

NS - No Standard

**Bold/highlighted-** Indicated exceedance of the NYSDEC Groundwater Standard

TABLE 11  
390 to 398 Wallabout Street, Brooklyn, New York  
Soil Gas - Volatile Organic Compounds

COMPOUNDS	NYSDOH Air Guidance Value ( $\mu\text{g}/\text{m}^3$ ) <sup>(a)</sup>	NYSDOH Soil Outdoor Background Levels ( $\mu\text{g}/\text{m}^3$ ) <sup>(b)</sup>	SG-1 ( $\mu\text{g}/\text{m}^3$ )	SG-2 ( $\mu\text{g}/\text{m}^3$ )	SG-3 ( $\mu\text{g}/\text{m}^3$ )	SG-4 ( $\mu\text{g}/\text{m}^3$ )	SG-5 ( $\mu\text{g}/\text{m}^3$ )
1,1,1,2-Tetrachloroethane			ND	ND	ND	ND	ND
1,1,1-Trichloroethane		<2.0 - 2.8	ND	1.74	ND	3	ND
1,1,2,2-Tetrachloroethane		<1.5	ND	ND	ND	ND	ND
1,1,2-Trichloroethane		<1.0	ND	ND	ND	ND	ND
1,1-Dichloroethane		<1.0	ND	ND	ND	ND	ND
1,1-Dichloroethene		<1.0	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene		NA	1.19	ND	ND	ND	ND
1,2,4-Trimethylbenzene		<1.0	8.16	11.6	ND	8.11	5.21
1,2-Dibromoethane		<1.5	ND	ND	ND	ND	ND
1,2-Dichlorobenzene		<2.0	ND	ND	ND	ND	ND
1,2-Dichloroethane		<1.0	ND	ND	ND	ND	ND
1,2-Dichloroethene		NA	ND	ND	ND	ND	ND
1,2-Dichlorotetrafluoroethane			ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene		<1.0	1.77	2.36	ND	1.72	1.62
1,3-Butadiene		NA	ND	ND	ND	ND	ND
1,3-Dichlorobenzene		<2.0	ND	ND	ND	ND	ND
1,4-Dichlorobenzene		NA	ND	ND	ND	ND	ND
1,4-Dioxane			ND	ND	ND	ND	ND
2-Hexanone			ND	ND	ND	ND	ND
4-Ethyltoluene		NA	1.47	2.06	ND	1.57	1.08
4-Isopropyltoluene			ND	ND	ND	ND	ND
4-Methyl-2-pentanone			ND	ND	ND	1.06	2.29
Acetone		NA	155	103	9.78	138	28.5
Acrylonitrile			ND	ND	ND	ND	ND
Benzene		<1.6 - 4.7	ND	1.47	1.47	ND	1.66
Benzyl Chloride		NA	ND	ND	ND	ND	ND
Bromodichloromethane		<5.0	ND	ND	ND	ND	ND
Bromoform		<1.0	ND	ND	ND	ND	ND
Bromomethane		<1.0	ND	ND	ND	ND	ND
Carbon Disulfide		NA	ND	1.87	ND	2.49	1.15
Carbon Tetrachloride		<3.1	ND	ND	0.503	ND	0.44
Chlorobenzene		<2.0	ND	ND	ND	ND	ND
Chloroethane		NA	ND	ND	ND	ND	ND
Chloroform		<2.4	2.44	ND	ND	ND	1.07
Chloromethane		<1.0 - 1.4	ND	ND	1.26	ND	ND
cis-1,2-Dichloroethene		<1.0	ND	14	ND	ND	ND
cis-1,3-Dichloropropene		NA	ND	ND	ND	ND	ND
Cyclohexane		NA	ND	1.75	ND	ND	ND
Dibromochloromethane		<5.0	ND	ND	ND	ND	ND
Dichlorodifluoromethane		NA	5.19	69.7	2.52	26.3	10.7
Ethanol			12.1	5.08	20	8.44	456
Ethyl Acetate		NA	ND	ND	ND	ND	ND
Ethylbenzene		<4.3	2.86	3.99	ND	1.95	2.34
Heptane		NA	1.6	3.28	ND	1.06	2.58
Hexachlorobutadiene		NA	ND	ND	ND	ND	ND
Hexane		<1.5	1.02	10.3	2.18	ND	2.32
Isopropylalcohol		NA	ND	214	ND	ND	ND
Isopropylbenzene			ND	ND	ND	ND	ND
Xylene (m&p)		<4.3	11.3	15.5	1.22	8.29	7.16
Methyl Ethyl Ketone			1.68	ND	ND	ND	2.74
MTBE		NA	ND	ND	ND	ND	ND
Methylene Chloride	60	<3.4	ND	9.27	ND	ND	3.09
n-Butylbenzene			ND	1.21	ND	1.21	1.54
Xylene (o)		<4.3	3.64	4.82	ND	2.73	2.08
Propylene		NA	ND	ND	ND	ND	ND
sec-Butylbenzene			ND	ND	ND	ND	ND
Styrene		<1.0	1.32	ND	ND	ND	ND
Tetrachloroethylene	100		84	183	3.66	30.4	1.15
Tetrahydrofuran		NA	ND	ND	ND	ND	ND
Toluene		1.0 - 6.1	21	29.3	3.77	13.6	9.72
trans-1,2-Dichloroethene		NA	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene		NA	ND	ND	ND	ND	ND
Trichloroethylene	5	<1.7	6.66	14	ND	ND	1.88
Trichlorofluoromethane		NA	20.5	189	1.29	84.8	18
Trichlorotrifluoroethane			ND	ND	ND	ND	ND
Vinyl Chloride		<1.0	ND	ND	ND	ND	ND
Total PVOCs*			68	307	29	50	498
Total BTEX**			39	55	6	27	23
Total VOCs***			343	892	47.7	334.7	564.3

Notes:

NA No guidance value or standard available

(a) Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York, October 2006, New York State Department of Health.

(b) NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York, February 2005, Summary of Background Levels for Selected Compounds (NYSDOH Database, Outdoor values)


\*\* Benzene, toluene, ethylbenzene, xylene

\*\* \* Volatile Organic Compounds (excluding acetone)

Value detected above NYSDOH Air Guidance Value of 5  $\mu\text{g}/\text{m}^3$ , which according to Soil Vapor/Indoor Air Matrix 1 would require at a minimum, monitoring.

Value detected above NYSDOH Air Guidance Value of 100  $\mu\text{g}/\text{m}^3$ , which according to Soil Vapor/Indoor Air Matrix 2 would require at a minimum, monitoring.


# **FIGURES**



**SITE LOCATION**

Map created with TOPOLOG ©2006 National Geographic

73°58.00' W      73°58.000' W      73°57.000' W      WGS84 73°56.000' W



**EBC**  
 ENVIRONMENTAL BUSINESS CONSULTANTS  
 Phone 631.504.6000  
 Fax 631.924.2870

390-398 WALLABOUT STREET  
 BROOKLYN, NEW YORK 11206

FIGURE 1 - SITE LOCATION MAP

76 Throop Avenue  
1-story commercial building

**LOT 31**

99 Gerry Street  
Vacant

**LOT 36**

97 Gerry Street  
3-story residential building

**LOT 37**

95 Gerry Street  
1-story commercial building

**LOT 38**

93 Gerry Street  
Parking Lot

**LOT 39**

91 Gerry Street  
Parking Lot

**LOT 40**

89 Gerry Street  
Parking Lot

**LOT 41**

74 Throop Avenue  
1-story commercial building

**LOT 30**



72 Throop Avenue  
Undeveloped

1-Story  
Masonry  
Building

388 Wallabout St  
Under Construction

**LOT 29**

**LOT 25**

**LOT 24**

**LOT 23**

**LOT 22**


**LOT 21**

**LOT 20**

25'

125'

SCALE:



1 Inch = 20 feet

KEY:

--- Lot Line

**WALLABOUT STREET**



**ENVIRONMENTAL BUSINESS CONSULTANTS**

1808 MIDDLE COUNTRY ROAD, RIDGE, NY 11961

Phone 631.504.6000

Fax 631.924.2780

390-398 WALLABOUT STREET  
BROOKLYN, NY 11206



**FIGURE 2 SITE BOUNDARY**



KEY:



SCALE:



**WALLABOUT STREET**




**ENVIRONMENTAL BUSINESS CONSULTANTS**  
 1808 MIDDLE COUNTRY ROAD, RIDGE, NY 11961

Phone 631.504.6000  
 Fax 631.924.2780

390-398 WALLABOUT STREET  
 BROOKLYN, NY 11206

**FIGURE 3 REDEVELOPMENT LAYOUT**




**FIGURE 4**  
**SURROUNDING LAND USE MAP**

390-398 WALLABOUT STREET, BROOKLYN NY  
 HAZARDOUS MATERIALS REMEDIAL INVESTIGATION REPORT





**ENVIRONMENTAL BUSINESS CONSULTANTS**  
 1808 MIDDLE COUNTRY ROAD, RIDGE, NEW YORK 11961  
 PHONE: (631) 504-6000 FAX: (631) 924-2870



KEY:

-  Soil Boring Location
-  Groundwater Location
-  Soil Gas Location
-  Lot Line

SCALE:



WALLABOUT STREET



**ENVIRONMENTAL BUSINESS CONSULTANTS**


1808 MIDDLE COUNTRY ROAD, RIDGE, NY 11961

Phone 631.504.6000

Fax 631.924.2780

390-398 WALLABOUT STREET  
BROOKLYN, NY 11206

**FIGURE 5 SITE PLAN**




**KEY:**

- Soil Boring Location
- Groundwater Location
- Soil Gas Location
- Lot Line

**SCALE:**

1 Inch = 20 feet



Results compared to the NYSDEC UUSCO and RRSCO Guidance Values  
 \*\* Indicated compounds only exceeded the NYSDEC UUSCO Guidance Values

# WALLABOUT STREET



**ENVIRONMENTAL BUSINESS CONSULTANTS** Phone 631.504.6000  
 1808 MIDDLE COUNTRY ROAD, RIDGE, NY 11961 Fax 631.924.2780

390-398 WALLABOUT STREET  
 BROOKLYN, NY 11206



**FIGURE 6 SOIL EXCEEDANCE MAP**



KEY:

-  Soil Boring Location
-  Groundwater Location
-  Soil Gas Location
-  Lot Line

SCALE:



# WALLABOUT STREET



**ENVIRONMENTAL BUSINESS CONSULTANTS**

1808 MIDDLE COUNTRY ROAD, RIDGE, NY 11961

Phone 631.504.6000

Fax 631.924.2780

390-398 WALLABOUT STREET  
BROOKLYN, NY 11206

**FIGURE 7 GW EXCEEDANCE MAP**

**SG-5**

Compound	Concentration (µg/m <sup>3</sup> )
1,2,4-Trimethylbenzene	5.21
1,3,5-Trimethylbenzene	1.62
4-Ethyltoluene	1.08
4-Methyl-2-pentanone	2.29
Acetone	28.5
Benzene	1.66
Carbon Disulfide	1.15
Carbon Tetrachloride	0.44
Chloroform	1.07
Dichlorodifluoromethane	10.7
Ethanol	456
Ethylbenzene	2.34
Heptane	2.58
Hexane	2.32
Xylene (m&p)	7.16
Methyl Ethyl Ketone	2.74
Methylene Chloride	3.09
n-Butylbenzene	1.54
Xylene (o)	2.08
Tetrachloroethylene	1.15
Toluene	9.72
Trichloroethylene	1.88
Trichlorofluoromethane	18

**SG-2**

Compound	Concentration (µg/m <sup>3</sup> )
1,1,1-Trichloroethane	1.19
1,2,4-Trimethylbenzene	11.6
1,3,5-Trimethylbenzene	2.36
4-Ethyltoluene	2.06
Acetone	103
Benzene	1.47
Carbon Disulfide	1.87
cis-1,2-Dichloroethene	14
Cyclohexane	1.75
Dichlorodifluoromethane	69.7
Ethanol	5.08
Ethylbenzene	3.99
Heptane	3.28
Hexane	10.3
Isopropylalcohol	214
Xylene (m&p)	15.5
Methylene Chloride	1.68
n-Butylbenzene	1.21
Xylene (o)	4.82
Tetrachloroethylene	183
Toluene	29.3
Trichloroethylene	14
Trichlorofluoromethane	189

**SG-1**

Compound	Concentration (µg/m <sup>3</sup> )
1,2,4-Trichlorobenzene	1.19
1,2,4-Trimethylbenzene	8.16
1,3,5-Trimethylbenzene	1.77
4-Ethyltoluene	1.47
Acetone	155
Chloroform	2.44
Cyclohexane	0.66
Dichlorodifluoromethane	5.19
Ethanol	12.1
Ethylbenzene	2.86
Heptane	1.60
Hexane	1.02
Xylene (m&p)	11.3
Methyl Ethyl Ketone	1.68
Xylene (o)	3.64
Styrene	1.32
Tetrachloroethylene	84
Toluene	21
Trichloroethylene	6.66
Trichlorofluoroethane	20.5

**SG-4**

Compound	Concentration (µg/m <sup>3</sup> )
1,1,1-Trichloroethane	3
1,2,4-Trimethylbenzene	8.11
1,3,5-Trimethylbenzene	1.72
4-Ethyltoluene	1.57
4-Methyl-2-pentanone	1.06
Acetone	138
Carbon Disulfide	2.49
Dichlorodifluoromethane	26.3
Ethanol	8.44
Ethylbenzene	1.95
Heptane	1.06
Xylene (m&p)	8.29
n-Butylbenzene	1.21
Xylene (o)	2.73
Tetrachloroethylene	30.4
Toluene	13.6
Trichlorofluoromethane	84.8



**SG-3**

Compound	Concentration (µg/m <sup>3</sup> )
Acetone	9.78
Benzene	1.47
Carbon Tetrachloride	0.503
Chloromethane	1.26
Cyclohexane	1.75
Dichlorodifluoromethane	2.52
Ethanol	20
Hexane	2.18
Xylene (m&p)	1.22
Tetrachloroethylene	3.66
Toluene	3.77
Trichlorofluoromethane	1.29

KEY:

-  Soil Boring Location
-  Groundwater Location
-  Soil Gas Location
-  Lot Line

SCALE:



WALLABOUT STREET



ENVIRONMENTAL BUSINESS CONSULTANTS

1808 MIDDLE COUNTRY ROAD, RIDGE, NY 11961

Phone 631.504.6000

Fax 631.924.2780

390-398 WALLABOUT STREET  
BROOKLYN, NY 11206

FIGURE 8 SOIL GAS DETECTIONS

**APPENDIX A**  
**PHASE I REPORT**

# PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT

JANUARY 2012  
REVISED FEBRUARY 2012

390 through 398 Wallabout Street  
Brooklyn, New York 11206

EBC Project No: TRG1103

Block 2266, Lots 21, 22, 23, 24 & 25



Prepared for:

The Rabsky Group, LLC  
39 Heyward Street  
Brooklyn, NY 11211

Submitted to:



New York City Office of Environmental Remediation  
E-Designation Program  
100 Gold Street, 2<sup>nd</sup> Floor  
New York, NY 10038



*ENVIRONMENTAL BUSINESS CONSULTANTS*

1808 Middle Country Road, Ridge, NY 11961 Ph: 631.504.6000 Fax: 631.924.2870

## TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	i
1.0 INTRODUCTION.....	1
1.1 Purpose .....	1
1.2 Scope of Services.....	1
1.3 Significant Assumptions.....	2
1.4 Limitations and Exceptions .....	2
1.5 Special Terms and Conditions .....	3
1.6 User Reliance.....	3
2.0 PROPERTY DESCRIPTION AND PHYSICAL SETTING.....	4
2.1 Location and Legal Description .....	4
2.2 Site Characteristics .....	4
2.2.1 Utilities .....	4
2.3 Physical Setting .....	5
2.3.1 Surface Water .....	5
2.3.2 Groundwater.....	5
2.3.3 Radon Risk Evaluation .....	5
3.0 PROPERTY USAGE.....	6
3.1 Current Property Usage .....	6
3.2 Current Usage of Adjoining/Surrounding Properties .....	6
3.3 Historical Usage of Subject site and Surrounding Properties.....	7
3.3.1 Sanborn Fire Insurance Maps - Subject site and Adjacent Properties .....	7
3.3.2 City Directory Listings - Subject site and Adjacent Properties.....	16
4.0 USER PROVIDED INFORMATION .....	20
4.1 Title Records .....	20
4.2 Environmental Liens.....	20
4.3 Specialized Knowledge .....	20
4.4 Commonly Known or Reasonably Ascertainable Information.....	20
4.5 Valuation Reduction for Environmental Issues .....	20
4.6 Owner, Property Manager and Occupant Information .....	20
4.7 Reason for Performing Phase I ESA .....	20
5.0 RECORDS REVIEW .....	21
5.1 Standard Environmental Record Sources .....	21
5.1.1 Federal Databases.....	21
5.1.2 New York State Databases.....	27
5.2 Additional Environmental Record Sources .....	35
5.2.1 Local Agency Review.....	35
5.2.2 Internet Search Results .....	36
5.2.3 Historic Zoning Map .....	36
6.0 SITE RECONNAISSANCE .....	37
6.1 Methodology and Limiting Conditions .....	37
6.2 Observations .....	37

**TABLE OF CONTENTS**

6.3 Aboveground Storage Tanks (AST) ..... 38

6.4 Underground Storage Tanks (UST)..... 38

6.5 Hazardous and Non-Hazardous Chemical Storage and Disposal ..... 38

6.6 Polychlorinated Biphenyls (PCBs) ..... 38

6.7 Asbestos..... 38

6.8 Lead-Based Paint (LBP)..... 38

6.9 Mold ..... 38

7.0 INTERVIEWS ..... 39

    7.1 Owner ..... 39

    7.2 Occupants ..... 39

    7.3 Local Government Officials ..... 39

8.0 FINDINGS AND OPINIONS ..... 40

    8.1 Additional Environmental Issues..... 40

        8.1.1 *Spill Number Listed for Subject Site*..... 40

        8.1.2 *E-Designation*..... 41

        8.1.3 *Chemical Storage* ..... 41

9.0 CONCLUSIONS AND RECOMMENDATIONS ..... 42

10.0 DEVIATIONS..... 44

11.0 ADDITIONAL SERVICES ..... 45

12.0 REFERENCES..... 46

13.0 SIGNATURE OF ENVIRONMENTAL PROFESSIONAL ..... 47

***TABLES***

---

Surrounding Property Usage	Subject site Historical Usage	Federal Databases Searched
Surrounding Area Historical Usage	New York State Databases Searched	

***FIGURES***

---

FIGURE 1	Site Location
FIGURE 2A	Lot Diagram
FIGURE 2B	Lot Diagram
FIGURE 3	Aerial Map
FIGURE 4	Zoning Map

***APPENDICES***

---

APPENDIX A	Site Photographs
APPENDIX B	Local Agency Information
APPENDIX C	Sanborn Maps
APPENDIX D	City Directory Search
APPENDIX E	EDR Radius Map Report
APPENDIX F	Internet Search Results

## EXECUTIVE SUMMARY

Environmental Business Consultants (EBC) prepared this Phase I Environmental Site Assessment (ESA) for the following adjacent properties on behalf of The Rabsky Group: 390, 392, 394, 396, and 398 Wallabout Street, Brooklyn, NY, 11206. The purpose of the Phase I ESA was to identify and evaluate the presence of recognized environmental conditions at the subject site. Recognized environmental conditions are the presence or likely presence of any hazardous substance or petroleum product under conditions that indicate an existing release, a past release or material threat of a release of any hazardous substance or petroleum product into structures on the property or into the ground, groundwater or surface water of the property.

The work was conducted in accordance with the American Society for Testing and Materials (ASTM) Standard E 1527-05 (Standard Practices for Environmental Site Assessment: Phase I Environmental Site Assessment Process), 40 CFR Part 312 (Standards and Practices for All Appropriate Inquiry; Final Rule), and EBC's proposal for services.

The subject site is identified as Block 2266, Lots 21, 22, 23, 24, and 25 on the Borough of Brooklyn Tax Map. The lots are located in the City of New York and Borough of Brooklyn (Kings County). The five adjacent lots are located on the south side of Wallabout Street, between Harrison Avenue and Throop Street. Lots 23 through 25 each have 25 feet of street frontage on Wallabout Street and are 100 feet deep. Lot 21 has 25 feet of frontage on Wallabout Street but is only 63 feet deep. Lot 22 is an "L" shaped lot with 25 feet of frontage on Wallabout Street extending back 100 feet and is 50 feet in the rear of the lot (occupying the rear of Lot 21). The total combined area for the five subject site lots is approximately 12,500ft<sup>2</sup> (0.29 acres). An 8 foot high chain link fence surrounds the entire property, but the fence also surrounds/includes several adjacent vacant lots located to the west on Wallabout Street. Lot 25 is developed with a one-story building currently utilized as a tire repair shop, but the remaining four lots are vacant. The vacant portion of the subject site consists of a concrete cover near the Wallabout Street gate entrance to the property, but the remaining portions of the lot consists of a bare soil cover (gravel/soil mixture). At the time of the site inspection, the property was utilized for parking and storage.

Historical information (DOB records, Sanborn Maps and City Directory listings) reviewed for the subject site identified the subject site as being developed prior to 1887 as several separate lots, each with different mixed use buildings.

*Lot 21 (390 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling. By 1904 the 1½-story building was redeveloped into a 3-story dwelling. The rear of the lot was demolished in 1968 and the entire lot was demolished in 1976. The lot has remained undeveloped since.

*Lot 22 (392 Wallabout Street)*

Developed prior to 1887 with a small 2-story dwelling located in the front of the lot along Wallabout Street. Two other buildings were located on the lot including a small 1½-story building in the rear of and a 2-story stable in the south west corner. The rear buildings were redeveloped by 1918 into one larger 2-story storage building. The lot was undeveloped and vacant by 1965 and has remained that way since.

*Lot 23 (394 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot along Wallabout Street and a 2-story dwelling in the rear of the lot. By 1904, the 2-story dwelling in the rear yard was labeled “tailor”. The rear building was demolished in 1954 and the entire lot was demolished in 1979.

*Lot 24 (396 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling located in the front of the lot along Wallabout Street and a 2-story stable in the rear of the lot. By 1904, the buildings were redeveloped into a 4-story dwelling along Wallabout Street and a 1-story dwelling in the rear of the lot. The property remained unchanged until 1954 when the 1-story dwelling in the rear yard was demolished. The remaining dwelling along Wallabout Street was demolished in 1968. The lot has remained undeveloped since.

*Lot 25 (398 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot along Wallabout Street and a 2½-story stable in the rear of the lot. By 1947, the lot was undeveloped and vacant. The property remained unchanged until 1965 when a 1-story office/warehouse was developed. The lot

became an auto repair facility between 1980 and 1981. The building is now utilized as a tire repair center.

### **RECOGNIZED ENVIRONMENTAL CONDITIONS**

Based upon reconnaissance of the subject and surrounding properties, interviews and review of historical records and regulatory agency databases, *the following recognized environmental conditions were noted for the subject site.*

- The subject site has been historically utilized as an auto repair facility;

EBC recommends performing a Phase II Subsurface Investigation at the subject site to include the collection and laboratory analysis of subsurface soil, groundwater, and soil gas samples.

It should be noted that nearly any development scenario for the site is subject to the E-designation Environmental Review Program administered by the New York City Mayor's Office of Environmental Remediation (MOER) due to the hazardous materials "E" designation assigned to both Lots 19 and 20. Typical MOER Phase II investigation/sampling requirements for hazmat "E" sites are provided.

- A ground penetrating radar (GPR) survey to identify underground storage tanks, buried drums, or other subsurface waste disposal areas.
- Collection and laboratory analysis of surface soil samples (0-2 feet) for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), target analyte list (TAL) metals, PCBs and pesticides.
- Collection and laboratory analysis of subsurface soil samples (from 2 feet below the deepest basement level) for VOCs, SVOCs, TAL metals, PCBs and pesticides.
- Collection and laboratory analysis of groundwater samples for VOCs, SVOCs, TAL metals (filtered and unfiltered), PCBs and pesticides.
- Collection and laboratory analysis of soil gas samples for laboratory analysis of VOCs via EPA Method TO-15.

---

## **ENVIRONMENTAL ISSUES NOT CONSIDERED RECS**

EBC also identified the following unresolved issues (not considered RECS) which would require follow-up work:

- Numerous containers of automotive fluids (antifreeze, lubricants, motor oil, etc.) were observed within the auto repair shop operating within the building located on Lot 25. In addition, bulk containers (55-gallon drums) of antifreeze and car detailing products were stored outside near the office trailer.

The containers should be inventoried, sampled if necessary, and properly disposed of off-site prior to building demolition and site redevelopment.

- One 400-gallon aboveground storage tank is currently registered with the NYSDEC as "In-Service", but no tank was observed during the site inspection and employees of the tire shop stated there was no tank within the building.

A NYSDEC Petroleum Bulk Storage Application should be completed and submitted to the NYSDEC to note that the tank was removed/closed.

- Spill No. 9912454 was issued in January of 2000 for the address 398 Wallabout Street.

Documentation should be forwarded to the NYSDEC to change the spill address. If no information is available to correct the address, soil and groundwater sampling information obtained during the Phase II Subsurface Investigation discussed above should be forwarded to the NYSDEC.

## 1.0 INTRODUCTION

### 1.1 Purpose

Environmental Business Consultants (EBC) prepared this Phase I Environmental Site Assessment (ESA) for the following adjacent properties on behalf of The Rabsky Group: 390, 392, 394, 396, and 398 Wallabout Street, Brooklyn, NY, 11206 (**Figure 1**). The purpose of the Phase I ESA was to identify and evaluate the presence of recognized environmental conditions at the subject site. Recognized environmental conditions are the presence or likely presence of any hazardous substance or petroleum product under conditions that indicate an existing release, a past release or material threat of a release of any hazardous substance or petroleum product into structures on the property or into the ground, groundwater or surface water of the property.

### 1.2 Scope of Services

The assessment consisted of a visual inspection of the site and surrounding areas, interviews, a review of historical information and maps, and a review of pertinent local, state, federal and facility records. Environmental Data Resources (EDR) of Southport, Connecticut, provided the following information: a computerized database search of environmental compliance records of sites within an ASTM standard radius of the property, a Sanborn fire insurance map search, and a historical telephone directory search.

EBC reviewed the environmental database report compiled by EDR as a part of the assessment. The purpose of the review was to identify reported listings for the subject site or other properties in the site vicinity. Databases reviewed included federal and state lists of known or suspected contaminated sites, lists of known handlers or generators of hazardous waste, lists of known waste disposal facilities, and lists of aboveground and underground storage tanks (ASTs and USTs). EBC's review of the database has been incorporated into this report along with a copy of the EDR report.

The work was conducted in accordance with the American Society for Testing and Materials (ASTM) Standard E 1527-05 (Standard Practices for Environmental Site Assessment: Phase I Environmental Site Assessment Process), 40 CFR Part 312 (Standards and Practices for All Appropriate Inquiry; Final Rule), and EBC's proposal for services.

### **1.3 Significant Assumptions**

EBC has made the following assumptions in the preparation of this report:

1. Groundwater – The depth to groundwater at the subject site is approximately 8-10 feet below grade. Based on regional groundwater contour maps groundwater flow is expected to be west towards the east river.
2. Regulatory Records Information – EBC assumes that all information provided by EDR regarding the regulatory status of facilities within the ASTM Standard approximate minimum search distance is complete, accurate and current.
3. Other - EBC assumes that all information provided through interviews is complete and unbiased.

### **1.4 Limitations and Exceptions**

The conclusions presented in this report are professional opinions based on the data described in this report. These opinions have been arrived at in accordance with currently accepted engineering and hydrogeologic standards and practices applicable to this location, and are subject to the following inherent limitations:

1. The data presented in this report are from visual inspections, examination of records in the public domain, and interviews with individuals having information about the site. The passage of time, manifestation of latent conditions, or occurrence of future events may require further exploration of the site, analysis of data, and re-evaluation of the findings, observations, and conclusions presented in this report.
2. The data reported and the findings, observations, and conclusions expressed are limited by the scope of work. The scope of work was defined by the request of the client.
3. No warranty or guarantee, whether expressed or implied, is made with respect to the data reported, findings, observations, or conclusions. These are based solely upon site conditions in existence at the time of the investigation, and other information obtained and reviewed by EBC.
4. EBC's Phase I ESA report presents professional opinions and findings of a scientific and technical nature. While attempts were made to relate the data and findings to applicable environmental laws and regulations, the report shall not be construed to offer legal opinion or representations as to the requirements of, nor compliance with, environmental laws, rules, or

regulations, or policies of federal, state, or local government agencies. EBC does not assume liability for financial or other losses or subsequent damage caused by or related to any use of this document.

5. The conclusions presented in this report are professional opinions based on data described in this report. They are intended only for the purpose, site location, and project indicated. This report is not a definitive study of contamination at the site and should not be interpreted as such.
6. This report is based, in part, on information supplied to EBC by third-party sources. While efforts have been made to substantiate this third-party information, EBC cannot attest to the completeness or accuracy of information provided by others.

### **1.5 Special Terms and Conditions**

Authorization to perform this assessment was given by a proposal for services between The Rabsky Group and EBC.

### **1.6 User Reliance**

This report was prepared for the exclusive use of The Rabsky Group; no other party may use the report without the written authority of EBC.

## 2.0 PROPERTY DESCRIPTION AND PHYSICAL SETTING

### 2.1 Location and Legal Description

The subject site is identified as Block 2266, Lots 21, 22, 23, 24, and 25 on the Borough of Brooklyn Tax Map. The lots are located in the City of New York and Borough of Brooklyn (Kings County) as shown in **Figures 1, 2A and 2B**. The five adjacent lots are located on the south side of Wallabout Street, between Harrison Avenue and Throop Street. Lots 23 through 25 have 25 feet of street frontage on Wallabout Street and are 100 feet deep. Lot 21 has 25 feet of frontage on Wallabout Street and is 63 feet deep. Lot 22 is an “L” shaped lot with 25 feet of frontage on Wallabout Street extending back 100 feet and is 50 feet in the rear of the lot (occupying the rear of Lot 21). The total combined area of the 5 lots that comprise the subject site is 12,500ft<sup>2</sup> (0.29 acres). An aerial photo of the subject site and surrounding properties are provided as **Figure 3**.

A copy of the most recent deed for Lots 21, 22, 23 and 24 is attached in **Appendix B**. According to the deed, the current owner of the four subject site lots is Sam Rosenberg. A copy of the most recent deed for Lot 25 (Appendix B) notes the current owner as Southwise Realty, LLC.

### 2.2 Site Characteristics

The subject site consists of five adjacent lots. Four of the five lots are undeveloped and are utilized for parking. The fifth eastern most lot (Lot 25) is developed with a one-story brick building currently utilized as a tire repair shop. An 8 foot high chain link fence surrounds the entire property. The property consists of a soil and asphalt cover. A few box trucks, vans, cars, and storage bins are located on the site. Access to the property is provided by a gate located immediately in front of a curb cut on Wallabout Street.

Photos taken during of the subject site during the site inspection are attached in **Appendix A**.

#### 2.2.1 Utilities

Heat is provided to the building by several ceiling suspended, natural gas fired space heaters. Electric service for the buildings is provided by Con-Edison, potable water is supplied by the New York City Department of Environmental Protection (NYCDEP). Sanitary wastes for the building are discharged to the municipal sewer system.

## **2.3 Physical Setting**

The elevation of the property is approximately 14 feet above the National Geodetic Vertical Datum (NGVD). The topography in the immediate area of the property generally slopes upward to the north, south and east.

### *2.3.1 Surface Water*

The nearest body of water to the subject site is the English Kills, which is located approximately 5,200 feet to the northeast.

### *2.3.2 Groundwater*

The depth to groundwater beneath the site as inferred from available groundwater maps and topographic elevation is approximately 8-10 feet below grade. Based on regional groundwater contour maps groundwater flow is expected to be west toward the east river. No Public Supply Wells were identified within a one-mile radius of the subject site.

### *2.3.3 Radon Risk Evaluation*

Radon is a colorless, radioactive; inert gas formed by the decay of radium and may be present in soils and rocks containing granite, shale, phosphate and pitchblende. The USEPA's "Map of Radon Zones for New York State", September 1993 indicates that Kings County is not a radon risk area. The EDR report provides information from the New York State Department of Health radon survey which indicates that 100% of those sites tested in Kings County were below the United States Environmental Protection Agency (USEPA) radon action level of 4 Pico curies per liter (pCi/L) in the living area.

### 3.0 PROPERTY USAGE

#### 3.1 Current Property Usage

At the time of the inspection, the four of the five subject site lots were undeveloped and used for parking and storage of rental vehicles. The eastern most lot (Lot 25) was developed with a one-story brick building currently operated by Marcy Tires (a tire repair shop). An 8 foot high chain link fence surrounded the subject site, making the lots appear as one large lot. Several large box trucks and metal shipping containers were parked/stored on the lot. A mobile office trailer is set up for vehicle rentals (Quality Car Rental).

A review of New York City Department of Buildings (NYCDOB) records and the NYC Department of City Planning Zoning map indicates that the lots comprising the subject site are zoned R6A with no commercial overlay (**Figure 4A**). The 1961 NYC Department of City Planning Zoning Map indicates that the lots comprising the subject site were formerly zoned M1-2 (**Figure 4B**).

#### 3.2 Current Usage of Adjoining/Surrounding Properties

A summary of the uses of the surrounding/adjacent properties is described below. Photos of the exterior of adjacent properties are attached in **Appendix A**.

#### Surrounding Property Usage

Direction	Property Description
North – Opposite side of Wallabout Street	<u>Block 2250, Lot 33</u> (66 Throop Avenue) – Developed with a 1-story brick industrial/manufacturing building built around 1993.
	<u>Block 2250, Lot 36</u> (313 Wallabout Street) – A 2,500 ft <sup>2</sup> undeveloped lot. The property is owned by John K. Vartoughian.
	<u>Block 2250, Lot 37</u> (311 Wallabout Street) – Developed with a 2-story residential building located along Wallabout Street building around 1901. The building has 3 residential units.
	<u>Block 2250, Lot 38</u> (307 Wallabout Street) – Developed with a 1-story brick industrial/manufacturing building occupying the entire lot. Built in 1993. The property is owned by A. Holding.
South – Adjacent properties	<u>Block 2266, Lot 36</u> (99 Gerry Street) – A 2,500ft <sup>2</sup> lot that is undeveloped. The property is owned by the NYC Housing Preservation and Development.
	<u>Block 2266, Lot 37</u> (97 Gerry Street) – Developed with a 3-story residential building. Built approximately 1968.
	<u>Block 2266, Lot 38</u> (95 Gerry Street) – Developed with a 1-story industrial building

	<p>occupying the entire lot. The building is used as a sheet metal workshop.</p> <p><u>Block 2266, Lot 39</u> (93 Gerry Street) – A 2,500 ft<sup>2</sup> undeveloped lot owned by Vinfield Realty Corporation. Lots 39, 40, and 41 are used as a coach bus parking area.</p> <p><u>Block 2266, Lot 40</u> (91 Gerry Street) – A 2,500 ft<sup>2</sup> undeveloped lot owned by Vinfield Realty Corporation. Lots 39, 40, and 41 are used as a coach bus parking area.</p> <p><u>Block 2266, Lot 41</u> (No # Gerry Street or 89 Gerry Street) – A 2,500 ft<sup>2</sup> undeveloped lot owned by Vinfield Realty Corporation. Lots 39, 40, and 41 are used as a coach bus parking area.</p>
<b>East –</b> Adjacent properties	<p><u>Block 2266, Lot 29</u> (72 Throop Street) – A 7,500 ft<sup>2</sup> vacant and undeveloped corner lot consisting of 100 feet of frontage on Wallabout Street and 75 feet of frontage on Throop Avenue.</p> <p><u>Block 2266, Lots 30 and 31</u> (74-76 Throop Avenue) – Two 2,500 ft<sup>2</sup> lots developed with a single 1-story warehouse building that occupies the entire area of the two lots.</p>
<b>West –</b> Adjacent properties	<p><u>Block 2266, Lot 20</u> (388 Wallabout Street) – Vacant 2,500 square foot lot owned by the Wallabout Throop Realty Partners.</p>

### 3.3 Historical Usage of Subject site and Surrounding Properties

Historical sources researched to determine past usage of the subject site and surrounding properties are as follows:

**Sanborn Fire Insurance Maps** - Sanborn fire insurance maps for the subject site and surrounding area were reviewed for the years 1887, 1904, 1918, 1935, 1947, 1950, 1965, 1977, 1979, 1980, 1981, 1982, 1984, 1986, 1987, 1989, 1991, 1992, 1993, 1995, 1996, 2001, 2002, 2003, 2004, 2005, 2006 and 2007. The review is summarized in Section 3.3.1 and 3.3.2. Copies of Sanborn maps are included as **Appendix C**.

**City Directory Abstract** - A directory of historical telephone listings at the subject site and surrounding properties were reviewed from approximately five year intervals for the years spanning 1922 through 2005. The review is summarized in Sections 3.3.2 below. A copy of the City Directory is included in **Appendix D**.

#### 3.3.1 Sanborn Fire Insurance Maps - Subject site and Adjacent Properties

The historical usage of the subject site and adjacent properties, identified through Sanborn map review, is summarized below.

---

## 1887

---

### Subject Site:

- Block 2266, Lot 21 (390 Wallabout Street) – The lot is shown as a 25ft by 100ft lot. The front of the lot is developed with a small 1½-story dwelling. A 2-story building is constructed in the rear of the lot.
- Block 2266, Lot 22 (392 Wallabout Street) – The lot is shown as a 25ft by 100ft lot. The front of the lot is developed with a small 2-story dwelling. A 1½-story dwelling is constructed in the rear of the lot.
- Block 2266, Lot 23 (394 Wallabout Street) – The lot is shown as a 25ft by 100ft lot. The front of the lot is developed with a small 3-story dwelling. A 2-story dwelling is constructed in the rear of the lot.
- Block 2266, Lot 24 (396 Wallabout Street) – The lot is shown as a 25ft by 100ft lot. The front of the lot is developed with a small 1½-story dwelling. A 2-story stable is constructed in the rear of the lot.
- Block 2266, Lot 25 (398 Wallabout Street) – The lot is shown as a 25ft by 100ft lot. The front of the lot is developed with a small 3-story store. A 2½-story dwelling is constructed in the rear of the lot.

### Adjacent Properties:

#### *North*

- Block 2250, Lot 33 (66 Throop Ave and 315 to 323 Wallabout Street) – Developed with a 3-story building located along Throop Avenue. A 2-story building labeled as being used by a carpenter is located in the rear of the lot along Wallabout Street.
- Block 2250, Lot 36 (313 Wallabout Street) – Developed with a 2-story dwelling located along Wallabout Street. An adjoining 1-story building extends into the rear of the lot and two small 1-story sheds are located in the rear of the lot.
- Block 2250, Lot 37 (311 Wallabout Street) – Developed with a 2-story dwelling and a 1-story store located along Wallabout Street. An adjoining 1-story building extends into the rear of the lot from the store and a 1½-story dwelling is located in the rear yard.
- Block 2250, Lot 38 (307 to 309 Wallabout Street) – 309 Wallabout Street is developed with a 2-story dwelling along Wallabout Street. 307 Wallabout Street is developed with a narrow 1-

story stable and a 1½-story dwelling located in the rear of the lot.

*West*

- Block 2266, Lot 20 (388 Wallabout Street) – Developed with a 2-story building located in the rear of the lot. The building is labeled as “Brooklyn Pottery”. A kiln is noted within the building.

*South*

- Block 2266, Lot 41 (89 Gerry Street) – The lot is labeled as 89 Gerry Street and is developed with a small 1-story building labeled as a dwelling.
- Block 2266, Lot 40 (91 Gerry Street) – Developed with a 3-story building along Gerry street and a 1½-story dwelling located in rear yard
- Block 2266, Lot 39 (93 Gerry Street) – Developed with a 3-story building along Gerry street and a 1½-story dwelling located in rear yard.
- Block 2266, Lot 38 (95 Gerry Street) – Developed with a 2-story dwelling located in the front of the lot. A small shed is drawn in rear yard behind dwelling.
- Block 2266, Lot 37 (97 Gerry Street) – Developed with a 3-story dwelling along Gerry Street and a 2-floor stable in the rear yard.

*East*

- Block 2266, Lot 29 (68 to 72 Throop Street) – Developed with a 3-story bakery, a 3-story dwelling, and a 3-story store located along Throop Street. In the rear of the lots (bordering the subject site) are three 2-story dwellings.
- Block 2266, Lots 30 and 31 (74-76 Throop Avenue) – Developed with two 3-story stores located along Throop Street. The rear of the lot is developed with two 2-story dwellings.

***1904***

---

*Subject Site:*

- Block 2266, Lot 23 (394 Wallabout Street) – The 2-story building in the rear of the lot is labeled “tailor”.
- Block 2266, Lot 24 (396 Wallabout Street) – The lot has been redeveloped into a 4-story dwelling in the front of the lot along Wallabout Street and a 1-story dwelling in the rear of the lot.

Adjacent Properties:

*North*

- Block 2250, Lot 33 (66 Throop Ave and 315 to 323 Wallabout Street) – Developed with a 3-story building located along Throop Avenue. Three small sheds and one stable are located in the rear of the building along Wallabout Street.
- Block 2250, Lot 36 (313 Wallabout Street) – Developed with a 2-story dwelling located along Wallabout Street. An adjoining 1-story building extends into the rear of the lot. A small 1-story shed is located in the rear of the lot.
- Block 2250, Lot 37 (311 Wallabout Street) – Developed with a 2-story dwelling and a 1-story store located along Wallabout Street. An adjoining 1-story building extends into the rear of the lot from the store. A 2-story dwelling with a basement and an adjoining 1-story shed are located in the rear of the lot.
- Block 2250, Lot 38 (307 to 309 Wallabout Street) – Developed with a 5-story industrial building located along Wallabout Street. A narrow area in the center of the 5-story building extends to 6-stories.

*West*

- Block 2266, Lot 20 (388 Wallabout Street) – Developed with a 3-story building labeled as a Store in the front of the lot. A small 2-story building is drawn in the rear of the lot.

*South*

- Block 2266, Lot 41 (No # Gerry Street) – The lot is labeled as 89 Gerry Street. The entire lot is developed with a 2-story commercial building labeled “private”.
- Block 2266, Lot 41 (91 Gerry Street) – The existing 3-story building is labeled “carriage house”.
- Block 2266, Lot 39 (93 Gerry Street) – Developed with a three-story building with first-floor utilized as a store. In rear yard still a two-story dwelling.

*East*

- Block 2266, Lot 29 (68 to 72 Throop Street) – The 3-story store at 68 Throop Avenue is no longer labeled a bakery and a 3-story store was constructed in the rear yard.

---

## **1918**

---

### Subject Site:

- Block 2266, Lot 21 and 22 (390 and 392 Wallabout Street) – The two 2-story buildings in the rear of the lot are labeled “storage”.

### Adjacent Properties:

#### *North*

- Block 2250, Lot 33 (66 Throop Ave and 315 to 323 Wallabout Street) – A series of small 1-story stores were constructed along Wallabout Street.

#### *West*

- Block 2266, Lot 20 (388 Wallabout Street) – The street front portion of the lot is developed with a 3-story residential building labeled as a Pipe Shop and small office on the first floor. A small 2-story building is drawn in the rear of the lot.

---

## **1935**

---

### Subject Site:

No significant changes were noted for the subject site on the 1935 Sanborn map when compared to the 1918 Sanborn map.

### Adjacent Properties:

#### *South*

- Block 2266, Lot 41 (No # Gerry Street) – The lot is labeled as 89 Gerry Street. The entire lot is developed with a 2-story commercial building labeled as “Laundry”.
- Block 2266, Lot 40 (91 Gerry Street) – The existing 3-story building is labeled “garage”.

---

## **1947**

---

### Subject Site:

- Block 2266, Lot 25 (398 Wallabout Street) – The lot is shown as a vacant undeveloped lot.

### Adjacent Properties:

#### *East*

- Block 2266, Lot 31 (76 Throop Street) – The existing 3-story building is labeled “Church”

- Block 2266, Lots 30 (74 Throop Avenue) – The lot is displayed undeveloped and vacant.

*South*

- Block 2266, Lot 40 (91 Gerry Street) – The existing 3-story building is labeled “laundry”.
- Block 2266, Lot 39 (93 Gerry Street) – The 2-story dwelling in the rear is labeled vacant and open.
- Block 2266, Lot 38 (95 Gerry Street) – The 2-story building is labeled vacant.

**1950**

---

No significant changes were noted for the subject site or any adjacent properties on the 1950 Sanborn map when compared to the 1947 Sanborn map.

**1965**

---

Subject Site:

- Block 2266, Lot 25 (398 Wallabout Street) – Developed with a 1-story office and warehouse that occupies the entire 25 ft by 100 ft lot.
- Block 2266, Lot 22 (392 Wallabout Street) – The lot is drawn as undeveloped and vacant.

Adjacent Properties:

*West*

- Block 2266, Lot 20 (388 Wallabout Street) – The lot is drawn as undeveloped and vacant.

*East*

- Block 2266, Lot 31 (76 Throop Street) – The former 3-story church was redeveloped into a 1-story building labeled “auto painting”.
- Block 2266, Lots 30 (74 Throop Avenue) – Developed with a 1-story vacant building.

*South*

- Block 2266, Lot 39 (93 Gerry Street) – Drawn as a vacant/undeveloped lot
- Block 2266, Lot 38 (95 Gerry Street) – Developed with a 1-story building occupying the entire lot.
- Block 2266, Lot 37 (97 Gerry Street) – Three-story dwelling labeled as vacant and open.

---

## **1977**

---

### Subject Site:

- Block 2266, Lot 21 (390 Wallabout Street) – The lot is displayed undeveloped and vacant.
- Block 2266, Lot 24 (396 Wallabout Street) – The lot is displayed undeveloped and vacant.

### Adjacent Properties:

#### *East*

- Block 2266, Lot 29 (68 to 72 Throop Avenue) – The lot is displayed undeveloped and vacant.

#### *West*

- Block 2266, Lot 18 (384 Wallabout Street) – The lot is drawn as undeveloped/vacant.

#### *North*

- Block 2250, Lot 40 (305 Wallabout Street) – The lot is drawn as undeveloped/vacant.

#### *South*

- Block 2266, Lot 36 (99 Gerry Street) – The lot is displayed undeveloped and vacant.

No other significant changes were noted for the subject site or adjacent properties on the 1977 Sanborn map when compared to the 1965 Sanborn map.

---

## **1979**

---

### Subject Site:

No significant changes were noted for the subject site on the 1979 Sanborn map when compared to the 1977 Sanborn map.

### Adjacent Properties:

#### *North*

The properties to the north of the subject site are not displayed on the 1979 Sanborn Map.

#### *South*

- Block 2266, Lot 41 (89 Gerry Street) – The lot is displayed undeveloped and vacant.
- Block 2266, Lot 40 (91 Gerry Street) – The lot is displayed undeveloped and vacant.

---

## **1980**

### Subject Site:

- Block 2266, Lot 23 (394 Wallabout Street) – The lot is displayed undeveloped and vacant.

---

## **1981**

### Subject Site:

- Block 2266, Lot 25 (398 Wallabout Street) – The 1-story office and warehouse is labeled “auto repair” . The historic use of the subject site as an auto repair facility is considered a recognized environmental condition for this assessment.

### Adjacent Properties:

#### *North*

- Block 2250, Lot 36 (313 Wallabout Street) – The lot is drawn as undeveloped and vacant.
- Block 2250, Lot 33 (64 to 66 Throop Ave and 315 to 323 Wallabout Street) – The 50 by 100 ft lot on the corner of Throop Avenue and Wallabout Street is drawn as undeveloped and vacant.

#### *East*

- Block 2266, Lot 30 (74 Throop Avenue) – The 1-story building is labeled “auto repair”.

---

## **1982 and 1984**

No significant changes were noted for the subject site or adjacent properties on the 1982 or 1984 Sanborn maps when compared to the 1981 Sanborn map.

---

## **1986**

### Subject Site:

No significant changes were noted for the subject site on the 1986 Sanborn map when compared to the 1984 Sanborn map.

### Adjacent Properties:

#### *North*

- Block 2250, Lot 38 (307 to 309 Wallabout Street) – The lot is drawn as undeveloped and vacant.

---

## ***1987***

### *Subject Site:*

No significant changes were noted for the subject site on the 1987 Sanborn map when compared to the 1986 Sanborn map.

### *Adjacent Property*

#### *South*

- Block 2266, Lot 37 (97 Gerry Street) – The 1-story building is labeled “auto repair”.

No other significant changes were noted for the subject site or adjacent properties on the 1987 Sanborn map when compared to the 1986 Sanborn map.

---

## ***1989***

### *Subject Site:*

No significant changes were noted for the subject site on the 1989 Sanborn map when compared to the 1987 Sanborn map.

### *Adjacent Property*

#### *East*

- Block 2266, Lot 30 (74 Throop Avenue) – The former 1-story auto repair building is now labeled “warehouse”.

No other significant changes were noted for the subject site or adjacent properties on the 1989 Sanborn map when compared to the 1987 Sanborn map.

---

## ***1991***

No significant changes were noted for the subject site or adjacent properties on the 1991 Sanborn map when compared to the 1992 Sanborn map.

---

## ***1992***

### *Subject Site:*

No significant changes were noted for the subject site on the 1992 Sanborn map when compared to the 1991 Sanborn map.

---

Adjacent Property

*North*

- Block 2250, Lot 36 (313 Wallabout Avenue) – The lot is drawn as undeveloped and vacant.

---

**1993**

No significant changes were noted for the subject site or adjacent properties on the 1993 Sanborn map when compared to the 1992 Sanborn map.

---

**1995**

Subject Site:

No significant changes were noted for the subject site on the 1995 Sanborn map when compared to the 1993 Sanborn map.

Adjacent properties:

*North*

- Block 2250, Lot 33 (64 to 66 Throop and 315 to 323 Wallabout Street) – Developed with a 75ft by 100ft 1-story concrete block building.
- Block 2250, Lot 37 (311 Wallabout Avenue) – Developed with a 2-story building located in the front of the lot along Wallabout Street and three small 1-story sheds in the rear yard.
- Block 2250, Lots 38 and 40 (305 to 309 Wallabout Street) – Developed with a 75ft by 100ft 1-story concrete block building labeled as a warehouse.

---

**1996-2007**

No significant changes were noted for the subject site and adjacent properties on the 1996 through 2007 Sanborn maps when compared to the 1995 Sanborn map for the subject site.

*3.3.2 City Directory Listings - Subject site and Adjacent Properties*

City Directory Listings available for the subject site and adjacent properties was reviewed. The following information was obtained for the subject site:

Subject Site:

390 Wallabout Street  
1934 – Residential Listings  
1997 – F&M Auto Service Center \*

*392 Wallabout Street*

1934 – Residential Listings

*394 Wallabout Street*

1934 – Residential Listings

1965 – Residential Listings

1970 – Residential Listings

1973 – Residential Listings

*396 Wallabout Street*

1934 – Residential Listings

1965 – Residential Listings

*398 Wallabout Street*

1934 – Residential Listings

1965 – Ellangee Products Inc.

1970 – Comito Al Trucking

1973 – Comito Al Trucking

2000 – Camilo & Duran Center \*

2005 – Espinal Auto Repair \*

\* The historic use of the subject site as an auto repair facility is considered an REC.

Adjacent Properties:

*North*

*307 Wallabout Street*

1934 – Residential Listings

1940 – Residential Listing

1965 – Residential Listings

1970 – Residential Listings

1973 – Residential Listings

1976 – Residential Listings

1997 – Golden City Enterprise Inc.

2000 – Golden City Enterprise Inc.

2005 – Ace Universal Trading Inc.

*309 Wallabout Street*

1934 – Residential Listings

1940 – WWW Holding Corp

1945 – Residential Listing

*311 Wallabout Street*

1934 – Residential Listings

1992 – Vartex Instrument Corporation

1997 – Vartex Instrument Corporation

2000 – Vartex Instrument Corporation

2005 – Vartex Instrument Corporation

*313 Wallabout Street*

1934 – Residential Listings

1965 – Residential Listings

1973 – Residential Listing

*East*

*72 Throop Avenue*

1934 – Residential Listings

1949 – Bauer Valentine Plumbing

1960 – Residential Listings

Bauer Valentine Plumbing

1965 – Residential Listings

*West*

*388 Wallabout Street*

1934 – Residential Listings

1940 – Residential Listings

**Summary**

Historical information (DOB records, Sanborn Maps and City Directory listings) reviewed for the subject site identified the subject site as being developed prior to 1887 with mixed use buildings.

*Lot 21 (390 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling. By 1904 the property was redeveloped with a 3-story dwelling. By 1976 the entire lot was vacant/undeveloped. The lot has remained undeveloped since.

*Lot 22 (392 Wallabout Street)*

Developed prior to 1887 with a small 2-story dwelling located in the front of the lot. A 1½-story building was located in the rear of the lot and a 2-story stable was located in the southwest corner of the lot. The rear buildings were replaced prior to 1918 with a larger 2-story storage building. The lot was undeveloped and vacant by 1965 and has remained undeveloped since.

*Lot 23 (394 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot and a 2-story dwelling in the rear of the lot. In 1904 the 2-story dwelling in the rear yard was labeled as a “tailor”. The rear building was demolished by 1954 and the entire lot was drawn as vacant/undeveloped by 1979.

*Lot 24 (396 Wallabout Street)*

Developed prior to 1887 with a small 1½-story dwelling located in the front of the lot and a 2-story stable in the rear of the lot. By 1904, the lot was redeveloped with a 4-story dwelling that fronted Wallabout Street and a 1-story dwelling in the rear. In the 1950's, the 1-story dwelling in the rear yard was demolished and the 4-story dwelling in the front of the lot was demolished in late 1960's. The lot has remained undeveloped since.

*Lot 25 (398 Wallabout Street)*

Developed prior to 1887 with a small 3-story dwelling located in the front of the lot along Wallabout Street. A 2½-story stable was located in the rear of the lot. However, according to historic Sanborn maps, the lot was undeveloped by 1947. The property remained undeveloped until the 1960's, when a 1-story office/warehouse building was constructed. The building was converted for use as an auto repair facility in the early 1980's. The building is now utilized as a tire repair center.

## 4.0 USER PROVIDED INFORMATION

### 4.1 Title Records

As of the date of this report the user has not requested that EBC perform a title search.

### 4.2 Environmental Liens

An environmental lien is a charge, security or encumbrance upon title to a property to secure the payment of a cost, damage, debt, obligation, or duty arising out of response actions, cleanup or other remediation of hazardous substances or petroleum products upon a property, including, but not limited to, liens imposed pursuant to CERCLA 42 USC § 9607 (1) & 9607(r) and similar state and local laws.

The user has not made EBC aware of any environmental liens against the subject site and has not requested that EBC perform an environmental lien search for the subject site.

### 4.3 Specialized Knowledge

The user has not made EBC aware of any specialized knowledge regarding the chemicals or processes formerly in use at the subject site or surrounding property.

### 4.4 Commonly Known or Reasonably Ascertainable Information

The user has not made EBC aware of any commonly known or reasonably ascertainable information regarding the past uses of the subject site, specific chemicals in use at the subject site or any spills, chemical releases or environmental cleanups at the subject site.

### 4.5 Valuation Reduction for Environmental Issues

The user has not made EBC aware of any valuation reduction regarding the sale price of the property.

### 4.6 Owner, Property Manager and Occupant Information

According to Office of City Register records, the current owner of Lots 21, 22, 23 and 24 is Sam Rosenberg. The current owner of Lot 25 is Southwise Realty.

### 4.7 Reason for Performing Phase I ESA

The Phase I ESA was performed to identify recognized environmental conditions at the subject site as part of the due diligence to support the redevelopment of the property by The Rabsky Group.

## 5.0 RECORDS REVIEW

### 5.1 Standard Environmental Record Sources

Environmental Data Resources (EDR) of Southport, Connecticut was retained to provide a computerized database search of the project area within an ASTM-standard radius of the subject site. A list of the databases searched and the search radius is shown on the summary table below. EBC reviewed the database output to determine if the property appears on any of the regulatory agency lists. Detailed information concerning each database list is provided in the EDR report (**Appendix E**). A summary of standard environmental record sources researched is as follows:

#### 5.1.1 Federal Databases

The table below summarizes the Federal databases that were searched.

**Federal Databases Searched**

Agency	Listing Name or database Searched	Abbreviation	Search Distance
USEPA	National Priority List	NPL	1.0 mile
USEPA	National Priority List Deletions	Delisted NPL	1.0 mile
USEPA	Comprehensive Environmental Response Compensation and Liability Act Registry	CERCLIS	0.5 mile
USEPA	CERCLIS No Further Remedial Action Planned	CERCLIS-NFRAP	0.5 mile
USEPA	Resource Conservation and Recovery Act Corrective Action Activity	CORRACTS	1.0 mile
USEPA	Resource Conservation and Recovery Act Treatment/Storage/Disposal Facilities	RCRA TSD	0.5 mile
USEPA	Resource Conservation and Recovery Act Small/Large Quantity Hazardous Waste Generators	RCRA SQG/LQG	Subject site and Adjoining
USEPA	Federal Institutional/Engineering Control registries	US INST/ENG Controls	Subject site
USEPA	Emergency Response Notification System	ERNS	Subject site
USEPA	Superfund (CERCLA) Consent Decrees	CONSENT	1.0 mile
USEPA	Records of Decision	ROD	1.0 mile
USEPA	Mines Master Index	MINES	0.25 mile

**Federal NPL List** - The National Priority List (NPL) is the United States Environmental Protection Agency (EPA) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the federal Superfund Program.

*Findings:* The subject site is not listed as an NPL facility. No NPL sites were identified within a 1-mile radius of the subject site.

**Federal Delisted NPL List** – NPL Delisted Sites are former NPL sites that have been remediated and removed from the EPA’s priority list. Sites are deleted where the EPA has determined that no further response is appropriate.

*Findings:* The subject site is not identified as a Delisted NPL facility. There were no Delisted NPL sites identified within a 1-mile radius of the subject site.

**Federal CERCLIS List** - The Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) list is a compilation of sites that the EPA has investigated or is currently investigating for a release or threatened release of hazardous substances.

*Findings:* The subject site is not listed as a CERCLIS facility. There are no CERCLIS sites identified within a ½ mile radius of the subject site.

**Federal CERCLIS-NFRAP List** – No Further Remedial Action Planned (NFRAP) sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA’s knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL).

*Findings:* The subject site is not listed as a CERCLIS-NFRAP facility. Two CERCLIS-NFRAP sites were identified within a ½ mile radius of the subject site.

Borden Chemical Adhesives and Chem is listed as a CERCLIS-NFRAP site. The facility is located at 56 Nostrand Avenue, Brooklyn, NY 11205 (approximately 2,622 feet southwest of the subject site). The facility is also listed within the RCRA-NonGen, and FINDS databases as well as HSWDS (under Borden Chemical). However, due to the distance and

location of the facility from the subject site, it is not considered a significant environmental concern for this assessment.

Slattery J B & Bros Inc. is listed as a CERCLIS-NFRAP site. The facility is located at 171-187 Wallabout Street, Brooklyn, NY 11206 (approximately 2,170 feet west-southwest of the subject site). The facility is also listed within the RCRA-NonGen, FINDS and MANIFEST databases. However, due to the distance and location of the facility from the subject site, it is not considered a significant environmental concern for this assessment.

**Federal RCRA CORRACTS List** - The RCRA Corrective Actions (CORRACTS) database is the EPA's list of hazardous waste treatment, storage or disposal facilities subject to corrective action under RCRA.

*Findings:* The subject site is not listed as a RCRA CORRACTS facility. Two RCRA CORRACTS sites were identified within a 1 mile radius of the subject site.

Pfizer Inc. is listed as a RCRA CORRACTS site. The facility is located at 11 Bartlett Street, Brooklyn, NY 11206 (approximately 1,079 feet southwest of the subject site). The facility is also listed within the RCRA-LQG, FINDS, RAATS and Manifest databases. The facility is not considered a significant environmental concern for this assessment.

Techtronics Ecological Corp. is listed as a RCRA CORRACTS site. The facility is located at 8 Walworth Street, Brooklyn, NY 11205 (approximately 2,791 feet west-southwest of the subject site). The facility is also listed within the RCRA-Nongen, FINDS, and Manifest databases. Due to the distance of the facility from the subject site, it is not considered a significant environmental concern for this assessment.

**Federal RCRA Treatment, Storage and Disposal** - The EPA Resource Conservation and Recovery Act (RCRA) program identifies reporting facilities that treat, store or dispose of hazardous waste.

*Findings:* The subject site is not listed as a RCRA TSD facility and no TSD facilities were identified within a ½ mile radius of the subject site.

**Federal RCRA Generators** - The RCRA Generators database is a compilation of reporting facilities that generate hazardous waste. A Small Quantity Generator (SQG) is a site which generate more than 100 and less than 1000 kg of hazardous waste during any one calendar month and accumulates less than 6000 kg of hazardous waste at any time; or a site which generates less than 100 kg of hazardous waste during any one calendar month and accumulates less than 1000 kg of hazardous waste at any time. Large Quantity Generators (LQG) generate more that 1000 kg of hazardous waste per month. Although a property may be identified as a generator of hazardous waste, it does not mean that this material has been released to the environment. RCRA Generators which have released hazardous materials are identified in the appropriate state or federal listing.

*Findings:* The subject site is not listed as a RCRA-SQG, RCRA-CESQG, RCRA-LQG or RCRA-NonGen facility. Two RCRA-LQG facilities, two RCRA-SQG facilities and four RCRA-CESQG facilities were identified within a 1/4 mile radius of the subject site.

Con Edison – Manhole Nos. 15641 and 14001 are listed as s RCRA-LQG site. The manholes are locate at 662 Broadway Avenue and 64 Graham Avenue, Brooklyn, NY 11206 (approximately 569 feet east-southeast and 1,081 feet east from the subject site), respectively. The waste code for the manholes is lead and they are not included in any other databases. Due to the distance from the subject site and the absence of inclusion in a database that would indicate a spill or release had occurred, these manholes are not considered a significant environmental concern for this investigation.

Pfizer Inc. is listed as a RCRA-LQG site. The facility is located at 11 Bartlett Street, Brooklyn, NY 11206 (approximately 1,079 feet southwest of the subject site). The facility is also listed within the RCRA CORRACTS, RCRA-LQG, FINDS, RAATS and Manifest databases. Based on the distance of the facility from the subject site, it is not considered a significant environmental concern for this assessment.

Pfizer Inc. – Brooklyn Plant is listed as a RCRA-LQG site. The facility is located at 1630 Flushing Avenue, Brooklyn, NY 11206 (approximately 1,225 feet south of the subject site). The facility is also listed within the FINDS and Manifest databases. Based on the distance

of the facility from the subject site, it is not considered a significant environmental concern for this assessment.

The NYCT – Broadway – Lorimer Station is listed as a RCRA-SQG. The facility is located at 143 Lorimer Street, Brooklyn, NY 11206 (approximately 883 feet west of the subject site). The facility is also listed within the Manifest database. Due to the absence of inclusion within a database which would indicate a spill or release had occurred at the facility, it is not considered a significant environmental concern for this assessment.

Arlington Press is listed as a RCRA-SQG. The facility is located at 191 Harrison Avenue, Brooklyn, NY 11206 (approximately 912 feet south-southwest of the subject site). The facility is also listed within the FINDS and MANIFEST databases. Due to the absence of inclusion within a database which would indicate a spill or release had occurred at the facility, it is not considered a significant environmental concern for this assessment.

Con Edison – The Con Edison facility is listed as a RCRA-CESQG. The facility is located at Lorimer Street and Broadway Avenue, Brooklyn, NY 11206 (approximately 553 feet northwest of the subject site). Con Edison listings such as this one are typically associated with small cleanups within manholes due to small equipment leaks. Therefore, the listing is not considered a significant environmental concern for this assessment.

Pfizer Inc. – Sites B & D are listed as a RCRA-CESQG site. The facility is located at 73 Gerry Street, Brooklyn, NY 11206 (approximately 60-400 feet southwest of the subject site). The facility is also listed within the FINDS, MANIFEST, and VCP databases. The facility was also identified as a RCRA-SQG in 1995. Drums of hazardous waste were shipped from the property in 2002, 2004 and 2005. The address 73-87 Gerry Street is also listed as a NYS Spill site under spill number 9516449. The spill number was assigned to the site in March of 2006. DEC notes provided by EDR provide limited information except for “construction work at site uncovered contaminated soil appears gasoline was spilled at site at some time in past.” The spill number was closed by the NYSDEC. A second spill (9704207) was reported to the DEC in July of 1997 for the same address. The person that reported the spill noted that an environmental study was done on the property and soil was

found to be contaminated. A third spill number (9203348) was listed under Pfizer Inc./Gerry Street. DEC notes provided by EDR indicate the following: “contaminated soil stockpiled in dumpsters after tank pull. Sampling, testing and will dispose.” No additional notes were provided, by the spill number was closed by the DEC in 1992, three days after the spill was reported. Since each of the spill numbers have been closed by the NYSDEC and the former Pfizer Inc. – Brooklyn Plant is located cross gradient of groundwater flow at the subject site, the facility is not considered a significant environmental concern for this assessment.

CAS Developers is listed as a RCRA-CESQG. The facility is located at 70 Union Avenue, Brooklyn, NY 11206 (approximately 1,157 feet west-southwest of the subject site). The facility is not listed in any other databases. Due to the distance and location of the facility and absence of inclusion within a database which would indicate a spill or release had occurred at the facility, it is not considered a significant environmental concern for this assessment.

NYC Board of Education P.S. 257 is listed as a RCRA-SQG. The facility is located at 60 Cook Street, Brooklyn, NY 11206 (approximately 1,213 feet east-southeast of the subject site). The facility is also listed within the FINDS database. Due to the absence of inclusion within a database which would indicate a spill or release had occurred at the facility, it is not considered a significant environmental concern for this assessment.

Mars Cleaners is listed as a RCRA-SQG. The facility is located at 80 Manhattan Avenue, Brooklyn, NY 11206 (approximately 879 feet northeast of the subject site). The facility is also listed within the FINDS database. Due to the absence of inclusion within a database which would indicate a spill or release had occurred at the facility, it is not considered a significant environmental concern for this assessment.

**Federal Institutional/Engineering Controls** – Federal Institutional/Engineering Controls databases list sites with institutional/engineering controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site.

Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

*Findings:* No Federal Institutional/Engineering Controls were listed for the subject site and no sites were identified within a ½ mile radius of the subject site.

**Federal Emergency Response Notification System** - The Emergency Response Notification System (ERNS) is national database used collect information on reported releases of oil or hazardous substances.

*Findings:* The subject site and adjacent properties were not identified in the ERNS databases.

**Federal Superfund Consent Decrees** - The Superfund Consent Decrees (CONSENT) list identifies major legal settlements that establish responsibility and standards for cleanup at NPL sites.

*Findings:* Neither the subject site nor any property within one mile of the subject site is identified in the CONSENT databases.

**Federal Records of Decision** - Record of Decision (ROD) documents mandate a permanent remedy at an NPL site containing technical and health information to aid in the cleanup.

*Findings:* Neither the subject site nor any property within one mile of the subject site is identified a ROD site.

**Federal Master Mines Index** - The Master Mines Index (MINES) file contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

*Findings:* Neither the subject site nor any property within ¼ mile of the subject site is listed in the MINES database.

#### 5.1.2 New York State Databases

The table below summarizes the State databases that were searched.

### New York State Databases Searched

Agency	Listing Name or database Searched	Abbreviation	Search Distance
NYSDEC	Inactive Hazardous Waste Disposal Sites in New York State	SHWS	1.0 mile
NYSDEC	Hazardous Substance Waste Disposal Site Study	HSWDS	0.5 mile
NYSDEC	Solid Waste Facility Register	SWF	0.5 mile
NYSDEC	Registered Recycling Facilities	SWRCY	0.5 mile
NYSDEC	Registered Waste Tire Storage Facilities	SWTIRE	0.5 mile
NYSDEC	Leaking Underground Storage Tank Sites	LTANKS	0.5 mile
NYSDEC	Petroleum Bulk Storage (PBS)	UST/AST	Subject site and Adjoining
NYSDEC	Chemical Bulk Storage (CBS)	CBS AST/UST	Subject site and Adjoining
NYSDEC	Institutional/Engineering Control registries	INST/ENG Controls	Subject site
NYSDEC	Voluntary Cleanup Agreements	VCP	0.5 mile
NYSDEC	Brownfield sites	Brownfields	0.5 mile
NYSDEC	Major Oil Storage Facilities	MOSF	0.5 mile
NYSDEC	New York State Spills	NYSPILLS	0.125 mile
NYSDEC	Dry Cleaner Site	Drycleaners	0.25 mile

**NYS Inactive Hazardous Waste Disposal Sites** - The New York State Department of Environmental Conservation (NYSDEC) maintains a state priority list of Inactive Hazardous Waste Disposal Sites (SHWS) considered to be actually or potentially contaminated and presenting a possible threat to human health and the environment. Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance/waste sites.

*Findings:* The subject site is not listed as a SHWS site. One SHWS sites were identified within a 1 mile radius of the subject site.

The former BQE/Ansbacher Color and Dye Factory located on Meeker Avenue is approximately 4,555 feet north-northwest of the subject site. A determination was made by the DEC that the site does not pose a significant threat to the public health or environment.

Therefore, the former color and dye factory is not considered a significant environmental concern for this assessment.

**NYS Hazardous Substance Waste Disposal Site Study** - The Hazardous Substance Waste Disposal Site Study (HSWDS) list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the HSWDS registry and non-registry sites that EPA Preliminary Assessment reports or Site Investigation reports were prepared.

*Findings:* The subject site is not listed as a HSWD site. No HSWDS site was identified within a ½ mile radius of the subject site.

**NYS Landfill** - The NYSDEC Solid Waste Facility Register records contain an inventory of solid waste disposal facilities or landfills in New York State.

*Findings:* The subject site is not listed as a landfill. However, one SWF/LF facility was identified within a ½ mile radius of the subject site.

Cooper Tank & Welding Co. is located at 222-26 Siegel Avenue, which is approximately 1,711 feet east-northeast of the subject site. The facility is an inactive, regulated transfer station. The facility is not listed in any other database which would indicate a spill/release or remedial action has occurred at the site and is therefore not considered a significant concern for this assessment.

**NYS Registered Recycling Facilities** - The Registered Recycling Facilities List (SWRCY) is a NYSDEC list of recycling facilities.

*Findings:* The subject site is not listed as a SWRCY site. No SWRCY sites were identified within a ½ mile radius of the subject site.

**NYS Registered Waste Tire Storage Facilities** - The Registered Recycling Facilities List (SWTIRE) is a NYSDEC list of Registered Waste Tire Storage & Facility List.

*Findings:* The subject site is not listed as a SWTIRE site. There were no SWTIRE sites identified within a ½ mile radius of the subject site.

**NYS Leaking Underground Storage Tank Sites** - The Leaking Underground Storage Tank Sites (LTANKS) database contains a NYSDEC inventory of reported leaking storage tank incidents. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

*Findings:* The subject site is not identified as a LTANKS site. However, 39 LTANK and 38 Historical LTANK sites were identified within ½ mile of the subject site. All of the LTANK spill numbers have been closed by the NYSDEC. Due to the closure of all spills by the NYSDEC none are considered to be a significant concern for this assessment. Hist LTANK sites within a close proximity to the site were reviewed.

**NYS Petroleum Bulk Storage** - The NYSDEC Petroleum Bulk Storage - Underground Tanks (UST) database lists facilities with a petroleum storage capacity of more than 1,100 gallons and less than 400,000 gallons. The NYSDEC Petroleum Bulk Storage - Aboveground Tanks (AST) database lists facilities with registered above ground storage tanks.

*Findings:* The subject site (Block 2266, Lot 25) is listed as having an AST for Magic Auto Repair Shop. The record for the AST was last updated in 2005 and is labeled as an “In Service” 400-gallon storage tank. During the site inspection no AST was found. EBC spoke with employees of the current tire repair shop, and each stated that there was no tank within the building.

In addition, 21 UST sites, 14 Hist UST sites, and 10 AST sites are registered within a ¼ mile radius of the subject site. Properties with registered ASTs or USTs do not necessarily pose a hazard unless the tanks are leaking or a spill occurs. Most tanks in the area hold home heating oil for on-site boilers and furnaces. Sites with leaking tanks or spills are addressed in the appropriate section.

**NYS Chemical Bulk Storage** - The Chemical Bulk Storage (CBS) database is a NYSDEC list of facilities that store regulated hazardous substances in aboveground tanks (AST) with capacities of 185 gallons or greater or underground tanks (UST) of any size.

*Findings:* The subject site is not identified as a CBS facility. One CBS AST facility was identified

within a ¼ mile radius of the subject search. Sites with leaking tanks or spills are addressed in the appropriate section.

**NYS Institutional/Engineering Controls** – NYSDEC list of Environmental Remediation sites with Institutional or Engineering Controls in place.

*Findings:* Neither the subject site nor any site within a ½ mile of the subject site was identified in the NYSDEC Institutional/Engineering Controls databases.

**NYS Voluntary Cleanup Agreements** - The NYSDEC Voluntary Cleanup Program (VCP) database identifies hazardous waste sites undergoing private sector cleanup as part of redevelopment.

*Findings:* The subject property was not identified as a VCP site. Three VCP sites were identified within a ½ mile radius of the subject site.

Pfizer Inc. – (Sites B & D) are located at 59-71 Gerry Street and 73-87 Gerry Street, which are located approximately 60-400 feet southwest of the subject site. Although remedial activities have been performed at the site, both petroleum related and chlorinated volatile organic compounds have been detected at elevated concentrations in soil, groundwater and soil gas at the site. Since each of the spill numbers have been closed by the NYSDEC and the former Pfizer Inc. – Brooklyn Plant is located cross gradient of groundwater flow at the subject site, the facility is not considered a significant environmental concern for this assessment.

Pfizer Inc. – (Citric Block) is located at 630 Flushing Avenue, which is approximately 1,225 feet south-southwest of the subject site. Notes provided within the site description state the site has been cleaned up and post remedial groundwater monitoring was satisfactory. Therefore, the facility is not considered a significant concern for this assessment.

Pfizer Inc. – (Organics/Suciac Block) is also located at 630 Flushing Avenue, which is approximately 1,225 feet south-southwest of the subject site. Hazardous soil was excavated from the site and a deed restriction was filed with Kings County Registrars Office.

However, no description of offsite contamination was provided. Therefore, the facility is not considered a significant concern for this assessment.

**NYS Brownfields** - A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

*Findings:* The subject site was not identified as a Brownfield site. No Brownfield sites were located within ½ mile of the subject site.

**NYS Major Oil Storage Facilities** - The NYSDEC Major Oil Storage Facilities (MOSF) database lists facilities or vessels with a petroleum storage capacity of more than 400,000 gallons.

*Findings:* The subject site was not identified as an MOSF. No MOSF UST site or MOSF AST sites were identified within ½ mile of the subject site.

**NYS Spills** - The New York State Spills Information Database (NY SPILLS) contains data collected on chemical and petroleum spill incidents reported to NYSDEC since April 1, 1986.

*Findings:* The subject site is listed within the NY SPILLS database. Spill No. 9912454 was issued in January of 2000 for the address 398 Wallabout Street. The DEC notes provided by EDR state numerous drums of trichloroethylene and MEK had spilled/leaked and pooled onto the soil in the basement. Probable soil contamination was noted, but no further information was obtained. It is possible that the address listed for the spill (398 Wallabout Street) is incorrect based on information provided within the EDR Radius Map Report. The spill notes list Vartex Instrument Corporation as the site contact. Vartex Instrument Corporation operates at 311 Wallabout Street, which is located on the opposite (north) side of Wallabout Street. Vartex instrument Corporation is also listed in the MANIFEST database for removal of trichloroethylene in February 2000. In addition, as previously noted, the spill was reported within the basement of the building, but the building located at 398 Wallabout Street does not have a basement. Since the NYSDEC Spills listing describes a site other than 398 Wallabout Street, the spill number is not considered a significant environmental concern for this assessment. However, since the subject site address is listed at the spill site,

documentation should be provided to the NYSDEC to either correct/change the address or to note that no soil/groundwater contamination is present at the site.

In addition, 13 spill sites and 5 historical spill sites identified within  $\frac{1}{8}$  mile of the subject site. Based on the decision of the NYSDEC to close these spill sites, they are not considered to be a significant concern for this assessment. However, two spills have not been closed and are within a close proximity of the subject site, they are discussed below.

NYSDEC Spill No. 9507227 – The former CITGO gas station at 594 Broadway Avenue (approximately 268 feet to the northeast) is listed as a NY Spill site and Hist LTANK site. As of July 2008 a subsurface investigation work plan has been approved, but the summary report has not been submitted. The final report due date was set at July 22<sup>nd</sup>, 2008 and has yet to be submitted. Attempts to contact the former owner of the site by the NYSDEC have been unsuccessful. However, due to the location of the gas station (down gradient of subject site), this spill site is not considered a significant environmental concern for this investigation.

NYSDEC Spill No. 0800660 – A former junkyard located at 650 Broadway Avenue Brooklyn, NY (approximately 426 feet east-southeast) is listed as a NY Spills site. During a site visit multiple areas of contaminated soil were found. Some puddles of oil were discovered as well as oil leaking into on site drains (drains were not connected to NYC sewers). Two 275-gallon waste oil ASTs with no PBS records were found on site. One of the ASTs was discovered with speedy dry around the tank and the site inspector was told that some oil was overfilled and spilled onto the concrete surface around the tank. EBC performed a subsurface investigation of the site and found no groundwater contamination. Therefore, the facility is not considered a significant concern for this assessment.

**Drycleaner Sites** - The NYSDEC maintains a listing of all registered drycleaners. Drycleaner sites do not necessarily pose a hazard unless a spill occurs. Sites at which spills have been identified are addressed in the appropriate section.

*Findings:* The subject site is not identified as drycleaner. Two drycleaner were identified within  $\frac{1}{4}$

mile of the site.

Mars Cleaners was identified as a PERC drycleaner at 80 Manhattan Avenue, which is approximately 879 feet northeast of the subject site. The facility is not listed within a database which indicates a spill/release had occurred, and is therefore not considered a significant environmental concern for this assessment.

Harrison/Yorktown/Ace Rapid Drycleaners was identified as a PERC drycleaner at 209 Harrison Avenue, which is approximately 1,009 feet south-southwest of the subject site. The facility is not listed within a database which would indicate a spill/release had occurred, and is therefore not considered a significant environmental concern for this assessment.

**MANIFEST:** Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

*Findings:* The subject property is not listed as a MANIFEST site. However, 27 manifest sites were identified within a ¼ mile radius of the subject site. Since none of the manifest sites are either adjacent to the subject site and/or do not appear in other EDR databases which would indicate a release has occurred, they are not considered to be a significant concern for this assessment. Facilities that may appear in an EDR Database which would indicate a release has occurred are discussed under the appropriate headings.

**NYS Manufactured Gas Plants -** Manufactured gas plants (MGP) were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar, sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

*Findings:* The subject site is not identified as an MGP site. However, 5 MGP sites were identified at a distance greater than ½ mile (but less than 1 mile) of the subject site. Due to the distance

and/or location of the each of the MGP sites, none are considered a significant concern for this assessment.

## 5.2 Additional Environmental Record Sources

### 5.2.1 Local Agency Review

A Freedom of Information Act (FOIA) request was sent to the New York City Department of Health (NYCDOH) for information regarding hazardous operations including the registration of fuel storage tanks, past spills, or violations. As of the date of this report, a response had not been received for the FOIA request. Regulatory agencies usually take six to eight weeks to process FOIA requests. Any pertinent information received will be reviewed and forwarded upon receipt. Copies of FOIA requests and regulatory agency responses are included in **Appendix B**.

In addition, a tank request form was submitted to the City of New York Fire Department to obtain certified reports outlining information regarding any listed tank information held in FDNY District Office Folders and computer files. As of the date of this report, a response had not been received. Any pertinent information received will be reviewed and forwarded upon receipt. A copy of the tank request form forwarded to the City of New York Fire Department is included in **Appendix B**.

The NYC OASIS Interactive Maps (<http://www.oasisnyc.net/map.aspx>) were reviewed to obtain a New York City Department of Buildings Property Profile Overview for the four lots comprising the subject site. Information available on the interactive website include historic Certificate of Occupancies, boiler records and DEP Boiler Information, records of complaints and both DOB and ECB violations, site restriction status (such as little “E”, TA, UB, or SRO restrictions), additional DCB addresses, as well as job filings and permits. Information from the website has been attached in **Appendix B**. The information is summarized briefly below.

- No Certificates of Occupancy was available for review.
- Plans submitted for a new building in Lots 21 through 24 were disapproved in 2003.
- An oil burner application was filed for Lot 21 in 1962.
- An oil burner application was filed for Lot 23 in 1957.

Lots 21 through 25 are listed as having a Noise, Air and Hazmat little “E” restriction. The subject site has been assigned an E-designation (E-238) for Air Quality-Natural Gas Heat & Hot Water as well as Exhaust Stack Location Limitations (Air-E), Hazardous Materials Phase I and Phase II Testing Protocol (Hazmat-E) and Window Wall Attenuation and Alternate Ventilation (Noise-E) as part of the Broadway Triangle Rezoning enacted in December of 2009 (CEQR No. 09HPD019K). Additional information regarding “E” sites can be found on the New York City Office of Environmental Remediation website:

[http://www.nyc.gov/html/oer/html/e\\_designation/e\\_designation.shtml](http://www.nyc.gov/html/oer/html/e_designation/e_designation.shtml).

The Department of Finance Building Classification is G7-Garage/Gas Station.

### 5.2.2 Internet Search Results

The street addresses of each of the subject site lots were entered into www.Google.com to obtain site occupant information. The name of each of the companies identified by doing the internet search is provided below. A copy of the findings is presented in **Appendix F**.

#### 398 Wallabout Street

- Nelson Fabrian-Nelson Auto Service Center
- Espinal Suto Repair
- Shmira Volunteers Patrol Group
- Marcy Tires

#### 392 Wallabout Street

- Quality Car Rental

### 5.2.3 Historic Zoning Map

A review of the NYC Department of City Planning Zoning Map for 1961 indicates that the subject site was formerly zoned M1-2 (**Figure 4B**).

## 6.0 SITE RECONNAISSANCE

### 6.1 Methodology and Limiting Conditions

Mr. Kevin Waters of EBC performed the site inspection on Thursday, December 29<sup>th</sup>, 2011, beginning at approximately 11:35 am. The reconnaissance included a visual inspection of the undeveloped/vacant lots comprising the subject site, the sidewalk immediately in front of the subject site lots, and the exterior of adjacent properties.

Photos taken during the inspection are attached (**Appendix A**).

### 6.2 Observations

At the time of the inspection, Lot 25 was developed with a one-story tire repair shop. The front third of the tire repair shop, contained a small plywood framed office and tire balancing and tire repair machinery. The remaining portion of the building was used as tire storage with dual level storage racks. There was also a second plywood framed office along the west wall of the building adjacent to lot 24. The flooring of the tire repair shop consisted of an exposed concrete floor with exposed concrete block walls. Two floor drains were also present. No basement was identified, and employees of the tire repair shop stated there was no basement. Small containers (1 pint to 5 gallons in size) of automotive fluids (such as antifreeze, motor oil and lubricants) were stored on shelving in the front third of the building. Two large air compressors were housed in the rear of the building. The tire repair shop had a natural gas meter with an overhead natural gas heater suspended from the ceiling. The remaining lots (Lots 21 through 24) of the subject site consisted of one large open lot. A ten foot high fence bordering the lots along Wallabout Street. Signage on the fence stated the lots were utilized by Quality Car Rental. The Quality Car Rental facility consisted of an office trailer situated in the approximate center/front of the site, and numerous rental cars parked throughout the lots. A few 5 gallon containers of car cleaning fluids were stored on shelving next to the office trailer. Two 55 gallon drums were also stored outside of the office trailer. Both drums were partially filled. One drum read antifreeze and one drum had only Zep labeled on it. Several steel shipping containers were staged on the lots and for additional tire storage. A number of box trucks and additional tires were also present on the lots. The ground cover consisted of both concrete and gravel.

### **6.3 Aboveground Storage Tanks (AST)**

No evidence of an AST was identified during the site inspection either within the building located on Lot 25, or the vacant lots currently utilized by Quality Car Rental. NYSDEC PBS records note a 400-gallon "In Service" aboveground storage tank, but no tank was observed during the site inspection. EBC spoke with employees of the current tire repair shop, and each stated that there was no tank within the building.

### **6.4 Underground Storage Tanks (UST)**

No evidence indicating the presence of an underground storage tank was noted during the site inspection.

### **6.5 Hazardous and Non-Hazardous Chemical Storage and Disposal**

There was no evidence of bulk hazardous or non-hazardous chemical storage observed at the subject site at the time of the site inspection with the exception of the following:

- 1) Automotive service fluids were stored in small containers ranging from 1 pint to 5 gallons in size within the tire repair shop.
- 2) A 55-gallon drum of antifreeze was stored outside near the Quality Car Rental office trailer.
- 3) A 55-gallon drum of Zep (car detailing/cleaning) fluid was stored outside near the Quality Car Rental office trailer.

### **6.6 Polychlorinated Biphenyls (PCBs)**

No evidence of PCBs or PCB containing equipment was observed at the subject site at the time of the site inspection.

### **6.7 Asbestos**

No evidence of asbestos was observed at the subject site at the time of the site inspection.

### **6.8 Lead-Based Paint (LBP)**

No evidence of Lead-Based Paint was observed at the subject site at the time of the site inspection, but due to the age of the onsite building, lead-based paint may present.

### **6.9 Mold**

No evidence of mold was observed at the subject site at the time of the site inspection.



## 7.0 INTERVIEWS

### 7.1 Owner

No representatives of the current property owner were available for an interview at the time this report was prepared. An addendum will be prepared and forwarded to and The Rabsky Group, if an interview is conducted at a later date.

### 7.2 Occupants

EBC spoke with employees of the tire repair shop that currently operate within the building located at 398 Wallabout Street (Lot 25). The employees noted that the building has no basement, and stated they have never seen an aboveground storage tank within the building. No representatives of the car rental facility that operated on the remaining lots was available for an interview at the time the site inspection was performed.

### 7.3 Local Government Officials

A Freedom of Information Act (FOIA) request was sent to the New York City Department of Health (NYCDOH) for information regarding hazardous operations including the registration of fuel storage tanks, past spills, or violations. As of the date of this report, a response had not been received for the FOIA request. Regulatory agencies usually take six to eight weeks to process FOIA requests. Any pertinent information received will be reviewed and forwarded upon receipt. Copies of FOIA requests and regulatory agency responses are included in **Appendix B**.

In addition, a tank request form was submitted to the City of New York Fire Department to obtain certified reports outlining information regarding any listed tank information held in FDNY District Office Folders and computer files. As of the date of this report, a response had not been received. Any pertinent information received will be reviewed and forwarded upon receipt. A copy of the tank request form forwarded to the City of New York Fire Department is included in **Appendix B**.

## 8.0 FINDINGS AND OPINIONS

Based upon reconnaissance of the subject and surrounding properties, interviews and review of historical records and regulatory agency databases, **the following recognized environmental conditions have been identified** in connection with the subject site.

- The subject site has been historically utilized as an auto repair facility;

*Reason for Inclusion:* Sites that operate as an auto repair facility use petroleum products (gasoline, kerosene, diesel, motor oil, hydraulic oil, gear or lube oil etc.) that pose a material threat of a release to subsurface soil and groundwater through spills, leaks, and improper disposal and handling.

*Discussion:* The Sanborn maps provided from 1981 to 2007 label Lot 25 of the subject site as an auto repair facility. City directory search results for the subject site reported "F&M Auto Service Center" in 1990 and "Espinal Auto Repair" in 2005. Internet search results also noted Nelson Fabrian-Nelson Auto Service Center. Presently the subject site is utilized by "Marcy Tires" (a tire service center) at 398 Wallabout and "Quality Car Rental" at 392 Wallabout Street.

### 8.1 Additional Environmental Issues

#### 8.1.1 Spill Number Listed for Subject Site

- A bulk spill of trichloroethylene and/or MEK to subsurface soil at either the subject site OR an adjacent property located possibly up gradient of groundwater flow is considered a significant environmental concern for this assessment.

*Discussion:* Spill No. 9912454 was issued in January of 2000 for the address 398 Wallabout Street. The DEC notes provided by EDR state numerous drums of trichloroethylene and MEK had spilled/leaked and pooled onto the soil in the basement. Probable soil contamination was noted, but no further information was obtained. It is possible that the address listed for the spill (398 Wallabout Street) is incorrect based on information provided within the EDR Radius Map Report. The spill notes list Vartex Instrument Corporation as the site contact. Vartex Instrument Corporation operates at 311 Wallabout Street, which is located on the opposite (north) side of Wallabout Street. Vartex instrument Corporation is also listed in the MANIFEST database for removal of trichloroethylene in February

2000. In addition, as previously noted, the spill was reported within the basement of the building, but the building located at 398 Wallabout Street does not have a basement. Since the NYSDEC Spills listing describes a site other than 398 Wallabout Street, the spill number is not considered a significant environmental concern for this assessment. However, since the subject site address is listed at the spill site, documentation should be provided to the NYSDEC to either correct/change the address or to note that no soil/groundwater contamination is present at the site.

### 8.1.2 E-Designation

Each of the 5 subject site lots are listed with a Noise, Air and Hazmat little “E” restriction. The subject site has been assigned E-designation (E-238) for Air Quality-Natural Gas Heat & Hot Water as well as Exhaust Stack Location Limitations (Air-E), Hazardous Materials Phase I and Phase II Testing Protocol (Hazmat-E) and Window Wall Attenuation and Alternate Ventilation (Noise-E) as part of the Broadway Triangle Rezoning enacted in December of 2009 (CEQR No. 09HPD019K). An E-designation does not interfere with the present use of the site; however E-designations do prevent the release of building permits subject to a detailed environmental review and release by the NYC Office of Environmental Remediation. Such release may require a full subsurface investigation, remedial and health and safety planning, implementation of a remedial program and documentation that the remedial program was completed during redevelopment of the property.

Additional information regarding “E” sites can be found on the New York City Office of Environmental Remediation website:

[http://www.nyc.gov/html/oer/html/e\\_designation/e\\_designation.shtml](http://www.nyc.gov/html/oer/html/e_designation/e_designation.shtml).

### 8.1.3 Chemical Storage

Numerous containers of automotive fluids (antifreeze, lubricants, motor oil, etc.) were observed within the auto repair shop operating within the building located on Lot 25. In addition, bulk containers (55-gallon drums) of antifreeze and car detailing products were stored outside near the office trailer.

## 9.0 CONCLUSIONS AND RECOMMENDATIONS

EBC performed a Phase I Environmental Site Assessment in conformance with the scope and limitations as described under ASTM Practice E1527-05 for the property identified as Block 2266, Lots 21, 22, 23, 24 and 25 in Brooklyn, New York. Any exceptions to, or deletions from, this practice are described in **Section 1.4** of this report. *This assessment has revealed the following recognized environmental condition in connection with the subject site:*

- The subject site has been historically utilized as an auto repair facility;

EBC recommends performing a Phase II Subsurface Investigation at the subject site to include the collection and laboratory analysis of subsurface soil, groundwater, and soil gas samples.

It should be noted that nearly any development scenario for the site is subject to the E-designation Environmental Review Program administered by the New York City Mayor's Office of Environmental Remediation (MOER) due to the hazardous materials "E" designation assigned to both Lots 19 and 20. Typical MOER Phase II investigation/sampling requirements for hazmat "E" sites are provided.

- A ground penetrating radar (GPR) survey to identify underground storage tanks, buried drums, or other subsurface waste disposal areas.
- Collection and laboratory analysis of surface soil samples (0-2 feet) for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), target analyte list (TAL) metals, PCBs and pesticides.
- Collection and laboratory analysis of subsurface soil samples (from 2 feet below the deepest basement level) for VOCs, SVOCs, TAL metals, PCBs and pesticides.
- Collection and laboratory analysis of groundwater samples for VOCs, SVOCs, TAL metals (filtered and unfiltered), PCBs and pesticides.
- Collection and laboratory analysis of soil gas samples for laboratory analysis of VOCs via EPA Method TO-15.

### ENVIRONMENTAL ISSUES NOT CONSIDERED RECS

EBC also identified the following unresolved issues (not considered RECS) which would require follow-up work:

- Numerous containers of automotive fluids (antifreeze, lubricants, motor oil, etc.) were observed within the auto repair shop operating within the building located on Lot 25. In addition, bulk containers (55-gallon drums) of antifreeze and car detailing products were stored outside near the office trailer.

The containers should be inventoried, sampled if necessary, and properly disposed of off-site prior to building demolition and site redevelopment.

- One 400-gallon aboveground storage tank is currently registered with the NYSDEC as "In-Service", but no tank was observed during the site inspection and employees of the tire shop stated there was no tank within the building.

A NYSDEC Petroleum Bulk Storage Application should be completed and submitted to the NYSDEC to note that the tank was removed/closed.

- Spill No. 9912454 was issued in January of 2000 for the address 398 Wallabout Street.

Documentation should be forwarded to the NYSDEC to change the spill address. If no information is available to correct the address, soil and groundwater sampling information obtained during the Phase II Subsurface Investigation discussed above should be forwarded to the NYSDEC.

## 10.0 DEVIATIONS

This Phase I ESA was conducted in accordance with the scope and limitations of the American Society for Testing and Materials (ASTM) Standard E 1527-05 (Standard Practices for Environmental Site Assessment: Phase I Environmental Site Assessment Process) and 40 CFR Part 312 (Standards and Practices for All Appropriate Inquiry; Final Rule). Excluding additional services outlined in Section 11.0, there were no deviations or deletions from this practice.

## 11.0 ADDITIONAL SERVICES

EBC has included, in addition to those items outlined by ASTM E 1527-05, a general evaluation of radon impact potential based on USEPA maps.

## 12.0 REFERENCES

Standard practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, ASTM Standard E 1527-05

All Appropriate Inquiry, Final Rule, 40 CFR Part 312

### 13.0 SIGNATURE OF ENVIRONMENTAL PROFESSIONAL

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in Section 312.10 of 40 CFR 312. I have the specific qualifications based on education, training and experience to assess a property of the nature, history and setting of the subject site. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR 312.

*Prepared By:*

*Reviewed By:*



Dominick Mosca  
Environmental Scientist



Kevin R. Brussee  
Project Manager

# QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONAL





**ENVIRONMENTAL BUSINESS CONSULTANTS**

**Kevin R. Brussee, Project Manager**

---

**Professional Experience**

EBC: January 2008

Prior: 6 years

**Education**

MS, Environmental Studies, University of Massachusetts, Lowell

BS, Environmental Science, Plattsburgh State University, NY

**Areas of Expertise**

- Site Investigations
- Gasoline/Fuel Oil Tank Removals
- NYSDEC Spill Closure
- NYC "E" Designations

**Professional Certification**

- OSHA 40-hr HAZMAT

---

**PROFILE**

Mr. Brussee has 8 years experience as an environmental consultant/contractor and has worked on and managed a wide range of environmental projects. Mr. Brussee has conducted Phase I, II and III Environmental Site Assessments for commercial, industrial, and residential properties in New York, Maryland and Delaware.

Mr. Brussee's field experience includes tank removal and installations, spill management and closure, soil and groundwater sampling, and both the oversight and operation of soil boring and well installation equipment. In addition, Mr. Brussee has performed project research, data reduction and evaluation, and has prepared reports for both regulatory and client use.

---

**PREVIOUS EXPERIENCE**

**Eastern Environmental Solutions, Inc., Manorville, NY**

Project Manager, 2006-2008

**EA Engineering, Science & Technology**

Hydrogeologist, 2005-2006

**P.W. Grosser Consulting, Bohemia, NY**


Field Hydrogeologist, 2002-2003

---

**PUBLICATIONS**

Chemical Stress Induced by Copper, Examination of a Biofilm System;  
(Water Science Technology, 2006; 54(9): 191-199.)


## FIGURES



**SITE LOCATION**

Map created with TOPOIG ©2006 National Geographic

73°58.00' W      73°58.000' W      73°57.000' W      WGS84 73°56.000' W



**EBC**  
 ENVIRONMENTAL BUSINESS CONSULTANTS  
 Phone 631.504.6000  
 Fax 631.924.2870

390-398 WALLABOUT STREET  
 BROOKLYN, NEW YORK 11206

FIGURE 1 - SITE LOCATION MAP



## FIGURE 2A – LOT DIAGRAM

390-398 WALLABOUT STREET  
 BROOKLYN, NEW YORK 11206

PHASE I – ENVIRONMENTAL SITE ASSESSMENT (BLOCK 2266 LOTS 21-25)

**EBC**

**ENVIRONMENTAL BUSINESS CONSULTANTS**  
 1808 MIDDLE COUNTRY ROAD, RIDGE, NEW YORK 11961  
 PHONE: (631) 504-6000 FAX: (631) 924-2870






## FIGURE 3 – AERIAL MAP

390-398 WALLABOUT STREET  
BROOKLYN, NEW YORK 11206

PHASE I – ENVIRONMENTAL SITE ASSESSMENT (BLOCK 2266 LOTS 21-25)

**EBC**

**ENVIRONMENTAL BUSINESS CONSULTANTS**  
1808 MIDDLE COUNTRY ROAD, RIDGE, NEW YORK 11961  
PHONE: (631) 504-6000 FAX: (631) 924-2870




**FIGURE 4A – ZONING MAP**

390-398 WALLBOUT STREET  
 BROOKLYN, NEW YORK 11206

PHASE I – ENVIRONMENTAL SITE ASSESSMENT (BLOCK 2266 LOTS 21-25)



**ENVIRONMENTAL BUSINESS CONSULTANTS**  
 1808 MIDDLE COUNTRY ROAD, RIDGE, NEW YORK 11961  
 PHONE: (631) 504-6000 FAX: (631) 924-2870



**FIGURE 4B – HISTORIC ZONING MAP**

390-398 WALLABOUT STREET  
 BROOKLYN, NEW YORK 11206

PHASE I – ENVIRONMENTAL SITE ASSESSMENT (BLOCK 2266 LOTS 21-25)



**ENVIRONMENTAL BUSINESS CONSULTANTS**  
 1808 MIDDLE COUNTRY ROAD, RIDGE, NEW YORK 11961  
 PHONE: (631) 504-6000 FAX: (631) 924-2870

# APPENDIX A

## SITE PHOTOGRAPHS

## **ADJACENT PROPERTY PHOTOS**



Photo 1 - View of "Marcy Tires" (located at 398 Wallabout Street – Lot 25 of the subject site) from Wallabout Street.



Photo 2 – View of the interior of Marcy Tires from entrance on Wallabout Street.



Photo 3 – Close up view of tire mounting equipment and tire balancing equipment.



Photo 4 – View of the rear of Marcy Tires.



Photo 5 – View of two large air compressors inside Marcy Tires.



Photo 6 – View of the interior of Marcy Tires facing Wallabout Street



Photo 7 – View gas powered space heater inside Marcy Tires.



Photo 8 – View of utility closet inside Marcy Tires.



Photo 9 – View of the entrance to the subject site along Wallabout Street.



Photo 10 – View of the interior of the subject site (396 and 394 Wallabout Street).



Photo 11 – View of the trailer located at 392 Wallabout Street. The trailer is utilized as an office for “Quality Car Rental” .



Photo 12 – Close up view of cleaning chemicals stored on site.



Photo 13 – View of two 55-gallon drums (one plastic the other steel) on site holding antifreeze/coolant.



Photo 14 – View of the subject site from the west.

## **ADJACENT PROPERTY PHOTOS**



Photo 15 – View of the subject site and the adjacent property to the west (386-388 Wallabout Street). The red fence denotes the property line.



Photo 16 – View of the 1-story building to the north (305-307 Wallabout Street) on the opposite side of Wallabout Street.



Photo 17 – Close up view of the natural gas vent at 305-307 Wallabout Street.



Photo 18 – View of the 1-story building to the northeast (66 Throop Avenue/315-323 Wallabout Street) across Wallabout Street from the subject site.



Photo 19 – View of the two story building to the north (311 Wallabout Street) across Wallabout Street from the subject site.



Photo 20 – View of the vacant lot to the north (313 Wallabout Street) across Wallabout Street from the subject site.

# APPENDIX B

## LOCAL AGENCY INFORMATION



FIRE DEPARTMENT – CITY OF NEW YORK  
**Public Records Unit / Tanks Section**  
 9 MetroTech Center  
 Brooklyn, New York 11201-3857  
 (718) 999-2441 or 2442



## Fuel Tank Special Report Request Form

### SECTION A

### CUSTOMER INFORMATION

Please print the required information below.

Environmental Business Consultants

Name  
1808 Middle Country Road, Ridge

Address  
New York 11961

State Zip Code

(631)504-6000  
Telephone Number

#### OFFICE USE ONLY

Cashier / Search No. \_\_\_\_\_

PRU Staff  
Accepted By/Initials: \_\_\_\_\_

Searched By: \_\_\_\_\_

Total Amount: \_\_\_\_\_

**Note:** Please make sure you complete this form and attach all required documents. Enclose a check or money order made payable to the **NYC Fire Department** and a stamped self-addressed envelope (with postage). Mail checks or money orders directly to the address and unit listed above. **DO NOT MAIL CASH.**

### SECTION B

### FUEL TANK REPORT - FEE \$10.00 / PER REPORT

398 Wallabout Street Brooklyn  
House Number Street Name Borough

- THE TOTAL AMOUNT AND SIZE OF EXISTING FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED FUEL OIL / HEATING TANKS
- THE TOTAL AMOUNT AND SIZE OF EXISTING BURIED MOTOR VEHICLE TANKS
- THE TOTAL AMOUNT AND SIZE OF REMOVED OR SEALED BURIED MOTOR VEHICLE TANKS
- MOST RECENT TANK / PIPING TEST RESULTS
- HISTORY OF BURIED TANKS LEAKS

Note: Requests will be responded to within 10 business days.

PR3 (July-08)



**ENVIRONMENTAL BUSINESS CONSULTANTS**

---

December 30, 2011

Freedom of Information Officer  
New York City Department of Health  
125 Worth Street  
New York, New York 10013

**Re: Freedom of Information Request**  
**390 Wallabout Street, Brooklyn, NY 11206**  
**392 Wallabout Street, Brooklyn, NY 11206**  
**394 Wallabout Street, Brooklyn, NY 11206**  
**396 Wallabout Street, Brooklyn, NY 11206**  
**398 Wallabout Street, Brooklyn, NY 11206**  
**Block 2266, Lots 21 through 25**

Dear Sir or Madam:

Environmental Business Consultants (EBC) has been retained to prepare a Phase I Environmental Site Assessment for the properties located at the above referenced addresses (Block 2266 Lots 21 through 25 in Brooklyn).

We are requesting available copies of environmental files, records, and memoranda concerning the property. This information should include: 1) past and present underground storage tank registration(s); 2) reported spills or releases of hazardous substances; 3) generation, storage, treatment, or disposal of hazardous substances; 4) past or present groundwater, surface water, and soil investigations; 5) environmental permits/violations.

We will gladly pay copying costs.

Please advise if this request can be accommodated in an expedient manner. We would like to schedule an appointment to copy the file/records if this is not possible. Feel free to call with any questions or if additional information is needed to respond to this request.

Very truly yours,

Dominick Mosca  
Environmental Scientist



**ENVIRONMENTAL BUSINESS CONSULTANTS**


1808 Middle Country  
Road  
Ridge, NY 11961

PHONE  
FAX  
E-MAIL

631.504.6000  
631.924.2870  
kbrussee@optonline.net

**NYC DEPARTMENT OF FINANCE  
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2011070700759001001EEA44

**RECORDING AND ENDORSEMENT COVER PAGE**

**PAGE 1 OF 4**

**Document ID: 2011070700759001** Document Date: 06-30-2011 Preparation Date: 07-07-2011  
Document Type: DEED  
Document Page Count: 3

<p><b>PRESENTER:</b> MADISON TITLE AGENCY, LLC (PICK-UP-RAPID) AS AGENT FOR WESTCOR LAND TITLE 1125 OCEAN AVENUE LAKEWOOD, NJ 08701 212-808-9400</p>	<p><b>RETURN TO:</b> ARYEH WEBER, ESQ. 674 EAST 3RD STREET BROOKLYN, NY 11218 mtany-066962 sg</p>
--	---

**PROPERTY DATA**

<b>Borough</b>	<b>Block</b>	<b>Lot</b>	<b>Unit</b>	<b>Address</b>
BROOKLYN	2266	25	Entire Lot	398 WALLABOUT STREET
<b>Property Type: OTHER</b>				

**CROSS REFERENCE DATA**

CRFN \_\_\_\_\_ or Document ID \_\_\_\_\_ or \_\_\_\_\_ Year \_\_\_\_\_ Reel \_\_\_\_\_ Page \_\_\_\_\_ or File Number \_\_\_\_\_

**PARTIES**

<p><b>GRANTOR/SELLER:</b> AARON GANTZ 398 WALLABOUT STREET BROOKLYN, NY 11206</p>	<p><b>GRANTEE/BUYER:</b> SOUTHWISE REALTY LLC 5000 ROUTE 55, BOX 281 SWAN LAKE, NY 12783</p>
---	--

**FEES AND TAXES**

<b>Mortgage</b>			Filing Fee:	\$	250.00
Mortgage Amount:	\$	0.00			
Taxable Mortgage Amount:	\$	0.00	NYC Real Property Transfer Tax:		
Exemption:				\$	7,110.75
<b>TAXES: County (Basic):</b>	\$	0.00	NYS Real Estate Transfer Tax:		
City (Additional):	\$	0.00		\$	396.00
Spec (Additional):	\$	0.00			
TASF:	\$	0.00			
MTA:	\$	0.00			
NYCTA:	\$	0.00			
Additional MRT:	\$	0.00			
<b>TOTAL:</b>	\$	0.00			
Recording Fee:	\$	52.00			
Affidavit Fee:	\$	0.00			



**RECORDED OR FILED IN THE OFFICE  
OF THE CITY REGISTER OF THE  
CITY OF NEW YORK**

Recorded/Filed 07-13-2011 16:00  
City Register File No.(CRFN):  
**2011000248033**

*Annette McMill*

**City Register Official Signature**

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT—THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY.

THIS INDENTURE, made the 30<sup>th</sup> day of JUNE, in the year 2011

**BETWEEN**

AARON GANTZ, GRANTOR  
398 WALLABOUT STREET  
BROOKLYN, NY 11206

party of the first part, and

SOUTHWISE REALTY LLC, GRANTEE

5000 RT. 55 BOX 281

SWAN LAKE, NY 12783

party of the second part,

**WITNESSETH**, that the party of the first part, in consideration of

TEN (\$10.00) dollars

paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

**ALL** that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the

SEE SCHEDULE A - ATTACHED HERETO AND MADE A PART HEREOF.

ADDITIONALLY, This conveyance is made SUBJECT TO the following mortgage: Mortgage in the original principal amount of four hundred thousand dollars and 00/100 (\$400,000.00) made by AARON GANTZ, with an address at 31 Rita Avenue, Monsey, NY 10952 to CONTINENTAL CAPITAL GROUP, LLC, dated AUGUST 30, 2006, which mortgage was duly recorded on September 20, 2006 in the CITY REGISTER OF THE CITY OF NEW YORK of KINGS County in CRFN 2006000530817 (and upon which mortgage the mortgage recording tax was paid in the amount of EIGHT THOUSAND TWO HUNDRED DOLLARS AND 00/100 (\$8,200.00)). The outstanding principal balance of this mortgage as of the date of the delivery of the deed is four hundred thousand dollars and 00/100 (\$400,000.00), and it is payable in monthly installments as provided in the bond, note or obligation which is secured thereby, as restated and amended on even date herewith, together with monthly escrow deposits for the payment of taxes and insurance premiums as may be required thereunder. By executing and acknowledging this conveyance, the GRANTEE does hereby assume all of the debt and the obligations under the bond, note or other obligation, as restated and amended on even date herewith, which is secured by said mortgage, as well as the obligations of such mortgage securing said debt, and the GRANTEE hereby covenants to pay the principal and interest on said mortgage in accordance with the terms and conditions thereof, and of said bond, note or obligation secured thereby, as restated and amended on even date herewith.

PREMISES: 398 WALLABOUT STREET, BROOKLYN, NY 11206 BLOCK: 2266 LOT: 25

Being and intended to be the same premises conveyed to the party of the first part by Deed from William Clark recorded on 06/07/1989 in Reel 2399 Page 725.

TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been encumbered in any way whatever, except as aforesaid.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose. The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

**IN WITNESS WHEREOF**, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

\_\_\_\_\_

  
\_\_\_\_\_  
AARON GANTZ, GRANTOR

CONSENTED AND AGREED TO BY GRANTEE:

SOUTHWISE REALTY LLC  
  
\_\_\_\_\_

BY: DAVID WEISS, GRANTEE

## SCHEDULE A

### Property Description

All that certain Lot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, bounded and described as follows:

BEGINNING on the southerly side of Wallabout Street, distant 100 feet westerly from the corner formed by the southerly side of Wallabout Street with the westerly side of Throop Avenue;

RUNNING THENCE southerly parallel with Throop Avenue, 100 feet

THENCE westerly parallel with Wallabout Street, 25 feet;

THENCE northerly again parallel with Throop Avenue, 100 feet to the southerly side of Wallabout Street;

THENCE easterly along the southerly side of Wallabout Street, 25 feet to the point or place of BEGINNING.

NOTE: Being District , Section , Block(s) 2266, Lot(s) 25, Tax Map of the Borough of Brooklyn, County of Kings.

NOTE: Lot and Block shown for informational purposes only.

**ACKNOWLEDGEMENT TAKEN IN NEW YORK STATE**

State of New York, County of King, ss: King

On the 30 day of June in the year 2011, before me, the undersigned, personally appeared

Aaron Gantz

, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

MORDCHE FUCHS  
NOTARY PUBLIC, State of New York  
No. 01FU6090431  
Qualified in Kings County  
Commission Expires April 14, 2015

SEAM

**ACKNOWLEDGEMENT BY SUBSCRIBING WITNESS TAKEN IN NEW YORK STATE**

State of New York, County of \_\_\_\_\_, ss: \_\_\_\_\_

On the \_\_\_\_\_ day of \_\_\_\_\_ in the year \_\_\_\_\_, before me, the undersigned, a Notary Public in and for said State, personally appeared \_\_\_\_\_, the

subscribing witness to the foregoing instrument, with whom I am personally acquainted, who, being by me duly sworn, did depose and say that he/she/they reside(s) in

(if the place of residence is in a city, include the street and street number if any, thereof); that he/she/they know(s)

to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said

execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto

**Bargain and Sale Deed  
With Covenants**

Title No.

AARON GANTZ  
TO  
SOUTHWISE REALTY LLC

DISTRIBUTED BY  
  
YOUR TITLE EXPERTS  
The Judicial Title Insurance Agency LLC  
800-281-TITLE (8485) FAX: 800-FAX-9396

**ACKNOWLEDGEMENT TAKEN IN NEW YORK STATE**

State of New York, County of \_\_\_\_\_, ss: King

On the 30 day of June in the year 2011, before me, the undersigned, personally appeared

David Weiss

, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

MORDCHE FUCHS  
NOTARY PUBLIC, State of New York  
No. 01FU6090431  
Qualified in Kings County  
Commission Expires April 14, 2015

**ACKNOWLEDGEMENT TAKEN OUTSIDE NEW YORK STATE**

\*State of \_\_\_\_\_, County of \_\_\_\_\_, ss: \_\_\_\_\_

\*(Or insert District of Columbia, Territory, Possession or Foreign County)

On the \_\_\_\_\_ day of \_\_\_\_\_ in the year \_\_\_\_\_, before me \_\_\_\_\_ the undersigned personally appeared

Personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument, and that such individual make such appearance before the undersigned in the


(add the city or political subdivision and the state or country or other place the acknowledgement was taken).

SECTION:  
BLOCK: 2266  
LOT: 25  
COUNTY OR TOWN: KINGS

**RETURN BY MAIL TO:**

Aryeh Weber, Esq.  
674 East 3rd Street  
Brooklyn, New York 11218

NYC DEPARTMENT OF FINANCE  
OFFICE OF THE CITY REGISTER



2011070700759001001S24C5

**SUPPORTING DOCUMENT COVER PAGE**

**PAGE 1 OF 1**

**Document ID: 2011070700759001**

Document Date: 06-30-2011

Preparation Date: 07-07-2011

Document Type: DEED

**ASSOCIATED TAX FORM ID: 2011063000049**

**SUPPORTING DOCUMENTS SUBMITTED:**

Page Count

DEP CUSTOMER REGISTRATION FORM FOR WATER AND SEWER BILLING

1

RP - 5217 REAL PROPERTY TRANSFER REPORT

2

SMOKE DETECTOR AFFIDAVIT

1

FOR CITY USE ONLY

C1. County Code  C2. Date Deed Recorded  /  /   
 Month Day Year

C3. Book  OR C4. Page   
 C5. CRFN



REAL PROPERTY TRANSFER REPORT

STATE OF NEW YORK  
STATE BOARD OF REAL PROPERTY SERVICES

RP - 5217NYC

(Rev 11/2002)

PROPERTY INFORMATION

1. Property Location  398 WALLABOUT STREET  BROOKLYN  11206  
 STREET NUMBER STREET NAME BOROUGH ZIP CODE

2. Buyer Name  SOUTHWISE REALTY LLC   
 LAST NAME / COMPANY FIRST NAME

3. Tax Billing Address      
 Indicate where future Tax Bills are to be sent if other than buyer address (at bottom of form)  
 LAST NAME / COMPANY FIRST NAME  
 STREET NUMBER AND STREET NAME CITY OR TOWN STATE ZIP CODE

4. Indicate the number of Assessment Roll parcels transferred on the deed  1 # of Parcels OR  Part of a Parcel

5. Deed Property Size  FRONT FEET X  DEPTH OR  ACRES

8. Seller Name  GANTZ  AARON  
 LAST NAME / COMPANY FIRST NAME

9. Check the box below which most accurately describes the use of the property at the time of sale:

A  One Family Residential C  Residential Vacant Land E  Commercial G  Entertainment / Amusement I  Industrial  
 B  2 or 3 Family Residential D  Non-Residential Vacant Land F  Apartment H  Community Service J  Public Service

4A. Planning Board Approval - N/A for NYC  
 4B. Agricultural District Notice - N/A for NYC

Check the boxes below as they apply:

6. Ownership Type is Condominium   
 7. New Construction on Vacant Land

SALE INFORMATION

10. Sale Contract Date  6 / 30 / 2011  
 Month Day Year

11. Date of Sale / Transfer  6 / 30 / 2011  
 Month Day Year

12. Full Sale Price \$  4 9 9 0 0 0  
 (Full Sale Price is the total amount paid for the property including personal property. This payment may be in the form of cash, other property or goods, or the assumption of mortgages or other obligations.) Please round to the nearest whole dollar amount.

13. Indicate the value of personal property included in the sale

14. Check one or more of these conditions as applicable to transfer:

A  Sale Between Relatives or Former Relatives  
 B  Sale Between Related Companies or Partners in Business  
 C  One of the Buyers is also a Seller  
 D  Buyer or Seller is Government Agency or Lending Institution  
 E  Deed Type not Warranty or Bargain and Sale (Specify Below)  
 F  Sale of Fractional or Less than Fee Interest (Specify Below)  
 G  Significant Change in Property Between Taxable Status and Sale Dates  
 H  Sale of Business is Included in Sale Price  
 I  Other Unusual Factors Affecting Sale Price (Specify Below)  
 J  None

ASSESSMENT INFORMATION - Data should reflect the latest Final Assessment Roll and Tax Bill

15. Building Class  G, 9 16. Total Assessed Value (of all parcels in transfer)

17. Borough, Block and Lot / Roll Identifier(s) ( If more than three, attach sheet with additional identifier(s) )  
 BROOKLYN 2266 25

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and I understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER  
  6/30/11  
 BUYER SIGNATURE DATE

STREET NUMBER STREET NAME (AFTER SALE)


CITY OR TOWN STATE ZIP CODE

BUYER'S ATTORNEY  
   
 LAST NAME FIRST NAME

AREA CODE TELEPHONE NUMBER  
 SELLER 6/30/11  
   
 SELLER SIGNATURE DATE

**CERTIFICATION**

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

		BUYER		6/30/11		BUYER'S ATTORNEY	
BUYER SIGNATURE		DATE		LAST NAME		FIRST NAME	
STREET NUMBER		STREET NAME (AFTER SALE)		AREA CODE		TELEPHONE NUMBER	
CITY OR TOWN		STATE		ZIP CODE		SELLER	
						6/30/11	
				SELLER SIGNATURE		DATE	

**AFFIDAVIT OF COMPLIANCE  
WITH SMOKE DETECTOR REQUIREMENT  
FOR ONE- AND TWO-FAMILY DWELLINGS**

State of New York )  
County of Kings ) SS.:

The undersigned, being duly sworn, depose and say under penalty of perjury that they are the grantor and grantee of the real property or of the cooperative shares in a cooperative corporation owning real property located at

398 WALLABOUT STREET

Street Address		Unit/Apt.	
<u>BROOKLYN</u>	New York, <u>2266</u>	<u>25</u>	(the "Premises");
Borough	Block	Lot	

That the Premises is a one or two family dwelling, or a cooperative apartment or condominium unit in a one- or two-family dwelling, and that installed in the Premises is an approved and operational smoke detecting device in compliance with the provisions of Article 6 of Subchapter 17 of Chapter 1 of Title 27 of the Administrative Code of the City of New York concerning smoke detecting devices;

That they make affidavit in compliance with New York City Administrative Code Section 11-2105 (g). (The signatures of at least one grantor and one grantee are required, and must be notarized).

Arnon Gantz  
Name of Grantor (Type or Print)  
[Signature]  
Signature of Grantor

Southside Realty LLC  
Name of Grantee (Type or Print)  
[Signature]  
Signature of Grantee



Sworn to before me  
this 30 date of June 2011  
[Signature]  
MORDCHE FUCHS  
NOTARY PUBLIC, State of New York  
No. 01FU6090431  
Qualified in Kings County  
Commission Expires April 14, 2015

Sworn to before me  
this 30 date of June 2011  
[Signature]  
MORDCHE FUCHS  
NOTARY PUBLIC, State of New York  
No. 01FU6090431  
Qualified in Kings County  
Commission Expires April 14, 2015

These statements are made with the knowledge that a willfully false representation is unlawful and is punishable as a crime of perjury under Article 210 of the Penal Law.

**NEW YORK CITY REAL PROPERTY TRANSFER TAX RETURNS FILED ON OR AFTER FEBRUARY 6th, 1990, WITH RESPECT TO THE CONVEYANCE OF A ONE- OR TWO-FAMILY DWELLING, OR A COOPERATIVE APARTMENT OR A CONDOMINIUM UNIT IN A ONE- OR TWO-FAMILY DWELLING, WILL NOT BE ACCEPTED FOR FILING UNLESS ACCOMPANIED BY THIS AFFIDAVIT.**



The City of New York  
Department of Environmental Protection  
Bureau of Customer Services  
59-17 Junction Boulevard  
Flushing, NY 11373-5108

## Customer Registration Form for Water and Sewer Billing

### Property and Owner Information:

- (1) Property receiving service: BOROUGH: BROOKLYN                      BLOCK: 2266                      LOT: 25
- (2) Property Address: 398 WALLABOUT STREET, BROOKLYN, NY 11206
- (3) Owner's Name:            SOUTHWISE REALTY LLC

Additional Name:

### Affirmation:



Your water & sewer bills will be sent to the property address shown above.

### Customer Billing Information:

#### Please Note:

- A. Water and sewer charges are the legal responsibility of the owner of a property receiving water and/or sewer service. The owner's responsibility to pay such charges is not affected by any lease, license or other arrangement, or any assignment of responsibility for payment of such charges. Water and sewer charges constitute a lien on the property until paid. In addition to legal action against the owner, a failure to pay such charges when due may result in foreclosure of the lien by the City of New York, the property being placed in a lien sale by the City or Service Termination.
- B. Original bills for water and/or sewer service will be mailed to the owner, **at the property address or to an alternate mailing address**. DEP will provide a duplicate copy of bills to one other party (such as a managing agent), however, any failure or delay by DEP in providing duplicate copies of bills shall in no way relieve the owner from his/her liability to pay all outstanding water and sewer charges. Contact DEP at (718) 595-7000 during business hours or visit [www.nyc.gov/dep](http://www.nyc.gov/dep) to provide us with the other party's information.

### Owner's Approval:

The undersigned certifies that he/she/it is the owner of the property receiving service referenced above; that he/she/it has read and understands Paragraphs A & B under the section captioned "Customer Billing Information"; and that the information supplied by the undersigned on this form is true and complete to the best of his/her/its knowledge.


Print Name of Owner:

Signature: David W. [Signature] Date (mm/dd/yyyy)

Name and Title of Person Signing for Owner, if applicable:

**NYC DEPARTMENT OF FINANCE  
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2008052900555001002E66F5

**RECORDING AND ENDORSEMENT COVER PAGE**

**PAGE 1 OF 5**

**Document ID: 2008052900555001** Document Date: 05-23-2008 Preparation Date: 05-29-2008  
Document Type: DEED  
Document Page Count: 3

<p><b>PRESENTER:</b> VERRAZANO CLOSING SERVICES LTD FOR FIDELITY NATIONAL AS UNDERWRITER 1970 FLATBUSH AVENUE (RSR PICK UP) BROOKLYN, NY 11234 718-258-1245 VZ-67465-K</p>	<p><b>RETURN TO:</b> MARK TULIP, ESQ. 26 COURT STREET BROOKLYN, NY 11242</p>
--	--

**PROPERTY DATA**

<b>Borough</b>	<b>Block</b>	<b>Lot</b>	<b>Unit</b>	<b>Address</b>
BROOKLYN	2266	21	Entire Lot	390 WALLABOUT STREET
<b>Property Type:</b> NON-RESIDENTIAL VACANT LAND				

<b>Borough</b>	<b>Block</b>	<b>Lot</b>	<b>Unit</b>	<b>Address</b>
BROOKLYN	2266	22	Entire Lot	392 WALLABOUT STREET
<b>Property Type:</b> NON-RESIDENTIAL VACANT LAND				

x Additional Properties on Continuation Page

**CROSS REFERENCE DATA**

CRFN \_\_\_\_\_ or Document ID \_\_\_\_\_ or \_\_\_\_\_ Year \_\_\_\_\_ Reel \_\_\_\_\_ Page \_\_\_\_\_ or File Number \_\_\_\_\_

**PARTIES**

**GRANTOR/SELLER:**  
WALLABOUT THROOP REALTY PARTNERS LLC  
329 HEWES STREET  
BROOKLYN, NY 11211

**GRANTEE/BUYER:**  
SAM ROSENBERG  
31 MORRIS ROAD  
SPRING VALLEY, NY 10977

**FEES AND TAXES**

<b>Mortgage</b>			Filing Fee:	\$	165.00
Mortgage Amount:	\$	0.00		\$	
Taxable Mortgage Amount:	\$	0.00	NYC Real Property Transfer Tax:		
Exemption:				\$	52,500.00
<b>TAXES: County (Basic):</b>	\$	0.00	NYS Real Estate Transfer Tax:		
City (Additional):	\$	0.00		\$	8,000.00
Spec (Additional):	\$	0.00			
TASF:	\$	0.00			
MTA:	\$	0.00			
NYCTA:	\$	0.00			
Additional MRT:	\$	0.00			
<b>TOTAL:</b>	\$	0.00			
Recording Fee:	\$	61.00			
Affidavit Fee:	\$	0.00			

**RECORDED OR FILED IN THE OFFICE  
OF THE CITY REGISTER OF THE  
CITY OF NEW YORK**


Recorded/Filed 06-03-2008 08:45  
City Register File No.(CRFN):  
**2008000221869**



*Annette McMill*

**City Register Official Signature**

NYC DEPARTMENT OF FINANCE  
OFFICE OF THE CITY REGISTER



2008052900555001002C6475

**RECORDING AND ENDORSEMENT COVER PAGE (CONTINUATION) PAGE 2 OF 5**

Document ID: 2008052900555001

Document Date: 05-23-2008

Preparation Date: 05-29-2008

Document Type: DEED

**PROPERTY DATA**

<b>Borough</b>	<b>Block</b>	<b>Lot</b>	<b>Unit</b>	<b>Address</b>
BROOKLYN	2266	23	Entire Lot	394 WALLABOUT STREET
<b>Property Type: NON-RESIDENTIAL VACANT LAND</b>				
<b>Borough</b>	<b>Block</b>	<b>Lot</b>	<b>Unit</b>	<b>Address</b>
BROOKLYN	2266	24	Entire Lot	396 WALLABOUT STREET
<b>Property Type: NON-RESIDENTIAL VACANT LAND</b>				

17-67465K

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT—THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY.

THIS INDENTURE, made the 23rd day of May, in the year 2008

BETWEEN WALLABOUT THROOP REALTY PARTNERS LLC., a New York limited liability company, with offices at 329 Hewes Street, Brooklyn, New York 11211

party of the first part, and SAM ROSENBERG, residing at 31 Morris Road, Spring Valley, New York 10977

party of the second part,

WITNESSETH, that the party of the first part, in consideration of One (\$1.00) Dollar and other good and valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

ALL that certain plot, piece or parcel of land, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, bounded and described as follows:

BEGINNING at a point on the southerly side of Wallabout Street distant 125 feet Westerly from the corner formed by the intersection of the Southerly side of Wallabout Street and the Westerly side of Throop Avenue;

RUNNING THENCE Southerly parallel with Throop Avenue distance 100 feet to a point;

THENCE Westerly parallel with Wallabout Street a distance of 100 feet to a point;

THENCE Northerly parallel with Throop Street a distance of 100 feet to a point on the Southerly side of Wallabout Street;

THENCE Easterly along the southerly side of Wallabout Street a distance of 100 feet to the point or place of BEGINNING.

Said premises known as 390, 392, 394 and 396 Wallabout Street, Brooklyn, New York 11206

\*Being and intended to be the same premises as conveyed to the grantor herein by deed dated 6-1-02, recorded 7-24-02 in Roll 5725 page 986


TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been encumbered in any way whatever, except as aforesaid. AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose. The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

WALLABOUT THROOP REALTY PARTNERS LLC

By:  Shlomo Karpen, Managing Member

2266  
21-24

**Verrazano Closing Services Ltd.**  
**Agents for**  
**Fidelity National Title Insurance Company**  
**Schedule A Description**

**Revised: 05/19/2008**

Page 1

Title Number: **VZ-67465-K**

All that certain plot, piece or parcel of land, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, bounded and described as follows:

BEGINNING at a point on the Southerly side of Wallabout Street distant 125 feet Westerly from the corner formed by the intersection of Southerly side of Wallabout Street and the Westerly side of Throop Avenue.

RUNNING THENCE Southerly parallel with Throop Avenue a distance 100 feet to a point;

THENCE Westerly parallel with Wallabout Street a distance of 100 feet to a point;

THENCE Northerly parallel with Throop Street a distance of 100 feet to a point on the Southerly side of Wallabout Street;

THENCE Easterly along the southerly side of Wallabout Street a distance of 100 feet to the point or place of BEGINNING.

**FOR CONVEYANCING ONLY**

**Together with all the right, title and interest of, in and to any streets and roads abutting the above described premises.**

Our policies of title insurance include such buildings and improvements thereon which by law constitute real property, unless specifically excepted therein. Now is the time to determine whether we have examined all the property easements you desire to be insured: if there are appurtenant easements to be insured, please request such insurance. In some cases, our rate manual provides for an additional charge for such insurance.

*New York*  
STATE OF NEW YORK, COUNTY OF ~~KINGS~~

On the 23rd day of May in the year 2008, before me, the undersigned, personally appeared Shlomo Karpen

Personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person on behalf of which the individual(s) acted, executed the instrument.

Raymond Lee Sykes II  
Notary Public, State of New York  
No. 01SY9058803  
Qualified in Kings County  
Commission Expires May 14, 2011

SEAL

STATE OF \_\_\_\_\_, COUNTY OF \_\_\_\_\_

On the \_\_\_\_\_ day of \_\_\_\_\_ in the year \_\_\_\_\_, before me, the undersigned, a Notary Public in and for said State, personally appeared \_\_\_\_\_,

the

subscribing witness to the foregoing instrument, with whom I am personally acquainted, who, being by me duly sworn, did depose and say that he/she/they reside(s) in \_\_\_\_\_

(if the place of residence is in a city, include the street and street number if any, thereof); that he/she/they know(s) \_\_\_\_\_

to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said \_\_\_\_\_

execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto

[add the following if the acknowledgment is taken outside NY State]

and that said subscribing witness made such appearance before the undersigned in the \_\_\_\_\_ (insert the city or other political subdivision and the State or country or other place the proof was taken).

### Bargain and Sale Deed

WITH COVENANT AGAINST GRANTOR'S ACTS

TITLE No. 12-67465-K

WALLABOUT THROOP REALTY PARTNERS LLC

TO

SAM ROSENBERG

STATE OF \_\_\_\_\_

On the \_\_\_\_\_ day of \_\_\_\_\_ in the year \_\_\_\_\_, before me, the undersigned, personally appeared \_\_\_\_\_,

personally known to me or proved to me \_\_\_\_\_

on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person on behalf of which the individual(s) acted, executed the instrument

[add the following if the acknowledgment is taken outside NY State]

and that said individual made such appearance before the undersigned in the \_\_\_\_\_ (insert the city or other political subdivision and the State or country or other place the acknowledgment was taken).

STATE OF NEW YORK, COUNTY OF KINGS

On the \_\_\_\_\_ day of August in the year \_\_\_\_\_, before me personally came \_\_\_\_\_

to me known, who, being by me duly sworn, did depose and say \_\_\_\_\_

that he resides at that \_\_\_\_\_ he is the \_\_\_\_\_

of \_\_\_\_\_

the corporation described in and which executed the foregoing instrument; that he knows the seal of said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the board of directors of said corporation, and that he signed his \_\_\_\_\_ name thereto by like order.

SECTION 8

BLOCK 2266

LOT 21,22,23 AND 24

COUNTY OR TOWN KINGS

Recorded at Request of SUTTON LAND SERVICES, LLC

RETURN BY MAIL TO:

MARK TULIP, ESQ.

26 COURT STREET


BROOKLYN, NEW YORK 11242

Distributed by

SUTTON LAND SERVICES

148 DOUGHTY BOULEVARD  
INWOOD, NEW YORK 11096

NYC DEPARTMENT OF FINANCE  
OFFICE OF THE CITY REGISTER



2008052900555001002SA874

**SUPPORTING DOCUMENT COVER PAGE**

**PAGE 1 OF 1**

**Document ID: 2008052900555001**

Document Date: 05-23-2008

Preparation Date: 05-29-2008

Document Type: DEED

**ASSOCIATED TAX FORM ID: 2008052200299**

**SUPPORTING DOCUMENTS SUBMITTED:**

DEP CUSTOMER REGISTRATION FORM FOR WATER AND SEWER BILLING  
RP - 5217 REAL PROPERTY TRANSFER REPORT

Page Count

1

1





The City of New York  
 Department of Environmental Protection  
 Bureau of Customer Services  
 59-17 Junction Boulevard  
 Flushing, NY 11373-5108

**Customer Registration Form for Water and Sewer Billing**

**Property and Owner Information:**

- (1) Property receiving service is located in the Borough of **BROOKLYN**  
 Block: **2266** Lot: **21**
- (2) Account Number (if applicable):  
 Meter Number (if available—include the letter):
- (3) Street Address of Property Receiving Service:  
 Street **390 WALLABOUT STREET** City **NY** State **NY** Zip **11206**
- (4) Full name, mailing address, home phone and business phone numbers of owner of property receiving service:  
 (please provide information on owner ONLY; do NOT give information on property manager or tenant):  
 Owner's Name Business:  
 or Individual: **ROSENBERG** **SAM**  
 (Last Name) (First Name) (MI)  
 Street **31 MORRIS ROAD** City **SPRING VALLEY** State **NY** Zip **10977**  
 Home Phone(Numbers only): Business Phone(Numbers only):

**Customer Billing Information:**

**PLEASE NOTE:**

- A. Water and sewer charges are the legal responsibility of the owner of a property receiving water and/or sewer service. The owner's responsibility to pay such charges is not affected by any lease, license or other arrangement, or any assignment of responsibility for payment of such charges.
- B. Water and sewer charges constitute a lien on the property until paid. In addition to legal action against the owner, a failure to pay such charges when due may result in foreclosure of the lien by the City of New York, or the property being placed in a lien sale by the City.
- C. Original bills for water and/or sewer service will be mailed to the owner, at the owner's address specified on this form. DEP will provide a duplicate copy of bills to one other party (such as a managing agent) if so requested below, provided, however, that any failure or delay by DEP in providing duplicate copies of bills shall in no way relieve the owner from his/her/its liability to pay all outstanding water and sewer charges.
- (5) If you would like a duplicate copy of bills sent to another party, please check here  and fill out the following information:  
 Name of Party to Receive Duplicate Copies of Bills:
- (6) Mailing Address: Street City State Zip
- (7) Relationship to Owner (check one): Managing Agent  Mortgagee   
 Tenant  Other (please explain):

**Owner's Approval**

The undersigned certifies that he/she/it is the owner of the property receiving service referenced above; that he/she/it has read and understands Paragraphs A, B, C under the section captioned "Customer Billing Information"; and that the information supplied by the undersigned on this form is true and complete to the best of his/her/its knowledge.

- (8) E-mail:
- (9) Name of Owner: **SAM ROSENBERG**
- (10) Signature:
- Name and Title of Person Signing for Owner, if applicable:
- Date(mm/dd/yyyy): **5/23/08**

**SEE ATTACHED PAGE FOR ADDITIONAL APPLICABLE PROPERTIES**



The City of New York  
 Department of Environmental Protection  
 Bureau of Customer Services  
 59-17 Junction Boulevard  
 Flushing, NY 11373-5108

**Customer Registration Form for Water and Sewer Billing**

Borough	Block	Lot	Street	City	State	Zip	Acct#	Meter#	Duplicate Name	Address	City	State	Zip	Relationship
BROOKLYN	2266	22	392 WALLABOUT STREET	NY	NY	11206								Mang Agnt
BROOKLYN	2266	23	384 WALLABOUT STREET	NY	NY	11206								Mortgagee
BROOKLYN	2266	24	386 WALLABOUT STREET	NY	NY	00000								Tenant
														Other

**CITY REGISTER RECORDING AND ENDORSEMENT PAGE**

COUNTY OF Kings  
THIS PAGE FORMS PART OF THE INSTRUMENT

TOTAL NUMBER OF PAGES IN DOCUMENT INCLUDING THIS PAGE 4

REEL 5125 #50986

Block <u>2266</u>	Lots - ONLY IF ENTIRE LOT <u>19, 20, 21, 22, 23, + 24</u>	Partial Lots <u>P/O</u>
Promisee <u>Brooklyn</u> 386-396 Wallabout St		NAME <u>National Granite Title</u> ADDRESS <u>155 North Main Street</u> <u>New City, NY 10956</u> CITY <u>(845)639-1415/FAX 639-1230</u>
Title/Agent Company Name <u>Nat. Granite Title</u> Title Company Number <u>62229282</u>		RECORD & RETURN TO

NAME & ADDRESS	PARTY 1 <u>Harrison Wallabout Corporation</u>
	ADDITIONAL PARTY 1 <u>1243 48th St Brooklyn NY</u>
	PARTY 2 <u>Wallabout Tripp Realty Partners LLC</u>
	ADDITIONAL PARTY 2 <u>410 Broadway Brooklyn NY</u>
CHECK THIS BOX IF THERE ARE MORE THAN 2 OF EITHER PARTY <input type="checkbox"/>	

**CITY REGISTER'S USE ONLY - DO NOT WRITE BELOW THIS LINE**

Examined by (A) A

Mtge Tax Serial No. \_\_\_\_\_

Mtge Amount: \$ \_\_\_\_\_

Taxable Amount: \$ \_\_\_\_\_

Exemption (✓) YES  NO

Type: 338E  255  OTHER \_\_\_\_\_

Dwelling Type 1 to 2  3  4 to 8  OVER 8

**TAX RECEIVED ON ABOVE MORTGAGE**

County (basic) \$ \_\_\_\_\_

City (Add'l) \$ \_\_\_\_\_

Spec Add'l \$ \_\_\_\_\_

TASF \$ \_\_\_\_\_

MTA \$ \_\_\_\_\_

NYCTA \$ \_\_\_\_\_

**TOTAL TAX** \$ \_\_\_\_\_

Apportionment Mortgage (✓) YES  NO

City Register Serial Number 90147

Indexed By (A): SF Verified By (A): TM

Block(s) and Lot(s) verified by (✓): \_\_\_\_\_

Address W/O Tax Map

Extra Block(s) \_\_\_\_\_ Lot(s) 6

Recording Fee A \$ 52

Affidavit Fee (C) \$ 0

RPTT Fee (A) \$ 25

HPD-A  HPD-C

New York State Real Estate Transfer Tax \$ 4.50

Serial Number 025097

New York City Real Property Transfer Tax Serial Number 15168

DEED 0294 52.00  
LO/TL CSHR REPT DATE TIME  
3-1 175581 Jul 24-02 11:27

FOLD

RECORDED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK



*[Handwritten Signature]*

*[Large Handwritten Signature]*

2002 JUL 24 A 10 19

CITY REGISTER REC'D

15-1-002

6229282

REELS 725 PG 0987

ORT022

Bargain & sale deed, with covenant against grantor's acts - Ind. or Corp.: single sheet

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT - THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY

T.T.  
H/SO.

THIS INDENTURE, made on 19 DAY OF JUNE 2002

BETWEEN

Harrison Wallabout Corporation  
1243 48th Street  
Brooklyn, NY 11219

party of the first part, and

Wallabout Throop Realty Partners LLC  
410 Broadway  
Brooklyn, NY 11211

party of the second part,

WITNESSETH, that the party of the first part, in consideration of Ten Dollars and other valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the

See Attached Schedule "A"

This sale is made with the consent of all the shareholders of Harrison Wallabout Corporation.

Said Premises also known as 386-396 Wallabout Street, Brooklyn, NY.

TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been encumbered in any way whatever, except as aforesaid.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose. The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

Harrison Wallabout Corporation

Herman Segal *Hico*  
Herman Segal

HEEL 5725 PG 0988

ACKNOWLEDGEMENT IN NEW YORK STATE (RPL 309-a)

ACKNOWLEDGEMENT IN NEW YORK STATE (RPL 309-b)

State of New York, County of Kings ss.:

State of County of ss.:

On June 19, 2002 before me, the undersigned, personally appeared, HEATHER SEVAL

On before me, the undersigned, personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument, and that such individual made such appearance before the undersigned in

[Signature]  
(signature and office of individual taking acknowledgment)  
Notary Public, State of New York  
No. 02 GP6067118

(insert city or political subdivision and state or county or other place acknowledgment taken)

ACKNOWLEDGEMENT IN NEW YORK STATE (RPL 309-a)

State of New York, County of ss.:

(signature and office of individual taking acknowledgment)

On before me, the undersigned, personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

(signature and office of individual taking acknowledgment)

**Bargain and Sale Deed**

WITH COVENANT AGAINST GRANTOR'S ACTS

TITLE No. 66229250

Herrism Wallabout Corp.

TO  
Wallabout-Proof Realty Partners LLC



National Granite Title  
155 North Main Street  
New City, NY 10958  
(845) 639-1415/FAX 639-1230

SECTION

BLOCK 2266

LOT 19, 20, 21, 22, 23, 24

COUNTY OR TOWN Kings

RETURN BY MAIL TO:

JAY KIMMEL ESQ.  
19 PARK AVE  
25th FLOOR  
NEW YORK, NY Zip No. 10016

Reserve this space for use of Recording Office.

SCHEDULE A

REEL 5725760989

ALL that certain plot, piece or parcel of land, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, bounded and described as follows:

BEGINNING at a point on the southerly side of Wallabout Street, distant 125 feet westerly from the corner formed by the intersection of the westerly side of Throop Avenue, with the southerly side of Wallabout Street;

Running thence southerly, parallel with Throop Avenue, 100 feet;

Thence westerly, parallel with Wallabout Street 150 feet;

Thence northerly, parallel with Throop Avenue, 100 feet, to the southerly side of Wallabout Street;

Thence easterly, along the southerly side of Wallabout Street, 150 feet to the point or place of BEGINNING.

80 IN  
ORIGINAL

8863504K (Sched)

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT—THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY.

THIS INDENTURE, made the 2 day of June, nineteen hundred and Eighty Nine BETWEEN

REV. JAMES P. CLARK, JR., of 127 Nassau Ave., Brooklyn, NY 11222

as executor of

the last will and testament of JAMES P. CLARK, late of Nassau County, deceased,

party of the first part, and

William CLARK, of 127 Nassau Avenue, Brooklyn, NY 11222

party of the second part,

WITNESSETH, that the party of the first part, by virtue of the power and authority given in and by said last will and testament, and in consideration of \$2400.00

Twenty Four Hundred dollars, paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, bounded and described as follows:

BEGINNING on the southerly side of Wallabout St., distant 100 ft. westerly from the corner formed by the southerly side of Wallabout St. with the westerly side of Throop Ave.;

RUNNING THENCE southerly parallel with Throop Ave., 100 ft.;

THENCE westerly parallel with Wallabout St., 25 ft.;

THENCE northerly again parallel with Throop Ave., 100 ft. to the southerly side of Wallabout St.;

THENCE easterly along the southerly side of Wallabout St., 25 ft. to the point or place of BEGINNING.

Together with all right, title and interest of, in and to any streets and roads abutting the above described premises, to the center line thereof.

Said premises being known as 398 Wallabout St., Brooklyn, NY 11206.

TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof; TOGETHER with the appurtenances, and also all the estate which the said decedent had at the time of decedent's death in said premises, and also the estate therein, which the party of the first part has or has power to convey or dispose of, whether individually, or by virtue of said will or otherwise; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been incumbered in any way whatever, except as aforesaid.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.

The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

[Handwritten signature]

[Handwritten signature] REV. JAMES P. CLARK

SO IN ARGUMENT

MC

REEL 239980729





[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
Property Profile Overview

390 WALLABOUT STREET

WALLABOUT STREET 390 - 390

BROOKLYN 11206

Health Area : 1500

Census Tract : 507

Community Board : 301

BIN# 3830205

Tax Block : 2266

Tax Lot : 21

Condo : NO

Vacant : YES

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

<b>Cross Street(s):</b>	HARRISON AVENUE, THROOP AVENUE		
<b>DOB Special Place Name:</b>			
<b>DOB Building Remarks:</b>	BLOCK 2266 TENT LOT 120(11/02)		
<b>Landmark Status:</b>		<b>Special Status:</b>	N/A
<b>Local Law:</b>	NO	<b>Loft Law:</b>	NO
<b>SRO Restricted:</b>	NO	<b>TA Restricted:</b>	NO
<b>UB Restricted:</b>	NO		
<b>Little 'E' Restricted:</b>	HAZMAT/NOISE/AIR	<b>Grandfathered Sign:</b>	NO
<b>Legal Adult Use:</b>	NO	<b>City Owned:</b>	NO
<b>Additional BINs for Building:</b>	NONE		

**Special District:** UNKNOWN

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

**Department of Finance Building Classification:** G7-GARAGE/GAS STAT'N

**Please Note:** The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	
Complaints	0	0	<a href="#">Elevator Records</a>
<a href="#">Violations-DOB</a>	1	0	<a href="#">Electrical Applications</a>
Violations-ECB (DOB)	0	0	<a href="#">Permits In-Process / Issued</a>
<a href="#">Jobs/Filings</a>	2		<a href="#">Illuminated Signs Annual Permits</a>
ARA / LAA Jobs	0		<a href="#">Plumbing Inspections</a>
Total Jobs	2		<a href="#">Open Plumbing Jobs / Work Types</a>
<a href="#">Actions</a>	9		<a href="#">Facades</a>
OR Enter Action Type: <input type="text"/>			<a href="#">Marquee Annual Permits</a>
OR Select from List: <input type="text" value="Select.."/>			<a href="#">Boiler Records</a>
AND <input type="button" value="Show Actions"/>			<a href="#">DEP Boiler Information</a>
			<a href="#">Crane Information</a>
			<a href="#">After Hours Variance Permits</a>

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
**Actions**

Page: 1

Premises: 390 WALLABOUT STREET BROOKLYN

BIN: [3830205](#) Block: 2266 Lot: 21

NUMBER	TYPE	FILE DATE
ALT 3238-072153	ALTERATION	00/00/1953
ANDA TDLO		00/00/0000
C -A5042-042762	CONSTRUCTION	00/00/1962
DEM 443REARONLY-070668	DEMOLITION	00/00/1968
DEM 418-390-092376	DEMOLITION	00/00/1976
DWOS 6-062674		00/00/1906
FO 490-031462	OIL BURNER APPLICATION	00/00/1962
UB 667-390FLEUS2-10--033175	UNSAFE BUILDING	00/00/1939
V* 3890/388-92REARK-091864	DOB VIOLATION - CLOSED	00/00/0000
CLOSURE DATE: 09/28/2011		
VAEA 4880-390BLOCK-082874		00/00/1939

Enter Action Type:  Or Select from List:

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
Property Profile Overview

392 WALLABOUT STREET

WALLABOUT STREET 392 - 392

BROOKLYN 11206

Health Area : 1500

Census Tract : 507

Community Board : 301

BIN# 3850964

Tax Block : 2266

Tax Lot : 22

Condo : NO

Vacant : YES

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s):	HARRISON AVENUE, THROOP AVENUE		
DOB Special Place Name:			
DOB Building Remarks:	BLOCK 2266 TENT LOT 121(11/02)		
Landmark Status:		Special Status:	N/A
Local Law:	NO	Loft Law:	NO
SRO Restricted:	NO	TA Restricted:	NO
UB Restricted:	NO		
Little 'E' Restricted:	HAZMAT/NOISE/AIR	Grandfathered Sign:	NO
Legal Adult Use:	NO	City Owned:	NO
Additional BINs for Building:	NONE		

Special District: UNKNOWN

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G7-GARAGE/GAS STAT'N

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	
Complaints	0	0	<a href="#">Elevator Records</a>
Violations-DOB	0	0	<a href="#">Electrical Applications</a>
Violations-ECB (DOB)	0	0	<a href="#">Permits In-Process / Issued</a>
<a href="#">Jobs/Filings</a>	2		<a href="#">Illuminated Signs Annual Permits</a>
ARA / LAA Jobs	0		<a href="#">Plumbing Inspections</a>
Total Jobs	2		<a href="#">Open Plumbing Jobs / Work Types</a>
Total Actions	0		<a href="#">Facades</a>
OR Enter Action Type: <input type="text"/>			<a href="#">Marquee Annual Permits</a>
OR Select from List: <input type="text" value="Select.."/>			<a href="#">Boiler Records</a>
AND <input type="button" value="Show Actions"/>			<a href="#">DEP Boiler Information</a>
			<a href="#">Crane Information</a>
			<a href="#">After Hours Variance Permits</a>

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
Property Profile Overview

394 WALLABOUT STREET

WALLABOUT STREET 394 - 394

BROOKLYN 11206

Health Area : 1500

Census Tract : 507

Community Board : 301

BIN# 3830206

Tax Block : 2266

Tax Lot : 23

Condo : NO

Vacant : YES

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

<b>Cross Street(s):</b>	HARRISON AVENUE, THROOP AVENUE		
<b>DOB Special Place Name:</b>			
<b>DOB Building Remarks:</b>	BLOCK 2266 TENT LOT 122(11/02)		
<b>Landmark Status:</b>		<b>Special Status:</b>	N/A
<b>Local Law:</b>	NO	<b>Loft Law:</b>	NO
<b>SRO Restricted:</b>	NO	<b>TA Restricted:</b>	NO
<b>UB Restricted:</b>	NO		
<b>Little 'E' Restricted:</b>	HAZMAT/NOISE/AIR	<b>Grandfathered Sign:</b>	NO
<b>Legal Adult Use:</b>	NO	<b>City Owned:</b>	NO
<b>Additional BINs for Building:</b>	NONE		

**Special District:** UNKNOWN

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

**Department of Finance Building Classification:** G7-GARAGE/GAS STAT'N

**Please Note:** The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	
Complaints	0	0	<a href="#">Elevator Records</a>
<a href="#">Violations-DOB</a>	1	0	<a href="#">Electrical Applications</a>
Violations-ECB (DOB)	0	0	<a href="#">Permits In-Process / Issued</a>
<a href="#">Jobs/Filings</a>	2		<a href="#">Illuminated Signs Annual Permits</a>
ARA / LAA Jobs	0		<a href="#">Plumbing Inspections</a>
Total Jobs	2		<a href="#">Open Plumbing Jobs / Work Types</a>
<a href="#">Actions</a>	9		<a href="#">Facades</a>
OR Enter Action Type: <input type="text"/>			<a href="#">Marquee Annual Permits</a>
OR Select from List: <input type="text" value="Select.."/>			<a href="#">Boiler Records</a>
AND <input type="button" value="Show Actions"/>			<a href="#">DEP Boiler Information</a>
			<a href="#">Crane Information</a>
			<a href="#">After Hours Variance Permits</a>

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
**Actions**

Page: 1

Premises: 394 WALLABOUT STREET BROOKLYN

BIN: [3830206](#) Block: 2266 Lot: 23

NUMBER	TYPE	FILE DATE
ALT 1888-021950	ALTERATION	00/00/1950
COM 6-122154	COMPLAINTS	00/00/1954
DEM 780-REARBLDG-120654	DEMOLITION	00/00/1954
FO 181-394-012157	OIL BURNER APPLICATION	00/00/1957
UB 135NASTASIVIOLR-062554	UNSAFE BUILDING	00/00/1906
UNK 1-6-55	UNKNOWN	00/00/0000
UNK 9-15-53	UNKNOWN	00/00/1915
UNK 5-25-55	UNKNOWN	00/00/1925
V* 1640/REARBLDGER-052653	DOB VIOLATION - CLOSED	00/00/0000
CLOSURE DATE: 09/28/2011		
VP 1749-REARBLDGFA-060153	VIOLATION UNSERVED ECB-ACTIVE	00/00/0000

Enter Action Type:  Or Select from List:

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
Property Profile Overview

396 WALLABOUT STREET

WALLABOUT STREET 396 - 396

BROOKLYN 11206

Health Area : 1500

Census Tract : 507

Community Board : 301

BIN# 3850965

Tax Block : 2266

Tax Lot : 24

Condo : NO

Vacant : YES

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

<b>Cross Street(s):</b>	HARRISON AVENUE, THROOP AVENUE		
<b>DOB Special Place Name:</b>			
<b>DOB Building Remarks:</b>	BLOCK 2266 TENT LOT 123(11/02)		
<b>Landmark Status:</b>		<b>Special Status:</b>	N/A
<b>Local Law:</b>	NO	<b>Loft Law:</b>	NO
<b>SRO Restricted:</b>	NO	<b>TA Restricted:</b>	NO
<b>UB Restricted:</b>	NO		
<b>Little 'E' Restricted:</b>	HAZMAT/NOISE/AIR	<b>Grandfathered Sign:</b>	NO
<b>Legal Adult Use:</b>	NO	<b>City Owned:</b>	NO
<b>Additional BINs for Building:</b>	NONE		

**Special District:** UNKNOWN

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

**Department of Finance Building Classification:** G7-GARAGE/GAS STAT'N

**Please Note:** The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	
Complaints	0	0	<a href="#">Elevator Records</a>
Violations-DOB	0	0	<a href="#">Electrical Applications</a>
Violations-ECB (DOB)	0	0	<a href="#">Permits In-Process / Issued</a>
<a href="#">Jobs/Filings</a>	2		<a href="#">Illuminated Signs Annual Permits</a>
ARA / LAA Jobs	0		<a href="#">Plumbing Inspections</a>
Total Jobs	2		<a href="#">Open Plumbing Jobs / Work Types</a>
<a href="#">Actions</a>	5		<a href="#">Facades</a>
OR Enter Action Type: <input type="text"/>			<a href="#">Marquee Annual Permits</a>
OR Select from List: <input type="text" value="Select.."/>			<a href="#">Boiler Records</a>
AND <input type="button" value="Show Actions"/>			<a href="#">DEP Boiler Information</a>
			<a href="#">Crane Information</a>
			<a href="#">After Hours Variance Permits</a>

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



 [CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
**Actions**

Page: 1

Premises: 396 WALLABOUT STREET BROOKLYN

BIN: [3850965](#) Block: 2266 Lot: 24

NUMBER	TYPE	FILE DATE
ALT 3663/41	ALTERATION	02/13/1941
BN 5442/60	BUILDING NOTICE	09/28/1960
DEM 666/54	DEMOLITION	10/05/1954
DEM 1123/68	DEMOLITION	11/13/1968
PD 5857/41		08/04/1941

Enter Action Type:  Or Select from List:

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings  
Property Profile Overview

398 WALLABOUT STREET  
WALLABOUT STREET 398 - 398

BROOKLYN 11206  
Health Area : 1500  
Census Tract : 507  
Community Board : 301  
Buildings on Lot : 1

BIN# 3061431  
Tax Block : 2266  
Tax Lot : 25  
Condo : NO  
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): HARRISON AVENUE, THROOP AVENUE  
DOB Special Place Name:  
DOB Building Remarks:  
Landmark Status: Special Status: N/A  
Local Law: NO Loft Law: NO  
SRO Restricted: NO TA Restricted: NO  
UB Restricted: NO  
Little 'E' Restricted: HAZMAT/NOISE/AIR Grandfathered Sign: NO  
Legal Adult Use: NO City Owned: NO  
Additional BINs for Building: NONE

Special District: UNKNOWN

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G9-GARAGE/GAS STAT'N

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	
Complaints	0	0	<a href="#">Elevator Records</a>
Violations-DOB	0	0	<a href="#">Electrical Applications</a>
<a href="#">Violations-ECB (DOB)</a>	1	0	<a href="#">Permits In-Process / Issued</a>
Jobs/Filings	0		<a href="#">Illuminated Signs Annual Permits</a>
ARA / LAA Jobs	0		<a href="#">Plumbing Inspections</a>
Total Jobs	0		<a href="#">Open Plumbing Jobs / Work Types</a>
Total Actions	0		<a href="#">Facades</a>
OR Enter Action Type: <input type="text"/>			<a href="#">Marquee Annual Permits</a>
OR Select from List: <input type="text" value="Select.."/>			<a href="#">Boiler Records</a>
AND <input type="button" value="Show Actions"/>			<a href="#">DEP Boiler Information</a>
			<a href="#">Crane Information</a>
			<a href="#">After Hours Variance Permits</a>

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

# APPENDIX C

## SANBORN MAPS



**392 WALLABOUT ST**  
392 WALLABOUT ST  
Brooklyn, NY 11206

Inquiry Number: 3229817.3  
December 27, 2011

## Certified Sanborn® Map Report

# Certified Sanborn® Map Report

12/27/11

**Site Name:**

392 WALLABOUT ST  
392 WALLABOUT ST  
Brooklyn, NY 11206

**Client Name:**

Env. Business Consultants  
1808 Middle Country Road  
Ridge, NY 11961



EDR Inquiry # 3229817.3

Contact: C. Sosik

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Env. Business Consultants were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

## Certified Sanborn Results:

**Site Name:** 392 WALLABOUT ST  
**Address:** 392 WALLABOUT ST  
**City, State, Zip:** Brooklyn, NY 11206  
**Cross Street:**  
**P.O. #** NA  
**Project:** 390-398 Wallabout Street  
**Certification #** 87A2-4F8D-95EC



Sanborn® Library search results  
Certification # 87A2-4F8D-95EC

**Maps Provided:**

2007	2001	1989	1980	1935
2006	1996	1987	1979	1918
2005	1995	1986	1977	1904
2004	1993	1984	1965	1887
2003	1992	1982	1950	
2002	1991	1981	1947	

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

*The Sanborn Library LLC Since 1866™*

### Limited Permission To Make Copies

Env. Business Consultants (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

### Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## Sanborn Sheet Thumbnails


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




### 2007 Source Sheets



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39


### 2006 Source Sheets



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39


### 2005 Source Sheets



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39

### 2004 Source Sheets



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39


**2003 Source Sheets**



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39


**2002 Source Sheets**



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39


**2001 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1996 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36




Volume 3, Sheet 39

**1995 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39


**1993 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36




Volume 3, Sheet 39


**1992 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1991 Source Sheets**



Volume 3, Sheet 35




Volume 3, Sheet 36




Volume 3, Sheet 39


**1989 Source Sheets**



Volume 3, Sheet 35




Volume 3, Sheet 36



Volume 3, Sheet 39


**1987 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36




Volume 3, Sheet 39


**1986 Source Sheets**




Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39



Volume 2, Sheet 35

**1984 Source Sheets**




Volume 3, Sheet 36



Volume 3, Sheet 39

**1982 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1981 Source Sheets**



Volume 3, Sheet 35




Volume 3, Sheet 36



Volume 3, Sheet 39


**1980 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36




Volume 3, Sheet 39

**1979 Source Sheets**




Volume 3, Sheet 36



Volume 3, Sheet 39

**1977 Source Sheets**



Volume 3, Sheet 35




Volume 3, Sheet 36



Volume 3, Sheet 39


**1965 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1950 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39


**1947 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1935 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39


**1918 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1904 Source Sheets**



Volume 3, Sheet 35



Volume 3, Sheet 36



Volume 3, Sheet 39

**1887 Source Sheets**



Volume 3, Sheet 82




Volume 3, Sheet 82



Volume 3, Sheet 83

# 2007 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.ednet.com/sanborn](http://www.ednet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 2007



This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 2006 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 2006



This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 2005 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.ednet.com/sanborn](http://www.ednet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

EDR Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 2005



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 2004 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 2004



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39





# 2002 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 2002




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 2001 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 2001




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1996 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1996



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1995 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1995




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1993 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1993




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1992 Certified Sanborn Map






The certified Sanborn Map search results in this report can be authenticated by visiting [www.ednet.com/sanborn](http://www.ednet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1992




This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 35  
 Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1991 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1991




This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1989 Certified Sanborn Map






The certified Sanborn Map search results in this report can be authenticated by visiting [www.ednet.com/sanborn](http://www.ednet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1989




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 35  
 Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1987 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1987




This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.





Volume 3, Sheet 35  
 Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1986 Certified Sanborn Map




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39
- Volume 2, Sheet 35



# 1984 Certified Sanborn Map





The certified Sanborn Map Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1982 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1982




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1981 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

TON  
Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1981




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 35  
 Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1980 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1980



This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1979 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC


Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1977 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1977



This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1965 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1965




This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1950 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1950




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 35  
 Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1947 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1947




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1935 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1935




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1918 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1918



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 3, Sheet 35
- Volume 3, Sheet 36
- Volume 3, Sheet 39



# 1904 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #  
87A2-4F8D-95EC

Site Name: 392 WALLABOUT ST  
 Address: 392 WALLABOUT ST  
 City, ST, ZIP: Brooklyn NY 11206  
 Client: Env. Business Consultants  
 EDR Inquiry: 3229817.3  
 Order Date: 12/27/2011 9:24:03 AM  
 Certification #: 87A2-4F8D-95EC  
 Copyright: 1904



This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.





Volume 3, Sheet 35  
 Volume 3, Sheet 36  
 Volume 3, Sheet 39



# 1887 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets.  
 Outlined areas indicate map sheets within the collection.



Volume 3, Sheet 82  
 Volume 3, Sheet 82  
 Volume 3, Sheet 83



# APPENDIX D

## CITY DIRECTORY SEARCH



**392 WALLABOUT ST**

392 WALLABOUT ST

Brooklyn, NY 11206

Inquiry Number: 3229817.4

December 23, 2011

## The EDR-City Directory Abstract

## TABLE OF CONTENTS

### SECTION

Executive Summary

Findings

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

#### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

### DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1928 through 2005. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

### RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2005	Hill-Donnelly Corporation	-	X	X	-
2000	Cole Information Services	-	X	X	-
1997	NYNEX	-	X	X	-
1992	NYNEX Informantion Resource Co.	-	X	X	-
1985	NYNEX Information Resources Company	-	-	-	-
1980	New York Telephone	-	-	-	-
1976	New York Telephone	-	X	X	-
1973	New York Telephone	-	X	X	-
1970	New York Telephone	-	X	X	-
1965	New York Telephone	-	X	X	-
1960	New York Telephone	-	X	X	-
	New York Telephone Company	-	X	X	-
1949	New York Telephone Company	-	X	X	-
1945	New York Telephone Company	-	X	X	-
1940	New York Telephone Company	-	X	X	-
1934	R. L. Polk & Co.	X	X	X	-
1928	New York Telephone	-	-	-	-

## EXECUTIVE SUMMARY

### SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

<u>Address</u>	<u>Type</u>	<u>Findings</u>
390 Wallabout St	Client Entered	X
394 Wallabout St	Client Entered	X
396 Wallabout St	Client Entered	X
398 Wallabout St	Client Entered	X
72 Throop Avenue	Client Entered	X

# FINDINGS

## TARGET PROPERTY INFORMATION

### ADDRESS

392 WALLABOUT ST  
Brooklyn, NY 11206

### FINDINGS DETAIL

Target Property research detail.

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	FONTANA JULIA OPR R	R. L. Polk & Co.
	FONTANA LOUIS MUSICIAN R	R. L. Polk & Co.
	FONTANA NICHOLAS STUDENT R	R. L. Polk & Co.
	FONTANA SALVATORE LAB H	R. L. Polk & Co.
	FONTANA THERESA OPR R	R. L. Polk & Co.

## FINDINGS

### ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

#### Throop Avenue

##### 72 Throop Avenue

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Bussey Kenneth	New York Telephone
	Wilson Nellie	New York Telephone
1960	BAUER VALENTINE PLMBNG	New York Telephone
	BUSSEY KENNETH	New York Telephone
	Bauer Valentine plmbng	New York Telephone Company
	Bussey Kenneth	New York Telephone Company
1949	Bauer Valentine pimbng	New York Telephone Company
1934	MCCLENDON ANNIE M H	R. L. Polk & Co.
	BRAUNIG WM LAB H	R. L. Polk & Co.
	ALLEN THOS LAB H	R. L. Polk & Co.
	ZUCHUWSKI JOS H	R. L. Polk & Co.
	ZUCHUWSKI STELLA OPR	R. L. Polk & Co.
	MCCLENDON LOUISE R	R. L. Polk & Co.
	ZUCKERSTEIN CELIA H	R. L. Polk & Co.
	NEWELL STEPH STONE STR H	R. L. Polk & Co.
	SMITH JOHN CHAUF H	R. L. Polk & Co.
	BYRD WM LAB H	R. L. Polk & Co.

#### WALABONT st

##### 307 WALABONT st

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1970	Lee Henry	New York Telephone

#### WALABOUT st

##### 305 WALABOUT st

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1970	Rothstein Harry M scrap mtl	New York Telephone
	Atlas Metal Co	New York Telephone

## FINDINGS

### WALABOUT St

#### 305 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Atlas Metal Co	New York Telephone
	Rothstein Harry M scrap metl	New York Telephone

### WALABOUT st

#### 307 WALABOUT st

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Lee Henry	New York Telephone
	Chung Foo	New York Telephone
	Chan Lam Hing	New York Telephone
	Klingman Bessie Mrs	New York Telephone
	Rosario Sarah	New York Telephone
1970	Castillo Jose A	New York Telephone
	Torres Ana L	New York Telephone
	Rosario Eareh	New York Telephone
	Morales Juan Carlos	New York Telephone
	Klingman Bessie Mrs	New York Telephone
	Jung Sing	New York Telephone
	Ho Mar S	New York Telephone
	Chung Foo	New York Telephone
	Chan Lam Hing	New York Telephone

### WALABOUT St

#### 307 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Chung Foo	New York Telephone
	Wing Lee	New York Telephone
	Tsang Chuen	New York Telephone
	Torres Ana L	New York Telephone
	Stone Lillian	New York Telephone
	Spiegler Rose	New York Telephone
	Rosario Eareh	New York Telephone
	Romero Isidra	New York Telephone
	Orengo Oscar	New York Telephone
	Morales Juan Carlos	New York Telephone

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Lee Henry	New York Telephone
	Kramer A	New York Telephone
	Klingman Bessie Mrs	New York Telephone
	Jung Sing	New York Telephone
	Gonzalez Mario T	New York Telephone
	Ho Mar S	New York Telephone

### 313 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Auber Harold	New York Telephone

### WALABOUT st

### 386 WALABOUT st

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Martinez Nigdalia	New York Telephone

### WALABOUT St

### 386 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Ramos Rafaela	New York Telephone
	Martinez Nigdalia	New York Telephone

### 394 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Mario Lucrecia	New York Telephone
	Rivera Felipe	New York Telephone

### 396 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Furman Walter	New York Telephone
	Person Mildred Mrs	New York Telephone
	Washington Cornelia	New York Telephone

### WALABOUT st

### 398 WALABOUT st

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Comito Al trukg	New York Telephone
	Comito Al trukg	New York Telephone

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1970	Comito AI trukg	New York Telephone
	Comito AI trukg	New York Telephone

### WALABOUT St

#### 398 WALABOUT St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1965	Ellangee Prods Inc	New York Telephone

### WALLABOUT

#### 301 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	BERNSTEIN MOLLIE H	R. L. Polk & Co.
	BERNSTEIN MOSES SLSMN R	R. L. Polk & Co.
	PURITAN LIGHTING FIXTURE CO	R. L. Polk & Co.
	POLLACK JOS OPR R	R. L. Polk & Co.
	ALDERMAN ANNA H	R. L. Polk & Co.
	ALDERMAN ISIDOR SLSMN R	R. L. Polk & Co.
	BEEMAN WM LAB R	R. L. Polk & Co.
	BERNSTEIN JOS SLSMN R	R. L. Polk & Co.

#### 303 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	ZACKHEIM MORRIS JWLR H	R. L. Polk & Co.
	SLOTNICK MORRIS LAB H	R. L. Polk & Co.
	SANCIMINO SALVATORE JR CLK R	R. L. Polk & Co.
	SANCIMINO SALVATORE LAB H	R. L. Polk & Co.
	OGDEN ALBERT H	R. L. Polk & Co.
	BECKER HARRY W BAKER H	R. L. Polk & Co.
	BECKER SADIE TCHR R	R. L. Polk & Co.

#### 307 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1976	CAMACHO LUZ M	New York Telephone
	FONTAINE MIGDALIA	New York Telephone
	SOSA CANDIDA	New York Telephone
1934	AXLER HERMAN OPR H	R. L. Polk & Co.
	AXLER SAML CLK R	R. L. Polk & Co.
	AXLER JOS R	R. L. Polk & Co.

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	AXELROD JOS SLSMN R	R. L. Polk & Co.
	AXELROD SAML H	R. L. Polk & Co.
	BERNFELD ARTH PRSMN R	R. L. Polk & Co.
	BERNFELD IRVING CLK R	R. L. Polk & Co.
	BERNFELD MILDRED STEN R	R. L. Polk & Co.
	BERNFELD MORRIS CARP H	R. L. Polk & Co.
	BERNFELD NATHAN R	R. L. Polk & Co.
	BERNFELD PHILIP JR R	R. L. Polk & Co.
	DASHEFSKY AARON CONFR H	R. L. Polk & Co.
	DASHEFSKY BERTHA SLSMN R	R. L. Polk & Co.
	DASHEFSKY SARA TCHR PS 23 R	R. L. Polk & Co.
	DISCHEL EDW R	R. L. Polk & Co.
	DISCHEL GERTRUDE MLNR R	R. L. Polk & Co.
	DISCHEL JACK TAILOR H	R. L. Polk & Co.
	FEDER LOUIS H	R. L. Polk & Co.
	GOLDSTEIN MINNIE R	R. L. Polk & Co.
	GREENSPAN MORRIS SLSMN H	R. L. Polk & Co.
	KADIKLORF SAML SLSMN H	R. L. Polk & Co.
	LAMBERT SAML MGR H	R. L. Polk & Co.
	RAPAPORT RUBIN PDLR H	R. L. Polk & Co.
	SCHAEFFER SAML IRONWKR R	R. L. Polk & Co.
	SPITZER OTTO CLK H	R. L. Polk & Co.
	TITAN SIDNEY CLK PO R	R. L. Polk & Co.
	VOLK MAX PDLR H	R. L. Polk & Co.
	WEIN SAML HOSIERY	R. L. Polk & Co.

### 309 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	WACHSMAN JOS JANITOR H	R. L. Polk & Co.
	KRAVEL SVLVIN STEN R	R. L. Polk & Co.
	KRAVEL PHILIP H	R. L. Polk & Co.

### 311 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1992	VARTOUGHIAN JOHN K	NYNEX Informantion Resource Co.
	VARTEX INSTRUMENT CORP	NYNEX Informantion Resource Co.
1934	CALA WM GRO	R. L. Polk & Co.
	GALLO WM GRO H DO	R. L. Polk & Co.
	STEINBERG DORIS FNSHR R	R. L. Polk & Co.

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	SCHREIBER JOHN J H	R. L. Polk & Co.
	HENRY MICHL CHAUF H	R. L. Polk & Co.
	SCHNEEBERG AARON LAB H	R. L. Polk & Co.
	SCHNEEBERG ABR OPR R	R. L. Polk & Co.
	SCHNEEBERG DIANA STEN R	R. L. Polk & Co.
	SCHNEEBERG EVA CLK R	R. L. Polk & Co.

### 313 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	AUBER HAROLD PLMBR R	R. L. Polk & Co.
	AUBER HARRIET STEN R	R. L. Polk & Co.
	AUBER WM SLSMN H	R. L. Polk & Co.

### 386 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	FIESTONE GRAMPOR H	R. L. Polk & Co.
	KAPLAN JULIUS PDLR H	R. L. Polk & Co.

### 388 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	SEERY CATH R	R. L. Polk & Co.
	BAUER ABBIE M R	R. L. Polk & Co.
	BAUER JOS C CONTRS	R. L. Polk & Co.
	BAUER KATH R	R. L. Polk & Co.

### 394 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	LAZAROWITZ AARON TAILOR H	R. L. Polk & Co.
	ULRICH CHAS PRNTR H	R. L. Polk & Co.
	ULRICH CHAS JR FIREMN R	R. L. Polk & Co.
	LAZAREWECZ WM H	R. L. Polk & Co.
	ULRICH WM ENG R	R. L. Polk & Co.
	ULRICH GEO LAB R	R. L. Polk & Co.
	BELOVASTIEH RAYMOND CTR H	R. L. Polk & Co.
	BELOSTICK ROMAN LEATHER CTR R	R. L. Polk & Co.

### 396 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	ZIELINSKI STELLA MRS R	R. L. Polk & Co.
	ZIELINSKI H	R. L. Polk & Co.

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	PODELSKI LUKE LAB H	R. L. Polk & Co.
	FONTANA JOS BARBER H	R. L. Polk & Co.
	ALIMO AGOSTINO CLK H	R. L. Polk & Co.
	BONCIMINO STEPH LAB H	R. L. Polk & Co.

### 398 WALLABOUT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	FREEMAN JACK CARP H	R. L. Polk & Co.
	LIOTTA ANNA OPR R	R. L. Polk & Co.
	LIOTTA JOHN OPR R	R. L. Polk & Co.
	LIOTTA JOS LAB H	R. L. Polk & Co.
	LIOTTA SALVATORE LAB H	R. L. Polk & Co.
	ROBINSON FLORENCE MRS H REAR	R. L. Polk & Co.
	STEVENS BEATRICES MRS R REAR	R. L. Polk & Co.

### WALLABOUT ST

#### 303 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Rycap Cello Mfg Corp	New York Telephone
1970	Rycap Cello Mfg Corp	New York Telephone
1945	Zackheim Morris jwlyr boxes	New York Telephone Company
1940	Zackheim Morris jwlyr boxes	New York Telephone Company

#### 307 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2005	Ace Universal Trading Inc	Hill-Donnelly Corporation
2000	GOLDEN CTY ENTRPRS	Cole Information Services
1997	Golden City Enterprise Inc	NYNEX
1973	Sanchez Joveno	New York Telephone
	Rodriguez Irma	New York Telephone
	Lugo Hector	New York Telephone
1970	Lugo Hector	New York Telephone
	Aponte Milagros	New York Telephone
1940	Axelrod Saml	New York Telephone Company

#### 309 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1945	Wachsman Jos	New York Telephone Company
	W	New York Telephone Company

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1940	WWW Holding Corp	New York Telephone Company
	Wachsman Jos	New York Telephone Company

### 311 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2005	Vartex Instrument Corp	Hill-Donnelly Corporation
2000	JOHN K VARTOUGHIAN	Cole Information Services
	VARTEX INSTR CORP	Cole Information Services
1997	VARTOUGHIAN John K	NYNEX
	Vartex Instrument Corp	NYNEX

### 313 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Alvarez M	New York Telephone

### 388 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1940	Bauer Jos Co genl contrs	New York Telephone Company

### Wallabout St

#### 390 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1997	F & M Auto Service Center	NYNEX
1934	GROSS NATHAN PRSMN H	R. L. Polk & Co.
	TESAURO PAUL PLMBR H	R. L. Polk & Co.

### WALLABOUT ST

#### 394 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1997	Ultimate Auto Repair	NYNEX

### Wallabout St

#### 394 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1997	Ultimate Auto Repair	NYNEX

## FINDINGS

### WALLABOUT ST

#### 394 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Zervos John	New York Telephone
	Rodriguez Luz	New York Telephone

### Wallabout St

#### 394 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	Zervos John	New York Telephone
	Rodriguez Luz	New York Telephone
1970	Rodriguez Luz	New York Telephone
	Zervos John	New York Telephone

### WALLABOUT ST

#### 394 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1970	Zervos John	New York Telephone
	Rodriguez Luz	New York Telephone

### Wallabout St

#### 394 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	ULRICH WM ENG R	R. L. Polk & Co.
	ULRICH CHAS PRNTR H	R. L. Polk & Co.
	ULRICH CHAS JR FIREMN R	R. L. Polk & Co.
	BELOSTICK ROMAN LEATHER CTR R	R. L. Polk & Co.
	BELOVASTIEH RAYMOND CTR H	R. L. Polk & Co.
	LAZAROWITZ AARON TAILOR H	R. L. Polk & Co.
	ULRICH GEO LAB R	R. L. Polk & Co.
	LAZAREWECZ WM H	R. L. Polk & Co.

#### 396 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	ALIMO AGOSTINO CLK H	R. L. Polk & Co.
	BONCIMINO STEPH LAB H	R. L. Polk & Co.
	FONTANA JOS BARBER H	R. L. Polk & Co.

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1934	PODELSKI LUKE LAB H	R. L. Polk & Co.
	ZIELINSKI STELLA MRS R	R. L. Polk & Co.
	ZIELINSKI H	R. L. Polk & Co.

### 398 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2005	Espinal Auto Repair	Hill-Donnelly Corporation

### WALLABOUT ST

#### 398 WALLABOUT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2005	Espinal Auto Repair	Hill-Donnelly Corporation
2000	CAMILO & DURAN CNTR	Cole Information Services

### Wallabout St

#### 398 Wallabout St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	CAMILO & DURAN CNTR	Cole Information Services
1934	FREEMAN JACK CARP H	R. L. Polk & Co.
	STEVENS BEATRICES MRS R REAR	R. L. Polk & Co.
	LIOTTA JOS LAB H	R. L. Polk & Co.
	LIOTTA JOHN OPR R	R. L. Polk & Co.
	ROBINSON FLORENCE MRS H REAR	R. L. Polk & Co.
	LIOTTA SALVATORE LAB H	R. L. Polk & Co.
	LIOTTA ANNA OPR R	R. L. Polk & Co.

## FINDINGS

### TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

#### Address Researched

392 WALLABOUT ST

#### Address Not Identified in Research Source

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

### ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

#### Address Researched

301 WALLABOUT

#### Address Not Identified in Research Source

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

303 WALLABOUT

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

303 WALLABOUT ST

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1934, 1928

305 WALABOUT St

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

305 WALABOUT st

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928

307 WALABONT st

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928

307 WALABOUT St

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

307 WALABOUT st

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928

307 WALLABOUT

2005, 2000, 1997, 1992, 1985, 1980, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

307 WALLABOUT

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

307 WALLABOUT ST

1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1934, 1928

309 WALLABOUT

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

309 WALLABOUT ST

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1934, 1928

311 WALLABOUT

2005, 2000, 1997, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

311 WALLABOUT ST

1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

313 WALABOUT St

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

313 WALLABOUT

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

## FINDINGS

### **Address Researched**

313 WALLABOUT ST

386 WALABOUT St

386 WALABOUT st

386 WALLABOUT

388 WALLABOUT

388 WALLABOUT ST

390 Wallabout St

394 WALABOUT St

394 WALLABOUT

394 WALLABOUT ST

394 Wallabout St

396 WALABOUT St

396 WALLABOUT

396 Wallabout St

398 WALABOUT St

398 WALABOUT st

398 WALLABOUT

398 WALLABOUT ST

398 Wallabout St

72 Throop Avenue

### **Address Not Identified in Research Source**

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1934, 1928

2005, 2000, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

1997, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

2005, 2000, 1997, 1992, 1985, 1980, 1976, 1973, 1970, 1945, 1940, 1928

# APPENDIX E


## EDR RADIUS MAP REPORT



**392 WALLABOUT ST**  
392 WALLABOUT ST  
Brooklyn, NY 11206

Inquiry Number: 3229817.2s  
December 23, 2011

## The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road  
Milford, CT 06461  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	7
Orphan Summary .....	862
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-8
Physical Setting Source Map Findings .....	A-9
Physical Setting Source Records Searched .....	A-83

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

#### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

392 WALLABOUT ST  
BROOKLYN, NY 11206

#### COORDINATES

Latitude (North): 40.703100 - 40° 42' 11.2"  
Longitude (West): 73.946400 - 73° 56' 47.0"  
Universal Transverse Mercator: Zone 18  
UTM X (Meters): 589008.9  
UTM Y (Meters): 4506121.5  
Elevation: 13 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-F8 BROOKLYN, NY  
Most Recent Revision: 1995

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 2009, 2010  
Source: USDA

### TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 7 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
LOT 22,TAXBLOCK 2266 392 WALLABOUT STREET BROOKLYN, NY 11206	E DESIGNATION	N/A

## EXECUTIVE SUMMARY

### DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

### STANDARD ENVIRONMENTAL RECORDS

#### ***Federal NPL site list***

NPL..... National Priority List  
Proposed NPL..... Proposed National Priority List Sites  
NPL LIENS..... Federal Superfund Liens

#### ***Federal Delisted NPL site list***

Delisted NPL..... National Priority List Deletions

#### ***Federal CERCLIS list***

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System  
FEDERAL FACILITY..... Federal Facility Site Information listing

#### ***Federal RCRA non-CORRACTS TSD facilities list***

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

#### ***Federal institutional controls / engineering controls registries***

US ENG CONTROLS..... Engineering Controls Sites List  
US INST CONTROL..... Sites with Institutional Controls

#### ***Federal ERNS list***

ERNS..... Emergency Response Notification System

#### ***State- and tribal - equivalent CERCLIS***

VAPOR REOPENED..... Vapor Intrusion Legacy Site List

#### ***State and tribal leaking storage tank lists***

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

#### ***State and tribal registered storage tank lists***

CBS UST..... Chemical Bulk Storage Database  
MOSF UST..... Major Oil Storage Facilities Database  
MOSF AST..... Major Oil Storage Facilities Database  
MOSF..... Major Oil Storage Facility Site Listing  
INDIAN UST..... Underground Storage Tanks on Indian Land  
FEMA UST..... Underground Storage Tank Listing

#### ***State and tribal institutional control / engineering control registries***

ENG CONTROLS..... Registry of Engineering Controls

## EXECUTIVE SUMMARY

INST CONTROL..... Registry of Institutional Controls  
RES DECL..... Restrictive Declarations Listing

### ***State and tribal voluntary cleanup sites***

INDIAN VCP..... Voluntary Cleanup Priority Listing

### ***State and tribal Brownfields sites***

ERP..... Environmental Restoration Program Listing  
BROWNFIELDS..... Brownfields Site List

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Local Brownfield lists***

US BROWNFIELDS..... A Listing of Brownfields Sites

#### ***Local Lists of Landfill / Solid Waste Disposal Sites***

ODI..... Open Dump Inventory  
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations  
SWTIRE..... Registered Waste Tire Storage & Facility List  
SWRCY..... Registered Recycling Facility List  
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

#### ***Local Lists of Hazardous waste / Contaminated Sites***

US CDL..... Clandestine Drug Labs  
DEL SHWS..... Delisted Registry Sites  
US HIST CDL..... National Clandestine Laboratory Register

#### ***Local Lists of Registered Storage Tanks***

HIST AST..... Historical Petroleum Bulk Storage Database

#### ***Local Land Records***

LIENS 2..... CERCLA Lien Information  
LUCIS..... Land Use Control Information System

#### ***Records of Emergency Release Reports***

HMIRS..... Hazardous Materials Information Reporting System

#### ***Other Ascertainable Records***

DOT OPS..... Incident and Accident Data  
DOD..... Department of Defense Sites  
FUDS..... Formerly Used Defense Sites  
CONSENT..... Superfund (CERCLA) Consent Decrees  
ROD..... Records Of Decision  
UMTRA..... Uranium Mill Tailings Sites  
MINES..... Mines Master Index File

## EXECUTIVE SUMMARY

TRIS.....	Toxic Chemical Release Inventory System
TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS.....	Section 7 Tracking Systems
ICIS.....	Integrated Compliance Information System
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
RADINFO.....	Radiation Information Database
FINDS.....	Facility Index System/Facility Registry System
RAATS.....	RCRA Administrative Action Tracking System
UIC.....	Underground Injection Control Wells
NPDES.....	State Pollutant Discharge Elimination System
AIRS.....	Air Emissions Data
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
PCB TRANSFORMER.....	PCB Transformer Registration Database
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
COAL ASH.....	Coal Ash Disposal Site Listing
FINANCIAL ASSURANCE.....	Financial Assurance Information Listing
COAL ASH DOE.....	Sleam-Electric Plan Operation Data

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

### STANDARD ENVIRONMENTAL RECORDS

#### ***Federal CERCLIS NFRAP site List***

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 02/25/2011 has revealed that there are 2 CERC-NFRAP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>BORDEN CHEMICAL ADHESIVES &amp; CH</i></b>	<b><i>56 NOSTRAND AVE</i></b>	<b><i>SW 1/4 - 1/2 (0.497 mi.)</i></b>	<b><i>AP179</i></b>	<b><i>832</i></b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>SLATTERY J B &amp; BROS INC</i></b>	<b><i>171-187 WALLABOUT ST</i></b>	<b><i>WSW 1/4 - 1/2 (0.411 mi.)</i></b>	<b><i>168</i></b>	<b><i>776</i></b>

## EXECUTIVE SUMMARY

### ***Federal RCRA CORRACTS facilities list***

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/09/2011 has revealed that there are 2 CORRACTS sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PFIZER INC</b>	<b>11 BARTLETT ST</b>	<b>SSW 1/8 - 1/4 (0.204 mi.)</b>	<b>W107</b>	<b>468</b>
<b>TECHTRONICS ECOLOGICAL CORP</b>	<b>8 WALWORTH ST</b>	<b>WSW 1/2 - 1 (0.529 mi.)</b>	<b>183</b>	<b>842</b>

### ***Federal RCRA generators list***

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 06/15/2011 has revealed that there are 4 RCRA-LQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - MANHOLE 15641	662 BROADWAY	ESE 0 - 1/8 (0.108 mi.)	N56	249
<b>PFIZER INC</b>	<b>11 BARTLETT ST</b>	<b>SSW 1/8 - 1/4 (0.204 mi.)</b>	<b>W107</b>	<b>468</b>
CON EDISON - MANHOLE 14001	64 GRAHAM AVE	E 1/8 - 1/4 (0.205 mi.)	Z110	488
<b>PFIZER INC. BROOKLYN PLANT</b>	<b>630 FLUSHING AVENUE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH136</b>	<b>645</b>

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 06/15/2011 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NYCT - BROADWAY-LORIMER SUBSTA	143 LORIMER ST	W 1/8 - 1/4 (0.167 mi.)	T90	393
<b>ARLINGTON PRESS-191 HARRISON A</b>	<b>191 HARRISON AVE</b>	<b>SSW 1/8 - 1/4 (0.173 mi.)</b>	<b>U94</b>	<b>400</b>

## EXECUTIVE SUMMARY

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 06/15/2011 has revealed that there are 6 RCRA-CESQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON	LORIMER ST & BROADWAY	NW 0 - 1/8 (0.105 mi.)	M52	236
<b>PFIZER INC BROOKLYN PLANT</b>	<b>73 GERRY ST</b>	<b>SSW 1/8 - 1/4 (0.131 mi.)</b>	<b>Q77</b>	<b>322</b>
<b>MARS CLEANERS</b>	<b>80 MANHATTAN AVE</b>	<b>NE 1/8 - 1/4 (0.166 mi.)</b>	<b>S87</b>	<b>379</b>
CON EDISON	WHIPPLE ST & FLUSHING A	S 1/8 - 1/4 (0.199 mi.)	102	436
CAS DEVELOPERS LLC	70 UNION AVE	WSW 1/8 - 1/4 (0.219 mi.)	AD122	544
<b>NYC BD OF ED - PUBLIC SCHOOL 2</b>	<b>60 COOK ST</b>	<b>ESE 1/8 - 1/4 (0.230 mi.)</b>	<b>AG131</b>	<b>583</b>

### **State- and tribal - equivalent CERCLIS**

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, and dated 11/22/2011 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BQE/ANSBACHER COLOR & DYE FACT	MEEKER AVENUE	NNW 1/2 - 1 (0.863 mi.)	188	859
Class Code: Does not present a significant threat to the public health or the environment - action may be deferred.				

### **State and tribal landfill and/or solid waste disposal site lists**

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, and dated 10/11/2011 has revealed that there is 1 SWF/LF site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
COOPER TANK & WELDING CO.	222-26 SIEGAL AVE	ENE 1/4 - 1/2 (0.324 mi.)	AL152	724

## EXECUTIVE SUMMARY

### **State and tribal leaking storage tank lists**

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 09/27/2011 has revealed that there are 39 LTANKS sites within approximately 0.5 miles of the target property.

<b>Equal/Higher Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>PFIZER INC/GERRY ST</b> Date Closed: 6/22/1992	<b>PFIZER INC/GERRY ST</b>	<b>SSW 1/8 - 1/4 (0.131 mi.)</b>	<b>Q75</b>	<b>316</b>
<b>LINDSAY PARK HOUSING CORP</b> Date Closed: 10/27/2010	<b>54 BOERUM ST</b>	<b>NNW 1/8 - 1/4 (0.171 mi.)</b>	<b>92</b>	<b>396</b>
<b>113 THROOP AVE/ B'KLYN/</b> Date Closed: 3/4/2003	<b>113 THROOP AVE</b>	<b>SSE 1/8 - 1/4 (0.177 mi.)</b>	<b>V96</b>	<b>414</b>
<b>255 WALLABOUT ST/PFIZER</b> Date Closed: 11/14/2006	<b>255 WALLABOUT STREET</b>	<b>SW 1/8 - 1/4 (0.212 mi.)</b>	<b>AB116</b>	<b>522</b>
<b>35 GRAHM AVE.</b> Date Closed: 5/19/1993	<b>35 GRAHM AVE.</b>	<b>E 1/8 - 1/4 (0.214 mi.)</b>	<b>X118</b>	<b>535</b>
<b>TEXECO STATION</b> Date Closed: 3/31/2006	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH133</b>	<b>591</b>
<b>187 UNION AVENUE / BROOKL</b> Date Closed: 1/13/2005	<b>187 UNION AVE</b>	<b>NW 1/4 - 1/2 (0.282 mi.)</b>	<b>143</b>	<b>690</b>
<b>JOHNSON AVE. &amp; BROADWAY</b> Date Closed: 8/13/1993	<b>JOHNSON AVE AND BROADWAY</b>	<b>W 1/4 - 1/2 (0.305 mi.)</b>	<b>146</b>	<b>699</b>
<b>BORINQUEN PLAZA</b> Date Closed: 11/10/2010	<b>110 HUMBOLDT STREET</b>	<b>ENE 1/4 - 1/2 (0.308 mi.)</b>	<b>147</b>	<b>702</b>
<b>BORINQUEN PLAZA</b> Date Closed: 10/28/2010	<b>120 HUMBOLDT STREET</b>	<b>ENE 1/4 - 1/2 (0.316 mi.)</b>	<b>AI148</b>	<b>708</b>
<b>BUSHWICK HOUSES -NYCHA</b> Date Closed: 11/2/2005	<b>24 HUMBOLDT STREET</b>	<b>ESE 1/4 - 1/2 (0.316 mi.)</b>	<b>149</b>	<b>714</b>
<b>211 UNION AVE. DIESEL LEA</b> Date Closed: 1/10/2005	<b>211 UNION AVE</b>	<b>NW 1/4 - 1/2 (0.318 mi.)</b>	<b>AK151</b>	<b>721</b>
<b>VERINQUIN</b> Date Closed: 1/8/2004	<b>130 HUMBOLT ST</b>	<b>ENE 1/4 - 1/2 (0.325 mi.)</b>	<b>AI153</b>	<b>725</b>
<b>BORINQUEN HOUSES</b> Date Closed: 1/8/2004	<b>130 HUMBOLDT STREET</b>	<b>ENE 1/4 - 1/2 (0.325 mi.)</b>	<b>AI154</b>	<b>727</b>
<b>209 UNION AVENUE</b> Date Closed: 5/18/1995	<b>209 UNION AVE - 90TH PC</b>	<b>NW 1/4 - 1/2 (0.327 mi.)</b>	<b>AK155</b>	<b>733</b>
Not reported Date Closed: 7/2/2003	<b>130 MOORE ST</b>	<b>E 1/4 - 1/2 (0.337 mi.)</b>	<b>156</b>	<b>736</b>
<b>BROOKLYN NORTH 03/03A DOS -DDC</b> Date Closed: 3/2/2005	<b>306 RUTLEDGE STREET</b>	<b>WNW 1/4 - 1/2 (0.337 mi.)</b>	<b>AJ157</b>	<b>737</b>
<b>NYC DDC</b> Date Closed: 6/23/2008	<b>306 RUTLEDGE ST</b>	<b>WNW 1/4 - 1/2 (0.337 mi.)</b>	<b>AJ158</b>	<b>740</b>
<b>BROOKLYN NORTH 03/03A DOS -DDC</b> Date Closed: 3/2/2005	<b>306 RUTLEDGE STREET</b>	<b>WNW 1/4 - 1/2 (0.337 mi.)</b>	<b>AJ159</b>	<b>742</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>BORINQUEN PLAZA</b> Date Closed: 1/12/1998	<b>155 SIEGEL STREET</b>	<b>ENE 1/4 - 1/2 (0.339 mi.)</b>	<b>AL160</b>	<b>745</b>
<b>BORINQUEN HOUSES</b> Date Closed: 7/12/2010	<b>155 SIEGEL STREET</b>	<b>ENE 1/4 - 1/2 (0.339 mi.)</b>	<b>AL161</b>	<b>748</b>
<b>ARMY NAT'L GUARD BUILDING</b> Date Closed: 10/7/1992	<b>355 MARCY AVENUE</b>	<b>W 1/4 - 1/2 (0.365 mi.)</b>	<b>163</b>	<b>753</b>
<b>BORINQUEN HOUSES</b> Date Closed: 12/9/2005	<b>330 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.393 mi.)</b>	<b>AM164</b>	<b>757</b>
<b>BORINQUEN HOUSES</b> Date Closed: 2/2/1998	<b>300 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.398 mi.)</b>	<b>AM165</b>	<b>765</b>
<b>BORINQUEN HOUSE</b> Date Closed: 2/6/2004	<b>300 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.398 mi.)</b>	<b>AM166</b>	<b>771</b>
<b>BORINQUEN PLAZA</b> Date Closed: 1/13/1998	<b>300 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.398 mi.)</b>	<b>AM167</b>	<b>774</b>
<b>WILLIAMSBURGH HOUSES</b>	<b>125 STAGG WALK</b>	<b>N 1/4 - 1/2 (0.433 mi.)</b>	<b>AN170</b>	<b>783</b>
<b>WILLIAMSBURGH HOUSES</b> Date Closed: 12/2/2005	<b>211 STAGGWALK</b>	<b>N 1/4 - 1/2 (0.433 mi.)</b>	<b>AN171</b>	<b>796</b>
<b>WILLIAMSBURG HOUSES</b> Date Closed: 1/8/2004 Date Closed: 1/8/2004 <i>*Additional key fields are available in the Map Findings section</i>	<b>125 STAGG WALK</b>	<b>N 1/4 - 1/2 (0.433 mi.)</b>	<b>AN172</b>	<b>798</b>
<b>GONZALEZ RESIDENCE</b> Date Closed: 3/21/2006	<b>29 BEAVER ST</b>	<b>ESE 1/4 - 1/2 (0.459 mi.)</b>	<b>174</b>	<b>811</b>
<b>MARCIE HOUSES - BLDG 9</b> Date Closed: 12/9/2003	<b>NOSTRAND AND PARK AVE</b>	<b>SW 1/4 - 1/2 (0.482 mi.)</b>	<b>AO175</b>	<b>812</b>
<b>MARCY HOUSES</b> Date Closed: 12/9/2005 Date Closed: 12/11/2007 <i>*Additional key fields are available in the Map Findings section</i>	<b>603 PARK AVE</b>	<b>SW 1/4 - 1/2 (0.482 mi.)</b>	<b>AO176</b>	<b>815</b>
<b>IS#49K</b> Date Closed: 12/19/2005 Date Closed: 3/14/2005	<b>223 GRAHM ST</b>	<b>NNE 1/4 - 1/2 (0.497 mi.)</b>	<b>180</b>	<b>834</b>
<b>MARC KATZMAN</b> Date Closed: 11/30/2005 Date Closed: 11/30/2005	<b>255 MCKIBBON ST</b>	<b>ENE 1/4 - 1/2 (0.499 mi.)</b>	<b>181</b>	<b>838</b>
<b>GULF STATION 70227 TTF</b>	<b>189 PENN. AVE</b>	<b>W 1/4 - 1/2 (0.499 mi.)</b>	<b>182</b>	<b>841</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CONSTRUCTION SITE</b> Date Closed: 11/4/2005	<b>420 MARCY AVE</b>	<b>WSW 1/4 - 1/2 (0.298 mi.)</b>	<b>145</b>	<b>697</b>
<b>CONSTRUCTION SITE</b> Date Closed: 3/7/2003	<b>5 WALTON AVE</b>	<b>WSW 1/4 - 1/2 (0.352 mi.)</b>	<b>162</b>	<b>750</b>
<b>NOSTRAND AVE &amp; FLUSHING A</b> Date Closed: 11/8/1993	<b>NOSTRAND AVE &amp; FLUSHING SW</b>	<b>SW 1/4 - 1/2 (0.447 mi.)</b>	<b>173</b>	<b>808</b>
<b>204 WALLABOUT /NEW ERA</b> Date Closed: 3/5/2003	<b>204 WALLABOUT</b>	<b>WSW 1/4 - 1/2 (0.493 mi.)</b>	<b>177</b>	<b>828</b>

## EXECUTIVE SUMMARY

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 38 HIST LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CITGO/ 594 BROADWAY</b> Date Closed: / /	<b>594 BROADWAY</b>	<b>NW 0 - 1/8 (0.051 mi.)</b>	<b>D12</b>	<b>67</b>
<b>PFIZER INC/GERRY ST</b> Date Closed: 06/22/92	<b>PFIZER INC/GERRY ST</b>	<b>SSW 1/8 - 1/4 (0.131 mi.)</b>	<b>Q75</b>	<b>316</b>
<b>113 THROOP AVE/ B'KLYN/</b> Date Closed: / /	<b>113 THROOP AVE</b>	<b>SSE 1/8 - 1/4 (0.177 mi.)</b>	<b>V96</b>	<b>414</b>
<b>255 WALLABOUT ST/PFIZER</b> Date Closed: / /	<b>255 WALLABOUT STREET</b>	<b>SW 1/8 - 1/4 (0.212 mi.)</b>	<b>AB116</b>	<b>522</b>
<b>35 GRAHM AVE.</b> Date Closed: 05/19/93	<b>35 GRAHM AVE.</b>	<b>E 1/8 - 1/4 (0.214 mi.)</b>	<b>X118</b>	<b>535</b>
<b>TEXECO STATION</b> Date Closed: / /	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH133</b>	<b>591</b>
<b>630 FLUSHING AVE</b> Date Closed: / /	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH135</b>	<b>624</b>
<b>187 UNION AVENUE / BROOKL</b> Date Closed: / /	<b>187 UNION AVE</b>	<b>NW 1/4 - 1/2 (0.282 mi.)</b>	<b>143</b>	<b>690</b>
<b>APARTMENT BLDG</b> Date Closed: / /	<b>30 MONTROSE AV</b>	<b>NNW 1/4 - 1/2 (0.288 mi.)</b>	<b>144</b>	<b>693</b>
<b>JOHNSON AVE. &amp; BROADWAY</b> Date Closed: 08/13/93	<b>JOHNSON AVE AND BROADWAY</b>	<b>W 1/4 - 1/2 (0.305 mi.)</b>	<b>146</b>	<b>699</b>
<b>BORINQUEN PLAZA</b> Date Closed: / /	<b>110 HUMBOLDT STREET</b>	<b>ENE 1/4 - 1/2 (0.308 mi.)</b>	<b>147</b>	<b>702</b>
<b>BORINQUEN PLAZA</b> Date Closed: / /	<b>120 HUMBOLDT STREET</b>	<b>ENE 1/4 - 1/2 (0.316 mi.)</b>	<b>AI148</b>	<b>708</b>
<b>BUSHWICK HOUSES -NYCHA</b> Date Closed: / /	<b>24 HUMBOLDT STREET</b>	<b>ESE 1/4 - 1/2 (0.316 mi.)</b>	<b>149</b>	<b>714</b>
<b>306 RUTLEDGE ST.</b> Date Closed: / /	<b>306 RUTLEDGE ST.</b>	<b>WNW 1/4 - 1/2 (0.316 mi.)</b>	<b>AJ150</b>	<b>720</b>
<b>211 UNION AVE. DIESEL LEA</b> Date Closed: / /	<b>211 UNION AVE</b>	<b>NW 1/4 - 1/2 (0.318 mi.)</b>	<b>AK151</b>	<b>721</b>
<b>VERINQUIN</b> Date Closed: / /	<b>130 HUMBOLT ST</b>	<b>ENE 1/4 - 1/2 (0.325 mi.)</b>	<b>AI153</b>	<b>725</b>
<b>BORINQUEN HOUSES</b> Date Closed: / /	<b>130 HUMBOLDT STREET</b>	<b>ENE 1/4 - 1/2 (0.325 mi.)</b>	<b>AI154</b>	<b>727</b>
<b>209 UNION AVENUE</b> Date Closed: 05/18/95	<b>209 UNION AVE - 90TH PC</b>	<b>NW 1/4 - 1/2 (0.327 mi.)</b>	<b>AK155</b>	<b>733</b>
<b>BROOKLYN NORTH 03/03A DOS -DDC</b> Date Closed: / /	<b>306 RUTLEDGE STREET</b>	<b>WNW 1/4 - 1/2 (0.337 mi.)</b>	<b>AJ157</b>	<b>737</b>
<b>NYC DDC</b> Date Closed: / /	<b>306 RUTLEDGE ST</b>	<b>WNW 1/4 - 1/2 (0.337 mi.)</b>	<b>AJ158</b>	<b>740</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>BROOKLYN NORTH 03/03A DOS -DDC</b> Date Closed: / /	<b>306 RUTLEDGE STREET</b>	<b>WNW 1/4 - 1/2 (0.337 mi.)</b>	<b>AJ159</b>	<b>742</b>
<b>BORINQUEN PLAZA</b> Date Closed: 01/12/98	<b>155 SIEGEL STREET</b>	<b>ENE 1/4 - 1/2 (0.339 mi.)</b>	<b>AL160</b>	<b>745</b>
<b>BORINQUEN HOUSES</b> Date Closed: / /	<b>155 SIEGEL STREET</b>	<b>ENE 1/4 - 1/2 (0.339 mi.)</b>	<b>AL161</b>	<b>748</b>
<b>ARMY NAT'L GUARD BUILDING</b> Date Closed: 10/07/92	<b>355 MARCY AVENUE</b>	<b>W 1/4 - 1/2 (0.365 mi.)</b>	<b>163</b>	<b>753</b>
<b>BORINQUEN HOUSES</b> Date Closed: / / Date Closed: / /	<b>330 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.393 mi.)</b>	<b>AM164</b>	<b>757</b>
<b>BORINQUEN HOUSES</b> Date Closed: 02/02/98	<b>300 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.398 mi.)</b>	<b>AM165</b>	<b>765</b>
<b>BORINQUEN HOUSE</b> Date Closed: / /	<b>300 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.398 mi.)</b>	<b>AM166</b>	<b>771</b>
<b>BORINQUEN PLAZA</b> Date Closed: 01/13/98	<b>300 BUSHWICK AVENUE</b>	<b>ENE 1/4 - 1/2 (0.398 mi.)</b>	<b>AM167</b>	<b>774</b>
<b>BUSHWICK -NYCHA</b> Date Closed: / /	<b>24 HUMBOLDT STREET</b>	<b>E 1/4 - 1/2 (0.423 mi.)</b>	<b>169</b>	<b>781</b>
<b>WILLIAMSBURGH HOUSES</b> Date Closed: / /	<b>125 STAGG WALK</b>	<b>N 1/4 - 1/2 (0.433 mi.)</b>	<b>AN170</b>	<b>783</b>
<b>WILLIAMSBURGH HOUSES</b> Date Closed: / /	<b>211 STAGGWALK</b>	<b>N 1/4 - 1/2 (0.433 mi.)</b>	<b>AN171</b>	<b>796</b>
<b>WILLIAMSBURG HOUSES</b> Date Closed: / / Date Closed: / / <i>*Additional key fields are available in the Map Findings section</i>	<b>125 STAGG WALK</b>	<b>N 1/4 - 1/2 (0.433 mi.)</b>	<b>AN172</b>	<b>798</b>
<b>MARCIE HOUSES - BLDG 9</b> Date Closed: / /	<b>NOSTRAND AND PARK AVE</b>	<b>SW 1/4 - 1/2 (0.482 mi.)</b>	<b>AO175</b>	<b>812</b>
<b>MARCY HOUSES</b> Date Closed: / / Date Closed: / / <i>*Additional key fields are available in the Map Findings section</i>	<b>603 PARK AVE</b>	<b>SW 1/4 - 1/2 (0.482 mi.)</b>	<b>AO176</b>	<b>815</b>
<b>IS#49K</b> Date Closed: / /	<b>223 GRAHM ST</b>	<b>NNE 1/4 - 1/2 (0.497 mi.)</b>	<b>180</b>	<b>834</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>CONSTRUCTION SITE</b> Date Closed: / /	<b>5 WALTON AVE</b>	<b>WSW 1/4 - 1/2 (0.352 mi.)</b>	<b>162</b>	<b>750</b>
<b>NOSTRAND AVE &amp; FLUSHING A</b> Date Closed: 11/08/93	<b>NOSTRAND AVE &amp; FLUSHING</b>	<b>SW 1/4 - 1/2 (0.447 mi.)</b>	<b>173</b>	<b>808</b>
<b>204 WALLABOUT /NEW ERA</b> Date Closed: / /	<b>204 WALLABOUT</b>	<b>WSW 1/4 - 1/2 (0.493 mi.)</b>	<b>177</b>	<b>828</b>

## EXECUTIVE SUMMARY

### **State and tribal registered storage tank lists**

TANKS: This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

A review of the TANKS list, as provided by EDR, and dated 10/04/2011 has revealed that there is 1 TANKS site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NYNEX	18 BOERUM STREET	NW 1/8 - 1/4 (0.205 mi.)	108	486

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 10/04/2011 has revealed that there are 21 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>SUSION DEVELPORS LLC</b>	<b>594 BROADWAY</b>	<b>NW 0 - 1/8 (0.051 mi.)</b>	<b>D11</b>	<b>53</b>
<b>307 WALLABOUT STREET</b>	<b>307 WALLABOUT STREET</b>	<b>SW 0 - 1/8 (0.076 mi.)</b>	<b>F27</b>	<b>130</b>
<b>LINDSAY PARK HOUSING CORP</b>	<b>31 LEONARD STREET</b>	<b>NNE 0 - 1/8 (0.085 mi.)</b>	<b>J39</b>	<b>177</b>
<b>PFIZER INC. BROOKLYN PLANT</b>	<b>80 GERRY STREET</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>H48</b>	<b>217</b>
<b>THROOP AVENUE / BARTLETT STREE</b>	<b>THROOP AVENUE / BARTLET</b>	<b>SSE 0 - 1/8 (0.108 mi.)</b>	<b>O60</b>	<b>256</b>
HOO CORP	94 WALLTON STREET	WSW 1/8 - 1/4 (0.125 mi.)	P74	314
<b>LINDSAY PARK HOUSING CORP</b>	<b>67 MANHATTAN AVENUE</b>	<b>NE 1/8 - 1/4 (0.149 mi.)</b>	<b>S83</b>	<b>342</b>
2001 HIGH TECH AUTO SERVICE CO	30 BARTLETT STREET	S 1/8 - 1/4 (0.158 mi.)	85	364
COOK STREET HOUSING	40 VARET STREET	E 1/8 - 1/4 (0.177 mi.)	97	416
<b>ALL SAINTS R C CHURCH</b>	<b>115 THROOP AVE</b>	<b>SSE 1/8 - 1/4 (0.179 mi.)</b>	<b>V98</b>	<b>418</b>
<b>GEORGE ROYH</b>	<b>116 UNION AVENUE</b>	<b>W 1/8 - 1/4 (0.202 mi.)</b>	<b>Y104</b>	<b>439</b>
KNIGHTS COLLISION & AUTO CARE	120 UNION AVENUE	W 1/8 - 1/4 (0.203 mi.)	Y105	455
<b>BP AMOCO SERVICE STATION #3671</b>	<b>655 FLUSHING AVENUE</b>	<b>SSW 1/8 - 1/4 (0.209 mi.)</b>	<b>W113</b>	<b>495</b>
709-715 FLUSHING AVE	709-715 FLUSHING AVE	SSE 1/8 - 1/4 (0.212 mi.)	AA115	518
LINCOLN PROPERTIES DEVELOPMENT	531 BROADWAY	NW 1/8 - 1/4 (0.214 mi.)	AC119	538
70 UNION AVENUE	70 UNION AVENUE	WSW 1/8 - 1/4 (0.219 mi.)	AD123	546
<b>BP AMOCO SERVICE STATION #1786</b>	<b>152 UNION AVENUE</b>	<b>WNW 1/8 - 1/4 (0.223 mi.)</b>	<b>AE126</b>	<b>555</b>
EMS BATT 57 @ WOODHULL HOSPITA	131 THROOP AVE	SSE 1/8 - 1/4 (0.224 mi.)	AA128	571
<b>EMS @ WOODHULL HOSPITAL</b>	<b>720 FLUSHING AVE</b>	<b>SE 1/8 - 1/4 (0.226 mi.)</b>	<b>129</b>	<b>573</b>
<b>ANTONIA GONSALIS</b>	<b>118-120 HARRISON AVENUE</b>	<b>W 1/8 - 1/4 (0.229 mi.)</b>	<b>AF130</b>	<b>577</b>
PFIZER INC	630 FLUSHING AVENUE	SSW 1/8 - 1/4 (0.232 mi.)	AH137	666

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 10/04/2011 has revealed that there are 11 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SOSA DIAGNOSTIC REPAIR INC.	620 BROADWAY	E 0 - 1/8 (0.014 mi.)	A2	13
MAGIC AUTO REPAIR SHOP	398 WALLABOUT STREET	SW 0 - 1/8 (0.062 mi.)	F19	95
<b>I.S. 318</b>	<b>101 WALTON STREET</b>	<b>WSW 1/8 - 1/4 (0.145 mi.)</b>	<b>P82</b>	<b>337</b>
GRAYCO CORP.	29 COOK STREET	ESE 1/8 - 1/4 (0.200 mi.)	X103	437
<b>HELEN LEVINE</b>	<b>73 GRAHAM AVE</b>	<b>ENE 1/8 - 1/4 (0.206 mi.)</b>	<b>111</b>	<b>490</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>30 FAMILY APT HOUSE</b>	<b>77 VARET ST</b>	<b>E 1/8 - 1/4 (0.212 mi.)</b>	<b>Z114</b>	<b>515</b>
LINCOLN PROPERTIES DEVELOPMENT	531 BROADWAY	NW 1/8 - 1/4 (0.214 mi.)	AC121	542
L.J.S.T. REALTY	45 COOK STREET	ESE 1/8 - 1/4 (0.222 mi.)	X124	551
<b>P S 257</b>	<b>60 COOK ST</b>	<b>ESE 1/8 - 1/4 (0.230 mi.)</b>	<b>AG132</b>	<b>586</b>
<b>TEXECO STATION</b>	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH133</b>	<b>591</b>
<b>134 BOEHUM ST</b>	<b>134 BOERUM STREET</b>	<b>NE 1/8 - 1/4 (0.246 mi.)</b>	<b>140</b>	<b>684</b>

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>630 FLUSHING AVE</b>	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH135</b>	<b>624</b>

CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the CBS list, as provided by EDR, and dated 10/04/2011 has revealed that there is 1 CBS site within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>630 FLUSHING AVE</b>	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH135</b>	<b>624</b>

### **State and tribal voluntary cleanup sites**

VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the VCP list, as provided by EDR, and dated 11/22/2011 has revealed that there are 3 VCP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PFIZER SITES B AND D	59-71 GERRY ST. AND 73-	SSW 1/8 - 1/4 (0.131 mi.)	Q76	318
PFIZER INC. (CITRIC BLOCK)	630 FLUSHING AVE.	SSW 1/8 - 1/4 (0.232 mi.)	AH134	623

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PFIZER (ORGANICS/SUCIAC BLOCK)	CENTRAL PORTION OF PFIZ	SSW 1/8 - 1/4 (0.248 mi.)	142	689

## EXECUTIVE SUMMARY

### ADDITIONAL ENVIRONMENTAL RECORDS

#### **Local Lists of Registered Storage Tanks**

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 14 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>SUSION DEVELPORS LLC</b>	<b>594 BROADWAY</b>	<b>NW 0 - 1/8 (0.051 mi.)</b>	<b>D11</b>	<b>53</b>
<b>307 WALLABOUT STREET</b>	<b>307 WALLABOUT STREET</b>	<b>SW 0 - 1/8 (0.076 mi.)</b>	<b>F27</b>	<b>130</b>
<b>LINDSAY PARK HOUSING CORP</b>	<b>31 LEONARD STREET</b>	<b>NNE 0 - 1/8 (0.085 mi.)</b>	<b>J39</b>	<b>177</b>
<b>PFIZER INC. BROOKLYN PLANT</b>	<b>80 GERRY STREET</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>H48</b>	<b>217</b>
<b>THROOP AVENUE / BARTLETT STREE</b>	<b>THROOP AVENUE / BARTLETT STREE</b>	<b>SSE 0 - 1/8 (0.108 mi.)</b>	<b>O60</b>	<b>256</b>
<b>LINDSAY PARK HOUSING CORP</b>	<b>67 MANHATTAN AVENUE</b>	<b>NE 1/8 - 1/4 (0.149 mi.)</b>	<b>S83</b>	<b>342</b>
<b>ALL SAINTS R C CHURCH</b>	<b>115 THROOP AVE</b>	<b>SSE 1/8 - 1/4 (0.179 mi.)</b>	<b>V98</b>	<b>418</b>
<b>GEORGE ROYH</b>	<b>116 UNION AVENUE</b>	<b>W 1/8 - 1/4 (0.202 mi.)</b>	<b>Y104</b>	<b>439</b>
<b>BP AMOCO SERVICE STATION #3671</b>	<b>655 FLUSHING AVENUE</b>	<b>SSW 1/8 - 1/4 (0.209 mi.)</b>	<b>W113</b>	<b>495</b>
<b>DIME SAVINGS BANK. FBS</b>	<b>531 BROADWAY</b>	<b>NW 1/8 - 1/4 (0.214 mi.)</b>	<b>AC120</b>	<b>540</b>
<b>BP AMOCO SERVICE STATION #1786</b>	<b>152 UNION AVENUE</b>	<b>WNW 1/8 - 1/4 (0.223 mi.)</b>	<b>AE126</b>	<b>555</b>
<b>EMS @ WOODHULL HOSPITAL</b>	<b>720 FLUSHING AVE</b>	<b>SE 1/8 - 1/4 (0.226 mi.)</b>	<b>129</b>	<b>573</b>
<b>ANTONIA GONSALIS</b>	<b>118-120 HARRISON AVENUE</b>	<b>W 1/8 - 1/4 (0.229 mi.)</b>	<b>AF130</b>	<b>577</b>
<b>TEXECO STATION</b>	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH133</b>	<b>591</b>

#### **Records of Emergency Release Reports**

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 09/27/2011 has revealed that there are 14 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>Not reported</b> Date Closed: 12/14/2009	<b>613 BROADWAY</b>	<b>NNW 0 - 1/8 (0.021 mi.)</b>	<b>A3</b>	<b>15</b>
<b>VAULT 3871</b> Date Closed: 4/3/2002	<b>MOORE AND LEONARD ST</b>	<b>NE 0 - 1/8 (0.034 mi.)</b>	<b>4</b>	<b>18</b>
<b>CITGO/ 594 BROADWAY</b> DRUM RUN Date Closed: 8/9/2007	<b>594 BROADWAY</b>	<b>NW 0 - 1/8 (0.051 mi.)</b>	<b>D12</b>	<b>67</b>
	<b>BROADWAY &amp; WALTON ST</b>	<b>NW 0 - 1/8 (0.052 mi.)</b>	<b>D14</b>	<b>76</b>
<b>398 WALLABOUT STREET</b> Date Closed: 1/28/2005	<b>398 WALLABOUT ST</b>	<b>SW 0 - 1/8 (0.062 mi.)</b>	<b>F18</b>	<b>92</b>
<b>ON GROUND</b> Date Closed: 6/26/2008	<b>90-92 GERRY STREET</b>	<b>S 0 - 1/8 (0.080 mi.)</b>	<b>H31</b>	<b>149</b>
<b>JUNKYARD</b>	<b>650 BROADWAY</b>	<b>ESE 0 - 1/8 (0.081 mi.)</b>	<b>I33</b>	<b>155</b>
<b>SERVICE BOX 15648</b> Date Closed: 1/17/2002	<b>650 BROADWAY</b>	<b>ESE 0 - 1/8 (0.081 mi.)</b>	<b>I34</b>	<b>157</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
APT BUILDING Date Closed: 9/6/2011	31 LEONARD ST	NNE 0 - 1/8 (0.085 mi.)	J40	182
VAULT 2942 Date Closed: 1/28/2003	LORIMER STREET/BROADWAY	NW 0 - 1/8 (0.105 mi.)	M53	237
DRUM RUN Date Closed: 5/5/2010	CORNER THROOP AVE AND BSSE	0 - 1/8 (0.108 mi.)	O58	253
<b>BROADWAY TRIANGLE</b> Date Closed: 6/28/1999	<b>THROOP AVE / BARTLETT S</b>	<b>SSE 0 - 1/8 (0.108 mi.)</b>	<b>O59</b>	<b>254</b>
<b>TM 1358</b> Date Closed: 3/27/2002	<b>THROOP AV &amp; LORIMER ST</b>	<b>WNW 0 - 1/8 (0.108 mi.)</b>	<b>M63</b>	<b>269</b>
MANHOLE 1358 Date Closed: 8/20/2003	THROOP AVE/LORIMER ST	WNW 0 - 1/8 (0.108 mi.)	M64	271

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 6 NY Hist Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>Not reported</i>	<b>613 BROADWAY</b>	<b>NNW 0 - 1/8 (0.021 mi.)</b>	<b>A3</b>	<b>15</b>
<b>VAULT 3871</b>	<b>MOORE AND LEONARD ST</b>	<b>NE 0 - 1/8 (0.034 mi.)</b>	<b>4</b>	<b>18</b>
<b>398 WALLABOUT STREET</b>	<b>398 WALLABOUT ST</b>	<b>SW 0 - 1/8 (0.062 mi.)</b>	<b>F18</b>	<b>92</b>
<b>SERVICE BOX 15648</b>	<b>650 BROADWAY</b>	<b>ESE 0 - 1/8 (0.081 mi.)</b>	<b>I34</b>	<b>157</b>
<b>BROADWAY TRIANGLE</b>	<b>THROOP AVE / BARTLETT S</b>	<b>SSE 0 - 1/8 (0.108 mi.)</b>	<b>O59</b>	<b>254</b>
<b>TM 1358</b>	<b>THROOP AV &amp; LORIMER ST</b>	<b>WNW 0 - 1/8 (0.108 mi.)</b>	<b>M63</b>	<b>269</b>

### **Other Ascertainable Records**

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 06/15/2011 has revealed that there are 15 RCRA-NonGen sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>RICHARDS AUTO REPAIR SHOP</b>	<b>594 BROADWAY</b>	<b>NW 0 - 1/8 (0.051 mi.)</b>	<b>D10</b>	<b>52</b>
<b>VARTEX INSTRUMENT CORP</b>	<b>311 WALLABOUT ST</b>	<b>SW 0 - 1/8 (0.067 mi.)</b>	<b>F23</b>	<b>112</b>
<b>MTA NYCT - LORIMER ST STATION</b>	<b>LORIMER ST &amp; BROADWAY</b>	<b>NW 0 - 1/8 (0.105 mi.)</b>	<b>M51</b>	<b>233</b>
<b>CON EDISON - TM 1358</b>	<b>THROOP AVE &amp; LORIMER ST</b>	<b>WNW 0 - 1/8 (0.108 mi.)</b>	<b>M65</b>	<b>274</b>
<b>CON ED - VS 5285</b>	<b>SEIGAL ST &amp; MANHATTAN A</b>	<b>NE 1/8 - 1/4 (0.133 mi.)</b>	<b>R79</b>	<b>327</b>
<b>NYCTA - 22 THROOP AVE</b>	<b>22 THROOP AVE</b>	<b>NW 1/8 - 1/4 (0.141 mi.)</b>	<b>80</b>	<b>329</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>IS 318</b>	<b>101 WALTON ST</b>	<b>WSW 1/8 - 1/4 (0.145 mi.)</b>	<b>P81</b>	<b>334</b>
<b>CON EDISON - 67 MANHATTAN AVE</b>	<b>67 MANHATTAN AVE</b>	<b>NE 1/8 - 1/4 (0.150 mi.)</b>	<b>S84</b>	<b>354</b>
<b>CON ED - MH 485</b>	<b>GERRY ST &amp; HARRISON AVE</b>	<b>SSW 1/8 - 1/4 (0.169 mi.)</b>	<b>U91</b>	<b>394</b>
<b>V4821</b>	<b>48 GERRY STREET</b>	<b>SSW 1/8 - 1/4 (0.172 mi.)</b>	<b>U93</b>	<b>398</b>
<b>HARRISON DRY CLEANERS</b>	<b>209 HARRISON AVENUE</b>	<b>SSW 1/8 - 1/4 (0.191 mi.)</b>	<b>W100</b>	<b>425</b>
<b>KNIGHTS COLLISION EXPERTS INC</b>	<b>120 UNION AVE</b>	<b>W 1/8 - 1/4 (0.203 mi.)</b>	<b>Y106</b>	<b>457</b>
<b>PFIZER INC BROOKLYN PLANT</b>	<b>338 WALLABOUT ST</b>	<b>SW 1/8 - 1/4 (0.213 mi.)</b>	<b>AB117</b>	<b>524</b>
<b>SERVICE STATION</b>	<b>152 UNION AVE</b>	<b>WNW 1/8 - 1/4 (0.223 mi.)</b>	<b>AE125</b>	<b>553</b>
<b>CON ED-MH 15132</b>	<b>MANHATTAN AVE &amp; JOHNSOMINE</b>	<b>1/8 - 1/4 (0.246 mi.)</b>	<b>141</b>	<b>687</b>

HSWDS: The List includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The latest version of the study is frozen in time. The sites on the study will not automatically be made superfund sites, rather each site will be further evaluated for listing in the registry. So overtime they will be added to the registry or not.

A review of the HSWDS list, as provided by EDR, and dated 01/01/2003 has revealed that there is 1 HSWDS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>BORDEN CHEMICAL</b>	<b>56 NOSTRAND AVE.</b>	<b>SW 1/4 - 1/2 (0.497 mi.)</b>	<b>AP178</b>	<b>830</b>

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 11/01/2011 has revealed that there are 27 MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>VARTEX INSTRUMENT CORP</b>	<b>311 WALLABOUT ST</b>	<b>SW 0 - 1/8 (0.067 mi.)</b>	<b>F23</b>	<b>112</b>
<b>MTA NYCT - LORIMER ST STATION</b>	<b>LORIMER ST &amp; BROADWAY</b>	<b>NW 0 - 1/8 (0.105 mi.)</b>	<b>M51</b>	<b>233</b>
<b>CONSOLIDATED EDISON MH15861</b>	<b>662 BROADWAY</b>	<b>ESE 0 - 1/8 (0.108 mi.)</b>	<b>N57</b>	<b>251</b>
<b>CON EDISON - TM 1358</b>	<b>THROOP AVE &amp; LORIMER ST</b>	<b>WNW 0 - 1/8 (0.108 mi.)</b>	<b>M65</b>	<b>274</b>
<b>PFIZER INC BROOKLYN PLANT</b>	<b>73 GERRY ST</b>	<b>SSW 1/8 - 1/4 (0.131 mi.)</b>	<b>Q77</b>	<b>322</b>
<b>CON ED-V5285</b>	<b>SEIGAL ST &amp; MANHATTAN A</b>	<b>NE 1/8 - 1/4 (0.133 mi.)</b>	<b>R78</b>	<b>327</b>
<b>CON ED - VS 5285</b>	<b>SEIGAL ST &amp; MANHATTAN A</b>	<b>NE 1/8 - 1/4 (0.133 mi.)</b>	<b>R79</b>	<b>327</b>
<b>NYCTA - 22 THROOP AVE</b>	<b>22 THROOP AVE</b>	<b>NW 1/8 - 1/4 (0.141 mi.)</b>	<b>80</b>	<b>329</b>
<b>IS 318</b>	<b>101 WALTON ST</b>	<b>WSW 1/8 - 1/4 (0.145 mi.)</b>	<b>P81</b>	<b>334</b>
<b>CON EDISON - 67 MANHATTAN AVE</b>	<b>67 MANHATTAN AVE</b>	<b>NE 1/8 - 1/4 (0.150 mi.)</b>	<b>S84</b>	<b>354</b>
<b>BAIS RUCHEL HIGH SCHOOL INC</b>	<b>177 HARRISON AVE</b>	<b>SW 1/8 - 1/4 (0.162 mi.)</b>	<b>86</b>	<b>366</b>
<b>MARS CLEANERS</b>	<b>80 MANHATTAN AVE</b>	<b>NE 1/8 - 1/4 (0.166 mi.)</b>	<b>S87</b>	<b>379</b>
<b>NYCT - BROADWAY-LORIMER SUBSTA</b>	<b>143 LORIMER ST</b>	<b>W 1/8 - 1/4 (0.167 mi.)</b>	<b>T89</b>	<b>391</b>
<b>CON ED - MH 485</b>	<b>GERRY ST &amp; HARRISON AVE</b>	<b>SSW 1/8 - 1/4 (0.169 mi.)</b>	<b>U91</b>	<b>394</b>
<b>V4821</b>	<b>48 GERRY STREET</b>	<b>SSW 1/8 - 1/4 (0.172 mi.)</b>	<b>U93</b>	<b>398</b>
<b>ARLINGTON PRESS-191 HARRISON A</b>	<b>191 HARRISON AVE</b>	<b>SSW 1/8 - 1/4 (0.173 mi.)</b>	<b>U94</b>	<b>400</b>
<b>HARRISON DRY CLEANERS</b>	<b>209 HARRISON AVENUE</b>	<b>SSW 1/8 - 1/4 (0.191 mi.)</b>	<b>W100</b>	<b>425</b>
<b>HYDRO TECH</b>	<b>70 UNION AVENUE</b>	<b>WSW 1/8 - 1/4 (0.192 mi.)</b>	<b>101</b>	<b>436</b>
<b>KNIGHTS COLLISION EXPERTS INC</b>	<b>120 UNION AVE</b>	<b>W 1/8 - 1/4 (0.203 mi.)</b>	<b>Y106</b>	<b>457</b>
<b>PFIZER INC</b>	<b>11 BARTLETT ST</b>	<b>SSW 1/8 - 1/4 (0.204 mi.)</b>	<b>W107</b>	<b>468</b>

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONSOLIDATED EDISON MH1401	64 GRAHAM AVE	E 1/8 - 1/4 (0.205 mi.)	Z109	487
<b>PFIZER INC BROOKLYN PLANT</b>	<b>338 WALLABOUT ST</b>	<b>SW 1/8 - 1/4 (0.213 mi.)</b>	<b>AB117</b>	<b>524</b>
CONSOLIDATED EDISON	MIDDLETON & HARRISON	W 1/8 - 1/4 (0.223 mi.)	AF127	570
<b>NYC BD OF ED - PUBLIC SCHOOL 2</b>	<b>60 COOK ST</b>	<b>ESE 1/8 - 1/4 (0.230 mi.)</b>	<b>AG131</b>	<b>583</b>
<b>630 FLUSHING AVE</b>	<b>630 FLUSHING AVE</b>	<b>SSW 1/8 - 1/4 (0.232 mi.)</b>	<b>AH135</b>	<b>624</b>
CONSOLIDATED EDISON	MCKIBBEN ST & GRAHAM AV	NE 1/8 - 1/4 (0.236 mi.)	139	683
<b>CON ED-MH 15132</b>	<b>MANHATTAN AVE &amp; JOHNSONNE</b>	<b>1/8 - 1/4 (0.246 mi.)</b>	<b>141</b>	<b>687</b>

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 06/28/2011 has revealed that there are 2 DRYCLEANERS sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MARS CLEANERS	80 MANHATTAN AVE.	NE 1/8 - 1/4 (0.166 mi.)	S88	390
HARRISON/YORKTOWN/ACE RAPID DR	209 HARRISON AVENUE #A	SSW 1/8 - 1/4 (0.191 mi.)	W99	425

E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the E DESIGNATION list, as provided by EDR, and dated 09/08/2011 has revealed that there are 45 E DESIGNATION sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 33,TAXBLOCK 2250	66 THROOP AVENUE	SW 0 - 1/8 (0.035 mi.)	B5	21
LOT 29,TAXBLOCK 2266	72 THROOP AVENUE	SSW 0 - 1/8 (0.038 mi.)	B6	27
LOT 32,TAXBLOCK 2250	62 THROOP AVENUE	WSW 0 - 1/8 (0.039 mi.)	B7	33
LOT 30,TAXBLOCK 2266	74 THROOP AVENUE	SSW 0 - 1/8 (0.041 mi.)	B8	39
LOT 31,TAXBLOCK 2266	76 THROOP AVENUE	S 0 - 1/8 (0.045 mi.)	C9	46
LOT 29,TAXBLOCK 2250	56 THROOP AVENUE	W 0 - 1/8 (0.051 mi.)	E13	71
LOT 28,TAXBLOCK 2250	54 THROOP AVENUE	W 0 - 1/8 (0.056 mi.)	E15	77
LOT 34,TAXBLOCK 2266	82 THROOP AVENUE	S 0 - 1/8 (0.060 mi.)	C16	81
LOT 27,TAXBLOCK 2250	52 THROOP AVENUE	WNW 0 - 1/8 (0.061 mi.)	E17	88
LOT 25,TAXBLOCK 2266	398 WALLABOUT STREET	SW 0 - 1/8 (0.062 mi.)	F20	97
LOT 36,TAXBLOCK 2250	313 WALLABOUT STREET	SW 0 - 1/8 (0.062 mi.)	F21	103
LOT 27,TAXBLOCK 2269	84 THROOP AVENUE	S 0 - 1/8 (0.063 mi.)	C22	109
LOT 37,TAXBLOCK 2250	311 WALLABOUT STREET	SW 0 - 1/8 (0.067 mi.)	F24	115
LOT 23,TAXBLOCK 2266	394 WALLABOUT STREET	SW 0 - 1/8 (0.072 mi.)	F25	121
LOT 29,TAXBLOCK 2269	88 THROOP AVENUE	SSE 0 - 1/8 (0.073 mi.)	G26	127
<b>307 WALLABOUT STREET</b>	<b>307 WALLABOUT STREET</b>	<b>SW 0 - 1/8 (0.076 mi.)</b>	<b>F27</b>	<b>130</b>
LOT 30,TAXBLOCK 2269	90 THROOP AVENUE	SSE 0 - 1/8 (0.079 mi.)	G28	138
LOT 36,TAXBLOCK 2266	99 GERRY STREET	S 0 - 1/8 (0.079 mi.)	H29	141
LOT 25,TAXBLOCK 2250	116 WALTON STREET	W 0 - 1/8 (0.080 mi.)	30	144
LOT 25,TAXBLOCK 2269	90 GERRY STREET	S 0 - 1/8 (0.080 mi.)	H32	150
LOT 21,TAXBLOCK 2266	390 WALLABOUT STREET	SW 0 - 1/8 (0.081 mi.)	F35	159
LOT 40,TAXBLOCK 2250	305 WALLABOUT STREET	SW 0 - 1/8 (0.081 mi.)	F36	165
LOT 37,TAXBLOCK 2266	97 GERRY STREET	SSW 0 - 1/8 (0.083 mi.)	H37	170
LOT 24,TAXBLOCK 2269	88 GERRY STREET	SSW 0 - 1/8 (0.084 mi.)	H38	173
LOT 38,TAXBLOCK 2266	95 GERRY STREET	SSW 0 - 1/8 (0.085 mi.)	H41	186
LOT 20,TAXBLOCK 2266	388 WALLABOUT STREET	SW 0 - 1/8 (0.086 mi.)	F42	190
LOT 23,TAXBLOCK 2269	86 GERRY STREET	SSW 0 - 1/8 (0.088 mi.)	H43	196
LOT 39,TAXBLOCK 2266	93 GERRY STREET	SSW 0 - 1/8 (0.091 mi.)	H44	199

## EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 19,TAXBLOCK 2266	386 WALLABOUT STREET	SW 0 - 1/8 (0.092 mi.)	K45	203
LOT 40,TAXBLOCK 2266	91 GERRY STREET	SSW 0 - 1/8 (0.095 mi.)	H46	209
LOT 18,TAXBLOCK 2266	384 WALLABOUT STREET	SW 0 - 1/8 (0.095 mi.)	K47	214
LOT 17,TAXBLOCK 2266	382 WALLABOUT STREET	SW 0 - 1/8 (0.100 mi.)	K49	222
LOT 19,TAXBLOCK 2269	78 GERRY STREET	SSW 0 - 1/8 (0.104 mi.)	L50	228
LOT 16,TAXBLOCK 2266	380 WALLABOUT STREET	SW 0 - 1/8 (0.105 mi.)	K54	239
LOT 41,TAXBLOCK 2250	295 WALLABOUT STREET	SW 0 - 1/8 (0.105 mi.)	K55	245
LOT 33,TAXBLOCK 2269	69 BARTLETT STREET	SSE 0 - 1/8 (0.108 mi.)	O61	263
LOT 18,TAXBLOCK 2269	76 GERRY STREET	SSW 0 - 1/8 (0.108 mi.)	L62	266
LOT 15,TAXBLOCK 2266	378 WALLABOUT STREET	SW 0 - 1/8 (0.110 mi.)	K66	276
LOT 35,TAXBLOCK 2269	65 BARTLETT STREET	SSE 0 - 1/8 (0.112 mi.)	O67	282
LOT 17,TAXBLOCK 2269	74 GERRY STREET	SSW 0 - 1/8 (0.113 mi.)	L68	285
LOT 14,TAXBLOCK 2266	376 WALLABOUT STREET	SW 0 - 1/8 (0.114 mi.)	K69	288
LOT 46,TAXBLOCK 2250	291 WALLABOUT STREET	SW 0 - 1/8 (0.115 mi.)	K70	294
LOT 36,TAXBLOCK 2269	63 BARTLETT STREET	SSE 0 - 1/8 (0.115 mi.)	O71	300
LOT 48,TAXBLOCK 2250	289 WALLABOUT STREET	SW 0 - 1/8 (0.119 mi.)	72	303
LOT 39,TAXBLOCK 2269	57 BARTLETT STREET	S 0 - 1/8 (0.123 mi.)	73	309

### EDR PROPRIETARY RECORDS

#### *EDR Proprietary Records*

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there are 5 Manufactured Gas Plants sites within approximately 1 mile of the target property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SKILLMAN STATION	SKILLMAN ST. FLUSHING A	WSW 1/2 - 1 (0.677 mi.)	184	858
NASSAU GAS	SKILLMAN AVE	SW 1/2 - 1 (0.702 mi.)	185	859
SCHOLES ST. STATION	SCHOLES ST 7 BOGART STS	NE 1/2 - 1 (0.762 mi.)	186	859
RUTLEDGE STATION	RUTLEDGE ST. WYTHE AND	WSW 1/2 - 1 (0.804 mi.)	187	859
KEAP ST. STATION	KEAP ST. WYTHE AVE. HOO	W 1/2 - 1 (0.868 mi.)	189	861

## EXECUTIVE SUMMARY


Due to poor or inadequate address information, the following sites were not mapped. Count: 20 records.

<u>Site Name</u>	<u>Database(s)</u>
BELL ATLANTIC-NY	MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
NYCTA - 977 BROADWAY	FINDS,MANIFEST,RCRA-NLR
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
NYCDOT C/O KOCH-SKANSKA	RCRA-CESQG,MANIFEST
NYCDOT PRESIDENT ST BRIDGE	RCRA-NLR,MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
BKLYN UNION GAS /NASSAU WORKS	CERCLIS-NFRAP
NYSDOT CONTRACT D258425	FINDS,RCRA-NLR
GALANTE INC-144 NOLL ST	FINDS
NYC DEP-WALLABOUT CHANNEL/S DIV ST	FINDS
E 29TH ST & KINGS HWY	SPILLS,HIST SPILLS
GOWANIS HWY BY 65TH ST	SPILLS,HIST SPILLS
BETW/AVE X &	SPILLS
BOX 38486	SPILLS,HIST SPILLS
TO ROADWAY	SPILLS
ROADWAY	SPILLS
KINGS HIGHWAY MOBIL	SPILLS
205842; KINGS HWY	SPILLS

# OVERVIEW MAP - 3229817.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines from USGS
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory
- State Wetlands




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 392 WALLABOUT ST  
 ADDRESS: 392 WALLABOUT ST  
 Brooklyn NY 11206  
 LAT/LONG: 40.7031 / 73.9464

CLIENT: Env. Business Consultants  
 CONTACT: C. Sosik  
 INQUIRY #: 3229817.2s  
 DATE: December 23, 2011 10:45 am

# DETAIL MAP - 3229817.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚙ Manufactured Gas Plants
- ⚠ Sensitive Receptors
- 🚧 National Priority List Sites
- 🏢 Dept. Defense Sites

- 🏠 Indian Reservations BIA
- ⚡ Power transmission lines
- 🛢 Oil & Gas pipelines from USGS
- 🌊 100-year flood zone
- 🌊 500-year flood zone

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 392 WALLABOUT ST  
 ADDRESS: 392 WALLABOUT ST  
 Brooklyn NY 11206  
 LAT/LONG: 40.7031 / 73.9464

CLIENT: Env. Business Consultants  
 CONTACT: C. Sosik  
 INQUIRY #: 3229817.2s  
 DATE: December 23, 2011 10:46 am

## MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Federal NPL site list</i></b>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
NPL LIENS		TP	NR	NR	NR	NR	NR	0
<b><i>Federal Delisted NPL site list</i></b>								
Delisted NPL		1.000	0	0	0	0	NR	0
<b><i>Federal CERCLIS list</i></b>								
CERCLIS		0.500	0	0	0	NR	NR	0
FEDERAL FACILITY		1.000	0	0	0	0	NR	0
<b><i>Federal CERCLIS NFRAP site List</i></b>								
CERC-NFRAP		0.500	0	0	2	NR	NR	2
<b><i>Federal RCRA CORRACTS facilities list</i></b>								
CORRACTS		1.000	0	1	0	1	NR	2
<b><i>Federal RCRA non-CORRACTS TSD facilities list</i></b>								
RCRA-TSDF		0.500	0	0	0	NR	NR	0
<b><i>Federal RCRA generators list</i></b>								
RCRA-LQG		0.250	1	3	NR	NR	NR	4
RCRA-SQG		0.250	0	2	NR	NR	NR	2
RCRA-CESQG		0.250	1	5	NR	NR	NR	6
<b><i>Federal institutional controls / engineering controls registries</i></b>								
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS		TP	NR	NR	NR	NR	NR	0
<b><i>State- and tribal - equivalent CERCLIS</i></b>								
SHWS		1.000	0	0	0	1	NR	1
VAPOR REOPENED		1.000	0	0	0	0	NR	0
<b><i>State and tribal landfill and/or solid waste disposal site lists</i></b>								
SWF/LF		0.500	0	0	1	NR	NR	1
<b><i>State and tribal leaking storage tank lists</i></b>								
LTANKS		0.500	0	6	33	NR	NR	39
HIST LTANKS		0.500	1	6	31	NR	NR	38
INDIAN LUST		0.500	0	0	0	NR	NR	0
<b><i>State and tribal registered storage tank lists</i></b>								
TANKS		0.250	0	1	NR	NR	NR	1

## MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
UST		0.250	5	16	NR	NR	NR	21
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
AST		0.250	2	9	NR	NR	NR	11
CBS AST		0.250	0	1	NR	NR	NR	1
MOSF AST		0.500	0	0	0	NR	NR	0
MOSF		0.500	0	0	0	NR	NR	0
CBS		0.250	0	1	NR	NR	NR	1
INDIAN UST		0.250	0	0	NR	NR	NR	0
FEMA UST		0.250	0	0	NR	NR	NR	0
<b>State and tribal institutional control / engineering control registries</b>								
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
RES DECL		0.125	0	NR	NR	NR	NR	0
<b>State and tribal voluntary cleanup sites</b>								
INDIAN VCP		0.500	0	0	0	NR	NR	0
VCP		0.500	0	3	0	NR	NR	3
<b>State and tribal Brownfields sites</b>								
ERP		0.500	0	0	0	NR	NR	0
BROWNFIELDS		0.500	0	0	0	NR	NR	0
<b>ADDITIONAL ENVIRONMENTAL RECORDS</b>								
<b>Local Brownfield lists</b>								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
<b>Local Lists of Landfill / Solid Waste Disposal Sites</b>								
ODI		0.500	0	0	0	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
<b>Local Lists of Hazardous waste / Contaminated Sites</b>								
US CDL		TP	NR	NR	NR	NR	NR	0
DEL SHWS		1,000	0	0	0	0	NR	0
US HIST CDL		TP	NR	NR	NR	NR	NR	0
<b>Local Lists of Registered Storage Tanks</b>								
HIST UST		0.250	5	9	NR	NR	NR	14
HIST AST		TP	NR	NR	NR	NR	NR	0
<b>Local Land Records</b>								
LIENS 2		TP	NR	NR	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LUCIS		0.500	0	0	0	NR	NR	0
<b>Records of Emergency Release Reports</b>								
HMIRS		TP	NR	NR	NR	NR	NR	0
NY Spills		0.125	14	NR	NR	NR	NR	14
NY Hist Spills		0.125	6	NR	NR	NR	NR	6
<b>Other Ascertainable Records</b>								
RCRA-NonGen		0.250	4	11	NR	NR	NR	15
DOT OPS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
HSWDS		0.500	0	0	1	NR	NR	1
UIC		TP	NR	NR	NR	NR	NR	0
MANIFEST		0.250	4	27	NR	NR	NR	31
DRYCLEANERS		0.250	0	2	NR	NR	NR	2
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
E DESIGNATION	X	0.125	45	NR	NR	NR	NR	45
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0
COAL ASH		0.500	0	0	0	NR	NR	0
FINANCIAL ASSURANCE		TP	NR	NR	NR	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0

### EDR PROPRIETARY RECORDS

#### **EDR Proprietary Records**

Manufactured Gas Plants		1.000	0	0	0	5	NR	5
-------------------------	--	-------	---	---	---	---	----	---

#### NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

A1  
Target  
Property

LOT 22,TAXBLOCK 2266  
392 WALLABOUT STREET  
BROOKLYN, NY 11206

E DESIGNATION

S110242366  
N/A

Site 1 of 3 in cluster A

Actual:  
13 ft.

E DESIGNATION:  
Tax Lot(s): 22  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000003425  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: Y  
Lot Type: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 22,TAXBLOCK 2266 (Continued)**

**S110242366**

Basement Type Grade: 5  
Land Assessed Value: 00000025515  
Total Assessed Value: 00000025515  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660022  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998867  
Y Coordinate: 0195107  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 22  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 22,TAXBLOCK 2266 (Continued)**

**S110242366**

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000003425  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: Y  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000025515  
Total Assessed Value: 00000025515  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660022  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998867  
Y Coordinate: 0195107  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 22,TAXBLOCK 2266 (Continued)**

**S110242366**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 22  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000003425  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: Y  
Lot Type: 5  
Basement Type Grade: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 22,TAXBLOCK 2266 (Continued)**

**S110242366**

Land Assessed Value: 00000025515  
Total Assessed Value: 00000025515  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660022  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998867  
Y Coordinate: 0195107  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 22  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 22,TAXBLOCK 2266 (Continued)**

**S110242366**

Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000003425  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: Y  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000025515  
Total Assessed Value: 00000025515  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660022  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998867  
Y Coordinate: 0195107  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 22,TAXBLOCK 2266 (Continued)**

**S110242366**

Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**A2**  
**East**  
**< 1/8**  
**0.014 mi.**  
**73 ft.**

**SOSA DIAGNOSTIC REPAIR INC.**  
**620 BROADWAY**  
**BROOKLYN, NY 11206**

**AST A100304674**  
**N/A**

**Site 2 of 3 in cluster A**

**Relative:**  
**Equal**

AST:

**Actual:**  
**13 ft.**

Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-610529  
Program Type: PBS  
UTM X: 589024.8255999998  
UTM Y: 4506333.3587300004  
Expiration Date: 2012/04/04

Affiliation Records:

Site Id: 379408  
Affiliation Type: Mail Contact  
Company Name: SOSA DIAGNOSTIC REPAIR INC.  
Contact Type: Not reported  
Contact Name: WILLIAM SOSA  
Address1: 91-50 114TH STREET  
Address2: Not reported  
City: RICHMOND HILL  
State: NY  
Zip Code: 11418  
Country Code: 001  
Phone: (347) 234-3274  
Phone Ext: Not reported  
Email: CRAZY CASSY@MSN.COM  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 4/4/2007

Site Id: 379408  
Affiliation Type: On-Site Operator  
Company Name: SOSA DIAGNOSTIC REPAIR INC.  
Contact Type: Not reported  
Contact Name: FIDEL SOSA  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 388-7399  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 4/4/2007

Site Id: 379408  
Affiliation Type: Owner

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SOSA DIAGNOSTIC REPAIR INC. (Continued)**

**A100304674**

Company Name: FIDEL SOSA  
Contact Type: OWNER/OPERATOR  
Contact Name: FIDEL SOSA  
Address1: 91-50 114TH ST  
Address2: Not reported  
City: RICHMOND HILL  
State: NY  
Zip Code: 11418  
Country Code: 001  
Phone: (718) 846-3878  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 4/4/2007

Site Id: 379408  
Affiliation Type: Emergency Contact  
Company Name: FIDEL SOSA  
Contact Type: Not reported  
Contact Name: WILLIAM SOSA  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (347) 234-3274  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 4/4/2007

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner  
G00 - Tank Secondary Containment - None  
K01 - Spill Prevention - Catch Basin  
I01 - Overfill - Float Vent Valve  
J01 - Dispenser - Submersible  
E00 - Piping Secondary Containment - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
F00 - Pipe External Protection - None  
C00 - Pipe Location - No Piping  
D00 - Pipe Type - No Piping  
L00 - Piping Leak Detection - None  
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Info:

Tank Number: 001  
Tank Id: 216665  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SOSA DIAGNOSTIC REPAIR INC. (Continued)**

**A100304674**

Install Date: 1/1/1975  
 Capacity Gallons: 275  
 Tightness Test Method: NN  
 Date Test: Not reported  
 Next Test Date: Not reported  
 Date Tank Closed: Not reported  
 Register: True  
 Modified By: NRLOMBAR  
 Last Modified: 4/4/2007

**A3  
 NNW  
 < 1/8  
 0.021 mi.  
 109 ft.**

**613 BROADWAY  
 BROOKLYN, NY  
 Site 3 of 3 in cluster A**

**NY Spills S104951601  
 NY Hist Spills N/A**

**Relative:  
 Equal**

NY Spills:  
 Site ID: 328889  
 Facility Addr2: AKA 331-341 WALLABOUT STREET  
 Facility ID: 0013601  
 Spill Number: 0013601  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: RVKETANI  
 Referred To: MOORE  
 Spill Date: 3/28/2001  
 Reported to Dept: 3/28/2001  
 CID: 233  
 Spill Cause: Unknown  
 Water Affected: Not reported  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Other  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

**Actual:  
 13 ft.**

Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 12/14/2009  
 Remediation Phase: 0  
 Date Entered In Computer: 3/28/2001  
 Spill Record Last Update: 12/14/2009  
 Spiller Name: SLAVIK  
 Spiller Company: WALLABOUT DEVELOPMENT, LLC  
 Spiller Address: 613 BROADWAY  
 Spiller City,St,Zip: BROOKLYN, NY 11206  
 Spiller Company: 999  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 DEC Region: 2  
 DER Facility ID: 264684  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "M TIBBE" assigned to C. Whitfield in backlog initiative; no file received from region. Original 3/28/01 site info indicates caller was a contractor asked for quote for soil cleanup as part of construction project. The caller was not selected for the work due to price. A search of spills database by location did not reveal any other spill

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S104951601

report, however, Property Shark indicated the location is also known as 331 - 341 Wallabout Street. On May 1, 2001 Wallabout Development, LLC was registered with NYSDOS. This location is now occupied by a 7 story 101' X 72' condo built in 2001 owned by Wallabout Development. Next step is to pursue new owner for documentation of soil removal or close administratively. 10/2/09 - Austin - Spill transferred from Albany staff to Ketani, for further investigation - end 10/27/09 - Raphael Ketani. The spill was discovered or took place on 3/28/01. It consisted of a call from someone at a construction company to PTC, an oil spill cleanup contractor. PTC called in the spill, but the nature of the spill was not known. The spill site address is 613 Broadway. However, the previous DEC case manager thought that the site was the location of a condo building that was under construction. This location is 614 Broadway and is listed in Property Shark as the same block and lot as 331-341 Wallabout Street. The block and lot is listed in Property Shark as 2251 and 7501, but ACRIS lists the block as 1003. On top of this, Property Shark doesn't list the address 613. The closest one is 607 and this belongs to the Lindsay Park Houses. So it is not clear whether the condo building is the correct spill location. If 614 Broadway is the correct address, then the condominium building is the correct site. The construction company was Wallabout Development, LLC, 341 Wallabout Street, Ste 1A, Brooklyn, 11206. The general builder was Wallabout Development, Inc., 1454 42 Street, Brooklyn, 11219. Mr. Slavik (917) 364-5803 was the last contact at Wallabout. The site is near the intersection of Manhattan Avenue and Broadway. There is no PBS registration, nor a case file, nor any E-docs. I will make a site visit. 12/7/09 - Raphael Ketani. I made an unannounced site visit. The building is of relatively new construction. It is a brick apartment building and sits at the corner of Wallabout Street and Broadway. A side entrance had the address 610 Broadway. A doctor's office is at 341 Wallabout Street. I could not locate the other alternate address, 331 Wallabout Street. I did not see a management company address or name plate in the lobby for the building. There were no oil odors. I rechecked the block and lot information with the address of 331 to 341 Wallabout Street. ACRIS indicated that the block and lot were 2251 and 1003. The owner appears to be Broadway Wallabout Realty, LLC, 341 Wallabout Street, apt 1A, Brklyn, 11206. 12/8/09 - Raphael Ketani. I contacted Mr. Slavik, the last known party who was involved in the building construction. He told me to contact K I Construction (718) 387-0400. I contacted K I Construction and spoke to one of the owners, Aron Kapelyus. He said that the building was built 6 years ago. However, before this, it was a vacant lot for 15 years. Mr. Kapelyus said that the lot was dug out in order to construct the foundation. I asked him whether the basement is one level or two levels. He said that it was just one level and that the digging went down 6 feet. I asked him where the oil contaminated soil was sent to. He said that there was no oil contaminated soil. I asked him whether he can send me copies of the soil disposal manifests. He said that he has none. I asked him whether he can send me a copy of the construction plan for the foundation. He said that he will e-mail it to me. He passed my call to Carol, his secretary, and she took down my e-mail information. 12/14/09 - Raphael Ketani. I never received the plans for the foundation, nor the excavation for the foundation. As the contaminated soil was most likely removed as part of the soil excavation to at least 6 feet below grade, as there were no oil odors in the lobby, nor visible impacts from any contaminated soil, as

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

(Continued)

S104951601

Remarks: there is no further information regarding the spill, and as there doesn't appear to be any threat to human safety, or the environment, I am closing the spill case.  
CALLER WAS CONTACTED TO GIVE A PRICE ON A CLENA UP JOB AT THE ABOVE LOCATION SITE IS UNDER CONSTRUCTION AFTER CALLER GAVE HIS PRICE THEY TOLD HIM IT WAS TOO MUCH HE IS REPORTING SPILL TO COVER HIMSELF UNK WHEN SPILL OCCURED OR IF IT MAY HAVE ALREADY BEEN REPORTED

Material:

Site ID: 328889  
Operable Unit ID: 835084  
Operable Unit: 01  
Material ID: 540309  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2  
Spill Number: 0013601  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 03/28/2001 12:00  
Reported to Dept Date/Time: 03/28/01 18:29  
SWIS: 61  
Spiller Name: UNK  
Spiller Contact: SLAVIK  
Spiller Phone: (917) 364-5803  
Spiller Address: 613 BROADWAY  
Spiller City,St,Zip: BROOKLYN  
Spill Cause: Unknown  
Reported to Dept: On Land  
Water Affected: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

(Continued)

S104951601

Spill Source: 01  
 Spill Notifier: Other  
 PBS Number: Not reported  
 Cleanup Ceased: / /  
 Cleanup Meets Std: False  
 Last Inspection: / /  
 Recommended Penalty: Penalty Not Recommended  
 Spiller Cleanup Dt: / /  
 Enforcement Date: / /  
 Invstgn Complete: / /  
 UST Involvement: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: / /  
 Corrective Action Plan Submitted: / /  
 Date Region Sent Summary to Central Office: / /  
 Date Spill Entered In Computer Data File: 03/28/01  
 Date Spill Entered In Computer Data File: Not reported  
 Update Date: 03/29/01  
 Is Updated: False

Tank:

PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate Failed Tank: Not reported  
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
 Quantity Spilled: 0  
 Unkonwn Quantity Spilled: True  
 Units: Gallons  
 Quantity Recovered: 0  
 Unkonwn Quantity Recovered: False  
 Material: #2 FUEL OIL  
 Class Type: #2 FUEL OIL  
 Times Material Entry In File: 24464  
 CAS Number: Not reported  
 Last Date: 19941207  
 DEC Remarks: Not reported  
 Remark: CALLER WAS CONTACTED TO GIVE A PRICE ON A CLENA UP JOB AT THE ABOVE LOCATION  
 SITE IS UNDER CONSTRUCTION AFTER CALLER GAVE HIS PRICE THEY TOLD HIM IT WAS  
 TOO MUCH HE IS REPORTING SPILL TO COVER HIMSELF UNK WHEN SPILL OCCURED OR  
 IF IT MAY HAVE ALREADY BEEN REPORTED

4  
 NE  
 < 1/8  
 0.034 mi.  
 178 ft.

**VAULT 3871  
 MOORE AND LEONARD ST  
 BROOKLYN, NY**

**NY Spills S103937163  
 NY Hist Spills N/A**

**Relative:  
 Equal**

NY Spills:  
 Site ID: 202877  
 Facility Addr2: Not reported  
 Facility ID: 9901618  
 Spill Number: 9901618  
 Facility Type: ER

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAULT 3871 (Continued)**

**S103937163**

SWIS: 2401  
Investigator: CAENGELH  
Referred To: Not reported  
Spill Date: 5/11/1999  
Reported to Dept: 5/11/1999  
CID: 207  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 4/3/2002  
Remediation Phase: 0  
Date Entered In Computer: 5/11/1999  
Spill Record Last Update: 4/3/2002  
Spiller Name: CALLER  
Spiller Company: CON ED  
Spiller Address: 4 IRVING PLACE  
Spiller City,St,Zip: NEW YORK, NY 10003  
Spiller Company: 001  
Contact Name: RIHCARD ROACH  
Contact Phone: (212) 580-6763  
DEC Region: 2  
DER Facility ID: 168749  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ENGELHARDT" DEC INSPECTOR NOTES 5-12-99 ERT Ron Consentino Capacity 245 gal. Drained 215 gal. D= 30 gal. Liquid removed from structure Cement sump PCB - 9ppm historical Sample from vault - 11 " from transformer -14 Removing transformer today, cables cut. CON ED E2MIS NOTES 6-01-99 Approx. 35 gals. of oil on 400 gals. of water, no sewer connection in structure; no sewers or wayerways affected. Records indicate 9ppm PCB count. Lab Results;Lab seq#99-04906 11ppm 2236hrs. Update A bottom leaker, TM capacity is 245 gals. 5-12-99 Update 0332hrs. Removed 215 gals. oil from transformer Update 5-12-99 Lab Seq#99-04913 14ppm from inside of VS 3871 UPDATE 5-12-99 13:00HRS R. VEGA REPORTS, TRANSFORMER WAS REMOVED AND HE COMPLETED CLEANUP USING SLIX & ENV. STOP TAG # 07102 REMOVED. INCIDENT IS CLOSED.  
Remarks: trapped in concrete vault 124806 - con ed #  
Material:  
Site ID: 202877  
Operable Unit ID: 1080376  
Operable Unit: 01  
Material ID: 305152  
Material Code: 0020A  
Material Name: TRANSFORMER OIL  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 35  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAULT 3871 (Continued)**

**S103937163**

Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

NY Hist Spills:  
Region of Spill: 2  
Spill Number: 9901618  
Investigator: ENGELHARDT  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 05/11/1999 18:00  
Reported to Dept Date/Time: 05/11/99 18:55  
SWIS: 61  
Spiller Name: CON ED  
Spiller Contact: CALLER  
Spiller Phone: ( ) -  
Spiller Contact: RIHCARD ROACH  
Spiller Phone: (212) 580-6763  
Spiller Address: 4 IRVING PLACE  
Spiller City,St,Zip: MANHATTAN, NY 10003-  
Spill Cause: Equipment Failure  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 01  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 05/11/99  
Date Spill Entered In Computer Data File: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**VAULT 3871 (Continued)**

**S103937163**

Update Date: 08/14/00  
 Is Updated: False

Tank:  
 PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate Failed Tank: Not reported  
 Gross Leak Rate: Not reported

Material:  
 Material Class Type: Petroleum  
 Quantity Spilled: 35  
 Unkonwn Quantity Spilled: False  
 Units: Gallons  
 Quantity Recovered: 0  
 Unkonwn Quantity Recovered: False  
 Material: TRANSFORMER OIL  
 Class Type: TRANSFORMER OIL  
 Times Material Entry In File: 533  
 CAS Number: Not reported  
 Last Date: 19940926  
 DEC Remarks: DEC INSPECTOR NOTES 5-12-99 ERT Ron Consentino Capacity 245 gal. Drained 215 gal. D= 30 gal. Liquid removed from structure Cement sump PCB - 9ppm historical Sample from vault - 11 from transfromer -14 Removing transformer today, cables cut. CON ED E2MIS NOTES 6-01-99 Approx. 35 gals. of oil on 400 gals. of water, no sewer connection in structure; no sewers or wayerways affected. Records indicate 9ppm PCB count. Lab Results;Lab seq 99-04906 11ppm 2236hrs. Update A bottom leaker, TM capacity is 245 gals. 5-12-99 Update 0332hrs. Removed 215 gals. oil from transformer Update 5-12-99 Lab Seq 99-04913 14ppm from inside of VS 3871 13:00hrs. C.Cleanup completed and tag 07102 removed  
 Remark: trapped in concrete vault 124806 - con ed

**B5**  
**SW**  
 < 1/8  
 0.035 mi.  
 187 ft.

**LOT 33,TAXBLOCK 2250**  
**66 THROOP AVENUE**  
**BROOKLYN, NY 11206**  
 Site 1 of 4 in cluster B

**E DESIGNATION S110242391**  
**N/A**

**Relative:**  
**Equal**

E DESIGNATION:  
 Tax Lot(s): 33  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090

**Actual:**  
 13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 33,TAXBLOCK 2250 (Continued)**

**S110242391**

Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: 66 THROOP EQUITIES CO  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000005000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000024750  
Total Assessed Value: 00000102600  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500033  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998862  
Y Coordinate: 0195319  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 33,TAXBLOCK 2250 (Continued)

S110242391

E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 33  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: 66 THROOP EQUITIES CO  
Lot Area: 000005000  
Total Building Floor Area: 0000005000  
Commercial Floor Area: 0000005000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000005000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 33,TAXBLOCK 2250 (Continued)**

**S110242391**

Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000024750  
Total Assessed Value: 00000102600  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500033  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998862  
Y Coordinate: 0195319  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 33  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 33,TAXBLOCK 2250 (Continued)**

**S110242391**

Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	E9
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	66 THROOP EQUITIES CO
Lot Area:	000005000
Total Building Floor Area:	00000005000
Commercial Floor Area:	00000005000
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000005000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0050.00
Lot Depth:	0100.00
Building Frontage:	0050.00
Building Depth:	0100.00
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	3
Basement Type Grade:	5
Land Assessed Value:	00000024750
Total Assessed Value:	00000102600
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1993
Year Built Code:	Not reported
Year Altered1:	1994
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022500033
Condominium Number:	00000
Census Tract 2:	0507
X Coordinate:	0998862
Y Coordinate:	0195319
Zoning Map:	13B
Sanborn Map:	303 035
Tax Map:	30803
E Designation No:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 33,TAXBLOCK 2250 (Continued)**

**S110242391**

Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 33  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: 66 THROOP EQUITIES CO  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000005000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 33,TAXBLOCK 2250 (Continued)**

**S110242391**

Building Frontage: 0050.00  
 Building Depth: 0100.00  
 Proximity Code: 1  
 Irregular Lot Code: N  
 Lot Type: 3  
 Basement Type Grade: 5  
 Land Assessed Value: 00000024750  
 Total Assessed Value: 00000102600  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 1993  
 Year Built Code: Not reported  
 Year Altered1: 1994  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0001.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022500033  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998862  
 Y Coordinate: 0195319  
 Zoning Map: 13B  
 Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**B6**  
**SSW**  
**< 1/8**  
**0.038 mi.**  
**200 ft.**

**LOT 29,TAXBLOCK 2266**  
**72 THROOP AVENUE**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242381**  
**N/A**

**Site 2 of 4 in cluster B**

**Relative:**  
**Equal**

**E DESIGNATION:**  
 Tax Lot(s): 29  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b

**Actual:**  
**13 ft.**

Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2266 (Continued)**

**S110242381**

School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000007500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000060750  
Total Assessed Value: 00000076950  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660029  
Condominium Number: 00000  
Census Tract 2: 0507

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2266 (Continued)**

**S110242381**

X Coordinate: 0998954  
Y Coordinate: 0195217  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 29  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000007500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2266 (Continued)**

**S110242381**

Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0075.00
Lot Depth:	0100.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000060750
Total Assessed Value:	00000076950
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022660029
Condominium Number:	00000
Census Tract 2:	0507
X Coordinate:	0998954
Y Coordinate:	0195217
Zoning Map:	13B
Sanborn Map:	303 036
Tax Map:	30803
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	29
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	3003
School District:	14

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2266 (Continued)**

**S110242381**

City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000007500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000060750  
Total Assessed Value: 00000076950  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660029  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998954

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2266 (Continued)**

**S110242381**

Y Coordinate: 0195217  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 29  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000007500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 29,TAXBLOCK 2266 (Continued)**

**S110242381**

Number of Floors: 000.00  
 Residential Units: 00000  
 Non and Residential Units: 00000  
 Lot Frontage: 0075.00  
 Lot Depth: 0100.00  
 Building Frontage: 0000.00  
 Building Depth: 0000.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000060750  
 Total Assessed Value: 00000076950  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660029  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998954  
 Y Coordinate: 0195217  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**B7**  
**WSW**  
 < 1/8  
 0.039 mi.  
 203 ft.

**LOT 32,TAXBLOCK 2250**  
**62 THROOP AVENUE**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242389**  
**N/A**

**Site 3 of 4 in cluster B**

**Relative:**  
**Equal**

**E DESIGNATION:**  
 Tax Lot(s): 32  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water

**Actual:**  
 13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 32,TAXBLOCK 2250 (Continued)**

**S110242389**

Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: FOX JOSEPH G  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000035955  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 32,TAXBLOCK 2250 (Continued)**

**S110242389**

Borough Code: 3  
Borough Tax Block And Lot: 3022500032  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998860  
Y Coordinate: 0195361  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 32  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: FOX JOSEPH G  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 32,TAXBLOCK 2250 (Continued)**

**S110242389**

Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000035955  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500032  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998860  
Y Coordinate: 0195361  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 32  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 32,TAXBLOCK 2250 (Continued)**

**S110242389**

Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: FOX JOSEPH G  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000035955  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 32,TAXBLOCK 2250 (Continued)**

**S110242389**

Borough Tax Block And Lot: 3022500032  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998860  
Y Coordinate: 0195361  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 32  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: FOX JOSEPH G  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 32,TAXBLOCK 2250 (Continued)**

**S110242389**

Factory Floor Area: 00000002500  
 Other Floor Area: 00000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00001  
 Number of Floors: 001.00  
 Residential Units: 00000  
 Non and Residential Units: 00001  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0025.00  
 Building Depth: 0100.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000016875  
 Total Assessed Value: 00000035955  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 1931  
 Year Built Code: E  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0001.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022500032  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998860  
 Y Coordinate: 0195361  
 Zoning Map: 13B  
 Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**B8**  
**SSW**  
**< 1/8**  
**0.041 mi.**  
**217 ft.**

**LOT 30,TAXBLOCK 2266**  
**74 THROOP AVENUE**  
**BROOKLYN, NY 11206**  
**Site 4 of 4 in cluster B**

**E DESIGNATION** **S110242385**  
**N/A**

**Relative:**  
**Equal**

E DESIGNATION:  
 Tax Lot(s): 30  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2266 (Continued)**

**S110242385**

Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: LERNER INC  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2266 (Continued)**

**S110242385**

Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660030  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999008  
Y Coordinate: 0195193  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 30  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: LERNER INC  
Lot Area: 000002500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2266 (Continued)**

**S110242385**

Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660030  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999008  
Y Coordinate: 0195193  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 30  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2266 (Continued)**

**S110242385**

Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: LERNER INC  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2266 (Continued)**

**S110242385**

Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660030  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999008  
Y Coordinate: 0195193  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 30  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: LERNER INC  
Lot Area: 000002500  
Total Building Floor Area: 00000002500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2266 (Continued)**

**S110242385**

Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660030  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999008  
Y Coordinate: 0195193  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**C9**  
**South**  
**< 1/8**  
**0.045 mi.**  
**238 ft.**

**LOT 31,TAXBLOCK 2266**  
**76 THROOP AVENUE**  
**BROOKLYN, NY 11206**

**E DESIGNATION**    **S110242387**  
**N/A**

**Site 1 of 3 in cluster C**

**Relative:**  
**Equal**

**E DESIGNATION:**  
 Tax Lot(s): 31  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Window Wall Attenuation & Alternate Ventilation  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: E1  
 Land Use Category: 06  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: GOLDIE WEISS  
 Lot Area: 000002500  
 Total Building Floor Area: 00000002500  
 Commercial Floor Area: 00000002500  
 Office Floor Area: 00000000000  
 Retail Floor Area: 00000000000  
 Garage Floor Area: 00000000000  
 Storage Floor Area: 00000002500  
 Factory Floor Area: 00000000000  
 Other Floor Area: 00000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00001  
 Number of Floors: 001.00  
 Residential Units: 00000  
 Non and Residential Units: 00001  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0025.00  
 Building Depth: 0100.00  
 Proximity Code: 1  
 Irregular Lot Code: N  
 Lot Type: 5

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 31,TAXBLOCK 2266 (Continued)**

**S110242387**

Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660031  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999000  
Y Coordinate: 0195155  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 31  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 31,TAXBLOCK 2266 (Continued)**

**S110242387**

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: GOLDIE WEISS  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660031  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999000  
Y Coordinate: 0195155  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 31,TAXBLOCK 2266 (Continued)**

**S110242387**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 31  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: GOLDIE WEISS  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 31,TAXBLOCK 2266 (Continued)

S110242387

Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660031  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999000  
Y Coordinate: 0195155  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 31  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 31,TAXBLOCK 2266 (Continued)**

**S110242387**

Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: GOLDIE WEISS  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000017370  
Total Assessed Value: 00000017370  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1998  
Year Built Code: Not reported  
Year Altered1: 1999  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660031  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999000  
Y Coordinate: 0195155  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 31,TAXBLOCK 2266 (Continued)**

**S110242387**

Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**D10**  
**NW**  
**< 1/8**  
**0.051 mi.**  
**268 ft.**

**RICHARDS AUTO REPAIR SHOP**  
**594 BROADWAY**  
**BROOKLYN, NY 99999**  
**Site 1 of 4 in cluster D**

**RCRA-NonGen** **1001482986**  
**FINDS** **NYU005001185**

**Relative:**  
**Equal**

RCRA-NonGen:

**Actual:**  
**13 ft.**

Date form received by agency: 01/01/2007  
Facility name: RICHARDS AUTO REPAIR SHOP  
Facility address: 594 BROADWAY  
BROOKLYN, NY 99999  
EPA ID: NYU005001185  
Mailing address: DUPONT ST  
PLAINVIEW, NY 11803  
Contact: Not reported  
Contact address: DUPONT ST  
PLAINVIEW, NY 11803  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Private  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NON REGULATED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, NY 99999  
Owner/operator country: US  
Owner/operator telephone: (516) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NON REGULATED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, NY 99999  
Owner/operator country: US  
Owner/operator telephone: (516) 555-1212  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**RICHARDS AUTO REPAIR SHOP (Continued)**

**1001482986**

Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
 Facility name: RICHARDS AUTO REPAIR SHOP  
 Classification: Not a generator, verified

Date form received by agency: 03/04/1999  
 Facility name: RICHARDS AUTO REPAIR SHOP  
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 02/23/1999  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: EPA

FINDS:

Registry ID: 110008115128

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

D11  
 NW  
 < 1/8  
 0.051 mi.  
 268 ft.

**SUSION DEVELPORS LLC**  
**594 BROADWAY**  
**BROOKLYN, NY 11206**  
 Site 2 of 4 in cluster D

UST U001330304  
 HIST UST N/A  
 HIST AST

Relative:  
 Equal

UST:  
 Facility Id: 2-600870  
 Region: STATE  
 DEC Region: 2  
 Site Status: Unregulated  
 Program Type: PBS  
 Expiration Date: N/A  
 UTM X: 588985.46857000003  
 UTM Y: 4506365.25263

Actual:  
 13 ft.

Affiliation Records:  
 Site Id: 22842

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Affiliation Type: Emergency Contact  
Company Name: SUSION DEVELPORS LLC  
Contact Type: Not reported  
Contact Name: N/A  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: Not reported  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 22842  
Affiliation Type: Mail Contact  
Company Name: SUSION DEVELPORS LLC  
Contact Type: Not reported  
Contact Name: LEO LEFKOWITZ  
Address1: 545 BROADWAY  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 218-7880  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 22842  
Affiliation Type: On-Site Operator  
Company Name: SUSION DEVELPORS LLC  
Contact Type: Not reported  
Contact Name: N/A  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: Not reported  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 22842  
Affiliation Type: Owner  
Company Name: SUSION DEVELPORS LLC  
Contact Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Contact Name: Not reported  
Address1: 545 BROADWAY  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 218-7880  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
A00 - Tank Internal Protection - None  
C02 - Pipe Location - Underground/On-ground  
C02 - Pipe Location - Underground/On-ground  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
G00 - Tank Secondary Containment - None  
C02 - Pipe Location - Underground/On-ground  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
I00 - Overfill - None  
I00 - Overfill - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
C01 - Pipe Location - Aboveground  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
C02 - Pipe Location - Underground/On-ground  
F00 - Pipe External Protection - None  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
H00 - Tank Leak Detection - None  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

- G00 - Tank Secondary Containment - None
- C02 - Pipe Location - Underground/On-ground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- J02 - Dispenser - Suction
- H00 - Tank Leak Detection - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- J02 - Dispenser - Suction
- H00 - Tank Leak Detection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- I00 - Overfill - None
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- I00 - Overfill - None
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- C02 - Pipe Location - Underground/On-ground
- B01 - Tank External Protection - Painted/Asphalt Coating
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- C02 - Pipe Location - Underground/On-ground
- F00 - Pipe External Protection - None
- C02 - Pipe Location - Underground/On-ground
- C02 - Pipe Location - Underground/On-ground

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

SUSION DEVELPORS LLC (Continued)

U001330304

Tank Info:

Site ID: 22842

Tank Number: 1  
Tank ID: 44168  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842

Tank Number: 10  
Tank ID: 44177  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842

Tank Number: 11  
Tank ID: 53192  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 7/1/1997  
Capacity Gallons: 275  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Site ID: 22842  
  
Tank Number: 2  
Tank ID: 44169  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842  
  
Tank Number: 3  
Tank ID: 44170  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842  
  
Tank Number: 4  
Tank ID: 44171  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Site ID: 22842  
  
Tank Number: 5  
Tank ID: 44172  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842  
  
Tank Number: 6  
Tank ID: 44173  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842  
  
Tank Number: 7  
Tank ID: 44174  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Site ID: 22842  
  
Tank Number: 8  
Tank ID: 44175  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 22842  
  
Tank Number: 9  
Tank ID: 44176  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: 09  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 8/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-600870  
SPDES Number: Not reported  
Emergency Contact: RICHARD BERMEO  
Emergency Telephone: (516) 349-8600  
Operator: RICHARD'S AUTO REPAIR SHOP  
Operator Telephone: (718) 384-2536  
Owner Name: BERGAMO HOLDING CORP.  
Owner Address: 121-03 DUPONT STREET  
Owner City,St,Zip: PLAINVIEW, NY 11803  
Owner Telephone: (516) 349-8600  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: BERGAMO HOLDING CORP.  
Mailing Address: 121-03 DUPONT STREET  
Mailing Address 2: Not reported  
Mailing City,St,Zip: PLAINVIEW, NY 11803  
Mailing Contact: JOSEPH MACCHIA JR.  
Mailing Telephone: (516) 349-8600

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 594 BROADWAY  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 10/01/1997  
Expiration Date: 08/11/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 5775  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 10

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 2  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 3  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 4  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 5  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 6  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 7  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 8  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 9  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 08/01/1992  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

**HIST AST:**

PBS Number: 2-600870  
SWIS Code: 6101  
Operator: RICHARD'S AUTO REPAIR SHOP  
Facility Phone: (718) 384-2536  
Facility Addr2: 594 BROADWAY  
Facility Type: RETAIL GASOLINE SALES  
Emergency: RICHARD BERMEO  
Emergency Tel: (516) 349-8600  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: BERGAMO HOLDING CORP.  
Owner Address: 121-03 DUPONT STREET  
Owner City,St,Zip: PLAINVIEW, NY 11803  
Federal ID: Not reported  
Owner Tel: (516) 349-8600  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: JOSEPH MACCHIA JR.  
Mailing Name: BERGAMO HOLDING CORP.  
Mailing Address: 121-03 DUPONT STREET  
Mailing Address 2: Not reported  
Mailing City,St,Zip: PLAINVIEW, NY 11803  
Mailing Telephone: (516) 349-8600  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Certification Flag: False  
Certification Date: 10/01/1997  
Expiration: 08/11/2002  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 5775  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SUSION DEVELPORS LLC (Continued)**

**U001330304**

Town or City Code: 01  
 Region: 2

Tank ID: 11  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Tank Status: In Service  
 Install Date: 19970701  
 Capacity (Gal): 275  
 Product Stored: USED OIL  
 Tank Type: Steel/carbon steel  
 Tank Internal: 0  
 Tank External: 01  
 Pipe Location: Aboveground  
 Pipe Type: STEEL/IRON  
 Pipe Internal: None  
 Pipe External: Not reported  
 Tank Containment: None  
 Leak Detection: 00  
 Overfill Protection: Not reported  
 Dispenser Method: Gravity  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: True  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**D12  
 NW  
 < 1/8  
 0.051 mi.  
 268 ft.**

**CITGO/ 594 BROADWAY  
 594 BROADWAY  
 BROOKLYN, NY**

**HIST LTANKS S102672996  
 NY Spills N/A**

**Site 3 of 4 in cluster D**

**Relative:  
 Equal**

HIST LTANKS:  
 Region of Spill: 2  
 Spill Number: 9507227  
 Spill Date: 08/31/1995  
 Spill Time: 12:00  
 Spill Cause: Tank Overfill  
 Resource Affectd: On Land  
 Water Affected: Not reported  
 Spill Source: Gas Station  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False  
 Investigator: ROMMEL  
 Caller Name: Not reported  
 Caller Agency: Not reported  
 Caller Phone: Not reported  
 Caller Extension: Not reported  
 Notifier Name: Not reported  
 Notifier Agency: Not reported  
 Notifier Phone: Not reported

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CITGO/ 594 BROADWAY (Continued)**

**S102672996**

Notifier Extension: Not reported  
Reported to Department Date: 09/13/95  
Reported to Department Time: 12:30  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NORTHLAND MARKETING  
Spiller Address: 251 LOMBARDY ST  
Spiller City,St,Zip: BROOKLYN, NY 11222-  
Spiller Cleanup Date: / /  
Facility Contact: JOSEPH MACCHIA, JR  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: DEC  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 12/27/48  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/18/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: WASTE OIL  
Class Type: WASTE OIL  
Times Material Entry In File: 9509  
CAS Number: Not reported  
Last Date: 19940927  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CITGO/ 594 BROADWAY (Continued)**

**S102672996**

CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: SOIL CONTAMINATED IN REMOTE FILLS. POOR HOUSEKEEPING AROUND WASTE OIL FILL SLOWLY BUBBLING. DIVORCED FILL LINES.

**NY Spills:**

Site ID: 74922  
Facility Addr2: Not reported  
Facility ID: 9507227  
Spill Number: 9507227  
Facility Type: ER  
SWIS: 2401  
Investigator: jamaison  
Referred To: SITE INVES.REPORT DUE 7-22-08.  
Spill Date: 8/31/1995  
Reported to Dept: 9/13/1995  
CID: Not reported  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Gasoline Station  
Spill Notifier: DEC  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: True  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: Not Closed  
Remediation Phase: 4  
Date Entered In Computer: 12/27/1948  
Spill Record Last Update: 5/27/2009  
Spiller Name: JOSEPH MACCHIA, JR  
Spiller Company: NORTHLAND MARKETING  
Spiller Address: 251 LOMBARDY ST  
Spiller City,St,Zip: BROOKLYN, NY 11222-001  
Contact Name: Not reported  
Contact Phone: Not reported  
DEC Region: 2  
DER Facility ID: 70215  
DEC Memo: -Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "SUN" 12/29/2003 Reassigned from Rommel to Sun. 11/03/05-File Update by Sun: A stipulation Agreement was mailed to Susion Developers LLC on 11/03/05 and required to be signed and returned by 11/25/05. (Sun) 11/18/05-File Update by Sun: Final New Order of Consent was sent to Howard D. Stave, Esq. (Attorney for Northland ) on 11/15/05. (Sun) 02/21/06-File Update by Sun: On 02/10/06, Sun received Phase I and II Environmental Investigation Report fro the Responsible Party, Leo Lefkowitz (718-218-7880). Review of the above reports is in progress. (Sun) 06/15/06-Sun: Phase II investigation report showed two soil samples were taken on South Cellar 2' below follor level and one soil sample was taken on North Cellar 2' below Floor Level. Additional investigation is required. (Sun) 10/19/06-The Legal Department received a fax copy (pdf version) of signed Stipulation Agreement from Responsible Party, Sosoin Developers LLC. The Department

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CITGO/ 594 BROADWAY (Continued)**

**S102672996**

requires an original of signed Stipulation to be executed by DEC Regional Director. (Sun) 11/13/06-Sun called John Urda, DEC's Assistant Regional Attorney about the execution of Stipulation Agreement. He said that he still has not received the original of signed stips by RP. He will call RP's Lawyer, David Yudelson. (Sun) 11/29/06: The Stipulation Agreement was signed by RP on 10/30/06 and executed by DEC on 11/29/06. 03/12/07: A copy of executed stipulation agreement was mailed to Sosoin Development, LLC and also sent to David Yudelson of Sive, Paget & Riesel, P.C. (Sun) 03/12/07: Sun received from David Yudelson the Investigation Work Plan on 03/12/07. (Sun) 05/11/07: Sun approves the Site Investigation Work Plan with some conditions. The Site Investigation Summary Report is due 08/13/07. (Sun) 07/08/08-Sun: Sun sent thr following email to David Yudelson,"Dear Mr. Yudelson: On May 11, 2007, the Department approved a Site Investigation Work Plan submitted by P.W. Grosser Consulting, dated February 8, 2007 for the above referenced site. The Department requires that a Final Investigation Report be submitted by August 13, 2007. As of today, the Department has not received the subject report. Therefore, you will be given two weeks to submit, via email or mail, a copy of the Final Investigation Report . A Final Investigation Report must be received by July 22 2008 or the case will be referred to the Department's Legal Affairs office for initial enforcement proceedings." (Sun) 7/8/08-Sun: Sun received the following email from David Yudelson,"Joe - thank you for the email. I have not been in contact with the former client for many months. I will reach out to them and find out what the story is. I will report back. Dave." (Sun) 7/15/08-Sun: Sun sent the following email to David Yudelson,"Hi David, Thanks for your response. Can you tell me the phone No and email address of your former client, Sosoin Developers, LLC and its owner, Mr. Leo Lefkowitz. My certified mail to him was twice returned as undeliverable. I need to speak to him. He has signed the Stipulation Agreement. Your information is very important to DEC to complete the cleanup of this site by Mr. Lefkowitz. Your response is urgently requested." (sun)

-----  
----- 7/24/08: Reassigned from Joe sun to Chanda.  
5/27/09 This spill case transferred from K. Chanda to J.A. Maisonave.  
- JAM

Remarks: SOIL CONTAMINATED IN REMOTE FILLS. POOR HOUSEKEEPING AROUND WASTE OIL FILL SLOWLY BUBBLING. DIVORCED FILL LINES.

Material:  
Site ID: 74922  
Operable Unit ID: 1018060  
Operable Unit: 01  
Material ID: 361657  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False  
Site ID: 74922  
Operable Unit ID: 1018060  
Operable Unit: 01

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CITGO/ 594 BROADWAY (Continued)**

**S102672996**

Material ID: 361658  
 Material Code: 0022  
 Material Name: Waste Oil/Used Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 0  
 Units: Gallons  
 Recovered: No  
 Resource Affected: Not reported  
 Oxygenate: False

**Tank Test:**

Site ID: Not reported  
 Spill Tank Test: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

**E13**  
**West**  
**< 1/8**  
**0.051 mi.**  
**269 ft.**

**LOT 29,TAXBLOCK 2250**  
**56 THROOP AVENUE**  
**BROOKLYN, NY 11206**  
**Site 1 of 3 in cluster E**

**E DESIGNATION S110242380**  
**N/A**

**Relative:**  
**Equal**

**E DESIGNATION:**  
 Tax Lot(s): 29  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2250 (Continued)**

**S110242380**

Building Class: F5  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: NATHAN WIENER TRUST  
Lot Area: 000003750  
Total Building Floor Area: 00000003750  
Commercial Floor Area: 00000003750  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000003750  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 012.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0037.50  
Lot Depth: 0100.00  
Building Frontage: 0037.50  
Building Depth: 0100.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022275  
Total Assessed Value: 00000080100  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000057825  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500029  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998822  
Y Coordinate: 0195414  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2250 (Continued)**

**S110242380**

Pluto-Base Map Indicator: 1

Tax Lot(s): 29  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F5  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: NATHAN WIENER TRUST  
Lot Area: 000003750  
Total Building Floor Area: 00000003750  
Commercial Floor Area: 00000003750  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000003750  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 012.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0037.50  
Lot Depth: 0100.00  
Building Frontage: 0037.50  
Building Depth: 0100.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022275  
Total Assessed Value: 00000080100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2250 (Continued)**

**S110242380**

Land Exempt Value: 00000000000  
Total Exempt Value: 00000057825  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500029  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998822  
Y Coordinate: 0195414  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 29  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2250 (Continued)**

**S110242380**

Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: NATHAN WIENER TRUST  
Lot Area: 000003750  
Total Building Floor Area: 00000003750  
Commercial Floor Area: 00000003750  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000003750  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 012.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0037.50  
Lot Depth: 0100.00  
Building Frontage: 0037.50  
Building Depth: 0100.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022275  
Total Assessed Value: 00000080100  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000057825  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500029  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998822  
Y Coordinate: 0195414  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**D14**  
**NW**  
**< 1/8**  
**0.052 mi.**  
**277 ft.**

**DRUM RUN**  
**BROADWAY & WALTON ST**  
**BROOKLYN, NY**

**NY Spills** **S108638863**  
**N/A**

**Site 4 of 4 in cluster D**

**Relative:**  
**Equal**

NY Spills:

**Actual:**  
**13 ft.**

Site ID: 384146  
 Facility Addr2: Not reported  
 Facility ID: 0704064  
 Spill Number: 0704064  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: SFRAHMAN  
 Referred To: Not reported  
 Spill Date: 7/11/2007  
 Reported to Dept: 7/11/2007  
 CID: 444  
 Spill Cause: Abandoned Drums  
 Water Affected: Not reported  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Notifier: Local Agency  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 8/9/2007  
 Remediation Phase: 0  
 Date Entered In Computer: 7/11/2007  
 Spill Record Last Update: 8/9/2007  
 Spiller Name: NYCDEP HAZMAT  
 Spiller Company: Not reported  
 Spiller Address: BROADWAY & WALTON ST  
 Spiller City,St,Zip: BROOKLYN, NY  
 Spiller Company: 001  
 Contact Name: NYCDEP HAZMAT  
 Contact Phone: (646) 660-5480  
 DEC Region: 2  
 DER Facility ID: 333558  
 DEC Memo: added to drum run. 08/09/07 Drum was found on 08/07/07, was pumped out, list was sent to Sanitation to pick up the empty drum.

Remarks: ONE 55 GALLON DRUM ON SIDEWALK NEEDS TO BE PICKED UP

Material:

Site ID: 384146  
 Operable Unit ID: 1141456  
 Operable Unit: 01  
 Material ID: 2131669  
 Material Code: 0022  
 Material Name: Waste Oil/Used Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 0  
 Units: Gallons  
 Recovered: No  
 Resource Affected: Not reported  
 Oxygenate: False

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**DRUM RUN (Continued)**

**S108638863**

Tank Test:  
 Site ID: Not reported  
 Spill Tank Test: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

**E15  
 West  
 < 1/8  
 0.056 mi.  
 296 ft.**

**LOT 28,TAXBLOCK 2250  
 54 THROOP AVENUE  
 BROOKLYN, NY 11206  
 Site 2 of 3 in cluster E**

**E DESIGNATION S110242378  
 N/A**

**Relative:  
 Equal**

**E DESIGNATION:**  
 Tax Lot(s): 28  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: F1  
 Land Use Category: 06  
 Number of Easements: 0  
 Owner, Type of Code: Not reported  
 Owner Name: TRUST, NATHAN WIENER  
 Lot Area: 000002500  
 Total Building Floor Area: 00000002500  
 Commercial Floor Area: 00000002500  
 Office Floor Area: 00000000000  
 Retail Floor Area: 00000000000  
 Garage Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 28,TAXBLOCK 2250 (Continued)**

**S110242378**

Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000014940  
Total Assessed Value: 00000048600  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000033660  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500028  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998776  
Y Coordinate: 0195418  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 28  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 28,TAXBLOCK 2250 (Continued)**

**S110242378**

Community District:	301
Census Tract:	507
Census Block:	3002
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	F1
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	TRUST, NATHAN WIENER
Lot Area:	000002500
Total Building Floor Area:	00000002500
Commercial Floor Area:	00000002500
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000002500
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0025.00
Building Depth:	0100.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000014940
Total Assessed Value:	00000048600
Land Exempt Value:	00000000000
Total Exempt Value:	00000033660
Year Built:	1931
Year Built Code:	E
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00
Maximum Allowable Far:	02.00
Borough Code:	3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 28,TAXBLOCK 2250 (Continued)**

**S110242378**

Borough Tax Block And Lot: 3022500028  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998776  
Y Coordinate: 0195418  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 28  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: TRUST, NATHAN WIENER  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 28,TAXBLOCK 2250 (Continued)**

**S110242378**

Factory Floor Area: 00000002500  
 Other Floor Area: 00000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00001  
 Number of Floors: 001.00  
 Residential Units: 00000  
 Non and Residential Units: 00001  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0025.00  
 Building Depth: 0100.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000014940  
 Total Assessed Value: 00000048600  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000033660  
 Year Built: 1931  
 Year Built Code: E  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0001.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022500028  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998776  
 Y Coordinate: 0195418  
 Zoning Map: 13B  
 Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**C16**  
**South**  
**< 1/8**  
**0.060 mi.**  
**318 ft.**

**LOT 34,TAXBLOCK 2266**  
**82 THROOP AVENUE**  
**BROOKLYN, NY 11206**  
**Site 2 of 3 in cluster C**

**E DESIGNATION S110242393**  
**N/A**

**Relative:**  
**Equal**

E DESIGNATION:  
 Tax Lot(s): 34  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 34,TAXBLOCK 2266 (Continued)

S110242393

Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: STERN JOSEPH  
Lot Area: 000002548  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.48  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000023040  
Total Assessed Value: 00000023040  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 34,TAXBLOCK 2266 (Continued)**

**S110242393**

Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660034  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999047  
Y Coordinate: 0195099  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 34  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: STERN JOSEPH  
Lot Area: 000002548  
Total Building Floor Area: 0000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 34,TAXBLOCK 2266 (Continued)**

**S110242393**

Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.48  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000023040  
Total Assessed Value: 00000023040  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660034  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999047  
Y Coordinate: 0195099  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 34  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 34,TAXBLOCK 2266 (Continued)**

**S110242393**

Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: STERN JOSEPH  
Lot Area: 000002548  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.48  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000023040  
Total Assessed Value: 00000023040  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 34,TAXBLOCK 2266 (Continued)**

**S110242393**

Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660034  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999047  
Y Coordinate: 0195099  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 34  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: STERN JOSEPH  
Lot Area: 000002548  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 34,TAXBLOCK 2266 (Continued)**

**S110242393**

Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.48  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000023040  
Total Assessed Value: 00000023040  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660034  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999047  
Y Coordinate: 0195099  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**E17**      **LOT 27,TAXBLOCK 2250**  
**WNW**      **52 THROOP AVENUE**  
**< 1/8**      **BROOKLYN, NY 11206**  
**0.061 mi.**  
**324 ft.**      **Site 3 of 3 in cluster E**

**E DESIGNATION**      **S110242376**  
    **N/A**

**Relative:**  
**Equal**

E DESIGNATION:

**Actual:**  
**13 ft.**

Tax Lot(s):	27
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	3002
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	F1
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	JNATHAN WIENER/TRUST
Lot Area:	000002500
Total Building Floor Area:	00000002500
Commercial Floor Area:	00000002500
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000002500
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0025.00
Building Depth:	0100.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 27,TAXBLOCK 2250 (Continued)**

**S110242376**

Basement Type Grade: 5  
Land Assessed Value: 00000014940  
Total Assessed Value: 00000048600  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000033660  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500027  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998791  
Y Coordinate: 0195453  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 27  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 27,TAXBLOCK 2250 (Continued)

S110242376

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JNATHAN WIENER/TRUST  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000014940  
Total Assessed Value: 00000048600  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000033660  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500027  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998791  
Y Coordinate: 0195453  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 27,TAXBLOCK 2250 (Continued)**

**S110242376**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 27  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JNATHAN WIENER/TRUST  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 27,TAXBLOCK 2250 (Continued)**

**S110242376**

Land Assessed Value: 00000014940  
 Total Assessed Value: 00000048600  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000033660  
 Year Built: 1931  
 Year Built Code: E  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0001.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022500027  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998791  
 Y Coordinate: 0195453  
 Zoning Map: 13B  
 Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**F18**  
**SW**  
**< 1/8**  
**0.062 mi.**  
**327 ft.**

**398 WALLABOUT STREET**  
**398 WALLABOUT ST**  
**BROOKLYN, NY**  
**Site 1 of 11 in cluster F**

**NY Spills S104509519**  
**NY Hist Spills N/A**

**Relative:**  
**Equal**

NY Spills:  
 Site ID: 152358  
 Facility Addr2: Not reported  
 Facility ID: 9912454  
 Spill Number: 9912454  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: RWAUSTIN  
 Referred To: Not reported  
 Spill Date: 1/31/2000  
 Reported to Dept: 1/31/2000  
 CID: 281  
 Spill Cause: Unknown  
 Water Affected: Not reported  
 Spill Source: Unknown  
 Spill Notifier: Fire Department  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**398 WALLABOUT STREET (Continued)**

**S104509519**

UST Trust: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/28/2005  
Remediation Phase: 0  
Date Entered In Computer: 1/31/2000  
Spill Record Last Update: 1/28/2005  
Spiller Name: Not reported  
Spiller Company: UNKNOWN  
Spiller Address: Not reported  
Spiller City,St,Zip: NY  
Spiller Company: 999  
Contact Name: NYC FIRE  
Contact Phone: (718) 965-8300  
DEC Region: 2  
DER Facility ID: 129337  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was  
"AUSTIN" COMENALE ONSITE 3:40 PM 1/31/00 MET WITH DISTRICT CHEIF AND  
POINTED TO LT. STEVE BILOTTI NYFD (HAZ-MAT) WHILE 2 HAZ-MAT MEN  
ENTERED BUILDING THEY COUNTED FULL DRUMS TOTALING ABOUT 600 GALLONS  
OF WHAT WAS THOUGHT TO BE TRICHLOR. THEY HAD ALREADY REMOVED THE TWO  
MEN AFFECTED BY THE CHEMICALS(SOLVENTS)AND POSSIBLE MEK ON SITE(PID  
2K RANGE). A REPORT OF ONE OF THE MENS SNEAKERS AHD MELTED DIDN'T PAN  
OUT THE HAZ-MAT ENTRY TEAM HAD ph STRIP PAPER ON THERE SARANAC ARMS  
THAT DID NOT SHOW ACIDS OR CAUSTICS. THE OWNER OF VARTEX INSTRUMENT  
CORP. CAN BE CONTACTED AT WORK 718-486-5050 JOHN VARTOUGHIN AND AT  
HOME 718 779-3151 THIS INFORMATION WAS OBTAINED FROM THE FIRE  
MARSHALL LT. JOANN MILLER(394) THE MEN ARE 50 AND 71 YEARS OF AGE AND  
BOTH WERE TAKEN TO WOODHULL HOSPITAL FOR TREATMENT. SARGENT PALLADINO  
OF THE NYPD BLUE INDICATED THAT THEY COULD SECURE THE SITE. CHRIS  
HAAS OF NYCDEP WAS ONSITE AND TUCKER OF THE DEPARTMENT OF HEALTH  
(NYC?) NYFD EMS AND OTHERS ON SITE OUTSIDE THE HAZ-MAT TAPE.  
PICTURES INTO BASEMENT OF POOLING TRICHLOR ON DIRT FLOOR PROBABLE SOIL  
CONTAMINATION FOUR ROOSTERS ALSO CAME TO AND WERE REMOVED FROM THE  
SITE. 3/23/04 - AUSTIN - ORIG. ASSIGNED TO COMENALE - NO RECORD OF  
THIS SITE IN REMEDIATION PROGRAM - PROPERTY SEARCH SHOWS THIS  
LOCATION AS A PARKING GARAGE (?) - NO LONGER A SPILLS PROGRAM MATTER  
- CLOSED - END  
Remarks: HAZ MAT INCIDENT AT ABOVE LOCATION. 2 SUBJECTS IN CARDIAC ARREST. NYC  
FIRE REQUESTING CALL BACK.  
Material:  
Site ID: 152358  
Operable Unit ID: 1091161  
Operable Unit: 01  
Material ID: 294335  
Material Code: 0064A  
Material Name: UNKNOWN MATERIAL  
Case No.: Not reported  
Material FA: Other  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**398 WALLABOUT STREET (Continued)**

**S104509519**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9912454  
Investigator: COMENALE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 01/31/2000 15:12  
Reported to Dept Date/Time: 01/31/00 15:12  
SWIS: 61  
Spiller Name: UNKNOWN  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Contact: NYC FIRE  
Spiller Phone: (718) 965-8300  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Unknown  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 12  
Spill Notifier: Fire Department  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 01/31/00  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 03/23/00  
Is Updated: False

Tank:

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**398 WALLABOUT STREET (Continued)**

**S104509519**

PBS Number: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate Failed Tank: Not reported  
 Gross Leak Rate: Not reported

**Material:**

Material Class Type: Raw Sewage  
 Quantity Spilled: 0  
 Unkonwn Quantity Spilled: True  
 Units: Gallons  
 Quantity Recovered: 0  
 Unkonwn Quantity Recovered: True  
 Material: UNKNOWN MATERIAL  
 Class Type: UNKNOWN MATERIAL  
 Times Material Entry In File: 9140  
 CAS Number: Not reported  
 Last Date: 19941109

DEC Remarks: COMENALE ONSITE 3:40 PM 1/31/00 MET WITH DISTRICT CHEIF AND POINTED TO LT. STEVE BILOTTI NYFD HAZ-MAT) WHILE 2 HAZ-MAT MEN ENTERED BUILDING THEY COUNTED FULL DRUMS TOTALING ABOUT 600 GALLONS OF WHAT WAS THOUGHT TO BE TRICHLOR. THEY HAD ALREADY REMOVED THE TWO MEN AFFECTED BY THE CHEMICALS SOLVENTS)AND POSSIBLE MEK ON SITE PID 2K RANGE). A REPORT OF ONE OF THE MENS SNEAKERS AHD MELTED DIDN T PAN OUT THE HAZ-MAT ENTRY TEAM HAD ph STRIP PAPER ON THERE SARANAC ARMS THAT DID NOT SHOW ACIDSOR CAUSTICS. THE OWNER OF VARTEX INSTRUMENT CORP. CAN BE CONTACTED AT WORK 718-486-5050 JOHN VARTOUGHIN AND AT HOME 718 779-3151 THIS INFORMATION WAS OBTAINED FROM THE FIRE MARSHALL LT. JOANN MILLER 394) THE MEN ARE 50 AND 71 YEARS OF AGE AND BOTH WERE TAKEN TO WOODHULL HOSPITAL FOR TREATMENT. SARGENT PALLADINO OF THE NYPD BLUE INDICATED THAT THEY COULD SECURE THE SITE. CHRIS HAAS OF NYCDEP WAS ONSITE AND TUCKER OF THE DEPARTMENT OF HEALTH NYC?) NYFD EMS AND OTHERS ON SITE OUTSIDE THE HAZ-MAT TAPE. PICTURESINTO BASEMENT OF POOLING TRICHLOR ON DIRT FLOOR PROBABLE SOIL CONTAMINATION FOUR ROOSTERS ALSO CAME TO AND WERE REMOVED FROM THE SITE.

Remark: HAZ MAT INCIDENT AT ABOVE LOCATION. 2 SUBJECTS IN CARDIAC ARREST. NYC FIRE REQUESTING CALL BACK.

**F19**  
**SW**  
 < 1/8  
 0.062 mi.  
 327 ft.

**MAGIC AUTO REPAIR SHOP**  
**398 WALLABOUT STREET**  
**BROOKLYN, NY 11206**  
 Site 2 of 11 in cluster F

**AST A100294927**  
**N/A**

**Relative:**  
**Equal**

AST:  
 Region: STATE  
 DEC Region: 2  
 Site Status: Active  
 Facility Id: 2-610019  
 Program Type: PBS  
 UTM X: 588934.06688000006  
 UTM Y: 4506261.87959  
 Expiration Date: 2010/09/26

**Actual:**  
**13 ft.**

Affiliation Records:  
 Site Id: 353126  
 Affiliation Type: Emergency Contact  
 Company Name: NELSON E. FABIAN  
 Contact Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MAGIC AUTO REPAIR SHOP (Continued)**

**A100294927**

Contact Name: INDIRA FAIAN  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (347) 302-2396  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/26/2005

Site Id: 353126  
Affiliation Type: On-Site Operator  
Company Name: MAGIC AUTO REPAIR SHOP  
Contact Type: Not reported  
Contact Name: NELSON E. FABIAN  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 302-2396  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/26/2005

Site Id: 353126  
Affiliation Type: Owner  
Company Name: NELSON E. FABIAN  
Contact Type: OWNER  
Contact Name: NELSON FABIAN  
Address1: 398 WALLABOUT ST.  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 302-2396  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/26/2005

Site Id: 353126  
Affiliation Type: Mail Contact  
Company Name: NELSON E. FABIAN  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: MAGIC AUTO REPAIR SHOP  
Address2: 398 WALLABOUT STREET

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MAGIC AUTO REPAIR SHOP (Continued)**

**A100294927**

City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 302-2396  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/26/2005

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 001  
Tank Id: 208130  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 400  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/26/2005

**F20**  
**SW**  
**< 1/8**  
**0.062 mi.**  
**327 ft.**

**LOT 25,TAXBLOCK 2266**  
**398 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242373**  
**N/A**

**Site 3 of 11 in cluster F**

**Relative:**  
**Equal**

E DESIGNATION:  
Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2266 (Continued)**

**S110242373**

Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G2  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CLARK, WILLIAM  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000002500  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000013770  
Total Assessed Value: 00000048150  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998901  
Y Coordinate: 0195178  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2266 (Continued)**

**S110242373**

Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G2  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CLARK, WILLIAM  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000002500  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2266 (Continued)**

**S110242373**

Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000013770  
Total Assessed Value: 00000048150  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998901  
Y Coordinate: 0195178  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2266 (Continued)**

**S110242373**

Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G2  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CLARK, WILLIAM  
Lot Area: 000002500  
Total Building Floor Area: 0000002500  
Commercial Floor Area: 0000002500  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000002500  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000013770  
Total Assessed Value: 00000048150  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998901  
Y Coordinate: 0195178  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2266 (Continued)**

**S110242373**

Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G2  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CLARK, WILLIAM  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000002500  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 25,TAXBLOCK 2266 (Continued)**

**S110242373**

Building Depth: 0100.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000013770  
 Total Assessed Value: 00000048150  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 1931  
 Year Built Code: E  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0001.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660025  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998901  
 Y Coordinate: 0195178  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**F21**  
**SW**  
 < 1/8  
 0.062 mi.  
 327 ft.

**LOT 36,TAXBLOCK 2250**  
**313 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242396**  
**N/A**

**Site 4 of 11 in cluster F**

**Relative:**  
**Equal**

E DESIGNATION:  
 Tax Lot(s): 36  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Window Wall Attenuation & Alternate Ventilation  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2250 (Continued)**

**S110242396**

Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: Z9  
Land Use Category: Not reported  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JOHN K VARTOUGHIAN  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500036  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998800  
Y Coordinate: 0195297

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2250 (Continued)**

**S110242396**

Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 36  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: Z9  
Land Use Category: Not reported  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JOHN K VARTOUGHIAN  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2250 (Continued)**

**S110242396**

Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500036  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998800  
Y Coordinate: 0195297  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 36  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2250 (Continued)**

**S110242396**

Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: Z9  
Land Use Category: Not reported  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JOHN K VARTOUGHIAN  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500036  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998800  
Y Coordinate: 0195297  
Zoning Map: 13B

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2250 (Continued)**

**S110242396**

Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 36  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: Z9  
Land Use Category: Not reported  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JOHN K VARTOUGHIAN  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 36,TAXBLOCK 2250 (Continued)**

**S110242396**

Non and Residential Units: 00000  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0000.00  
 Building Depth: 0000.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000022815  
 Total Assessed Value: 00000022815  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022500036  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998800  
 Y Coordinate: 0195297  
 Zoning Map: 13B  
 Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**C22**  
**South**  
**< 1/8**  
**0.063 mi.**  
**332 ft.**

**LOT 27,TAXBLOCK 2269**  
**84 THROOP AVENUE**  
**BROOKLYN, NY 11206**  
**Site 3 of 3 in cluster C**

**E DESIGNATION** **S110242377**  
**N/A**

**Relative:**  
**Equal**  
  
**Actual:**  
**13 ft.**

E DESIGNATION:  
 Tax Lot(s): 27  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 27,TAXBLOCK 2269 (Continued)**

**S110242377**

Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000001750  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0070.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000016155  
Total Assessed Value: 00000016155  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690027

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 27,TAXBLOCK 2269 (Continued)**

**S110242377**

Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999112  
Y Coordinate: 0195025  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 27  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems

Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000001750  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 27,TAXBLOCK 2269 (Continued)**

**S110242377**

Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0070.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000016155  
Total Assessed Value: 00000016155  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690027  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999112  
Y Coordinate: 0195025  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**F23  
SW  
< 1/8  
0.067 mi.  
352 ft.**

**VARTEX INSTRUMENT CORP  
311 WALLABOUT ST  
BROOKLYN, NY 11206  
Site 5 of 11 in cluster F**

**RCRA-NonGen 1004761306  
FINDS NYR000084483  
MANIFEST**

**Relative:  
Equal  
Actual:  
13 ft.**

RCRA-NonGen:  
Date form received by agency:01/01/2007  
Facility name: VARTEX INSTRUMENT CORP  
Facility address: 311 WALLABOUT ST  
BROOKLYN, NY 11206

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VARTEX INSTRUMENT CORP (Continued)**

**1004761306**

EPA ID: NYR000084483  
Mailing address: PO BOX 780075  
MASPETH, NY 113780075  
Contact: JOHN VARTOUGHIAN  
Contact address: PO BOX 780075  
MASPETH, NY 113780075  
Contact country: US  
Contact telephone: (718) 779-3151  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: VARTEX INTERNATIONAL LTD  
Owner/operator address: PO BOX 780075  
MASPETH, NY 11378  
Owner/operator country: US  
Owner/operator telephone: (718) 779-3151  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: VARTEX INTERNATIONAL LTD  
Owner/operator address: PO BOX 780075  
MASPETH, NY 11378  
Owner/operator country: US  
Owner/operator telephone: (718) 779-3151  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: VARTEX INSTRUMENT CORP  
Classification: Not a generator, verified

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VARTEX INSTRUMENT CORP (Continued)**

**1004761306**

Date form received by agency: 02/09/2000  
Facility name: VARTEX INSTRUMENT CORP  
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110004561206

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

EPA ID: NYR000084483  
Country: USA  
Mailing Name: VARTEX INSTRUMENT CORP  
Mailing Contact: JOHN VARTOUGHIAN  
Mailing Address: 311 WALLOBOUT ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-476-3897

Document ID: NYG2260503  
Manifest Status: Not reported  
Trans1 State ID: NYD077444263  
Trans2 State ID: Not reported  
Generator Ship Date: 02/25/2000  
Trans1 Recv Date: 02/25/2000  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 02/29/2000  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000084483  
Trans1 EPA ID: NYD077444263  
Trans2 EPA ID: Not reported  
TSD ID: NYPD1010  
Waste Code: D040 - TRICHLOROETHYLENE 0.5 MG/L TCLP  
Quantity: 00020  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 01.00  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00200

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VARTEX INSTRUMENT CORP (Continued)**

**1004761306**

Units: P - Pounds  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 01.00  
Year: 2000

**F24**  
**SW**  
**< 1/8**  
**0.067 mi.**  
**352 ft.**

**LOT 37,TAXBLOCK 2250**  
**311 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242399**  
**N/A**

**Site 6 of 11 in cluster F**

**Relative:**  
**Equal**

**E DESIGNATION:**  
Tax Lot(s): 37  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C0  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: VARTEX INSTRUMENT COR  
Lot Area: 000002500  
Total Building Floor Area: 00000002180  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.00  
Residential Units: 00003

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 37,TAXBLOCK 2250 (Continued)**

**S110242399**

Non and Residential Units: 00003  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0045.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2  
Land Assessed Value: 00000000648  
Total Assessed Value: 00000006583  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.87  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500037  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998798  
Y Coordinate: 0195258  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 37  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 37,TAXBLOCK 2250 (Continued)

S110242399

Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C0  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: VARTEX INSTRUMENT COR  
Lot Area: 000002500  
Total Building Floor Area: 00000002180  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.00  
Residential Units: 00003  
Non and Residential Units: 00003  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0045.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2  
Land Assessed Value: 00000000648  
Total Assessed Value: 00000006583  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.87  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500037  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998798  
Y Coordinate: 0195258  
Zoning Map: 13B  
Sanborn Map: 303 035

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 37,TAXBLOCK 2250 (Continued)**

**S110242399**

Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 37  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C0  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: VARTEX INSTRUMENT COR  
Lot Area: 000002500  
Total Building Floor Area: 00000002180  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.00  
Residential Units: 00003  
Non and Residential Units: 00003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 37,TAXBLOCK 2250 (Continued)**

**S110242399**

Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0045.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2  
Land Assessed Value: 00000000648  
Total Assessed Value: 00000006583  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.87  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500037  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998798  
Y Coordinate: 0195258  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 37  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 37,TAXBLOCK 2250 (Continued)

S110242399

Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C0  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: VARTEX INSTRUMENT COR  
Lot Area: 000002500  
Total Building Floor Area: 00000002180  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.00  
Residential Units: 00003  
Non and Residential Units: 00003  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0045.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2  
Land Assessed Value: 00000000648  
Total Assessed Value: 00000006583  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.87  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500037  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998798  
Y Coordinate: 0195258  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 37,TAXBLOCK 2250 (Continued)**

**S110242399**

E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**F25  
 SW  
 < 1/8  
 0.072 mi.  
 378 ft.**

**LOT 23,TAXBLOCK 2266  
 394 WALLABOUT STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION**

**S110242367  
 N/A**

**Site 7 of 11 in cluster F**

**Relative:  
 Equal**

**E DESIGNATION:**

Tax Lot(s): 23  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Window Wall Attenuation & Alternate Ventilation  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: G7  
 Land Use Category: 10  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: WALLABOUT THROOP REAL  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000000000  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 23,TAXBLOCK 2266 (Continued)**

**S110242367**

Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660023  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998865  
Y Coordinate: 0195148  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 23  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 23,TAXBLOCK 2266 (Continued)**

**S110242367**

School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	G7
Land Use Category:	10
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	WALLABOUT THROOP REAL
Lot Area:	000002500
Total Building Floor Area:	00000000000
Commercial Floor Area:	00000000000
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000022815
Total Assessed Value:	00000022815
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022660023
Condominium Number:	00000
Census Tract 2:	0507

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 23,TAXBLOCK 2266 (Continued)**

**S110242367**

X Coordinate: 0998865  
Y Coordinate: 0195148  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 23  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 23,TAXBLOCK 2266 (Continued)**

**S110242367**

Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660023  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998865  
Y Coordinate: 0195148  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 23  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 23,TAXBLOCK 2266 (Continued)

S110242367

City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660023  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998865

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 23,TAXBLOCK 2266 (Continued)**

**S110242367**

Y Coordinate: 0195148  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**G26  
 SSE  
 < 1/8  
 0.073 mi.  
 387 ft.**

**LOT 29,TAXBLOCK 2269  
 88 THROOP AVENUE  
 BROOKLYN, NY 11206  
 Site 1 of 2 in cluster G**

**E DESIGNATION S110242382  
 N/A**

**Relative:  
 Higher**

E DESIGNATION:  
 Tax Lot(s): 29  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: V1  
 Land Use Category: 11  
 Number of Easements: 0  
 Owner, Type of Code: C  
 Owner Name: HOUSING PRESERVATION  
 Lot Area: 000001750  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000

**Actual:  
 14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2269 (Continued)**

**S110242382**

Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0070.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016155  
Total Assessed Value: 00000016155  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690029  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999146  
Y Coordinate: 0194993  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 29  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 29,TAXBLOCK 2269 (Continued)**

**S110242382**

air conditioning systems  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000001750  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0070.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016155  
Total Assessed Value: 00000016155  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 29,TAXBLOCK 2269 (Continued)**

**S110242382**

Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022690029  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0999146  
 Y Coordinate: 0194993  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**F27  
 SW  
 < 1/8  
 0.076 mi.  
 402 ft.**

**307 WALLABOUT STREET  
 307 WALLABOUT STREET  
 BROOKLYN, NY 11220  
 Site 8 of 11 in cluster F**

**UST U001841022  
 HIST UST N/A  
 E DESIGNATION**

**Relative:  
 Equal  
 Actual:  
 13 ft.**

UST:  
 Facility Id: 2-481343  
 Region: STATE  
 DEC Region: 2  
 Site Status: Unregulated  
 Program Type: PBS  
 Expiration Date: N/A  
 UTM X: 588938.49216999998  
 UTM Y: 4506227.9880499998

Affiliation Records:  
 Site Id: 21519  
 Affiliation Type: Emergency Contact  
 Company Name: CITY OF NY%NYC PUBLIC DEV CORP  
 Contact Type: Not reported  
 Contact Name: DAN KURTZ  
 Address1: Not reported  
 Address2: Not reported  
 City: Not reported  
 State: NN  
 Zip Code: Not reported  
 Country Code: 001  
 Phone: (718) 625-6085  
 Phone Ext: Not reported  
 Email: Not reported  
 Fax Number: Not reported  
 Modified By: TRANSLAT  
 Date Last Modified: 3/4/2004

Site Id: 21519  
 Affiliation Type: On-Site Operator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**307 WALLABOUT STREET (Continued)**

**U001841022**

Company Name: 307 WALLABOUT STREET  
Contact Type: Not reported  
Contact Name: CITY OF NY%NYC PUBLIC DEV CORP  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (212) 619-5000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 21519  
Affiliation Type: Owner  
Company Name: CITY OF NY%NYC PUBLIC DEV CORP  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 161 WILLIAM STREET  
Address2: Not reported  
City: NEW YORK  
State: NY  
Zip Code: 10038  
Country Code: 001  
Phone: (212) 619-5000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 21519  
Affiliation Type: Mail Contact  
Company Name: CITY OF NY%NYC PUBLIC DEV CORP  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 161 WILLIAM STREET  
Address2: Not reported  
City: NEW YORK  
State: NY  
Zip Code: 10038  
Country Code: 001  
Phone: (212) 619-5000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
G03 - Tank Secondary Containment - Vault (w/o access)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

307 WALLABOUT STREET (Continued)

U001841022

F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction

Tank Info:

Site ID: 21519

Tank Number: 001  
Tank ID: 41124  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 5/1/1961  
Capacity Gallons: 2500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 6  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-481343  
SPDES Number: Not reported  
Emergency Contact: DAN KURTZ  
Emergency Telephone: (718) 625-6085  
Operator: CITY OF NY%NYC PUBLIC DEV CORP  
Operator Telephone: (212) 619-5000  
Owner Name: CITY OF NY%NYC PUBLIC DEV CORP  
Owner Address: 161 WILLIAM STREET  
Owner City,St,Zip: NEW YORK, NY 10038  
Owner Telephone: (212) 619-5000  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: CITY OF NY%NYC PUBLIC DEV CORP  
Mailing Address: 161 WILLIAM STREET  
Mailing Address 2: Not reported  
Mailing City,St,Zip: NEW YORK, NY 10038  
Mailing Contact: Not reported  
Mailing Telephone: (212) 619-5000  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: 307 WALLABOUT STREET  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**307 WALLABOUT STREET (Continued)**

**U001841022**

Certification Date: Not reported  
Expiration Date: 07/27/1995  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Closed Before April 1, 1991  
Install Date: 19610501  
Capacity (gals): 2500  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

**E DESIGNATION:**

Tax Lot(s): 38  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

307 WALLABOUT STREET (Continued)

U001841022

Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: A. HOLDING  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000005000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area, Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000029610  
Total Assessed Value: 00000092700  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500038  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998753  
Y Coordinate: 0195257

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**307 WALLABOUT STREET (Continued)**

**U001841022**

Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 38  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: A. HOLDING  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000005000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**307 WALLABOUT STREET (Continued)**

**U001841022**

Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000029610  
Total Assessed Value: 00000092700  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500038  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998753  
Y Coordinate: 0195257  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 38  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

307 WALLABOUT STREET (Continued)

U001841022

Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: A. HOLDING  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000005000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area, Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000029610  
Total Assessed Value: 00000092700  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500038  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998753  
Y Coordinate: 0195257  
Zoning Map: 13B

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**307 WALLABOUT STREET (Continued)**

**U001841022**

Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**G28**  
**SSE**  
 < 1/8  
 0.079 mi.  
 415 ft.

**LOT 30,TAXBLOCK 2269**  
**90 THROOP AVENUE**  
**BROOKLYN, NY 11206**

**E DESIGNATION S110242386**  
**N/A**

**Site 2 of 2 in cluster G**

**Relative:**  
**Higher**

**E DESIGNATION:**  
 Tax Lot(s): 30  
 E-No: E-238  
**Actual:**  
**14 ft.**  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: V1  
 Land Use Category: 11  
 Number of Easements: 0  
 Owner, Type of Code: C  
 Owner Name: CITY OF NEW YORK  
 Lot Area: 000001750  
 Total Building Floor Area: 00000000000  
 Commercial Floor Area: 00000000000  
 Office Floor Area: 00000000000  
 Retail Floor Area: 00000000000  
 Garage Floor Area: 00000000000  
 Storage Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2269 (Continued)**

**S110242386**

Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0070.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016155  
Total Assessed Value: 00000016155  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690030  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999177  
Y Coordinate: 0194985  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 30  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and  
air conditioning systems  
Borough Code: BK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2269 (Continued)**

**S110242386**

Community District:	301
Census Tract:	507
Census Block:	2001
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	V1
Land Use Category:	11
Number of Easements:	0
Owner, Type of Code:	C
Owner Name:	CITY OF NEW YORK
Lot Area:	000001750
Total Building Floor Area:	00000000000
Commercial Floor Area:	00000000000
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code#	
Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0025.00
Lot Depth:	0070.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000016155
Total Assessed Value:	00000016155
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 30,TAXBLOCK 2269 (Continued)**

**S110242386**

Borough Tax Block And Lot: 3022690030  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999177  
Y Coordinate: 0194985  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**H29**  
**South**  
**< 1/8**  
**0.079 mi.**  
**418 ft.**

**LOT 36,TAXBLOCK 2266**  
**99 GERRY STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242397**  
**N/A**

**Site 1 of 10 in cluster H**

**Relative:**  
**Higher**

**E DESIGNATION:**  
Tax Lot(s): 36  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V9  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500

**Actual:**  
**14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 36,TAXBLOCK 2266 (Continued)

S110242397

Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660036  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998996  
Y Coordinate: 0195065  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 36  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2266 (Continued)**

**S110242397**

Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V9  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 36,TAXBLOCK 2266 (Continued)**

**S110242397**

Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660036  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998996  
 Y Coordinate: 0195065  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**30  
 West  
 < 1/8  
 0.080 mi.  
 423 ft.**

**LOT 25,TAXBLOCK 2250  
 116 WALTON STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION S110242372  
 N/A**

**Relative:  
 Equal**

E DESIGNATION:  
 Tax Lot(s): 25  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: G7

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2250 (Continued)**

**S110242372**

Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area, Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000018000  
Total Assessed Value: 00000018000  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998739  
Y Coordinate: 0195369  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2250 (Continued)**

**S110242372**

Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000018000  
Total Assessed Value: 00000018000  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2250 (Continued)**

**S110242372**

Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998739  
Y Coordinate: 0195369  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 25,TAXBLOCK 2250 (Continued)

S110242372

Owner, Type of Code: P  
Owner Name: KOLLEL REMU  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000018000  
Total Assessed Value: 00000018000  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998739  
Y Coordinate: 0195369  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

<b>H31</b> South < 1/8 0.080 mi. 425 ft.	<b>ON GROUND</b> <b>90-92 GERRY STREET</b> <b>BROOKLYN, NY</b>  <b>Site 2 of 10 in cluster H</b>	<b>NY Spills</b>	<b>S106737228</b> N/A
--	--	------------------	--------------------------

<b>Relative:</b> Higher	NY Spills: Site ID: 337051 Facility Addr2: Not reported Facility ID: 0411773 Spill Number: 0411773 Facility Type: ER SWIS: 2401 Investigator: smsanges Referred To: Not reported Spill Date: 2/3/2005 Reported to Dept: 2/3/2005 CID: 444 Spill Cause: Abandoned Drums Water Affected: Not reported Spill Source: Institutional, Educational, Gov., Other Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported Recommended Penalty: Penalty Not Recommended UST Trust: False Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
<b>Actual:</b> 14 ft.	Spill Closed Dt: 6/26/2008 Remediation Phase: 0 Date Entered In Computer: 2/3/2005 Spill Record Last Update: 8/27/2009 Spiller Name: WALTER ROBERTS Spiller Company: ON GROUND Spiller Address: 90-92 GERRY STREET Spiller City,St,Zip: BROOKLYN, NY Spiller Company: 001 Contact Name: WALTER ROBERTS Contact Phone: (212) 863-8482 DEC Region: 2 DER Facility ID: 272394 DEC Memo: Sangesland called "Earth Tech Environmental" back to ask about this "spill" Contact said a 20 gal drum of unknown oil was found on the property during soil borings (part of a phase 2 on the site). Sangesland informed Earth Tech that the property owner was responsible for removing the drum from the site, NOT the DEC. Sangesland told Earth Tech to remove the drum, over excavate any contaminated soil, take 1 end point sample, forward a report to DEC with writeup, test results and waste manifest. 04/13/06- Case was transferred from Jake Krimgold to Koon Tang. 08/27/2009 - Copy of Phase 2 report was submitted by Earth Tech. In 2005, during excavation of Test Pit #29 on the site, a drum was discovered at approx 7 ft depth. Drum contained unknown black oil which was leaking. Spill was called in to DEC. Visually contaminated soils were excavated from a depth of 10 ft below grade (approx 35 tons) of soil was removed. Soil sample #TP29-10 was tested and came back No VOCs, or SVOCs therefore no additional excavation work was necessary at this site.		

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ON GROUND (Continued)**

**S106737228**

Remarks: 1-25 GALLON DRUM IN A TEST PIT: DEC CALL TO SEE IF IT CAN BE PICKED UP:

Material:  
Site ID: 337051  
Operable Unit ID: 1099035  
Operable Unit: 01  
Material ID: 579358  
Material Code: 0064A  
Material Name: UNKNOWN MATERIAL  
Case No.: Not reported  
Material FA: Other  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

H32  
South  
< 1/8  
0.080 mi.  
425 ft.

**LOT 25,TAXBLOCK 2269  
90 GERRY STREET  
BROOKLYN, NY 11206**  
**Site 3 of 10 in cluster H**

**E DESIGNATION S110242374  
N/A**

**Relative:  
Higher**

E DESIGNATION:  
Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported

**Actual:  
14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2269 (Continued)**

**S110242374**

Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: GOLDEN WAN INTERNATIO  
Lot Area: 000005500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0055.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000049950  
Total Assessed Value: 00000049950  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999095  
Y Coordinate: 0194965  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2269 (Continued)**

**S110242374**

Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 25  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems

Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: GOLDEN WAN INTERNATIO  
Lot Area: 000005500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0055.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2269 (Continued)**

**S110242374**

Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000049950
Total Assessed Value:	00000049950
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022690025
Condominium Number:	00000
Census Tract 2:	0507
X Coordinate:	0999095
Y Coordinate:	0194965
Zoning Map:	13B
Sanborn Map:	303 036
Tax Map:	30803
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	25
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	2001
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 25,TAXBLOCK 2269 (Continued)**

**S110242374**

Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: GOLDEN WAN INTERNATIO  
Lot Area: 000005500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0055.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000049950  
Total Assessed Value: 00000049950  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690025  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999095  
Y Coordinate: 0194965  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 25,TAXBLOCK 2269 (Continued)**

**S110242374**

Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**I33  
 ESE  
 < 1/8  
 0.081 mi.  
 426 ft.**

**JUNKYARD  
 650 BROADWAY  
 BROOKLYN, NY  
 Site 1 of 2 in cluster I**

**NY Spills S109061916  
 N/A**

**Relative:  
 Higher**

NY Spills:

**Actual:  
 14 ft.**

Site ID: 396451  
 Facility Addr2: Not reported  
 Facility ID: 0800660  
 Spill Number: 0800660  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: RMPIPER  
 Referred To: Not reported  
 Spill Date: 4/15/2008  
 Reported to Dept: 4/16/2008  
 CID: 444  
 Spill Cause: Equipment Failure  
 Water Affected: Not reported  
 Spill Source: Commercial/Industrial  
 Spill Notifier: Local Agency  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: Not Closed  
 Remediation Phase: 1  
 Date Entered In Computer: 4/16/2008  
 Spill Record Last Update: 4/25/2008  
 Spiller Name: KEITH WILLIAMS  
 Spiller Company: Not reported  
 Spiller Address: 650 BROADWAY  
 Spiller City,St,Zip: BROOKLYN, NY 001  
 Contact Name: KEITH WILLIAMS  
 Contact Phone: (347) 672-6075  
 DEC Region: 2  
 DER Facility ID: 119367  
 DEC Memo: Patel responded to the site of a junk yard. 04/18/08-Hiralkumar Patel. visited site on 04/16/08. met Joe Ehrenfeld at junk yard. during site visit found multiple spots of contaminated soil and some puddles of oil under junk. found oil going into onsite drains. as per Joe, all drains at the site are not connected to city sewer. found speedy dry around aboveground waste oil tanks. Joe mentioned that oil overfilled and spilled on concrete surface. typical junk yard site. asked Joe to clean areas. Joe mentioned that property has been sold

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JUNKYARD (Continued)**

**S109061916**

and new owner is planning to build residential complex. Joe mentioned that new owner has did some sampling at the site. as per Joe, property sold to White Gloves, who are located next to the subject site. subject site has two 275 gal ASTs. no PBS record found. <----- Lee Avenue Garage Inc. Iser Ehrenfeld \*\*owner of 650 Broadway\*\* Joe Ehrenfeld 650 Broadway Brooklyn, NY Ph. (718) 388-6470 email: leeavgrage@aol.com alternate addresses for 650 Broadway: 89-95 Bartlett St 654-660 Broadway 648 Broadway from city records, owner of subject site is M&G Housing Corp. and city record shows that property has been included in a tax lien sale. <----- met Erry Frankel at White Glove. she doesn't know about any contract or transaction for next door property. she will ask someone in upper management and will call back. White Gloves 85 Bartlett Street Brooklyn, NY Attn.: Etty Frankel Ph. (718) 387-8181 Ext. 109 during conversation, Joe mentioned that site at 646 Broadway was also his property in past and they sold it. currently site 646 Broadway is under construction. M&G Housing Corp. \*\*owner of 646 Broadway\*\* 26 Rutledge Street Brooklyn, NY contractor for 646 Broadway: Delux builders Ph. (718) 625-6476 result of site visit: - no PBS record found for two 275 gal waste oil AST at 650 Broadway - from city record search found that 646 Broadway (which is currently under construction) and 650 Broadway (where Junk yard is located) both properties are owned by M&G Housing Corp. - as per Joe, new owner will develop residential complex actions required: - registration of waste oil tanks at 650 Broadway - soil investigation/remediation at 650 Broadway need to send letter for after confirming current owner and potential buyer of the subject site. may requires report review for any investigation at 646 Broadway, as it was part of junk yard and now under development. see pics on e-docs. 4/25/08- CSL sent to Iser Ehrenfeld  
DUMPING OIL ABOUT 250 GALLONS LOOKING FOR DEC TO REPORT

Remarks:  
Material:  
Site ID: 396451  
Operable Unit ID: 1153420  
Operable Unit: 01  
Material ID: 2144175  
Material Code: 0022  
Material Name: Waste Oil/Used Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 250  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**I34**  
**ESE**  
**< 1/8**  
**0.081 mi.**  
**426 ft.**

**SERVICE BOX 15648**  
**650 BROADWAY**  
**BROOKLYN, NY**  
  
**Site 2 of 2 in cluster I**

**NY Spills** **S104651729**  
**NY Hist Spills** **N/A**

**Relative:**  
**Higher**

NY Spills:

**Actual:**  
**14 ft.**

Site ID: 139733  
 Facility Addr2: Not reported  
 Facility ID: 0000431  
 Spill Number: 0000431  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: JHOCONNE  
 Referred To: Not reported  
 Spill Date: 4/11/2000  
 Reported to Dept: 4/11/2000  
 CID: 205  
 Spill Cause: Unknown  
 Water Affected: Not reported  
 Spill Source: Unknown  
 Spill Notifier: Affected Persons  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 1/17/2002  
 Remediation Phase: 0  
 Date Entered In Computer: 4/11/2000  
 Spill Record Last Update: 1/23/2002  
 Spiller Name: Not reported  
 Spiller Company: UNKNOWN  
 Spiller Address: Not reported  
 Spiller City,St,Zip: NY  
 Spiller Company: 999  
 Contact Name: CALLER  
 Contact Phone: Not reported  
 DEC Region: 2  
 DER Facility ID: 119367  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "O'CONNELL" Con Ed e2mis #130848 Notes: 4-11-00 1000hrs 6gal pure oil in SB 15648. Cleanup pending sample results. 4-12-00 0155hrs LSN 00-03517 <1ppm PCB 4-25-00 1520hrs Cleanup completed. Double washed with slix. Liquids removed by tanker, solids by vactor. No leaking equipment. No sump.  
 Remarks: CALLER FOUND 6 GALLONS ON LAND IN SERVICE BOX. CON ED # 130848.  
 Material:  
 Site ID: 139733  
 Operable Unit ID: 822125  
 Operable Unit: 01  
 Material ID: 288680  
 Material Code: 0066A  
 Material Name: UNKNOWN PETROLEUM  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 6

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SERVICE BOX 15648 (Continued)**

**S104651729**

Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**NY Hist Spills:**

Region of Spill: 2  
Spill Number: 0000431  
Investigator: O'CONNELL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 04/11/2000 10:00  
Reported to Dept Date/Time: 04/11/00 11:35  
SWIS: 61  
Spiller Name: UNKNOWN  
Spiller Contact: Not reported  
Spiller Phone: ( ) -  
Spiller Contact: CALLER  
Spiller Phone: ( ) -  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Unknown  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 12  
Spill Notifier: Affected Persons  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Corrective Action Plan Submitted: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SERVICE BOX 15648 (Continued)**

**S104651729**

Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 04/11/00  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 04/11/00  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 6  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: UNKNOWN PETROLEUM  
Class Type: UNKNOWN PETROLEUM  
Times Material Entry In File: 16414  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Remark: CALLER FOUND 6 GALLONS ON LAND IN SERVICE BOX. CON ED 130848.

**F35**  
**SW**  
**< 1/8**  
**0.081 mi.**  
**428 ft.**

**LOT 21,TAXBLOCK 2266**  
**390 WALLABOUT STREET**  
**BROOKLYN, NY 11206**  
**Site 9 of 11 in cluster F**

**E DESIGNATION** **S110242364**  
**N/A**

**Relative:**  
**Equal**

**E DESIGNATION:**  
Tax Lot(s): 21  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 21,TAXBLOCK 2266 (Continued)**

**S110242364**

All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000001575  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0063.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000014535  
Total Assessed Value: 00000014535  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660021  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998828  
Y Coordinate: 0195111  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 21,TAXBLOCK 2266 (Continued)**

**S110242364**

Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 21  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000001575  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0063.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 21,TAXBLOCK 2266 (Continued)**

**S110242364**

Basement Type Grade: 5  
Land Assessed Value: 00000014535  
Total Assessed Value: 00000014535  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660021  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998828  
Y Coordinate: 0195111  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 21  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 21,TAXBLOCK 2266 (Continued)**

**S110242364**

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000001575  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0063.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000014535  
Total Assessed Value: 00000014535  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660021  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998828  
Y Coordinate: 0195111  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 21,TAXBLOCK 2266 (Continued)**

**S110242364**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 21  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000001575  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0063.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 21,TAXBLOCK 2266 (Continued)**

**S110242364**

Land Assessed Value: 00000014535  
 Total Assessed Value: 00000014535  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660021  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998828  
 Y Coordinate: 0195111  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**F36  
 SW  
 < 1/8  
 0.081 mi.  
 428 ft.**

**LOT 40,TAXBLOCK 2250  
 305 WALLABOUT STREET  
 BROOKLYN, NY 11206  
 Site 10 of 11 in cluster F**

**E DESIGNATION S110242406  
 N/A**

**Relative:  
 Equal**

E DESIGNATION:  
 Tax Lot(s): 40  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2250 (Continued)**

**S110242406**

Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: A. HOLDING  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000014850  
Total Assessed Value: 00000054450  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500040  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998742  
Y Coordinate: 0195215  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2250 (Continued)**

**S110242406**

Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 40  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: A. HOLDING  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2250 (Continued)**

**S110242406**

Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000014850  
Total Assessed Value: 00000054450  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500040  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998742  
Y Coordinate: 0195215  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 40  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2250 (Continued)**

**S110242406**

Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: A. HOLDING  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 1  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000014850  
Total Assessed Value: 00000054450  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1993  
Year Built Code: Not reported  
Year Altered1: 1994  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500040  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998742  
Y Coordinate: 0195215  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 40,TAXBLOCK 2250 (Continued)**

**S110242406**

Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**H37**  
**SSW**  
**< 1/8**  
**0.083 mi.**  
**439 ft.**

**LOT 37,TAXBLOCK 2266**  
**97 GERRY STREET**  
**BROOKLYN, NY 11206**  
**Site 4 of 10 in cluster H**

**E DESIGNATION S110242400**  
**N/A**

**Relative:**  
**Higher**

**E DESIGNATION:**  
 Tax Lot(s): 37  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: G2  
 Land Use Category: 10  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: 8 CITY PROPERTIES LLC  
 Lot Area: 000002500  
 Total Building Floor Area: 00000002500  
 Commercial Floor Area: 00000002500  
 Office Floor Area: 00000000000  
 Retail Floor Area: 00000000000  
 Garage Floor Area: 00000002500  
 Storage Floor Area: 00000000000  
 Factory Floor Area: 00000000000  
 Other Floor Area: 00000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00001  
 Number of Floors: 001.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 37,TAXBLOCK 2266 (Continued)**

**S110242400**

Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000040680  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1968  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660037  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998958  
Y Coordinate: 0195072  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 37  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 37,TAXBLOCK 2266 (Continued)**

**S110242400**

Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G2  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: 8 CITY PROPERTIES LLC  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000002500  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000040680  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1968  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660037  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998958  
Y Coordinate: 0195072  
Zoning Map: 13B

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 37,TAXBLOCK 2266 (Continued)**

**S110242400**

Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**H38**  
**SSW**  
**< 1/8**  
**0.084 mi.**  
**445 ft.**

**LOT 24,TAXBLOCK 2269**  
**88 GERRY STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION S110242370**  
**N/A**

**Site 5 of 10 in cluster H**

**Relative:**  
**Higher**

**E DESIGNATION:**  
 Tax Lot(s): 24  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 14 ft. Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: E1  
 Land Use Category: 06  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: ELLENBOGEN JANICE  
 Lot Area: 000002500  
 Total Building Floor Area: 00000002500  
 Commercial Floor Area: 00000002500  
 Office Floor Area: 00000000000  
 Retail Floor Area: 00000000000  
 Garage Floor Area: 00000000000  
 Storage Floor Area: 00000002500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 24,TAXBLOCK 2269 (Continued)**

**S110242370**

Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000039150  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690024  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999046  
Y Coordinate: 0194962  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 24  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 24,TAXBLOCK 2269 (Continued)**

**S110242370**

Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: ELLENBOGEN JANICE  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000039150  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690024

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 24,TAXBLOCK 2269 (Continued)**

**S110242370**

Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999046  
Y Coordinate: 0194962  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 24  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E1  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: ELLENBOGEN JANICE  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 24,TAXBLOCK 2269 (Continued)**

**S110242370**

Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000039150  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690024  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999046  
Y Coordinate: 0194962  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

J39  
NNE  
< 1/8  
0.085 mi.  
448 ft.

**LINDSAY PARK HOUSING CORP  
31 LEONARD STREET  
BROOKLYN, NY 11206  
Site 1 of 2 in cluster J**

**UST U003127541  
HIST UST N/A**

**Relative:  
Equal**

UST:  
Facility Id: 2-093254  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS

**Actual:  
13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127541**

Expiration Date: 2012/05/07  
UTM X: 589066.37948  
UTM Y: 4506405.8160399999

**Affiliation Records:**

Site Id: 2454  
Affiliation Type: Emergency Contact  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: Not reported  
Contact Name: JOHN WHITE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 322-8999  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 2454  
Affiliation Type: On-Site Operator  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: Not reported  
Contact Name: EVELYN MAGAN  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 782-9000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 2454  
Affiliation Type: Mail Contact  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: MANAGING AGENT  
Contact Name: JAY SILVERBERG  
Address1: 202 UNION AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 782-9000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 3/5/2007

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127541**

Site Id: 2454  
Affiliation Type: Owner  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: MANAGING AGENT  
Contact Name: JAY SILVERBERG  
Address1: 202 UNION AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 782-9000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 3/5/2007

Equipment Records:

H00 - Tank Leak Detection - None  
I04 - Overfill - Product Level Gauge (A/G)  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
A00 - Tank Internal Protection - None  
C00 - Pipe Location - No Piping  
L09 - Piping Leak Detection - Exempt Suction Piping  
C00 - Pipe Location - No Piping  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
J02 - Dispenser - Suction  
B00 - Tank External Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Info:

Site ID: 2454  
  
Tank Number: 001  
Tank ID: 4297  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 30000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127541**

Modified By: TRANSLAT  
Last Modified: 3/4/2004  
  
Site ID: 2454  
  
Tank Number: 002  
Tank ID: 4298  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 30000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-093254  
SPDES Number: Not reported  
Emergency Contact: JOHN WHITE  
Emergency Telephone: (718) 322-8999  
Operator: EVELYN MAGAN  
Operator Telephone: (718) 782-9000  
Owner Name: LINDSAY PARK HOUSING CORP  
Owner Address: 202 UNION AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11211  
Owner Telephone: (718) 782-9000  
Owner Type: Private Resident  
Owner Subtype: Not reported  
Mailing Name: LINDSAY PARK HOUSING CORP  
Mailing Address: 202 UNION AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11211  
Mailing Contact: ELM MANAGEMENT ASSOC. INC  
Mailing Telephone: (718) 782-9000  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 31 LEONARD STREET  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 07/02/1997  
Expiration Date: 05/07/2002  
Renew Flag: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127541**

Renewal Date: Not reported  
Total Capacity: 60000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19640401  
Capacity (gals): 30000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Vault (w/access)  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19640401  
Capacity (gals): 30000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Vault (w/access)  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127541**

Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

**J40  
NNE  
< 1/8  
0.085 mi.  
448 ft.**

**APT BUILDING  
31 LEONARD ST  
BROOKLYN, NY  
Site 2 of 2 in cluster J**

**NY Spills S110308113  
N/A**

**Relative:  
Equal**

NY Spills:

**Actual:  
13 ft.**

Site ID: 433347  
Facility Addr2: Not reported  
Facility ID: 1000673  
Spill Number: 1000673  
Facility Type: ER  
SWIS: 2401  
Investigator: hrpatel  
Referred To: Not reported  
Spill Date: 4/16/2010  
Reported to Dept: 4/16/2010  
CID: Not reported  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Not reported  
Spill Closed Dt: 9/6/2011  
Remediation Phase: 0  
Date Entered In Computer: 4/16/2010  
Spill Record Last Update: 9/6/2011  
Spiller Name: Not reported  
Spiller Company: LYNDSEY PARK HOUSING  
Spiller Address: Not reported  
Spiller City,St,Zip: NY  
999  
Contact Name: JAY SILVERBERG - LYNDSEY PARK HOUSING  
Contact Phone: (718) 782-9000  
DEC Region: 2  
DER Facility ID: 388256  
DEC Memo: 04/16/10-Hiralkumar Patel. spoke with Tom at Protest. site has two 30,000 gal #6 oil USTs. recently, during repair of water main leak, crew noticed a fresh oil stain on wall inside basement. Protest has been hired for isolation test on tanks. currently, protest is preparing for isolation test on one tank. Lindsey Park Housing Corp. 202 Union Ave. Brooklyn, NY 11211 Attn: Jay Silverberg \*\*property manager\*\* Ph. (718) 782-9000 email: jadius7@aol.com PBS #: 2-093254. according to PBS record, two 30,000 gal #6 oil USTs were installed on

**APT BUILDING (Continued)**

**S110308113**

04/01/1964. 04/23/10-Hiralkumar Patel. 3:39 PM:- received message from Tom. 3:47 PM:- spoke with Tom. they tested two 30,000 gal tanks only and both tanks passed. so looks like leak is from one of the piping. Tom mentioned that they tested one set of supply/return lines which found tight, so building is using one tank with passing supply/return lines. another tank and all other lines (including remote fill ports) are out of service. currently Protest is excavation contaminated soil around tank as they prepare for isolation test for pipes. 04/26/10-Hiralkumar Patel. 10:45 AM:- visited site. Protest crew was excavating area around lines on top of tanks. one tank system is in service. found contaminated soil. found oil spilled on boiler room floor from one of the supply line which was leaking. two tanks at 31 Leonard street provides heat to two buildings: 31 Leonard street and 54 Boerum Street.

05/11/10-Hiralkumar Patel. 11:11 AM:- received email from Tom with updates. 2:53 PM:- sent letter to Mr. Silverberg requiring tank test for two 30,000 gal USTs and endpoint samples. tank test results are due on 05/21/10. letter emailed to Mr. Silverberg and Tom.

06/08/10-Hiralkumar Patel. received message from Tom (at 4:18 PM on 06/07/10). 4:19 PM:- spoke with Tom. he will send update letter today. 4:27 PM:- received email from Tom with update letter. Tom mentioned that they will remove additional soil and once they finish work at 31 Leonard then will start work at 67 Manhattan Ave.

06/14/10-Hiralkumar Patel. 12:50 PM:- left message for Mr. Silverberg to schedule a meeting to setup time frame to finish different spill cases under Lindsey Park. 2:07 PM:- received call from Mr. Silverberg. asked him about meeting in office to discuss work schedule for all sites under Lindsey Park. Mr. Silverberg is available in July. 06/15/10-Hiralkumar Patel. 12:15 PM:- received message from Tom. 06/16/10-Hiralkumar Patel. 9:41 AM:- left message for Tom. 9:45 AM:- left message for Mr. Silverberg. 3:24 PM:- received message from Tom. 4:05 PM:- spoke with Tom. he asked about endpoint sampling frequency. asked him to refer to DER-10 for sampling frequency. but recommended to collect soil samples from area also where elevated PIDs/stains/odors etc noted. 06/25/10-Hiralkumar Patel. 1:15 PM:- office meeting with DEC Urda, DEC Morenzi, DEC Austin, Mr. Silverberg, Tom, Scott Smiw and Chris O'Donnell. during meeting, agreed upon following: - completion of excavation work at 31 Leonard Street - installation of 6 inch monitoring wells around USTs at 67 Manhattan Ave and pump out of product (as an interim measure before excavation starts) - either installation of soil boring (and three monitoring wells based on results of groundwater sample from soil boring) or soil excavation at 24 Boerum Street and 54 Boerum Street - installation of 6 inch monitoring wells around previously abandoned USTs at 30 Montrose avenue Tom will submit revised work plan for 30 Montrose Ave and work plan for wells installation at 67 Manhattan Ave and boring/well installation at 24 and 54 Boerum Street. site visit needed during collection of endpoint samples from north end of excavation at 31 Leonard Street. during meeting, Tom mentioned that they removed about 3,500 gal of contaminated water (could be perched water, as per Tom) and pumped out tank which is closer to bulding foundation wall. they plan to finish soil excavation by end of 07/15/10 and then will submit report by 08/13/10. DEC Urda asked to issue multi-sites STIP.

07/07/10-Hiralkumar Patel. DEC Urda working on multi-site STIP.

07/23/10-Hiralkumar Patel. 7:26 AM:- received email from DEC Urda. he mentioned that attorney for Lindsey Park is reviewing the multi-site

MAP FINDINGS

APT BUILDING (Continued)

S110308113

STIP. 09/21/10-Hiralkumar Patel. 11:07 AM:- received email from DEC Urda with copy of signed STIP. DEC regional director signed STIP on 09/16/10. as per the CAP of the signed STIP, following documents are due: - a work plan for free phase product removal at 67 Manhattan Ave is due by end of 10/01/10 - an interim spill cleanup report for 31 Leonard Street is due now - tank closure report for buildings 24 Boerum and 54 Boerum street are due on 12/21/10 - a remedial investigation report for groundwater investigation at 30 Montrose is due on 02/28/11 12:46 PM:- spoke with Tom. he is working on report for 31 Leonard Street. he mentioned that they have installed wells at 30 Montrose ave. 12:54 PM:- sent email to Mr. Silverberg and asked him to submit interim spill cleanup report for 31 Leonard Street by end of 09/30/10. 10/01/10-Hiralkumar Patel. received email from Tom (at 5:08 PM on 09/30/10) including interim report. abstract: - supply line was leaking oil at the point where it entered the building - tank closest to the building was tested and found tight; all lines from this tank were removed and capped the tank in order to render it temporarily out-of-service in preparation for future abandonment - the second tank (farthest from the building) passed tank only test; new supply and return lines were installed on this tank - multiple sets of old out-of-service lines were discovered around the tanks - continued soil removal in other areas - water was found in bottom of excavation - total of 36 endpoint soil samples were taken every 15 ft along the perimeter of the excavation and in the base of the pit - out of 36 samples, only 30 samples were analyzed and remaining 6 samples (which were taken between other endpoint samples) were not analyzed - total of 4,137.59 tons of soils removed - no VOC found in any soil samples - SVOC contamination found in all samples, but found heavy contamination in two samples 10 and 11 - excavation was 165 ft long by 55 ft wide and was 12 ft deep - suggests to install six 4 inch groundwater observation wells soil analyticals:

	Sample 10	Sample 11	12 ft	12 ft
Acenaphthene				11,000
Acenaphthylene				5,700
Anthracene	3,100			32,000
Benzo(a)anthracene	5,800			38,000
Benzo(a)pyrene	3,900			45,000
Benzo(b)fluoranthene	4,500			43,000
Benzo(g,h,i)perylene	1,700			12,000
Benzo(k)fluoranthene	5,100			38,000
Chrysene	6,400			51,000
Fluoranthene	17,000			130,000
Fluorene				13,000
Naphthalene				18,000
Phenanthrene	15,000			160,000
Pyrene	14,000			110,000

10/06/10-Hiralkumar Patel. 1:40 PM:- spoke with Bob at Protest. he mentioned that some areas in excavation were deeper than 12 ft and they found water at around 15 ft depth. Bob will send site map with information about different excavation depth. he also mentioned that all the sidewall samples were taken at the bottom of sidewalls. 2:06 PM:- spoke with Tom about area around sample 11. Tom mentioned that west of sample 11 is open parking lot and seating area and there is no building. also asked him about water in excavation. Tom is not sure whether it is perched water or groundwater, but sheen was observed on water. he will check whether any groundwater samples collected for analysis. asked Tom to submit information about

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APT BUILDING (Continued)**

**S110308113**

groundwater contamination. 10/08/10-Hiralkumar Patel. 1:04 PM:- received email from Protest including revised site map. site map shows that groundwater was found at 15 ft depth. 10/26/10-Hiralkumar Patel. as per investigation report for property 30 Montrose Ave, which is in same neighbourhood as the subject site, groundwater found at around 12 ft below grade in monitoring wells. discussed with DEC Austin. based on sheen observed in water (which could be groundwater) in excavation, he asked for groundwater investigation via installation of wells. 12:42 PM:- sent letter to Mr. Silverberg requiring delineation of groundwater contamination via installation of minimum of three wells. letter emailed to Mr. Silverberg and Tom. 12/28/10-Hiralkumar Patel. 12:34 PM:- received email from Protest including addendum to interim spill cleanup report. during restoration of tank excavation area, Protest removed old fill lines and found additional contamination by the remote fill port. total of 38.48 tons of soils removed. excavation was backfilled due to safety reasons. excavation around remote fill port was 18 ft long by 18 ft wide and was 3 ft deep in west side and 10 ft deep in east side. Protest collected five endpoint samples (one from each sidewall and bottom). found SVOC contamination in all endpoint samples. report doesn't include depth of endpoint samples. groundwater investigation hasn't performed yet. 01/04/11-Hiralkumar Patel. 11:33 AM:- left message for Tom. 11:35 AM:- spoke with Mr. Silverberg about required documents. he will talk to Tom. 11:47 AM:- sent email to Mr. Silverber (and copied to Tom) to submit following documents/information by the end of 01/07/11, to avoid legal enforcement: - work schedule for groundwater investigation at 31 Leonard St - work plan and schedule for product removal at 67 Manhattan Ave - work schedule for groundwater investigation at 30 Montrose Ave - tank closure report for 24 Boerum St also asked Tom to submit depth of individual endpoint sample for excavation at remote fill port. 01/05/11-Hiralkumar Patel. 9:02 AM:- received email from Bob including updated site map with endpoint sample depths. 2:56 PM:- received call from Tom. he will submit updates by end of 01/12/11 about groundwater investigation. 01/11/11-Hiralkumar Patel. 3:52 PM:- received email from Tom with updates. work plan for groundwater investigation will be submitted by the end of 01/21/11. 01/25/11-Hiralkumar Patel. received a work plan from ProTest (at 11:27 PM on 01/24/11). proposes to install four (4) wells. due to the large amount of soil removed, lack of residual oil in the excavation and the site logistics, protest proposing the installation of 2 inch wells. 01/26/11-Hiralkumar Patel. 2:00 PM:- sent work plan approval letter to Mr. Silverberg. letter emailed to Mr. Silverberg and Tom. 02/10/11-Hiralkumar Patel. received email from Chris Tomesello (at 8:08 PM on 02/09/11). Chris mentioned that wells will be installed on 02/17/11. 03/23/11-Hiralkumar Patel. 10:41 AM:- sent email to Tom requesting updates. 12:44 PM:- received email from Bob from Protest. they have installed and developed 4 monitoring wells. 04/28/11-Hiralkumar Patel. 4:08 PM:- sent email to Chris and Tom inquiring updates. email copied to Mr. Silverberg. 4:22 PM:- received email from Bob from Protest. he mentioned that four wells were installed on 02/17/11 and samples on 04/07/11. Chris is handling this project and he is out of town until 05/06/11. Bob will ask Chris to submit results once he is back in office. 05/24/11-Hiralkumar Patel. 12:46 PM:- sent email to Tom inquiring updates. email copied to Chris and Mr. Silverberg. 08/05/11-Hiralkumar Patel. 3:23 PM:- spoke with Bob at Protest regarding report. he will talk to Chris and ask him to

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

E DR ID Number  
 EPA ID Number

**APT BUILDING (Continued)**

**S110308113**

submit report. 08/25/11-Hiralkumar Patel. 4:08 PM:- spoke with Mr. Silverberg regarding report. he will talk to Protest. 4:09 PM:- sent email to Mr. Silverberg and asked him to submit report by 08/29/11. informed him that case will be referred to legal, if report not received by 08/29/11. email copied to Tom at Protest.  
 09/06/11-Hiralkumar Patel. 8:27 AM:- received investigation report. abstract: - four borings installed to 20 ft bg - found clay in all borings - 2 inch diameter wells installed at all four borings - groundwater found at around 9 ft bg - collected two soil samples from each boring - minor PID readings noted (max. 41 ppm) - groundwater flows to the northeast, towards the on-site building after discussing with DEC Austin, based on available information, case closed. 3:29 PM:- sent spill closure letter to Mr. Silverberg. letter emailed to Mr. Silverberg and Tom. \*\*see also spill #s: 0103137, 0701867, 0905433, 0905544 and 0906148.\*\*  
 Remarks: leaking into boiler room through wall - tank on other side - cleanup pending

Material:  
 Site ID: 433347  
 Operable Unit ID: 1184237  
 Operable Unit: 01  
 Material ID: 2178471  
 Material Code: 0003  
 Material Name: #6 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: Not reported  
 Units: Not reported  
 Recovered: Not reported  
 Resource Affected: Not reported  
 Oxygenate: False

Tank Test:  
 Site ID: Not reported  
 Spill Tank Test: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

**H41** LOT 38,TAXBLOCK 2266  
**SSW** 95 GERRY STREET  
 < 1/8 BROOKLYN, NY 11206  
 0.085 mi.  
 450 ft. Site 6 of 10 in cluster H

**E DESIGNATION** S110242401  
 N/A

**Relative:** E DESIGNATION:  
**Higher** Tax Lot(s): 38  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 14 ft. Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 38,TAXBLOCK 2266 (Continued)**

**S110242401**

Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: LEIBY ZIPORA  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000040140  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 38,TAXBLOCK 2266 (Continued)**

**S110242401**

Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660038  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998963  
Y Coordinate: 0195035  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 38  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: LEIBY ZIPORA  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 38,TAXBLOCK 2266 (Continued)**

**S110242401**

Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000002500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000040140  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660038  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998963  
Y Coordinate: 0195035  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**F42**  
**SW**  
**< 1/8**  
**0.086 mi.**  
**453 ft.**

**LOT 20,TAXBLOCK 2266**  
**388 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION**    **S110242363**  
**N/A**

**Site 11 of 11 in cluster F**

**Relative:**  
**Higher**

**E DESIGNATION:**

**Actual:**  
**14 ft.**

Tax Lot(s):	20
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	3003
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	V1
Land Use Category:	11
Number of Easements:	0
Owner, Type of Code:	C
Owner Name:	WALLABOUT THROOP REAL
Lot Area:	000002500
Total Building Floor Area:	0000000000
Commercial Floor Area:	0000000000
Office Floor Area:	0000000000
Retail Floor Area:	0000000000
Garage Floor Area:	0000000000
Storage Floor Area:	0000000000
Factory Floor Area:	0000000000
Other Floor Area:	0000000000
Floor Area,Total Bld Source Code4	
Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 20,TAXBLOCK 2266 (Continued)**

**S110242363**

Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660020  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998821  
Y Coordinate: 0195081  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 20  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 20,TAXBLOCK 2266 (Continued)**

**S110242363**

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660020  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998821  
Y Coordinate: 0195081  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 20,TAXBLOCK 2266 (Continued)**

**S110242363**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 20  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 20,TAXBLOCK 2266 (Continued)**

**S110242363**

Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660020  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998821  
Y Coordinate: 0195081  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 20  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 20,TAXBLOCK 2266 (Continued)**

**S110242363**

Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660020  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998821  
Y Coordinate: 0195081  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 20,TAXBLOCK 2266 (Continued)**

**S110242363**

Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**H43  
 SSW  
 < 1/8  
 0.088 mi.  
 465 ft.**

**LOT 23,TAXBLOCK 2269  
 86 GERRY STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION**

**S110242368  
 N/A**

**Site 7 of 10 in cluster H**

**Relative:  
 Higher**

E DESIGNATION:  
 Tax Lot(s): 23  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: E9  
 Land Use Category: 06  
 Number of Easements: 0  
 Owner, Type of Code: C  
 Owner Name: HOUSING PRESERVATION  
 Lot Area: 000002500  
 Total Building Floor Area: 0000002500  
 Commercial Floor Area: 0000002500  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000002500  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00001  
 Number of Floors: 001.00  
 Residential Units: 00000  
 Non and Residential Units: 00001  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0025.00

**Actual:  
 14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 23,TAXBLOCK 2269 (Continued)**

**S110242368**

Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000032985  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690023  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999053  
Y Coordinate: 0194917  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 23  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 23,TAXBLOCK 2269 (Continued)**

**S110242368**

Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500  
Total Building Floor Area: 00000002500  
Commercial Floor Area: 00000002500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000002500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000016875  
Total Assessed Value: 00000032985  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690023  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999053  
Y Coordinate: 0194917  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 23,TAXBLOCK 2269 (Continued)**

**S110242368**

Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**H44**  
**SSW**  
**< 1/8**  
**0.091 mi.**  
**480 ft.**

**LOT 39,TAXBLOCK 2266**  
**93 GERRY STREET**  
**BROOKLYN, NY 11206**  
**Site 8 of 10 in cluster H**

**E DESIGNATION S110242402**  
**N/A**

**Relative:**  
**Higher**

**E DESIGNATION:**  
 Tax Lot(s): 39  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: V1  
 Land Use Category: 11  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: VINFEILD RLTY CORP  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000000000  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000  
 Floor Area,Total Bld Source Code4  
 Number of Buildings: 00000  
 Number of Floors: 000.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2266 (Continued)**

**S110242402**

Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000022815
Total Assessed Value:	00000022815
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022660039
Condominium Number:	00000
Census Tract 2:	0507
X Coordinate:	0998920
Y Coordinate:	0195040
Zoning Map:	13B
Sanborn Map:	303 036
Tax Map:	30803
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	39
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	3003
School District:	14
City Council District:	33
Fire Company:	E230

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2266 (Continued)**

**S110242402**

Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660039  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998920  
Y Coordinate: 0195040  
Zoning Map: 13B

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2266 (Continued)**

**S110242402**

Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 39  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 39,TAXBLOCK 2266 (Continued)**

**S110242402**

Non and Residential Units: 00000  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0000.00  
 Building Depth: 0000.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000022815  
 Total Assessed Value: 00000022815  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660039  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998920  
 Y Coordinate: 0195040  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**K45  
 SW  
 < 1/8  
 0.092 mi.  
 486 ft.**

**LOT 19,TAXBLOCK 2266  
 386 WALLABOUT STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION S110242360  
 N/A**

**Site 1 of 8 in cluster K**

**Relative:  
 Higher**

E DESIGNATION:  
 Tax Lot(s): 19  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
 Borough Code: BK  
 Community District: 301

**Actual:  
 14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2266 (Continued)**

**S110242360**

Census Tract:	507
Census Block:	3003
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	V1
Land Use Category:	11
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	WALLABOUT THROOP REAL
Lot Area:	000002500
Total Building Floor Area:	0000000000
Commercial Floor Area:	0000000000
Office Floor Area:	0000000000
Retail Floor Area:	0000000000
Garage Floor Area:	0000000000
Storage Floor Area:	0000000000
Factory Floor Area:	0000000000
Other Floor Area:	0000000000
Floor Area,Total Bld Source Code4	
Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000022815
Total Assessed Value:	00000022815
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022660019

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2266 (Continued)**

**S110242360**

Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998785  
Y Coordinate: 0195083  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 19  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2266 (Continued)**

**S110242360**

Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660019  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998785  
Y Coordinate: 0195083  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 19  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2266 (Continued)**

**S110242360**

Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660019  
Condominium Number: 00000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2266 (Continued)**

**S110242360**

Census Tract 2: 0507  
X Coordinate: 0998785  
Y Coordinate: 0195083  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 19  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: WALLABOUT THROOP REAL  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

E DR ID Number  
 EPA ID Number

**LOT 19,TAXBLOCK 2266 (Continued)**

**S110242360**

Floor Area,Total Bld Source Code#  
 Number of Buildings: 00000  
 Number of Floors: 000.00  
 Residential Units: 00000  
 Non and Residential Units: 00000  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0000.00  
 Building Depth: 0000.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000022815  
 Total Assessed Value: 00000022815  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660019  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998785  
 Y Coordinate: 0195083  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**H46**  
**SSW**  
**< 1/8**  
**0.095 mi.**  
**501 ft.**

**LOT 40,TAXBLOCK 2266**  
**91 GERRY STREET**  
**BROOKLYN, NY 11206**  
**Site 9 of 10 in cluster H**

**E DESIGNATION S110242407**  
**N/A**

**Relative:**  
**Higher**

E DESIGNATION:  
 Tax Lot(s): 40  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulrup Number: 090413ZMK

**Actual:**  
**14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2266 (Continued)**

**S110242407**

Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2266 (Continued)**

**S110242407**

Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660040  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998920  
Y Coordinate: 0195002  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 40  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2266 (Continued)**

**S110242407**

Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660040  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998920  
Y Coordinate: 0195002  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 40  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2266 (Continued)**

**S110242407**

Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 40,TAXBLOCK 2266 (Continued)**

**S110242407**

Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660040  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998920  
Y Coordinate: 0195002  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**K47  
SW  
< 1/8  
0.095 mi.  
503 ft.**

**LOT 18,TAXBLOCK 2266  
384 WALLABOUT STREET  
BROOKLYN, NY 11206  
Site 2 of 8 in cluster K**

**E DESIGNATION S110242358  
N/A**

**Relative:  
Equal**

E DESIGNATION:  
Tax Lot(s): 18  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C

**Actual:  
13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 18,TAXBLOCK 2266 (Continued)

S110242358

Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660018  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998783  
Y Coordinate: 0195049  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 18  
E-No: E-238

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 18,TAXBLOCK 2266 (Continued)**

**S110242358**

Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 18,TAXBLOCK 2266 (Continued)**

**S110242358**

Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660018  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998783  
 Y Coordinate: 0195049  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**H48**  
**SSW**  
**< 1/8**  
**0.100 mi.**  
**529 ft.**

**PFIZER INC. BROOKLYN PLANT**  
**80 GERRY STREET**  
**BROOKLYN, NY 11206**

**UST U003418592**  
**HIST UST N/A**

**Site 10 of 10 in cluster H**

**Relative:**  
**Higher**

UST:  
 Facility Id: 2-603703  
 Region: STATE  
 DEC Region: 2  
 Site Status: Unregulated  
 Program Type: PBS  
 Expiration Date: N/A  
 UTM X: 588991.78778999997  
 UTM Y: 4506144.2501800004

**Actual:**  
**14 ft.**

Affiliation Records:  
 Site Id: 25607  
 Affiliation Type: Owner  
 Company Name: PFIZER INC.  
 Contact Type: Not reported  
 Contact Name: Not reported  
 Address1: 630 FLUSHING AVENUE  
 Address2: Not reported  
 City: BROOKLYN  
 State: NY  
 Zip Code: 11206  
 Country Code: 001  
 Phone: (718) 780-8686  
 Phone Ext: Not reported  
 Email: Not reported  
 Fax Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**U003418592**

Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25607  
Affiliation Type: Mail Contact  
Company Name: PFIZER INC.  
Contact Type: Not reported  
Contact Name: THOMAS J. SNEE  
Address1: 630 FLUSHING AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 780-8686  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25607  
Affiliation Type: Emergency Contact  
Company Name: PFIZER INC.  
Contact Type: Not reported  
Contact Name: PFIZER INC.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 780-8880  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25607  
Affiliation Type: On-Site Operator  
Company Name: PFIZER INC. BROOKLYN PLANT  
Contact Type: Not reported  
Contact Name: PFIZER INC.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 780-8686  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**U003418592**

Equipment Records:

H00 - Tank Leak Detection - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
D00 - Pipe Type - No Piping  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
I00 - Overfill - None  
I00 - Overfill - None  
I00 - Overfill - None  
B00 - Tank External Protection - None  
D00 - Pipe Type - No Piping  
G03 - Tank Secondary Containment - Vault (w/o access)  
D00 - Pipe Type - No Piping  
B01 - Tank External Protection - Painted/Asphalt Coating  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
G03 - Tank Secondary Containment - Vault (w/o access)  
G03 - Tank Secondary Containment - Vault (w/o access)  
F00 - Pipe External Protection - None  
C00 - Pipe Location - No Piping  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None

Tank Info:

Site ID: 25607

Tank Number: B001  
Tank ID: 55259  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 275  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 25607

Tank Number: B002  
Tank ID: 55260  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**U003418592**

Capacity Gallons: 275  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 25607

Tank Number: B003  
Tank ID: 55261  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 400  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-603703  
SPDES Number: Not reported  
Emergency Contact: PFIZER INC.  
Emergency Telephone: (718) 780-8880  
Operator: PFIZER INC.  
Operator Telephone: (718) 780-8686  
Owner Name: PFIZER INC.  
Owner Address: 630 FLUSHING AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11206  
Owner Telephone: (718) 780-8686  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: PFIZER INC.  
Mailing Address: 630 FLUSHING AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11206  
Mailing Contact: THOMAS J. SNEE  
Mailing Telephone: (718) 780-8686  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: 80 GERRY STREET  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**U003418592**

Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: Not reported  
Expiration Date: 10/20/2003  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: No Missing Data  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: B001  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 275  
Product Stored: USED OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: None  
Pipe Type: NONE  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: B002  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 275  
Product Stored: USED OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**U003418592**

Pipe Type: NONE  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: B003  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: Not reported  
Capacity (gals): 400  
Product Stored: USED OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: None  
Pipe Type: NONE  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**K49**  
**SW**  
**< 1/8**  
**0.100 mi.**  
**528 ft.**

**LOT 17,TAXBLOCK 2266**  
**382 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION** **S110242356**  
**N/A**

**Site 3 of 8 in cluster K**

**Relative:**  
**Equal**

**E DESIGNATION:**  
Tax Lot(s): 17  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 17,TAXBLOCK 2266 (Continued)**

**S110242356**

Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFIELD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 17,TAXBLOCK 2266 (Continued)**

**S110242356**

Borough Code: 3  
Borough Tax Block And Lot: 3022660017  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998742  
Y Coordinate: 0195052  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 17  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFIELD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 17,TAXBLOCK 2266 (Continued)

S110242356

Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660017  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998742  
Y Coordinate: 0195052  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 17  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 17,TAXBLOCK 2266 (Continued)

S110242356

Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFIELD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 17,TAXBLOCK 2266 (Continued)**

**S110242356**

Borough Tax Block And Lot: 3022660017  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998742  
Y Coordinate: 0195052  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 17  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFIELD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 17,TAXBLOCK 2266 (Continued)**

**S110242356**

Factory Floor Area: 00000000000  
 Other Floor Area: 00000000000  
 Floor Area,Total Bld Source Code4  
 Number of Buildings: 00000  
 Number of Floors: 000.00  
 Residential Units: 00000  
 Non and Residential Units: 00000  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0000.00  
 Building Depth: 0000.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5  
 Basement Type Grade: 5  
 Land Assessed Value: 00000022815  
 Total Assessed Value: 00000022815  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022660017  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998742  
 Y Coordinate: 0195052  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**L50  
 SSW  
 < 1/8  
 0.104 mi.  
 550 ft.**

**LOT 19,TAXBLOCK 2269  
 78 GERRY STREET  
 BROOKLYN, NY 11206  
 Site 1 of 3 in cluster L**

**E DESIGNATION S110242361  
 N/A**

**Relative:  
 Higher**

E DESIGNATION:  
 Tax Lot(s): 19  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported

**Actual:  
 14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 19,TAXBLOCK 2269 (Continued)

S110242361

Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CHUNG HOI WONG  
Lot Area: 000007500  
Total Building Floor Area: 00000007500  
Commercial Floor Area: 00000007500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000007500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0075.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000036900  
Total Assessed Value: 00000113400  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2269 (Continued)**

**S110242361**

Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690019  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998989  
Y Coordinate: 0194877  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 19  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CHUNG HOI WONG  
Lot Area: 000007500  
Total Building Floor Area: 00000007500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2269 (Continued)**

**S110242361**

Commercial Floor Area: 00000007500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000007500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0075.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000036900  
Total Assessed Value: 00000113400  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690019  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998989  
Y Coordinate: 0194877  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 19  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2269 (Continued)**

**S110242361**

Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: CHUNG HOI WONG  
Lot Area: 000007500  
Total Building Floor Area: 00000007500  
Commercial Floor Area: 00000007500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000007500  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0075.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000036900  
Total Assessed Value: 00000113400  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 19,TAXBLOCK 2269 (Continued)**

**S110242361**

Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690019  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998989  
Y Coordinate: 0194877  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**M51  
NW  
< 1/8  
0.105 mi.  
553 ft.**

**MTA NYCT - LORIMER ST STATION J-LINE  
LORIMER ST & BROADWAY  
BROOKLYN, NY 11206  
Site 1 of 6 in cluster M**

**RCRA-NonGen 1004761237  
FINDS NYR000082131  
MANIFEST**

**Relative:  
Equal**

RCRA-NonGen:

Date form received by agency: 01/01/2007  
Facility name: MTA NYCT - LORIMER ST STATION J-LINE  
Facility address: LORIMER ST & BROADWAY  
BROOKLYN, NY 11206  
EPA ID: NYR000082131  
Mailing address: BROADWAY 3RD FLOOR  
NEW YORK, NY 10004  
Contact: WILLIAM JEHL  
Contact address: BROADWAY 3RD FLOOR  
NEW YORK, NY 10004  
Contact country: US  
Contact telephone: (646) 252-3500  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:  
13 ft.**

Owner/Operator Summary:

Owner/operator name: MTA NEW YORK CITY TRANSIT  
Owner/operator address: 2 BROADWAY 3RD FLOOR  
NEW YORK, NY 10004  
Owner/operator country: US  
Owner/operator telephone: (646) 252-3500  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MTA NYCT - LORIMER ST STATION J-LINE (Continued)**

**1004761237**

Owner/operator name: MTA NEW YORK CITY TRANSIT  
Owner/operator address: 2 BROADWAY 3RD FLOOR  
NEW YORK, NY 10004  
Owner/operator country: US  
Owner/operator telephone: (646) 252-3500  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: MTA NYCT - LORIMER ST STATION J-LINE  
Classification: Not a generator, verified

Date form received by agency: 05/03/2000  
Facility name: MTA NYCT - LORIMER ST STATION J-LINE  
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008111426

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000082131  
Country: USA  
Mailing Name: NEW YORK CITY TRANSIT AUTHORITY  
Mailing Contact: KARNATI PAUL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MTA NYCT - LORIMER ST STATION J-LINE (Continued)**

**1004761237**

Mailing Address: 2 BROADWAY 3RD FL  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10004  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 646-252-3500

Document ID: NJA3206371  
Manifest Status: Not reported  
Trans1 State ID: NYD046765574  
Trans2 State ID: Not reported  
Generator Ship Date: 12/13/2000  
Trans1 Recv Date: 12/13/2000  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 12/20/2000  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000082131  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: S8424X  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 02250  
Units: P - Pounds  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2000

Document ID: NJA3292459  
Manifest Status: Not reported  
Trans1 State ID: NYD046765574  
Trans2 State ID: Not reported  
Generator Ship Date: 05/24/2001  
Trans1 Recv Date: 05/24/2001  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 05/25/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000082131  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: 58424X  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00050  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

MTA NYCT - LORIMER ST STATION J-LINE (Continued)

1004761237

Document ID: NJA3266154  
Manifest Status: Not reported  
Trans1 State ID: NYD046765574  
Trans2 State ID: Not reported  
Generator Ship Date: 08/01/2001  
Trans1 Recv Date: 08/01/2001  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/09/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000082131  
Trans1 EPA ID: NJD991291105  
Trans2 EPA ID: Not reported  
TSD ID: S8424  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00500  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2001

M52  
NW  
< 1/8  
0.105 mi.  
553 ft.

CON EDISON  
LORIMER ST & BROADWAY  
BROOKLYN, NY 11206

RCRA-CESQG

1014396188  
NYP004183687

Site 2 of 6 in cluster M

Relative:  
Equal

RCRA-CESQG:

Date form received by agency: 07/14/2009

Facility name: CON EDISON

Facility address: LORIMER ST & BROADWAY  
BROOKLYN, NY 11206

EPA ID: NYP004183687

Mailing address: 4 IRVING PL, RM 828  
NEW YORK, NY 10003

Contact: CAROLINE ISKANDER

Contact address: Not reported

Contact address: Not reported

Contact country: Not reported

Contact telephone: (718) 666-4714

Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CON EDISON (Continued)**

**1014396188**

hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Violation Status: No violations found

**M53  
 NW  
 < 1/8  
 0.105 mi.  
 553 ft.**

**VAULT 2942  
 LORIMER STREET/BROADWAY  
 BROOKLYN, NY**

**NY Spills S106008016  
 N/A**

**Site 3 of 6 in cluster M**

**Relative:  
 Equal**

NY Spills:

Site ID: 221929  
 Facility Addr2: Not reported  
 Facility ID: 0206795  
 Spill Number: 0206795  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: KMFOLEY  
 Referred To: Not reported  
 Spill Date: 10/1/2002  
 Reported to Dept: 10/1/2002  
 CID: 204  
 Spill Cause: Equipment Failure  
 Water Affected: Not reported  
 Spill Source: Non Major Facility > 1,100 gal  
 Spill Notifier: Responsible Party  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 1/28/2003  
 Remediation Phase: 0  
 Date Entered In Computer: 10/1/2002  
 Spill Record Last Update: 1/28/2003  
 Spiller Name: CALLER  
 Spiller Company: CON ED  
 Spiller Address: 4 IRVING PLACE  
 Spiller City,St,Zip: MANHATTAN, NY 10003

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VAULT 2942 (Continued)**

**S106008016**

Spiller Company: 001  
Contact Name: CHARLIE MCCARTHY  
Contact Phone: (212) 580-6763  
DEC Region: 2  
DER Facility ID: 183554  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "FOLEY" Con Ed e2mis #145343: 10/1/02 1138hrs - Guy Palladino # 46015 OS Networks reports while doing routine inspections found 1 gallon transformer oil on 100 gallons water in VS2942. States unit is below min with a heavy smell of oil. Requested fdr 6b51 be taken off on Priority 1 - condemning unit. No fire/smoke involved. No sewers or waterways affected. No private property affected. Historical records indicate 9 ppm dated 8/95. Env. stop tag placed # 31057. No parking Tues & Fri - 8am -9:30am. Sample will be taken from unit once safe and unit will be pressure tested. Will call with further updates. Chain of custody # AA28979. Update - 10/1/02 1615hrs G. Palladino reports pressure tested unit - does not hold. Dipped transformer found 10" below top - estimate loss of 20 gallons, not 1 gallon of oil. Fdr off system - Sample being taken from unit at this time and will be delivered to chemlab. Clean up to be started as 50-499. Update - Advised CIG T. Marinek of upgrade @ 1620hrs Update - Notified R. James. Ordered >50 tanker. EPA # ordered. Env. Ops crews being dispatched. EPA# NYP004103164 recd from M. Kessler, ERT @ 1625hrs UPDATE: 10/1/02 - 1820 R. JAMES REPORTS DEP INSP ELIE ST. JEAN ARRIVED ON LOC AT 1805. WAS SHOWN SPILL AREA & TOLD OF OUR CLEAN UP PLANS. MR. ST. JEAN MADE NO COMMENTS, BUT APPEARED SATISFIED WITH OUR PLAN OF ACTION. HE LEFT AT 1815. UPDATE: 10/1/02 - 1836 R. JAMES REPORTS THAT HE SPOKE TO J. DEKANCHUK - O.S. - ENV. OPS. & INFORMED HIM OF CLEANUP PLANS. MR. JAMES LEFT LOC AT 1835. LAB RESULT RECEIVED 10/1/02 - 2110. 02-09213. 9 PPM. TJ - 50495 UPDATE 10-2-02 0210 HRS R. THORNGREN NET REPORTS AND UNDER 50 PPM TANKER DRAIN TRANSF APPROX 300 GALLONS ( TRANSF HOLDS APPROX 300 GAL ) TRANSF HAS TO BE REMOVED TO COMPLETE CLEANUP. UPDATE: 10/2/02 - 1330 C. LUGO - ENV. OPS., REPORTS TRANSFORMER REMOVED BY EQUIP GP. STRUCTURE DOUBLE WASHED WITH BULLDOG. SUMP CEMENTED.  
Remarks: 1 GALLON ON 100 GALLONS WATER - CON ED NUMBER 145343 SPILL IS ON LORIMER NORTH OF BROADWAY  
Material:  
Site ID: 221929  
Operable Unit ID: 859446  
Operable Unit: 01  
Material ID: 517390  
Material Code: 0020A  
Material Name: TRANSFORMER OIL  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False  
Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**VAULT 2942 (Continued)**

**S106008016**

Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

**K54**  
**SW**  
**< 1/8**  
**0.105 mi.**  
**553 ft.**

**LOT 16,TAXBLOCK 2266**  
**380 WALLABOUT STREET**  
**BROOKLYN, NY 11206**  
**Site 4 of 8 in cluster K**

**E DESIGNATION S110242353**  
**N/A**

**Relative:**  
**Equal**  
  
**Actual:**  
**13 ft.**

**E DESIGNATION:**  
 Tax Lot(s): 16  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: G7  
 Land Use Category: 10  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: VINFEILD RLTY CORP  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000000000  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 16,TAXBLOCK 2266 (Continued)**

**S110242353**

Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0025.00
Lot Depth:	0100.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000022815
Total Assessed Value:	00000022815
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	02.00
Borough Code:	3
Borough Tax Block And Lot:	3022660016
Condominium Number:	00000
Census Tract 2:	0507
X Coordinate:	0998745
Y Coordinate:	0195017
Zoning Map:	13B
Sanborn Map:	303 036
Tax Map:	30803
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	16
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Exhaust stack location limitations
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	3003
School District:	14
City Council District:	33

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 16,TAXBLOCK 2266 (Continued)**

**S110242353**

Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660016  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998745  
Y Coordinate: 0195017

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 16,TAXBLOCK 2266 (Continued)**

**S110242353**

Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 16  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 16,TAXBLOCK 2266 (Continued)**

**S110242353**

Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660016  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998745  
Y Coordinate: 0195017  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 16  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 16,TAXBLOCK 2266 (Continued)

S110242353

Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660016  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998745  
Y Coordinate: 0195017  
Zoning Map: 13B

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 16,TAXBLOCK 2266 (Continued)**

**S110242353**

Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**K55  
 SW  
 < 1/8  
 0.105 mi.  
 554 ft.**

**LOT 41,TAXBLOCK 2250  
 295 WALLABOUT STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION S110242410  
 N/A**

**Site 5 of 8 in cluster K**

**Relative:  
 Equal**

**E DESIGNATION:**  
 Tax Lot(s): 41  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: E9  
 Land Use Category: 06  
 Number of Easements: 0  
 Owner, Type of Code: Not reported  
 Owner Name: A. HOLDING  
 Lot Area: 000012500  
 Total Building Floor Area: 00000012500  
 Commercial Floor Area: 00000012500  
 Office Floor Area: 00000000000  
 Retail Floor Area: 00000000000  
 Garage Floor Area: 00000000000  
 Storage Floor Area: 00000012500

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 41,TAXBLOCK 2250 (Continued)**

**S110242410**

Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0125.00  
Lot Depth: 0100.00  
Building Frontage: 0125.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000061200  
Total Assessed Value: 00000154350  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500041  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998668  
Y Coordinate: 0195186  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 41  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 41,TAXBLOCK 2250 (Continued)**

**S110242410**

Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: A. HOLDING  
Lot Area: 000012500  
Total Building Floor Area: 00000012500  
Commercial Floor Area: 00000012500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000012500  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0125.00  
Lot Depth: 0100.00  
Building Frontage: 0125.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000061200  
Total Assessed Value: 00000154350  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500041

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 41,TAXBLOCK 2250 (Continued)**

**S110242410**

Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998668  
Y Coordinate: 0195186  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 41  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: E9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: A. HOLDING  
Lot Area: 000012500  
Total Building Floor Area: 00000012500  
Commercial Floor Area: 00000012500  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000012500  
Factory Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 41,TAXBLOCK 2250 (Continued)**

**S110242410**

Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0125.00  
Lot Depth: 0100.00  
Building Frontage: 0125.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000061200  
Total Assessed Value: 00000154350  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500041  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998668  
Y Coordinate: 0195186  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**N56**  
**ESE**  
**< 1/8**  
**0.108 mi.**  
**569 ft.**

**CON EDISON - MANHOLE 15641**  
**662 BROADWAY**  
**BROOKLYN, NY 11206**  
**Site 1 of 2 in cluster N**

**RCRA-LQG 1014396248**  
**NYP004184289**

**Relative:**  
**Higher**

RCRA-LQG:  
Date form received by agency:03/23/2010  
Facility name: CON EDISON - MANHOLE 15641  
Facility address: 662 BROADWAY  
BROOKLYN, NY 11206  
EPA ID: NYP004184289

**Actual:**  
**15 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - MANHOLE 15641 (Continued)**

**1014396248**

Mailing address: 4 IRVING PLACE  
NEW YORK, NY 10003  
Contact: FRANKLYN MURRAY  
Contact address: Not reported  
Not reported  
Contact country: Not reported  
Contact telephone: (212) 460-2808  
Contact email: MURRAYFR@CONED.COM  
EPA Region: 02  
Classification: Large Quantity Generator  
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.  
Owner/operator address: 4 IRVING PLACE  
NEW YORK, NY 10003  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 07/14/2009  
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.  
Owner/operator address: 4 IRVING PLACE  
NEW YORK, NY 10003  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 07/14/2009  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - MANHOLE 15641 (Continued)**

**1014396248**

Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 07/14/2009  
Facility name: CON EDISON - MANHOLE 15641  
Site name: CON EDISON  
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

**N57**  
**ESE**  
**< 1/8**  
**0.108 mi.**  
**569 ft.**

**CONSOLIDATED EDISON MH15861**  
**662 BROADWAY**  
**BROOKLYN, NY 11206**  
**Site 2 of 2 in cluster N**

**MANIFEST S110046858**  
**N/A**

**Relative:**  
**Higher**

NY MANIFEST:  
EPA ID: NYP004184289  
Country: USA  
Mailing Name: CONSOLIDATED EDISON MH15861  
Mailing Contact: FRANKLYN MURRAY  
Mailing Address: 4 IRVING PL RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

**Actual:**  
**15 ft.**

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD003812047  
Trans2 State ID: Not reported  
Generator Ship Date: 2009-07-22  
Trans1 Recv Date: 2009-07-22  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2009-07-27  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004184289  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 200.0  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 1.0  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSOLIDATED EDISON MH15861 (Continued)**

**S110046858**

Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000894723GBF  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD003812047  
Trans2 State ID: Not reported  
Generator Ship Date: 2009-07-22  
Trans1 Recv Date: 2009-07-22  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2009-07-27  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004184289  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 200.0  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 1.0  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000894723GBF  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**O58**  
**SSE**  
 < 1/8  
 0.108 mi.  
 568 ft.

**DRUM RUN**  
**CORNER THROOP AVE AND BARTLETT ST**  
**BROOKLYN, NY**

**NY Spills** **S110308002**  
**N/A**

**Site 1 of 6 in cluster O**

**Relative:**  
**Higher**

NY Spills:

**Actual:**  
**14 ft.**

Site ID: 431688  
 Facility Addr2: ON SIDEWALK  
 Facility ID: 1000520  
 Spill Number: 1000520  
 Facility Type: ER  
 SWIS: 2401  
 Investigator: HRAHMED  
 Referred To: Not reported  
 Spill Date: 4/13/2010  
 Reported to Dept: 4/13/2010  
 CID: Not reported  
 Spill Cause: Abandoned Drums  
 Water Affected: Not reported  
 Spill Source: Unknown  
 Spill Notifier: Other  
 Cleanup Ceased: Not reported  
 Cleanup Meets Std: False  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Trust: False  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 5/5/2010  
 Remediation Phase: 0  
 Date Entered In Computer: 4/13/2010  
 Spill Record Last Update: 5/5/2010  
 Spiller Name: Not reported  
 Spiller Company: UNKNOWN  
 Spiller Address: Not reported  
 Spiller City,St,Zip: NY  
 Spiller Company: 999  
 Contact Name: YUSEPH SLEEM  
 Contact Phone: (646) 265-6272  
 DEC Region: 2  
 DER Facility ID: 380674  
 DEC Memo: DEP tested - determined to be waste oil. Add to next drum run 05/05/10-HRAHMED-No drum was found during DRUM RUN on 4/23/10. DEP and Sanitation was notified. This case is closed.  
 Remarks: 3 55 gallon drums left on sidewalk; containers are not full

Material:

Site ID: 431688  
 Operable Unit ID: 1183159  
 Operable Unit: 01  
 Material ID: 2177356  
 Material Code: 0066A  
 Material Name: UNKNOWN PETROLEUM  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 15  
 Units: Gallons  
 Recovered: Not reported  
 Resource Affected: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**DRUM RUN (Continued)**

**S110308002**

Oxygenate: False

Tank Test:

Site ID: Not reported

Spill Tank Test: Not reported

Tank Number: Not reported

Tank Size: Not reported

Test Method: Not reported

Leak Rate: Not reported

Gross Fail: Not reported

Modified By: Not reported

Last Modified: Not reported

Test Method: Not reported

**O59**  
**SSE**  
 < 1/8  
 0.108 mi.  
 569 ft.

**BROADWAY TRIANGLE**  
**THROOP AVE / BARTLETT ST**  
**BROOKLYN, NY**

**NY Spills S102143753**  
**NY Hist Spills N/A**

**Site 2 of 6 in cluster O**

**Relative:**  
**Higher**

NY Spills:

Site ID: 194234

Facility Addr2: Not reported

Facility ID: 9212706

Spill Number: 9212706

Facility Type: ER

SWIS: 2401

Investigator: MCTIBBE

Referred To: Not reported

Spill Date: 1/31/1993

Reported to Dept: 2/10/1993

CID: Not reported

Spill Cause: Unknown

Water Affected: Not reported

Spill Source: Gasoline Station

Spill Notifier: Other

Cleanup Ceased: Not reported

Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/28/1999

Remediation Phase: 0

Date Entered In Computer: 2/11/1993

Spill Record Last Update: 6/28/1999

Spiller Name: BEVERLY REITH

Spiller Company: NYC HPD

Spiller Address: 100 GOLD STREET

Spiller City,St,Zip: NEW YORK, NY 10038-001

Contact Name: Not reported

Contact Phone: Not reported

DEC Region: 2

DER Facility ID: 161869

**Actual:**  
**14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROADWAY TRIANGLE (Continued)**

**S102143753**

DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "TIBBE" SEE FILE.  
Remarks: SITE SOIL SAMPLER SHOW B-T-X  
Material:  
Site ID: 194234  
Operable Unit ID: 979704  
Operable Unit: 01  
Material ID: 402542  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

NY Hist Spills:  
Region of Spill: 2  
Spill Number: 9212706  
Investigator: TIBBE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 01/31/1993 16:00  
Reported to Dept Date/Time: 02/10/93 10:29  
SWIS: 61  
Spiller Name: NYC HPD  
Spiller Contact: BEVERLY REITH  
Spiller Phone: (212) 863-7941  
Spiller Address: 100 GOLD STREET  
Spiller City,St,Zip: NEW YORK, NY 10038-  
Spill Cause: Unknown  
Reported to Dept: Groundwater  
Water Affected: Not reported  
Spill Source: 05  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROADWAY TRIANGLE (Continued)**

**S102143753**

Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 06/28/99  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 02/11/93  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 06/28/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: SEE FILE.  
Remark: SITE SOIL SAMPLER SHOW B-T-X

**O60**  
**SSE**  
**< 1/8**  
**0.108 mi.**  
**569 ft.**

**THROOP AVENUE / BARTLETT STREET**  
**THROOP AVENUE / BARTLETT STREET**  
**BROOKLYN, NY 11000**

**UST** **U002034160**  
**HIST UST** **N/A**

**Site 3 of 6 in cluster O**

**Relative:**  
**Higher**

UST:  
Facility Id: 2-601810  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 589095.76956000004  
UTM Y: 4506136.5871900003

**Actual:**  
**14 ft.**

Affiliation Records:  
Site Id: 23772  
Affiliation Type: Owner

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THROOP AVENUE / BARTLETT STREET (Continued)**

**U002034160**

Company Name: NYC DEPART. OF HOUSING PRESERVATION AND DEVELOPMEN  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 75 MAIDEN LANE  
Address2: Not reported  
City: NEW YORK  
State: NY  
Zip Code: 10038  
Country Code: 001  
Phone: (212) 978-6540  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23772  
Affiliation Type: On-Site Operator  
Company Name: THROOP AVENUE / BARTLETT STREET  
Contact Type: Not reported  
Contact Name: NYC DEPT. OF HOUSING PRESERVAT  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: Not reported  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23772  
Affiliation Type: Mail Contact  
Company Name: ECOSYSTEMS STRATEGIES, INC.  
Contact Type: Not reported  
Contact Name: PAUL H. CIMIELLO  
Address1: 60 WORRAL AVENUE  
Address2: Not reported  
City: POUGHKEEPSIE  
State: NY  
Zip Code: 12603  
Country Code: 001  
Phone: (914) 452-1658  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23772  
Affiliation Type: Emergency Contact  
Company Name: NYC DEPART. OF HOUSING PRESERVATION AND DEVELOPMEN  
Contact Type: Not reported  
Contact Name: NYC DEPT. OF HOUSING PRESERVAT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THROOP AVENUE / BARTLETT STREET (Continued)**

**U002034160**

Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: Not reported  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
H00 - Tank Leak Detection - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
A00 - Tank Internal Protection - None  
F00 - Pipe External Protection - None  
C00 - Pipe Location - No Piping  
I00 - Overfill - None  
A00 - Tank Internal Protection - None  
J00 - Dispenser - None  
H00 - Tank Leak Detection - None  
D00 - Pipe Type - No Piping  
G00 - Tank Secondary Containment - None  
D00 - Pipe Type - No Piping  
C00 - Pipe Location - No Piping  
G00 - Tank Secondary Containment - None  
J00 - Dispenser - None  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
I00 - Overfill - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
A00 - Tank Internal Protection - None  
D00 - Pipe Type - No Piping  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
J00 - Dispenser - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
I00 - Overfill - None  
J00 - Dispenser - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
I00 - Overfill - None  
D00 - Pipe Type - No Piping  
G00 - Tank Secondary Containment - None

Tank Info:

Site ID: 23772  
  
Tank Number: 001  
Tank ID: 47899  
Tank Status: Closed - Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THROOP AVENUE / BARTLETT STREET (Continued)**

**U002034160**

Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 3/1/1994  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 23772

Tank Number: 002  
Tank ID: 47900  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 3/1/1994  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 23772

Tank Number: 003  
Tank ID: 47901  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 3/1/1994  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 23772

Tank Number: 004  
Tank ID: 47902  
Tank Status: Closed - Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THROOP AVENUE / BARTLETT STREET (Continued)**

**U002034160**

Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 3/1/1994  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-601810  
SPDES Number: Not reported  
Emergency Contact: NYC DEPT. OF HOUSING PRESERVAT  
Emergency Telephone: (000) 000-0000  
Operator: NYC DEPT. OF HOUSING PRESERVAT  
Operator Telephone: (000) 000-0000  
Owner Name: NYC DEPART. OF HOUSING PRESERVATION AND DEVELOPMEN  
Owner Address: 75 MAIDEN LANE  
Owner City,St,Zip: NEW YORK, NY 10038  
Owner Telephone: (212) 978-6540  
Owner Type: Local Government  
Owner Subtype: Not reported  
Mailing Name: ECOSYSTEMS STRATEGIES, INC.  
Mailing Address: 60 WORRAL AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: POUGHKEEPSIE, NY 12603  
Mailing Contact: PAUL H. CIMIELLO  
Mailing Telephone: (914) 452-1658  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: THROOP AVENUE / BARTLETT STREET  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: Not reported  
Expiration Date: 04/06/1999  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THROOP AVENUE / BARTLETT STREET (Continued)**

**U002034160**

County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Painted/Asphalt Coating  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Not reported  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 03/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Painted/Asphalt Coating  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Not reported  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 03/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**THROOP AVENUE / BARTLETT STREET (Continued)**

**U002034160**

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Painted/Asphalt Coating  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Not reported  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 03/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Painted/Asphalt Coating  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Not reported  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 03/01/1994  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**O61**  
**SSE**  
**< 1/8**  
**0.108 mi.**  
**572 ft.**

**LOT 33,TAXBLOCK 2269**  
**69 BARTLETT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION**    **S110242392**  
**N/A**

**Site 4 of 6 in cluster O**

**Relative:**  
**Higher**

**E DESIGNATION:**

**Actual:**  
**14 ft.**

Tax Lot(s):	33
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	2001
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	V1
Land Use Category:	11
Number of Easements:	0
Owner, Type of Code:	C
Owner Name:	HOUSING PRESERVATION
Lot Area:	000003283
Total Building Floor Area:	00000016417
Commercial Floor Area:	00000016417
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000016417
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0050.00
Lot Depth:	0065.67
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 33,TAXBLOCK 2269 (Continued)**

**S110242392**

Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000027900  
Total Assessed Value: 00000027900  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690033  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999222  
Y Coordinate: 0194924  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 33  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 33,TAXBLOCK 2269 (Continued)**

**S110242392**

All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000003283  
Total Building Floor Area: 00000016417  
Commercial Floor Area: 00000016417  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000016417  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0050.00  
Lot Depth: 0065.67  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 3  
Basement Type Grade: 5  
Land Assessed Value: 00000027900  
Total Assessed Value: 00000027900  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690033  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999222  
Y Coordinate: 0194924  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 33,TAXBLOCK 2269 (Continued)**

**S110242392**

Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**L62  
 SSW  
 < 1/8  
 0.108 mi.  
 572 ft.**

**LOT 18,TAXBLOCK 2269  
 76 GERRY STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION**

**S110242359  
 N/A**

**Site 2 of 3 in cluster L**

**Relative:  
 Higher**

**E DESIGNATION:**

**Actual:  
 14 ft.**

Tax Lot(s): 18  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: V1  
 Land Use Category: 11  
 Number of Easements: 0  
 Owner, Type of Code: C  
 Owner Name: HOUSING PRESERVATION  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000000000  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000  
 Floor Area,Total Bld Source Code#  
 Number of Buildings: 00000  
 Number of Floors: 000.00  
 Residential Units: 00000  
 Non and Residential Units: 00000  
 Lot Frontage: 0025.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 18,TAXBLOCK 2269 (Continued)**

**S110242359**

Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690018  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998936  
Y Coordinate: 0194863  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 18  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 18,TAXBLOCK 2269 (Continued)**

**S110242359**

Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code#  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690018  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998936  
Y Coordinate: 0194863  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 18,TAXBLOCK 2269 (Continued)**

**S110242359**

Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**M63  
WNW  
< 1/8  
0.108 mi.  
572 ft.**

**TM 1358  
THROOP AV & LORIMER ST  
BROOKLYN, NY  
Site 4 of 6 in cluster M**

**NY Spills S104284647  
NY Hist Spills N/A**

**Relative:  
Equal**

NY Spills:

**Actual:  
13 ft.**

Site ID: 319439  
Facility Addr2: Not reported  
Facility ID: 9910754  
Spill Number: 9910754  
Facility Type: ER  
SWIS: 2401  
Investigator: JHOCONNE  
Referred To: Not reported  
Spill Date: 12/9/1999  
Reported to Dept: 12/9/1999  
CID: 211  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Unknown  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 3/27/2002  
Remediation Phase: 0  
Date Entered In Computer: 12/9/1999  
Spill Record Last Update: 3/27/2002  
Spiller Name: Not reported  
Spiller Company: UNKNOWN  
Spiller Address: Not reported  
Spiller City,St,Zip: NY  
Spiller Company: 999  
Contact Name: BILL MURPHY  
Contact Phone: (212) 580-6763  
DEC Region: 2  
DER Facility ID: 257359  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "O'CONNELL"  
Remarks: SHEEN ON 30 GALS OF WATER IN TRANSFORMER MANHOLE - SAMPLE TAKEN CLEAN UP PENDING RESULTS - CON ED #129246

Material:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TM 1358 (Continued)**

**S104284647**

Site ID: 319439  
Operable Unit ID: 1089445  
Operable Unit: 01  
Material ID: 296235  
Material Code: 0066A  
Material Name: UNKNOWN PETROLEUM  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**NY Hist Spills:**

Region of Spill: 2  
Spill Number: 9910754  
Investigator: O'CONNELL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 12/09/1999 13:00  
Reported to Dept Date/Time: 12/09/99 13:40  
SWIS: 61  
Spiller Name: UNKNOWN  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Contact: BILL MURPHY  
Spiller Phone: (212) 580-6763  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Unknown  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 12  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TM 1358 (Continued)

S104284647

Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 12/09/99  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 02/17/00  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: UNKNOWN PETROLEUM  
Class Type: UNKNOWN PETROLEUM  
Times Material Entry In File: 16414  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Remark: SHEEN ON 30 GALS OF WATER IN TRANSFORMER MANHOLE - SAMPLE TAKEN CLEAN UP  
PENDING RESULTS - CON ED 129246

M64  
WNW  
< 1/8  
0.108 mi.  
572 ft.

MANHOLE 1358  
THROOP AVE/LORIMER ST  
BROOKLYN, NY

NY Spills S106015048  
N/A

Site 5 of 6 in cluster M

Relative:  
Equal

NY Spills:  
Site ID: 85513  
Facility Addr2: Not reported  
Facility ID: 0302759  
Spill Number: 0302759  
Facility Type: ER  
SWIS: 2401  
Investigator: SKARAKHA  
Referred To: Not reported  
Spill Date: 6/14/2003  
Reported to Dept: 6/14/2003  
CID: 397  
Spill Cause: Unknown  
Water Affected: Not reported

Actual:  
13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHOLE 1358 (Continued)**

**S106015048**

Spill Source: Unknown  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 8/20/2003  
Remediation Phase: 0  
Date Entered In Computer: 6/14/2003  
Spill Record Last Update: 8/20/2003  
Spiller Name: CALLER  
Spiller Company: CON ED  
Spiller Address: 4 IRVING PLACE  
Spiller City,St,Zip: MANHATTAN, NY -  
Spiller Company: 001  
Contact Name: CALLER  
Contact Phone: Not reported  
DEC Region: 2  
DER Facility ID: 78552  
DEC Memo: E2MIS 148741 6/14/03 16:37 HRS. M. ROTONDI #65057, O.S. WITH #9, REPORTS WHILE RESPONDING TO NETWORK PROTECTOR FIRE AT 16:30 HRS. FOUND APPROX. 10 GAL. UNKNOWN OIL ON APPROX. 1000 GAL. WATER. OIL APPEARS TO BE A CLEAR MINERAL OIL, BUT HE DOES NOT SEE THE TRANSFORMER LEAKING. UNABLE TO TELL IS THERE IS A SUMP DUE TO AMOUNT OF WATER. FIRE DEPT. WAS ON LOCATION AND PUT OUT FIRE. SPILL APPEARS TO BE CONTAINED. NO SEWERS OR WATERWAYS APPEAR TO BE AFFECTED. NO PRIVATE PROPERTY AFFECTED. FIRE WAS INVOLVED, BUT NO SMOKE. ENV. STOP TAG #35754 PLACED. LIQUID SAMPLE TAKEN ON "E" PRIORITY TURNAROUND. CHAIN OF CUSTODY FORM # AA-24714. CLEANUP TO BE DONE AS 50 - 499 PPM DUE TO AMOUNT OF SPILL. \*\* TRANSFORMER INFORMATION FROM ECC WAREHOUSE: MFR CODE: GE, MANUFACTURE DATE: UNKNOWN, INSTALLATION DATE: 5/10/2002. PCB SAMPLE & ANALYSIS DATE: 5/27/2002, 6 PPM, LAB SEQ # 02-04544-002. \*\* PRINT FOR TM-1358 SHOWS A SUMP IN STRUCTURE. \*\* BROOKLYN ENV. OPS. O.S. J. DEKANCHUK NOTIFIED. R. JAMES OF EH&S NOTIFIED. D. DUKE OF ERT NOTIFIED. "OVER 50" TANKER ORDERED FROM ASTORIA. 6/14/03 17:05 HRS. -- NOTIFIED R. ELLIOTT OF C.I.G. -- W.W. #17344 -- 6/14/03 17:20 HRS. -- CONTACTED "CORPORATE COURIER" AT 1-212-971-0114 TO HAVE OIL SAMPLE PICKED UP AT LOCATION AND DELIVERED TO CHEM LAB IN ASTORIA (AS PER M. ROTONDI'S REQUEST WHEN INCIDENT WAS REPORTED). -- W.W. #17344 -- UPDATE EPA#NYP004111993 ISSUED. #12255 VDC. 6/14/03 18:30 HRS. -- COURIER CALLED BACK TO VERIFY LOCATION AND SAID IT WILL TAKE HIM A WHILE TO GET THERE SINCE HE IS COMING FROM STATEN ISLAND.E UPDATE 6/14/03 19:05 HRS. -- R. JAMES OF BROOKLYN/QUEENS EH&S REPORTS THAT D.E.P. INSPECTOR W. WONG ARRIVED ON LOCATION AT 18:20 HRS. HE WAS SHOWN THE SPILL AREA AND APPRISED OF OUR CLEANUP PLANS. MR. WONG WANTS THE CLEANUP TO BE COMPLETED WITHIN 48 HOURS. CLEANUP CREW AND TANKER ARE ON LOCATION AT PRESENT TIME. -- W.W. #17344 -- UPDATE @ 2025 HRS 6/14 R.JAMES REQUESTED THAT WE ARRANGE FOR OVER 50 TANKED BE ORDERED TO FOR A MEET WITH BQ EQUIPMENT FOR AM SHIFT SUN, 6/15 TO DRAIN TRANSFORMER. ARRANGMENTS MADE THIS TIME. #12255 VDC. UPDATE @ 2106 HRS 6/14 J.DECHANCH REPORTS TANKER REMOVED APPROX 450 GALLONS OF OIL FROM STRUCTIRE. PARTIAL CLEANUP TO BEGIN AT THIS TIME. #12255 VDC. UPDATE @ 2246 HRS 6/14 LAB RESULTS RECEIVED SEQ #03-04976-001 @ 4PPM PCB. #12255. OPERATING SUPERVISOR

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MANHOLE 1358 (Continued)**

**S106015048**

JOHN DEKANCHUK, REPORTS TANKER REMOVED 450 GAL OF OIL FROM VAULT. PARTIAL CLEAN UP, TWO BARRELS OF SOLID WASTE REMOVED. AREA DOUBLE WASHED WITH BIO GEN 760 AND WASTE PUMPED INTO TANKER. TWO MAN CREW REMAINS ON LOCATION PENDING TRANSFORMER REMOVAL, AS PER RON JAMES/ DEP. TAG REMAINS IN PLACE. UPDATE 6/15/2003 10:00 HRS. -- R. CILENTO #44214 OF EQUIPMENT GROUP REPORTS HE PRESSURE-TESTED THE TRANSFORMER, IT FAILED THE PRESSURE-TEST, FOUND UNIT BELOW MIN. OIL LEVEL AND ESTIMATES APPROX. 30 GAL. OF OIL IS MISSING FROM THE UNIT. EQUIP. GROUP REMAINS ON LOCATION TO DRAIN TRANSFORMER. I UPDATED SPILL AMOUNT TO 30 GAL. AND WILL NOTIFY C.I.G. 6/15/2003 10:14 HRS. -- NOTIFIED R. ELLIOTT OF C.I.G. 6/15/2003 10:16 HRS. -- AS PER BROOKLYN ENV. OPS. O.S. A. WALKER, PRIOR UPDATES ON 6/14 THAT STATED "TANKER REMOVED 450 GAL OF OIL FROM VAULT" SHOULD READ "TANKER REMOVED 450 GAL. OF LIQUID FROM VAULT". -- W.W. #17344 -- 6/15/2003 12:15 HRS. -- UPDATED INITIAL REPORT TO INDICATE THE SAMPLE WAS OIL & WATER FROM THE VAULT, NOT PURE OIL FROM THE TRANSFORMER. -- W.W. #17344 -- UPDATE 6/15/2003 15:55 HRS. -- R. CILENTO #44214 OF EQUIPMENT GROUP REPORTS HE DRAINED TRANSFORMER. TANKER REMOVED 225 GAL. OF OIL, CAPACITY WAS 265 GAL., THEREFORE 40 GAL. OF OIL IS MISSING FROM THE TRANSFORMER. I UPDATED SPILL AMOUNT AGAIN (ORIGINALLY 10 GAL, THEN 30 GAL., NOW 40 GAL.) 6/15/2003 16:02 HRS. -- NOTIFIED R. ELLIOTT OF C.I.G. Update - 6/16/03 1220hrs A. Stubbs env. ops mech reports double washed structure with 760 biogen. Found cement sump. Transformer removed and new transformer has been installed. Removed env. stop tag # 35754. Clean up completed. Update - 6/17/03 @ 0605 hrs - Updated event involved materials and event involved persons lists. Additionally, changed organization to Flush Operations. H Bertorelli # 54348.e

Remarks: unk cause of leak in manhole on top of 1000 gallons of water. condensed#148741 fire involved

Material:

Site ID: 85513  
Operable Unit ID: 870506  
Operable Unit: 01  
Material ID: 507213  
Material Code: 0066A  
Material Name: UNKNOWN PETROLEUM  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 10  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**M65**  
**WNW**  
**< 1/8**  
**0.108 mi.**  
**572 ft.**

**CON EDISON - TM 1358**  
**THROOP AVE & LORIMER ST**  
**BROOKLYN, NY 11206**

**RCRA-NonGen** **1008195668**  
**MANIFEST** **NYP004111993**

**Site 6 of 6 in cluster M**

**Relative:**  
**Equal**

RCRA-NonGen:

Date form received by agency: 02/27/2004

Facility name: CON EDISON - TM 1358

Facility address: THROOP AVE & LORIMER ST

BROOKLYN, NY 11206

EPA ID: NYP004111993

Mailing address: 4 IRVING PLACE

NEW YORK, NY 10003

Contact: ANTHONY DRUMMINGS

Contact address: 4 IRVING PLACE

NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 460-3770

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:**  
**13 ft.**

**Owner/Operator Summary:**

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner/operator address: 4 IRVING PLACE  
NEW YORK, NY 10003

Owner/operator country: US

Owner/operator telephone: Not reported

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 06/14/2003

Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner/operator address: 4 IRVING PLACE  
NEW YORK, NY 10003

Owner/operator country: US

Owner/operator telephone: Not reported

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 06/14/2003

Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - TM 1358 (Continued)**

**1008195668**

Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 02/26/2004  
Facility name: CON EDISON - TM 1358  
Classification: Not a generator, verified

Date form received by agency: 02/25/2004  
Facility name: CON EDISON - TM 1358  
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004111993  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NYE0618345  
Manifest Status: Not reported  
Trans1 State ID: NYD006982359  
Trans2 State ID: Not reported  
Generator Ship Date: 06/14/2003  
Trans1 Recv Date: 06/14/2003  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 06/16/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004111993  
Trans1 EPA ID: NYD980593636  
Trans2 EPA ID: Not reported  
TSD ID: 46109JM  
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB  
Quantity: 01991  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2003

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**K66**  
**SW**  
**< 1/8**  
**0.110 mi.**  
**578 ft.**

**LOT 15,TAXBLOCK 2266**  
**378 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION**    **S110242352**  
**N/A**

**Site 6 of 8 in cluster K**

**Relative:**  
**Equal**

**E DESIGNATION:**  
 Tax Lot(s): 15  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Window Wall Attenuation & Alternate Ventilation  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: G7  
 Land Use Category: 10  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: VINFEILD RLTY CORP  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000000000  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000  
 Floor Area,Total Bld Source Code7  
 Number of Buildings: 00000  
 Number of Floors: 000.00  
 Residential Units: 00000  
 Non and Residential Units: 00000  
 Lot Frontage: 0025.00  
 Lot Depth: 0100.00  
 Building Frontage: 0000.00  
 Building Depth: 0000.00  
 Proximity Code: 0  
 Irregular Lot Code: N  
 Lot Type: 5

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 15,TAXBLOCK 2266 (Continued)**

**S110242352**

Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660015  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998702  
Y Coordinate: 0195026  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 15  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 15,TAXBLOCK 2266 (Continued)**

**S110242352**

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660015  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998702  
Y Coordinate: 0195026  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 15,TAXBLOCK 2266 (Continued)**

**S110242352**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 15  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 15,TAXBLOCK 2266 (Continued)**

**S110242352**

Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660015  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998702  
Y Coordinate: 0195026  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 15  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 15,TAXBLOCK 2266 (Continued)**

**S110242352**

Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660015  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998702  
Y Coordinate: 0195026  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 15,TAXBLOCK 2266 (Continued)**

**S110242352**

Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**O67  
 SSE  
 < 1/8  
 0.112 mi.  
 593 ft.**

**LOT 35,TAXBLOCK 2269  
 65 BARTLETT STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION**

**S110242395  
 N/A**

**Site 5 of 6 in cluster O**

**Relative:  
 Higher**

**E DESIGNATION:**

**Actual:  
 15 ft.**

Tax Lot(s):	35
E-No:	E-238
Effective Date:	12/22/2009
Satisfaction Date:	Not reported
Ceqr Number:	09HPD019K
Ulurp Number:	090413ZMK
Zoning Map No:	13b
Description:	Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems
Borough Code:	BK
Community District:	301
Census Tract:	507
Census Block:	2001
School District:	14
City Council District:	33
Fire Company:	E230
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-2
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	G2
Land Use Category:	10
Number of Easements:	0
Owner, Type of Code:	C
Owner Name:	CITY OF NEW YORK
Lot Area:	000001385
Total Building Floor Area:	00000001350
Commercial Floor Area:	00000001350
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000001350
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0025.00
Lot Depth:	0054.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 35,TAXBLOCK 2269 (Continued)**

**S110242395**

Building Frontage: 0025.00  
Building Depth: 0054.00  
Proximity Code: 0  
Irregular Lot Code: Y  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000009720  
Total Assessed Value: 00000022590  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.97  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690035  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999198  
Y Coordinate: 0194897  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 35  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 35,TAXBLOCK 2269 (Continued)**

**S110242395**

Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G2  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: CITY OF NEW YORK  
Lot Area: 000001385  
Total Building Floor Area: 00000001350  
Commercial Floor Area: 00000001350  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000001350  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0054.00  
Building Frontage: 0025.00  
Building Depth: 0054.00  
Proximity Code: 0  
Irregular Lot Code: Y  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000009720  
Total Assessed Value: 00000022590  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.97  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690035  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999198  
Y Coordinate: 0194897  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 35,TAXBLOCK 2269 (Continued)**

**S110242395**

Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**L68  
 SSW  
 < 1/8  
 0.113 mi.  
 594 ft.**

**LOT 17,TAXBLOCK 2269  
 74 GERRY STREET  
 BROOKLYN, NY 11206  
 Site 3 of 3 in cluster L**

**E DESIGNATION S110242357  
 N/A**

**Relative:  
 Higher**

E DESIGNATION:  
 Tax Lot(s): 17  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: V1  
 Land Use Category: 11  
 Number of Easements: 0  
 Owner, Type of Code: C  
 Owner Name: HOUSING PRESERVATION  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000  
 Storage Floor Area: 0000000000  
 Factory Floor Area: 0000000000  
 Other Floor Area: 0000000000  
 Floor Area,Total Bld Source Code#  
 Number of Buildings: 00000

**Actual:  
 14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 17,TAXBLOCK 2269 (Continued)

S110242357

Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690017  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998932  
Y Coordinate: 0194828  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 17  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 17,TAXBLOCK 2269 (Continued)**

**S110242357**

Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: V1  
Land Use Category: 11  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code4  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690017  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998932  
Y Coordinate: 0194828

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 17,TAXBLOCK 2269 (Continued)**

**S110242357**

Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**K69**  
**SW**  
**< 1/8**  
**0.114 mi.**  
**604 ft.**

**LOT 14,TAXBLOCK 2266**  
**376 WALLABOUT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION S110242348**  
**N/A**

**Site 7 of 8 in cluster K**

**Relative:**  
**Equal**

**E DESIGNATION:**  
 Tax Lot(s): 14  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Air Quality - Natural Gas Heat & Hot Water  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3003  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: G7  
 Land Use Category: 10  
 Number of Easements: 0  
 Owner, Type of Code: P  
 Owner Name: VINFEILD RLTY CORP  
 Lot Area: 000002500  
 Total Building Floor Area: 0000000000  
 Commercial Floor Area: 0000000000  
 Office Floor Area: 0000000000  
 Retail Floor Area: 0000000000  
 Garage Floor Area: 0000000000

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 14,TAXBLOCK 2266 (Continued)**

**S110242348**

Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660014  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998705  
Y Coordinate: 0194984  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 14  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 14,TAXBLOCK 2266 (Continued)

S110242348

Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 14,TAXBLOCK 2266 (Continued)**

**S110242348**

Borough Tax Block And Lot: 3022660014  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998705  
Y Coordinate: 0194984  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 14  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 14,TAXBLOCK 2266 (Continued)**

**S110242348**

Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660014  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998705  
Y Coordinate: 0194984  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 14  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Window Wall Attenuation & Alternate Ventilation  
Borough Code: BK  
Community District: 301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 14,TAXBLOCK 2266 (Continued)**

**S110242348**

Census Tract: 507  
Census Block: 3003  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: VINFEILD RLTY CORP  
Lot Area: 000002500  
Total Building Floor Area: 0000000000  
Commercial Floor Area: 0000000000  
Office Floor Area: 0000000000  
Retail Floor Area: 0000000000  
Garage Floor Area: 0000000000  
Storage Floor Area: 0000000000  
Factory Floor Area: 0000000000  
Other Floor Area: 0000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000022815  
Total Assessed Value: 00000022815  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022660014

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 14,TAXBLOCK 2266 (Continued)**

**S110242348**

Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998705  
 Y Coordinate: 0194984  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**K70  
 SW  
 < 1/8  
 0.115 mi.  
 605 ft.**

**LOT 46,TAXBLOCK 2250  
 291 WALLABOUT STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION S110242422  
 N/A**

**Site 8 of 8 in cluster K**

**Relative:  
 Equal**

**E DESIGNATION:**  
 Tax Lot(s): 46  
 E-No: E-238  
 Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Window Wall Attenuation & Alternate Ventilation  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported  
 All Components1: M1-2  
 All Components2: Not reported  
 Split Boundary Indicator: N  
 Building Class: F9  
 Land Use Category: 06  
 Number of Easements: 0  
 Owner, Type of Code: Not reported  
 Owner Name: HOO CORP  
 Lot Area: 000005000  
 Total Building Floor Area: 0000005000

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 46,TAXBLOCK 2250 (Continued)**

**S110242422**

Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000005000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000024795  
Total Assessed Value: 00000094050  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500046  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998617  
Y Coordinate: 0195110  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 46  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 46,TAXBLOCK 2250 (Continued)**

**S110242422**

Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: HOO CORP  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000005000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000024795  
Total Assessed Value: 00000094050  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 46,TAXBLOCK 2250 (Continued)**

**S110242422**

Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500046  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998617  
Y Coordinate: 0195110  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 46  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: HOO CORP  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LOT 46,TAXBLOCK 2250 (Continued)

S110242422

Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000005000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000024795  
Total Assessed Value: 00000094050  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500046  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998617  
Y Coordinate: 0195110  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 46  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 46,TAXBLOCK 2250 (Continued)**

**S110242422**

Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: F9  
Land Use Category: 06  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: HOO CORP  
Lot Area: 000005000  
Total Building Floor Area: 00000005000  
Commercial Floor Area: 00000005000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000005000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 001.00  
Residential Units: 00000  
Non and Residential Units: 00001  
Lot Frontage: 0050.00  
Lot Depth: 0100.00  
Building Frontage: 0050.00  
Building Depth: 0100.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000024795  
Total Assessed Value: 00000094050  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 46,TAXBLOCK 2250 (Continued)**

**S110242422**

Built Floor Area Ratio-Far: 0001.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500046  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998617  
Y Coordinate: 0195110  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**O71**  
**SSE**  
**< 1/8**  
**0.115 mi.**  
**606 ft.**

**LOT 36,TAXBLOCK 2269**  
**63 BARTLETT STREET**  
**BROOKLYN, NY 11206**  
**Site 6 of 6 in cluster O**

**E DESIGNATION** **S110242398**  
**N/A**

**Relative:**  
**Higher**

**E DESIGNATION:**  
Tax Lot(s): 36  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0

**Actual:**  
**15 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2269 (Continued)**

**S110242398**

Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000007500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000056250  
Total Assessed Value: 00000056250  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 0000  
Year Built Code: Not reported  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.00  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690036  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999147  
Y Coordinate: 0194881  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 36

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 36,TAXBLOCK 2269 (Continued)**

**S110242398**

E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems  
  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: G7  
Land Use Category: 10  
Number of Easements: 0  
Owner, Type of Code: C  
Owner Name: HOUSING PRESERVATION  
Lot Area: 000007500  
Total Building Floor Area: 00000000000  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00000  
Number of Floors: 000.00  
Residential Units: 00000  
Non and Residential Units: 00000  
Lot Frontage: 0075.00  
Lot Depth: 0100.00  
Building Frontage: 0000.00  
Building Depth: 0000.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000056250  
Total Assessed Value: 00000056250  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 36,TAXBLOCK 2269 (Continued)**

**S110242398**

Year Built: 0000  
 Year Built Code: Not reported  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.00  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022690036  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0999147  
 Y Coordinate: 0194881  
 Zoning Map: 13B  
 Sanborn Map: 303 036  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

72  
 SW  
 < 1/8  
 0.119 mi.  
 630 ft.

**LOT 48,TAXBLOCK 2250  
 289 WALLABOUT STREET  
 BROOKLYN, NY 11206**

**E DESIGNATION S110242429  
 N/A**

**Relative:  
 Equal**

**E DESIGNATION:**  
 Tax Lot(s): 48  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Window Wall Attenuation & Alternate Ventilation  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 3002  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported  
 Commercial Overlay1: Not reported  
 Commercial Overlay2: Not reported  
 Special Purpose District1: Not reported  
 Special Purpose District2: Not reported

**Actual:  
 13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 48,TAXBLOCK 2250 (Continued)**

**S110242429**

All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: A9  
Land Use Category: 01  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: WEISZ, NECHEMIYA  
Lot Area: 000002500  
Total Building Floor Area: 00000000632  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.50  
Residential Units: 00001  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0020.00  
Building Depth: 0020.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2  
Land Assessed Value: 00000000592  
Total Assessed Value: 00000004785  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.25  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500048  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998573  
Y Coordinate: 0195104  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 48,TAXBLOCK 2250 (Continued)**

**S110242429**

Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 48  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - Natural Gas Heat & Hot Water  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: A9  
Land Use Category: 01  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: WEISZ, NECHEMIYA  
Lot Area: 000002500  
Total Building Floor Area: 00000000632  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.50  
Residential Units: 00001  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0020.00  
Building Depth: 0020.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 48,TAXBLOCK 2250 (Continued)**

**S110242429**

Basement Type Grade: 2  
Land Assessed Value: 00000000592  
Total Assessed Value: 00000004785  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.25  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500048  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998573  
Y Coordinate: 0195104  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1  
  
Tax Lot(s): 48  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 48,TAXBLOCK 2250 (Continued)**

**S110242429**

All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: A9  
Land Use Category: 01  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: WEISZ, NECHEMIYA  
Lot Area: 000002500  
Total Building Floor Area: 00000000632  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.50  
Residential Units: 00001  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0020.00  
Building Depth: 0020.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2  
Land Assessed Value: 00000000592  
Total Assessed Value: 00000004785  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1901  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0000.25  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022500048  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0998573  
Y Coordinate: 0195104  
Zoning Map: 13B  
Sanborn Map: 303 035  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 48,TAXBLOCK 2250 (Continued)**

**S110242429**

Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 48  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Exhaust stack location limitations  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 3002  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: A9  
Land Use Category: 01  
Number of Easements: 0  
Owner, Type of Code: Not reported  
Owner Name: WEISZ, NECHEMIYA  
Lot Area: 000002500  
Total Building Floor Area: 00000000632  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 002.50  
Residential Units: 00001  
Non and Residential Units: 00001  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0020.00  
Building Depth: 0020.00  
Proximity Code: 2  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 2

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LOT 48,TAXBLOCK 2250 (Continued)**

**S110242429**

Land Assessed Value: 00000000592  
 Total Assessed Value: 00000004785  
 Land Exempt Value: 00000000000  
 Total Exempt Value: 00000000000  
 Year Built: 1901  
 Year Built Code: E  
 Year Altered1: 0000  
 Year Altered2: 0000  
 Historic District Name: Not reported  
 Landmark Name: Not reported  
 Built Floor Area Ratio-Far: 0000.25  
 Maximum Allowable Far: 02.00  
 Borough Code: 3  
 Borough Tax Block And Lot: 3022500048  
 Condominium Number: 00000  
 Census Tract 2: 0507  
 X Coordinate: 0998573  
 Y Coordinate: 0195104  
 Zoning Map: 13B  
 Sanborn Map: 303 035  
 Tax Map: 30803  
 E Designation No: Not reported  
 Date of RPAD Data: 11/2005  
 Date of DCAS Data: 01/2006  
 Date of Zoning Data: 11/2005  
 Date of Major Property Data: 11/2005  
 Date of Landmark Data: 12/2005  
 Date of Base Map Data: 01/2006  
 Date of Mass Appraisal Data: 11/2005  
 Date of Political and Adm Data: 08/2005  
 Pluto-Base Map Indicator: 1

**73**  
**South**  
**< 1/8**  
**0.123 mi.**  
**648 ft.**

**LOT 39,TAXBLOCK 2269**  
**57 BARTLETT STREET**  
**BROOKLYN, NY 11206**

**E DESIGNATION**    **S110242403**  
**N/A**

**Relative:**  
**Higher**

**E DESIGNATION:**  
 Tax Lot(s): 39  
 E-No: E-238  
**Actual:** Effective Date: 12/22/2009  
 Satisfaction Date: Not reported  
 Ceqr Number: 09HPD019K  
 Ulurp Number: 090413ZMK  
 Zoning Map No: 13b  
 Description: Exhaust stack location limitations  
 Borough Code: BK  
 Community District: 301  
 Census Tract: 507  
 Census Block: 2001  
 School District: 14  
 City Council District: 33  
 Fire Company: E230  
 Health Area: 30  
 Police Precinct: 090  
 Zone District 1: M1-2  
 Zone District 2: Not reported

**Actual:**  
**15 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2269 (Continued)**

**S110242403**

Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C2  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JENO GELB  
Lot Area: 000002500  
Total Building Floor Area: 00000004125  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 003.00  
Residential Units: 00006  
Non and Residential Units: 00006  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0055.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000001593  
Total Assessed Value: 00000018564  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.65  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690039  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999109  
Y Coordinate: 0194850  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2269 (Continued)**

**S110242403**

Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 39  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Air Quality - #2 Fuel Oil or Natural Gas for heating, ventilating and air conditioning systems

Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported  
Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C2  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JENO GELB  
Lot Area: 000002500  
Total Building Floor Area: 00000004125  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 003.00  
Residential Units: 00006  
Non and Residential Units: 00006  
Lot Frontage: 0025.00  
Lot Depth: 0100.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2269 (Continued)**

**S110242403**

Building Frontage: 0025.00  
Building Depth: 0055.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000001593  
Total Assessed Value: 00000018564  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.65  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690039  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999109  
Y Coordinate: 0194850  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005  
Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

Tax Lot(s): 39  
E-No: E-238  
Effective Date: 12/22/2009  
Satisfaction Date: Not reported  
Ceqr Number: 09HPD019K  
Ulurp Number: 090413ZMK  
Zoning Map No: 13b  
Description: Hazardous Materials\* Phase I and Phase II Testing Protocol  
Borough Code: BK  
Community District: 301  
Census Tract: 507  
Census Block: 2001  
School District: 14  
City Council District: 33  
Fire Company: E230  
Health Area: 30  
Police Precinct: 090  
Zone District 1: M1-2  
Zone District 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2269 (Continued)**

**S110242403**

Commercial Overlay1: Not reported  
Commercial Overlay2: Not reported  
Special Purpose District1: Not reported  
Special Purpose District2: Not reported  
All Components1: M1-2  
All Components2: Not reported  
Split Boundary Indicator: N  
Building Class: C2  
Land Use Category: 02  
Number of Easements: 0  
Owner, Type of Code: P  
Owner Name: JENO GELB  
Lot Area: 000002500  
Total Building Floor Area: 00000004125  
Commercial Floor Area: 00000000000  
Office Floor Area: 00000000000  
Retail Floor Area: 00000000000  
Garage Floor Area: 00000000000  
Storage Floor Area: 00000000000  
Factory Floor Area: 00000000000  
Other Floor Area: 00000000000  
Floor Area,Total Bld Source Code7  
Number of Buildings: 00001  
Number of Floors: 003.00  
Residential Units: 00006  
Non and Residential Units: 00006  
Lot Frontage: 0025.00  
Lot Depth: 0100.00  
Building Frontage: 0025.00  
Building Depth: 0055.00  
Proximity Code: 0  
Irregular Lot Code: N  
Lot Type: 5  
Basement Type Grade: 5  
Land Assessed Value: 00000001593  
Total Assessed Value: 00000018564  
Land Exempt Value: 00000000000  
Total Exempt Value: 00000000000  
Year Built: 1931  
Year Built Code: E  
Year Altered1: 0000  
Year Altered2: 0000  
Historic District Name: Not reported  
Landmark Name: Not reported  
Built Floor Area Ratio-Far: 0001.65  
Maximum Allowable Far: 02.00  
Borough Code: 3  
Borough Tax Block And Lot: 3022690039  
Condominium Number: 00000  
Census Tract 2: 0507  
X Coordinate: 0999109  
Y Coordinate: 0194850  
Zoning Map: 13B  
Sanborn Map: 303 036  
Tax Map: 30803  
E Designation No: Not reported  
Date of RPAD Data: 11/2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOT 39,TAXBLOCK 2269 (Continued)**

**S110242403**

Date of DCAS Data: 01/2006  
Date of Zoning Data: 11/2005  
Date of Major Property Data: 11/2005  
Date of Landmark Data: 12/2005  
Date of Base Map Data: 01/2006  
Date of Mass Appraisal Data: 11/2005  
Date of Political and Adm Data: 08/2005  
Pluto-Base Map Indicator: 1

**P74  
WSW  
1/8-1/4  
0.125 mi.  
663 ft.**

**HOO CORP  
94 WALLTON STREET  
BROOKLYN, NY 11206  
Site 1 of 3 in cluster P**

**UST U004047146  
N/A**

**Relative:  
Higher**

UST:  
Facility Id: 2-608305  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2013/02/20  
UTM X: 588816.43859000003  
UTM Y: 4506270.1298900004

**Actual:  
14 ft.**

Affiliation Records:  
Site Id: 30157  
Affiliation Type: On-Site Operator  
Company Name: HOO CORP  
Contact Type: Not reported  
Contact Name: MISSION FOODS  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 599-0900  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: msbaptis  
Date Last Modified: 12/28/2007

Site Id: 30157  
Affiliation Type: Mail Contact  
Company Name: HOO CORP  
Contact Type: Not reported  
Contact Name: JACK ROSENWASSER  
Address1: 200 HEWES STREET  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 387-0765  
Phone Ext: Not reported  
Email: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOO CORP (Continued)**

**U004047146**

Fax Number: Not reported  
Modified By: msbaptis  
Date Last Modified: 12/28/2007

Site Id: 30157  
Affiliation Type: Emergency Contact  
Company Name: HOO CORP  
Contact Type: Not reported  
Contact Name: JACK ROSENWASSER  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (347) 452-3888  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: msbaptis  
Date Last Modified: 12/28/2007

Site Id: 30157  
Affiliation Type: Owner  
Company Name: HOO CORP  
Contact Type: OFFICER  
Contact Name: JACK ROSENWASSER  
Address1: 200 HEWES ST  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 387-0765  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: msbaptis  
Date Last Modified: 12/28/2007

Equipment Records:

F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
G00 - Tank Secondary Containment - None  
J00 - Dispenser - None  
D00 - Pipe Type - No Piping  
I00 - Overfill - None  
B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
A00 - Tank Internal Protection - None

Tank Info:

Site ID: 30157  
Tank Number: 001  
Tank ID: 65014  
Tank Status: In Service

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HOO CORP (Continued)**

**U004047146**

Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/16/1971  
Capacity Gallons: 1500  
Tightness Test Method: 21  
Next Test Date: 11/28/2012  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 11/28/2007  
Register: True  
Modified By: bkfalvey  
Last Modified: 1/9/2008

**Q75**  
**SSW**  
**1/8-1/4**  
**0.131 mi.**  
**689 ft.**

**PFIZER INC/GERRY ST**  
**PFIZER INC/GERRY ST**  
**BKLYN, NY**

**LTANKS** **S100493659**  
**HIST LTANKS** **N/A**

**Site 1 of 3 in cluster Q**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**14 ft.**

Site ID: 204940  
Spill No: 9203348  
Spill Date: 6/19/1992  
Spill Cause: Tank Failure  
Spill Source: Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 6/22/1992  
Facility Addr2: Not reported  
Cleanup Ceased: 6/22/1992  
Cleanup Meets Standard: True  
SWIS: 2401  
Investigator: O'DOWD  
Referred To: Not reported  
Reported to Dept: 6/19/1992  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 6/23/1992  
Spill Record Last Update: 11/29/2002  
Spiller Name: Not reported  
Spiller Company: PFIZER INC  
Spiller Address: 630 FLUSHING AVE  
Spiller City,St,Zip: BROOKLYN, NY 11206  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 170254  
DEC Memo: Not reported  
Remarks: CONTAMINATED SOIL STOCKPILED IN DUMPSTERS AFTER TANK PULL. SAMPLING, TESTING & WILL DISPOSE. REQUESTS CALLBACK.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC/GERRY ST (Continued)**

**S100493659**

Material:

Site ID: 204940  
Operable Unit ID: 967193  
Operable Unit: 01  
Material ID: 411149  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9203348  
Spill Date: 06/19/1992  
Spill Time: 15:15  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 06/22/92  
Cleanup Ceased: 06/22/92  
Cleanup Meets Standard: True  
Investigator: O'DOWD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 06/19/92  
Reported to Department Time: 16:17  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC/GERRY ST (Continued)**

**S100493659**

Spiller Extention: Not reported  
Spiller Name: PFIZER INC  
Spiller Address: 630 FLUSHING AVE  
Spiller City,St,Zip: BKLYN, NY 11206  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: ( ) -  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/23/92  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/26/93  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported  
Spill Cause: CONTAMINATED SOIL STOCKPILED IN DUMPSTERS AFTER TANK PULL. SAMPLING, TESTING WILL DISPOSE. REQUESTS CALLBACK.

**Q76**  
**SSW**  
**1/8-1/4**  
**0.131 mi.**  
**689 ft.**

**PFIZER SITES B AND D**  
**59-71 GERRY ST. AND 73-87 GERRY ST.**  
**BROOKLYN, NY 11206**  
**Site 2 of 3 in cluster Q**

**VCP S106906497**  
**N/A**

**Relative:**  
**Higher**

VCP:  
Program Type: VCP  
Site Code: 58206  
HW Code: V00350  
Site Class: A  
SWIS: 2401

**Actual:**  
**14 ft.**

MAP FINDINGS

**PFIZER SITES B AND D (Continued)**

**S106906497**

Region: 2  
 Town: New York City  
 Acres: 1.470  
 Date Record Added: 11/30/2000 4:06:00 PM  
 Date Record Updated: 9/12/2011 3:02:00 PM  
 Updated By: JHOCONNE  
 Site Description: Location: Pfizer Sites B and D (collectively Site No. V00350) are located at the addresses 59-71 and 73-87 Gerry St. (Pfizer Site B), and 191 Harrison Ave and 60-66 Gerry St. (Pfizer Site D) in Brooklyn New York. Pfizer Site B is comprised of Block 2266, Lot 46 and part of Lot 1, and Pfizer Site D is comprised of Block 2269 Lot 1. It should be noted that references to Site B and Site D below are names designated by the Volunteer (Pfizer Inc.) for their properties and do not refer to Department designated Sites or operable units. Site Features: The VCP site comprised of Pfizer Site B and Site D is 1.47 acres in size. Pfizer Site B, located on the north side of Gerry Street, is bordered by Harrison Avenue to the west; multi-family residences, a former auto body garage and vacant land to the north; vacant land to the east; and Gerry Street and Pfizer Site D to the south. Pfizer Site B is currently vacant. Pfizer Site D, located on the south side of Gerry Street, is bordered by Harrison Avenue to the west; vacant lots to the east; Gerry Street and Pfizer Site B to the north; and a vacant, condemned apartment building and Bartlett Street to the South. Pfizer Site D consists of five interconnected buildings. These buildings surround three sides of a condemned apartment building (not Pfizer owned) that abuts Site D to the south and fronts on Bartlett Street. Current Zoning/uses: The Site is located in a commercial district overlay within a residential zoning district. Historical Use: Pfizer leased the western portion of Site B from the previous owner from 1954 to 2004; it has been vacant since the 1950s and occasionally used as a parking lot. The western portion of Pfizer Site B was sold by then-owner Ruth Apfrelbaum to Congregation YGS in 2004. The eastern portion of the property was purchased by Pfizer in 1964 and used as a warehouse for the storage of raw materials/dry goods, spare equipment parts, and packaging materials. Prior to Pfizer s ownership, it was used as a garage and truck rental facility. Site D was formerly leased from Pfizer by Arlington Press, a company that specializes in labels and package inserts for the pharmaceutical industry. Soil removal activities were performed on the eastern portion of Pfizer Site B in 2002, and included the excavation of 9 Underground Storage Tanks (USTs), 2 tank-like structures, and removal of 4,735 tons of impacted soil and 18,449 gallons of groundwater (including perched groundwater). Sampling performed since the removal activities indicate that VOCs are no longer present in soil; and that petroleum-related VOCs in groundwater have been substantially reduced. Operable Units: An operable unit represents a portion of a remedial program for a site that for technical or administrative reasons can be addressed separately to investigate, eliminate or mitigate a release, threat of release or exposure pathway resulting from the site contamination. Because of the separate ownership and separate remediation and development schedules, the Site has been divided into two Operable Units. The eastern portion of Site B as well as Site D, owned by Pfizer, is Operable Unit 1 (OU-1). The western portion of Site B, owned by Congregation YGS, is Operable Unit 2 (OU-2). Site Geology and Hydrogeology: The Site is underlain by a layer of fill material approximately 8 to 10 feet thick. Beneath the fill layer is a green

**PFIZER SITES B AND D (Continued)**

**S106906497**

Env Problem:

clay/silt stratum of approximately 2 to 3 feet thick, followed by a brown fine to medium sand stratum with small amounts of clay and silt of approximately 15 feet. Beneath the sand is a silt/clay layer which has been identified as a confining layer. Groundwater is approximately 6 to 10 feet below surface grade. On Site B, groundwater flow direction is generally northeast in the eastern portion of the Site and west/northwest in the western portion of the site. It has not yet been confirmed if groundwater flow direction is similar for Site D.

Nature and Extent of Contamination: OU-1 Eastern portion of Site B and Site D (Pfizer-owned properties): Soil: On the OU-1 portion of Site B, investigations have identified volatile organic compounds (VOCs) in soil; both petroleum-related BTEX compounds (benzene, toluene, ethylbenzene and xylenes) and chlorinated solvents (cVOCs). The source area was determined to be the eastern portion of Site B to a depth of approximately 8 to 10 feet below grade. Soil removal activities were performed in 2002, and included the excavation of 9 Underground Storage Tanks (USTs), 2 tank-like structures, and removal of 4,735 tons of impacted soil and 18,449 gallons of groundwater (including perched groundwater). Following the removal activities, sampling indicated that VOCs in soil no longer exceed NYSDEC Soil Cleanup Objectives (SCOs). Semi-volatile organic compounds (SVOCs) and metals have also been identified on Site B. Metals include lead as high as 2,020 parts per million (ppm), mercury as high as 61.4 ppm, arsenic as high as 307 ppm, barium as high as 1,250 ppm, and chromium as high as 75.7 ppm. SVOCs include benzo(a)anthracene as high as 75 ppm, chrysene as high as 87 ppm, benzo(a)pyrene as high as 59 ppm, indeno(1,2,3-cd)pyrene as high as 43 ppm, and dibenz(a,h)anthracene as high as 25 ppm. On Site D, only preliminary sampling has been performed to date. A Remedial Investigation Work Plan is being prepared. Preliminary sampling has identified chlorinated VOCs in soil at elevated levels in one boring on the eastern part of the site. Tetrachloroethene was detected at 2.2 ppm, trichloroethene at 2.7 ppm, cis-1,2-dichloroethene at 120 ppm, and vinyl chloride at 1.2 ppm. Groundwater: On the OU-1 portion of Site B, investigations have identified two distinct contaminant plumes: a BTEX plume and a cVOC plume. Chlorinated VOCs (cVOCs) were found to persist throughout the majority of the Site, whereas BTEX compounds were limited to the eastern portion of the Site to a depth of approximately 10 to 30 ft bls. The cVOC plume is present across the entire Site to an approximate depth of 10 to 30 ft bls. In 2006, an air sparge/soil vapor extraction (AS/SVE) system was installed to address groundwater contamination remaining at the site following the above-mentioned source removal work. The system was operated from October, 2006 to February, 2011. Quarterly groundwater monitoring performed during that time period indicated that the system was effective (approximately 158.67 pounds of VOCs were removed throughout the operation of the system); however, removal of VOCs became asymptotic and operation of the system was therefore discontinued in February 2011. The system remains intact, however. The AS/SVE system has been effective in reducing BTEX compounds in groundwater to below groundwater standards. Currently, some petroleum-related contaminants are still present; however, the primary contaminants of concern remaining following operation of the AS/SVE system are cVOCs. In February 2011 groundwater sampling on Site B, cVOCs detected in groundwater included: tetrachloroethene as high as 22 ppb, trichloroethene as high as 18 ppb,

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER SITES B AND D (Continued)**

**S106906497**

cis-1,2-dichloroethene as high as 350 ppb, and vinyl chloride as high as 29 ppb. A Remedial Action Work Plan is being prepared to address remaining contamination. On Site D, preliminary sampling performed to date has identified chlorinated VOCs in groundwater on the eastern part of the Site. Tetrachloroethene was detected as high as 4,500 ppb, trichloroethene as high as 1,300 ppb, cis-1,2-dichloroethene as high as 110,000 ppb, and vinyl chloride as high as 15,000 ppb. These contaminants have been identified at levels exceeding standards, criteria and guidance as deep as 30-35 feet below surface grade. Soil vapor: Soil vapor has been monitored quarterly on OU-1 from two sampling points since August, 2010. Chlorinated solvents have been detected in soil vapor at a maximum concentration of 120 ug/m<sup>3</sup> (tetrachloroethene). OU-2: Western portion of Site B (Congregation YGS-owned) Soil: Soil on OU-2 contains metals and SVOCs indicative of urban fill, which exists throughout this OU, to depths of approximately 10 feet below grade. Metals that exceed SCOs include lead as high as 6,730 parts per million (ppm), mercury as high as 16.1 ppm, arsenic as high as 20.5 ppm, chromium as high as 33.6 ppm, and barium as high as 2,000 ppm. SVOCs include benzo(a)anthracene as high as 250 ppm, chrysene as high as 270 ppm, benzo(a)pyrene as high as 220 ppm, indeno(1,2,3-cd)pyrene as high as 110 ppm, and dibenz(a,h)anthracene as high as 58 ppm. Groundwater: Chlorinated solvents have been detected in on-site groundwater and are suspected to be coming from the Pfizer property (OU-1) to the east and south. Prior to the operation of the air sparge/soil vapor extraction (AS/SVE) system on OU-1, cis-1,2-dichloroethene was detected as high as 390 parts per billion (ppb) and vinyl chloride as high as 45 ppb. Groundwater sampling performed in 2008 (during the time period of AS/SVE system operation) indicated that these contaminants have decreased in concentration but are still present: cis-1,2-dichloroethene was detected at 97 ppb and vinyl chloride at 21 ppb. Groundwater sampling in 2008 also detected benzene at 1.6 ppb. Soil vapor: Chlorinated solvents and BTEX compounds have been detected in soil vapor. In May 2009 (the most recent soil vapor data available), tetrachloroethene was detected in each of 2 soil vapor sampling points, as high as 180 ug/m<sup>3</sup>. Individual BTEX compounds were detected below 50 ug/m<sup>3</sup>.

**Health Problem:**

Since the site is fenced and covered with weathered asphalt and gravel people will not come into contact with site-related soil and groundwater contamination unless they dig below the surface. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. The potential exists for people to inhale site contaminants in indoor air due to soil vapor intrusion in any future on-site building development and occupancy.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**Q77**  
**SSW**  
**1/8-1/4**  
**0.131 mi.**  
**689 ft.**

**PFIZER INC BROOKLYN PLANT**  
**73 GERRY ST**  
**BROOKLYN, NY 11206**

**RCRA-CESQG** **1001079897**  
**FINDS** **NYR000016048**  
**MANIFEST**

**Site 3 of 3 in cluster Q**

**Relative:**  
**Higher**

RCRA-CESQG:

Date form received by agency: 01/01/2007

Facility name: PFIZER INC BROOKLYN PLANT

Facility address: 73 GERRY ST  
BROOKLYN, NY 112064308

EPA ID: NYR000016048

Mailing address: FLUSHING AVE  
BROOKLYN, NY 112065092

Contact: Not reported

Contact address: FLUSHING AVE  
BROOKLYN, NY 112065092

Contact country: US

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: PFIZER INC  
Owner/operator address: 630 FLUSHING AVE  
BROOKLYN, NY 11206

Owner/operator country: US  
Owner/operator telephone: (718) 780-8472

Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC  
Owner/operator address: 630 FLUSHING AVE  
BROOKLYN, NY 11206

Owner/operator country: US  
Owner/operator telephone: (718) 780-8472

Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1001079897**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: PFIZER INC BROOKLYN PLANT  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999  
Facility name: PFIZER INC BROOKLYN PLANT  
Classification: Not a generator, verified

Date form received by agency: 11/07/1995  
Facility name: PFIZER INC BROOKLYN PLANT  
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004520091

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000016048  
Country: USA  
Mailing Name: PFIZER INC  
Mailing Contact: THOMAS SNEE  
Mailing Address: 630 FLUSHING AVE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1001079897**

Mailing Country: USA  
Mailing Phone: 718-780-8686

Document ID: NYG4256496  
Manifest Status: Not reported  
Trans1 State ID: NJ334  
Trans2 State ID: Not reported  
Generator Ship Date: 12/07/2004  
Trans1 Recv Date: 12/07/2004  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 12/21/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000016048  
Trans1 EPA ID: NJD986607380  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00500  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2004

Document ID: NYG4254804  
Manifest Status: Not reported  
Trans1 State ID: NJD986607380  
Trans2 State ID: Not reported  
Generator Ship Date: 05/10/2005  
Trans1 Recv Date: 05/10/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 05/19/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000016048  
Trans1 EPA ID: AC314ANJ  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: F003 - UNKNOWN  
Quantity: 00100  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: Not reported

Document ID: NYG2776833  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 12/19/2002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1001079897**

Trans1 Recv Date: 12/19/2002  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 12/31/2002  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000016048  
Trans1 EPA ID: KYD088438817  
Trans2 EPA ID: Not reported  
TSD ID: NJ113  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00165  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00110  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 00110  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2002

Document ID: NYG4254804  
Manifest Status: Not reported  
Trans1 State ID: NJD986607380  
Trans2 State ID: Not reported  
Generator Ship Date: 05/10/2005  
Trans1 Recv Date: 05/10/2005  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 05/19/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000016048  
Trans1 EPA ID: AC314ANJ  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: F003 - UNKNOWN  
Quantity: 00100  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2005

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1001079897**

Document ID: NYG0692757  
Manifest Status: Not reported  
Trans1 State ID: NJD986607380  
Trans2 State ID: Not reported  
Generator Ship Date: 10/29/1998  
Trans1 Recv Date: 10/29/1998  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 11/20/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000016048  
Trans1 EPA ID: KYD088438817  
Trans2 EPA ID: Not reported  
TSD ID: NYJA334  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00715  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 013  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 00.90  
Year: 98

Document ID: NJA3264145  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 11/25/2002  
Trans1 Recv Date: 11/25/2002  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 11/25/2002  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000016048  
Trans1 EPA ID: NJD002385730  
Trans2 EPA ID: Not reported  
TSD ID: 2265  
Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
Quantity: 04688  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2002

Document ID: NJA3264146  
Manifest Status: Not reported  
Trans1 State ID: NJD054126164  
Trans2 State ID: Not reported  
Generator Ship Date: 11/25/2002  
Trans1 Recv Date: 11/25/2002  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 11/25/2002  
Part A Recv Date: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1001079897**

Part B Recv Date: Not reported  
 Generator EPA ID: NYR000016048  
 Trans1 EPA ID: NJD002385730  
 Trans2 EPA ID: Not reported  
 TSD ID: S2265  
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP  
 Quantity: 01076  
 Units: G - Gallons (liquids only)\* (8.3 pounds)  
 Number of Containers: 001  
 Container Type: TT - Cargo tank, tank trucks  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 01.00  
 Year: 2002

**R78  
 NE  
 1/8-1/4  
 0.133 mi.  
 703 ft.**

**CON ED-V5285  
 SEIGAL ST & MANHATTAN AVE  
 BROOKLYN, NY 11222**

**MANIFEST S109064683  
 N/A**

**Site 1 of 2 in cluster R**

**Relative:  
 Higher  
 Actual:  
 14 ft.**

NY MANIFEST:  
 EPA ID: NYZ004019618  
 Country: USA  
 Mailing Name: CON ED-V5285  
 Mailing Contact: Not reported  
 Mailing Address: Not reported  
 Mailing Address 2: Not reported  
 Mailing City: Not reported  
 Mailing State: Not reported  
 Mailing Zip: Not reported  
 Mailing Zip4: Not reported  
 Mailing Country: Not reported  
 Mailing Phone: Not reported

NY MANIFEST:  
 No Manifest Records Available

**R79  
 NE  
 1/8-1/4  
 0.133 mi.  
 703 ft.**

**CON ED - VS 5285  
 SEIGAL ST & MANHATTAN AVE  
 BROOKLYN, NY 11206**

**RCRA-NonGen 1007206261  
 MANIFEST NYP004006680**

**Site 2 of 2 in cluster R**

**Relative:  
 Higher  
 Actual:  
 14 ft.**

RCRA-NonGen:  
 Date form received by agency: 02/28/1998  
 Facility name: CON ED - VS 5285  
 Facility address: SEIGAL ST & MANHATTAN AVE  
 BROOKLYN, NY 112060000  
 EPA ID: NYP004006680  
 Mailing address: CONSOLIDATED EDISON INC  
 4 IRVING PL - ROOM 300  
 NEW YORK, NY 100030000  
 Contact: ANTHONY DRUMMINGS  
 Contact address: CONSOLIDATED EDISON INC  
 NEW YORK, NY 100030000  
 Contact country: US

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON ED - VS 5285 (Continued)**

**1007206261**

Contact telephone: (212) 460-3770  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 02/27/1998  
Facility name: CON ED - VS 5285  
Classification: Not a generator, verified

Date form received by agency: 02/26/1998  
Facility name: CON ED - VS 5285  
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004006680  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NYB8417367  
Manifest Status: Completed copy  
Trans1 State ID: SM1708  
Trans2 State ID: Not reported  
Generator Ship Date: 970512  
Trans1 Recv Date: 970512  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970512

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

CON ED - VS 5285 (Continued)

1007206261

Part A Recv Date: 970527  
Part B Recv Date: 970521  
Generator EPA ID: NYP004006680  
Trans1 EPA ID: NYD006982359  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980593636  
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB  
Quantity: 04627  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97

Document ID: NYG0249696  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: 80336AB  
Trans2 State ID: Not reported  
Generator Ship Date: 970512  
Trans1 Recv Date: 970512  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970513  
Part A Recv Date: 970527  
Part B Recv Date: 970612  
Generator EPA ID: NYP004006680  
Trans1 EPA ID: NYD006982359  
Trans2 EPA ID: Not reported  
TSDF ID: NYD077444263  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00001  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00001  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 97

80  
NW  
1/8-1/4  
0.141 mi.  
744 ft.

NYCTA - 22 THROOP AVE  
22 THROOP AVE  
BROOKLYN, NY 11206

RCRA-NonGen 1000912691  
FINDS NY0000902171  
MANIFEST

Relative:  
Equal

RCRA-NonGen:  
Date form received by agency: 01/01/2007  
Facility name: NYCTA - 22 THROOP AVE  
Facility address: 22 THROOP AVE  
BROOKLYN, NY 112062911  
EPA ID: NY0000902171

Actual:  
13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCTA - 22 THROOP AVE (Continued)**

**1000912691**

Mailing address: JAY ST ROOM 809  
BROOKLYN, NY 11201  
Contact: Not reported  
Contact address: JAY ST ROOM 809  
BROOKLYN, NY 11201  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: NEW YORK CITY TRANSIT AUTHORITY  
Owner/operator address: 370 JAY ST ROOM 809  
BROOKLYN, NY 11201  
Owner/operator country: US  
Owner/operator telephone: (718) 330-4581  
Legal status: Other  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NEW YORK CITY TRANSIT AUTHORITY  
Owner/operator address: 370 JAY ST ROOM 809  
BROOKLYN, NY 11201  
Owner/operator country: US  
Owner/operator telephone: (718) 330-4581  
Legal status: Other  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

**Historical Generators:**

Date form received by agency: 01/01/2006  
Facility name: NYCTA - 22 THROOP AVE  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCTA - 22 THROOP AVE (Continued)**

**1000912691**

Facility name: NYCTA - 22 THROOP AVE  
Classification: Not a generator, verified

Date form received by agency: 03/20/1996  
Facility name: NYCTA - 22 THROOP AVE  
Site name: 22 THROOP AVE / NYCT  
Classification: Large Quantity Generator

Date form received by agency: 10/26/1994  
Facility name: NYCTA - 22 THROOP AVE  
Classification: Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110000805898

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

EPA ID: NY0000902171  
Country: USA  
Mailing Name: NYCTA  
Mailing Contact: JOSE E LIBREROZ  
Mailing Address: 112 THROOP AVENUE STA -RM 809  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-330-4581

Document ID: NJA1916614  
Manifest Status: Completed copy  
Trans1 State ID: S5811  
Trans2 State ID: Not reported  
Generator Ship Date: 950309  
Trans1 Recv Date: 950309  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950309  
Part A Recv Date: Not reported  
Part B Recv Date: 950324  
Generator EPA ID: NY0000902171  
Trans1 EPA ID: NJD982281016  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D008 - LEAD 5.0 MG/L TCLP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCTA - 22 THROOP AVE (Continued)**

**1000912691**

Quantity: 02365  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 043  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 95

Document ID: NJA1968949  
Manifest Status: Completed copy  
Trans1 State ID: S5811  
Trans2 State ID: Not reported  
Generator Ship Date: 950425  
Trans1 Recv Date: 950425  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950425  
Part A Recv Date: Not reported  
Part B Recv Date: 950508  
Generator EPA ID: NY0000902171  
Trans1 EPA ID: NJD982281016  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 23400  
Units: P - Pounds  
Number of Containers: 039  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 95

Document ID: NJA2170590  
Manifest Status: Completed copy  
Trans1 State ID: S5811  
Trans2 State ID: Not reported  
Generator Ship Date: 950606  
Trans1 Recv Date: 950606  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950606  
Part A Recv Date: Not reported  
Part B Recv Date: 950615  
Generator EPA ID: NY0000902171  
Trans1 EPA ID: NJ0000027193  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 01650  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 95

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCTA - 22 THROOP AVE (Continued)**

**1000912691**

Document ID: NJA2172788  
Manifest Status: Completed copy  
Trans1 State ID: S5811  
Trans2 State ID: Not reported  
Generator Ship Date: 951004  
Trans1 Recv Date: 951004  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 951004  
Part A Recv Date: 951017  
Part B Recv Date: 951020  
Generator EPA ID: NY0000902171  
Trans1 EPA ID: NJ0000027193  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 39508  
Units: P - Pounds  
Number of Containers: 083  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 95

Document ID: NJA2171599  
Manifest Status: Completed copy  
Trans1 State ID: S5811  
Trans2 State ID: Not reported  
Generator Ship Date: 950727  
Trans1 Recv Date: 950727  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950727  
Part A Recv Date: 950810  
Part B Recv Date: 950814  
Generator EPA ID: NY0000902171  
Trans1 EPA ID: NJ0000027193  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 31040  
Units: P - Pounds  
Number of Containers: 064  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

Document ID: NJA2171600  
Manifest Status: Completed copy  
Trans1 State ID: S5811  
Trans2 State ID: Not reported  
Generator Ship Date: 950727  
Trans1 Recv Date: 950727  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950727  
Part A Recv Date: 950810

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCTA - 22 THROOP AVE (Continued)**

**1000912691**

Part B Recv Date: 950814  
Generator EPA ID: NY0000902171  
Trans1 EPA ID: NJ0000027193  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 14250  
Units: P - Pounds  
Number of Containers: 030  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

**P81**  
**WSW**  
**1/8-1/4**  
**0.145 mi.**  
**767 ft.**

**IS 318**  
**101 WALTON ST**  
**BROOKLYN, NY 11206**

**Site 2 of 3 in cluster P**

**RCRA-NonGen** **1000552941**  
**FINDS** **NYD986953461**  
**MANIFEST**

**Relative:**  
**Higher**

RCRA-NonGen:  
Date form received by agency: 01/01/2007  
Facility name: INTERMEDIATE SCHOOL 318  
Facility address: 101 WALTON ST  
BROOKLYN, NY 112064311  
EPA ID: NYD986953461  
Mailing address: QUEENS PLZ N  
LONG ISLAND CITY, NY 11101  
Contact: Not reported  
Contact address: QUEENS PLZ N  
LONG ISLAND CITY, NY 11101  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:**  
**14 ft.**

Owner/Operator Summary:  
Owner/operator name: NYC BOARD OF EDUCATION  
Owner/operator address: 28-11 QUEENS PLZ N  
LONG ISLAND CITY, NY 11101  
Owner/operator country: US  
Owner/operator telephone: (718) 555-1212  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported  
Owner/operator name: NYC BOARD OF EDUCATION  
Owner/operator address: 28-11 QUEENS PLZ N  
LONG ISLAND CITY, NY 11101  
Owner/operator country: US  
Owner/operator telephone: (718) 555-1212  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**IS 318 (Continued)**

**1000552941**

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: INTERMEDIATE SCHOOL 318  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: INTERMEDIATE SCHOOL 318  
Classification: Not a generator, verified

Date form received by agency: 05/30/1991  
Facility name: INTERMEDIATE SCHOOL 318  
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004467229

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD986953461  
Country: USA  
Mailing Name: I S 318 K  
Mailing Contact: ALAN FIERSTEIN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**IS 318 (Continued)**

**1000552941**

Mailing Address: 101 WALTON STREET  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-782-0589

Document ID: NYG1708704  
Manifest Status: Not reported  
Trans1 State ID: NYD077444263  
Trans2 State ID: Not reported  
Generator Ship Date: 11/12/1999  
Trans1 Recv Date: 11/12/1999  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 11/15/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986953461  
Trans1 EPA ID: NYD077444263  
Trans2 EPA ID: Not reported  
TSD ID: PD1011NY  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00075  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYB2195676  
Manifest Status: Completed copy  
Trans1 State ID: PC4337NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910603  
Trans1 Recv Date: 910603  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910603  
Part A Recv Date: 910614  
Part B Recv Date: 910619  
Generator EPA ID: NYD986953461  
Trans1 EPA ID: NYD049178296  
Trans2 EPA ID: Not reported  
TSD ID: NYD049178296  
Waste Code: F003 - UNKNOWN  
Quantity: 00040  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00080

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**IS 318 (Continued)**

**1000552941**

Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00004
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00003
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00320
Units:	P - Pounds
Number of Containers:	008
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00120
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	91

**P82**  
**WSW**  
**1/8-1/4**  
**0.145 mi.**  
**767 ft.**

**I.S. 318**  
**101 WALTON STREET**  
**BROOKLYN, NY 11206**  
**Site 3 of 3 in cluster P**

**AST U003394304**  
**HIST AST N/A**

**Relative:**  
**Higher**

AST:  
 Region: STATE  
 DEC Region: 2  
 Site Status: Active  
 Facility Id: 2-355682  
 Program Type: PBS  
 UTM X: 588821.38109000004  
 UTM Y: 4506221.6178599996  
 Expiration Date: 2013/06/28

**Actual:**  
**14 ft.**

Affiliation Records:  
 Site Id: 17736  
 Affiliation Type: Owner  
 Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION  
 Contact Type: MANAGER, FUEL DIVISION  
 Contact Name: JAMES A. MERLO  
 Address1: 44-36 VERNON BOULEVARD

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

I.S. 318 (Continued)

U003394304

Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 349-5738  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 10/3/2011

Site Id: 17736  
Affiliation Type: On-Site Operator  
Company Name: INTERMEDIATE SCHOOL 318 - BROOKLYN  
Contact Type: Not reported  
Contact Name: PLANT OPERATIONS  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 349-5400  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 5/19/2008

Site Id: 17736  
Affiliation Type: Emergency Contact  
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION  
Contact Type: Not reported  
Contact Name: SCHOOL SAFETY  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 935-3300  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 10/3/2011

Site Id: 17736  
Affiliation Type: Mail Contact  
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION  
Contact Type: Not reported  
Contact Name: JAMES A. MERLO  
Address1: FIELD OPERATIONS-FUEL DIVISION  
Address2: 44-36 VERNON BOULEVARD  
City: LONG ISLAND CITY  
State: NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

I.S. 318 (Continued)

U003394304

Zip Code: 11101  
Country Code: 001  
Phone: (718) 349-5738  
Phone Ext: Not reported  
Email: JMERLO@SCHOOLS.NYC.GOV  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 9/2/2008

Equipment Records:

H00 - Tank Leak Detection - None  
F01 - Pipe External Protection - Painted/Asphalt Coating  
B01 - Tank External Protection - Painted/Asphalt Coating  
F01 - Pipe External Protection - Painted/Asphalt Coating  
C01 - Pipe Location - Aboveground  
H00 - Tank Leak Detection - None  
C01 - Pipe Location - Aboveground  
E00 - Piping Secondary Containment - None  
E00 - Piping Secondary Containment - None  
I04 - Overfill - Product Level Gauge (A/G)  
G02 - Tank Secondary Containment - Vault (w/access)  
G02 - Tank Secondary Containment - Vault (w/access)  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
I04 - Overfill - Product Level Gauge (A/G)  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
B01 - Tank External Protection - Painted/Asphalt Coating  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
L00 - Piping Leak Detection - None  
L00 - Piping Leak Detection - None

Tank Info:

Tank Number: 001  
Tank Id: 34716  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1967  
Capacity Gallons: 15000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 5/19/2008

Tank Number: 002  
Tank Id: 34717  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

I.S. 318 (Continued)

U003394304

Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1967  
Capacity Gallons: 15000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 5/19/2008

HIST AST:

PBS Number: 2-355682  
SWIS Code: 6101  
Operator: PLANT OPERATION  
Facility Phone: (718) 391-6000  
Facility Addr2: 101 WALTON STREET  
Facility Type: SCHOOL  
Emergency: SCHOOL SAFETY  
Emergency Tel: (212) 979-3300  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: CITY OF NEW YORK C/O BOARD OF EDUCATION  
Owner Address: 28-11 QUEENS PLAZA NORTH  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Federal ID: Not reported  
Owner Tel: (718) 391-6832  
Owner Type: Local Government  
Owner Subtype: Not reported  
Mailing Contact: FRANK CARDELLO NTROL  
Mailing Name: BOARD OF EDUCATION  
Mailing Address: 28-11 QUEENS PLAZA NORTH  
Mailing Address 2: 5TH FLOOR  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Telephone: (718) 391-6832  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Certification Flag: False  
Certification Date: 09/02/1998  
Expiration: 06/28/2003  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 30000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

I.S. 318 (Continued)

U003394304

Town or City Code: 01  
Region: 2

Tank ID: 001  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 15000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Diking  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 002  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 15000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Diking  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**S83**      **LINDSAY PARK HOUSING CORP**  
**NE**        **67 MANHATTAN AVENUE**  
**1/8-1/4**    **BROOKLYN, NY 11206**  
**0.149 mi.**  
**787 ft.**    **Site 1 of 4 in cluster S**

**UST**      **U003127540**  
**HIST UST**    **N/A**

**Relative:**  
**Higher**

UST:  
Facility Id: 2-093246  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2012/05/07  
UTM X: 589192.63295999996  
UTM Y: 4506498.1651100004

**Actual:**  
**17 ft.**

Affiliation Records:  
Site Id: 2453  
Affiliation Type: On-Site Operator  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: Not reported  
Contact Name: JIM BRYANT  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 388-7012  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/29/2009

Site Id: 2453  
Affiliation Type: Mail Contact  
Company Name: LINDSAY PARK HOUSING CORP.  
Contact Type: Not reported  
Contact Name: JAY SILVERBERG  
Address1: 202 UNION AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 782-5995  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 2453  
Affiliation Type: Emergency Contact  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: Not reported  
Contact Name: JIM BRYANT  
Address1: Not reported  
Address2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 388-7012  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/29/2009

Site Id: 2453  
Affiliation Type: Owner  
Company Name: LINDSAY PARK HOUSING CORP  
Contact Type: MANAGING AGENT  
Contact Name: JAY SIVERBERG  
Address1: 202 UNION AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 782-9000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 3/6/2009

Equipment Records:

C02 - Pipe Location - Underground/On-ground  
J02 - Dispenser - Suction  
D10 - Pipe Type - Copper  
J02 - Dispenser - Suction  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
C02 - Pipe Location - Underground/On-ground  
F06 - Pipe External Protection - Wrapped  
F00 - Pipe External Protection - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
G00 - Tank Secondary Containment - None  
D10 - Pipe Type - Copper  
C02 - Pipe Location - Underground/On-ground  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
D10 - Pipe Type - Copper

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINDSAY PARK HOUSING CORP (Continued)

U003127540

G00 - Tank Secondary Containment - None  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
D10 - Pipe Type - Copper  
J02 - Dispenser - Suction  
I00 - Overfill - None  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
B00 - Tank External Protection - None  
C02 - Pipe Location - Underground/On-ground  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
H00 - Tank Leak Detection - None  
D10 - Pipe Type - Copper  
B00 - Tank External Protection - None  
A00 - Tank Internal Protection - None  
D10 - Pipe Type - Copper  
J02 - Dispenser - Suction  
B00 - Tank External Protection - None  
I00 - Overfill - None  
D10 - Pipe Type - Copper  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction  
I00 - Overfill - None  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
A00 - Tank Internal Protection - None  
F00 - Pipe External Protection - None  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
F00 - Pipe External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
I00 - Overfill - None  
C02 - Pipe Location - Underground/On-ground  
D10 - Pipe Type - Copper  
F06 - Pipe External Protection - Wrapped  
G00 - Tank Secondary Containment - None  
F00 - Pipe External Protection - None  
B00 - Tank External Protection - None  
C02 - Pipe Location - Underground/On-ground  
I04 - Overfill - Product Level Gauge (A/G)  
G00 - Tank Secondary Containment - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINDSAY PARK HOUSING CORP (Continued)

U003127540

C02 - Pipe Location - Underground/On-ground  
H00 - Tank Leak Detection - None  
I00 - Overfill - None  
H00 - Tank Leak Detection - None  
B01 - Tank External Protection - Painted/Asphalt Coating  
C02 - Pipe Location - Underground/On-ground  
G00 - Tank Secondary Containment - None  
H00 - Tank Leak Detection - None

Tank Info:

Site ID: 2453

Tank Number: 001  
Tank ID: 4295  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 45500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 002  
Tank ID: 4296  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 45000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 003  
Tank ID: 61542  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Next Test Date: Not reported  
Date Tank Closed: 9/7/2009  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 004  
Tank ID: 61543  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 005  
Tank ID: 61544  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 006  
Tank ID: 61545  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 007  
Tank ID: 61546  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 008  
Tank ID: 61547  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 009  
Tank ID: 61548  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

Site ID: 2453

Tank Number: 010  
Tank ID: 61549  
Tank Status: Temporarily Out of Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 9/29/2009

**HIST UST:**

PBS Number: 2-093246  
SPDES Number: Not reported  
Emergency Contact: JOHNNIE WHITE  
Emergency Telephone: (718) 388-7012  
Operator: JIM BRYANT  
Operator Telephone: (718) 388-7012  
Owner Name: LINDSAY PARK HOUSING CORP  
Owner Address: 202 UNION AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11211  
Owner Telephone: (718) 782-9000  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: LINDSAY PARK HOUSING CORP.  
Mailing Address: 202 UNION AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11211  
Mailing Contact: JAY SILVERBERG  
Mailing Telephone: (718) 782-5995  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 67 MANHATTAN AVENUE  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 07/27/2001  
Expiration Date: 05/07/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 94900  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19640401  
Capacity (gals): 45500  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Wrapped (Piping)  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19640401  
Capacity (gals): 45000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Pipe Internal: None  
Pipe External: Wrapped (Piping)  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**U003127540**

Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LINDSAY PARK HOUSING CORP (Continued)

U003127540

Updated: True  
Lat/long: Not reported

S84  
NE  
1/8-1/4  
0.150 mi.  
792 ft.

CON EDISON - 67 MANHATTAN AVE  
67 MANHATTAN AVE  
BROOKLYN, NY 11211  
Site 2 of 4 in cluster S

RCRA-NonGen 1001119359  
FINDS NYR000026468  
MANIFEST

Relative:  
Higher

RCRA-NonGen:

Actual:  
17 ft.

Date form received by agency: 01/01/2007  
Facility name: CON EDISON - 67 MANHATTAN AVE  
Facility address: 67 MANHATTAN AVE  
BROOKLYN, NY 11211  
EPA ID: NYR000026468  
Mailing address: IRVING PL ROOM 300  
NEW YORK, NY 10003  
Contact: Not reported  
Contact address: IRVING PL ROOM 300  
NEW YORK, NY 10003  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Private  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: LINDSAY PARK HOUSING CORP  
Owner/operator address: 202 UNION AVE  
BROOKLYN, NY 11206  
Owner/operator country: US  
Owner/operator telephone: (718) 782-9000  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: LINDSAY PARK HOUSING CORP  
Owner/operator address: 202 UNION AVE  
BROOKLYN, NY 11206  
Owner/operator country: US  
Owner/operator telephone: (718) 782-9000  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: CON EDISON - 67 MANHATTAN AVE  
Classification: Not a generator, verified

Date form received by agency: 07/14/1999  
Facility name: CON EDISON - 67 MANHATTAN AVE  
Classification: Small Quantity Generator

Date form received by agency: 07/11/1996  
Facility name: CON EDISON - 67 MANHATTAN AVE  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/02/1999  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004526512

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000026468  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Mailing Phone: 212-460-2808

Document ID: MAJ5557260  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: XX98MG  
Trans2 State ID: Not reported  
Generator Ship Date: 961004  
Trans1 Recv Date: 961004  
Trans2 Recv Date: 961007  
TSD Site Recv Date: 961008  
Part A Recv Date: 961022  
Part B Recv Date: 961030  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: Not reported  
TSDF ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00050  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96

Document ID: MAJ5559760  
Manifest Status: Not reported  
Trans1 State ID: NJD000813477  
Trans2 State ID: MAD039322250  
Generator Ship Date: 04/29/1998  
Trans1 Recv Date: 04/29/1998  
Trans2 Recv Date: 04/29/1998  
TSD Site Recv Date: 05/13/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSDF ID: CTHW378  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00500  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ5593280  
Manifest Status: Not reported  
Trans1 State ID: NJD071629976  
Trans2 State ID: MAD039322250  
Generator Ship Date: 11/23/1998  
Trans1 Recv Date: 11/23/1998

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Trans2 Recv Date: 11/23/1998  
TSD Site Recv Date: 12/04/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: Not reported  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00200  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ6323190  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD071629976  
Generator Ship Date: 07/23/1998  
Trans1 Recv Date: 07/23/1998  
Trans2 Recv Date: 07/23/1998  
TSD Site Recv Date: 07/31/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: XX98MG  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00160  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ6324850  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD071629976  
Generator Ship Date: 09/28/1998  
Trans1 Recv Date: 09/28/1998  
Trans2 Recv Date: 09/28/1998  
TSD Site Recv Date: 10/21/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: P2B81FOH  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Quantity: 00100  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ6582450  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD071629976  
Generator Ship Date: 10/19/1998  
Trans1 Recv Date: 10/19/1998  
Trans2 Recv Date: 10/20/1998  
TSD Site Recv Date: 11/05/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: P2B81FOH  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00075  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ6323850  
Manifest Status: Not reported  
Trans1 State ID: NJD071629976  
Trans2 State ID: MAD039322250  
Generator Ship Date: 08/21/1998  
Trans1 Recv Date: 08/21/1998  
Trans2 Recv Date: 08/21/1998  
TSD Site Recv Date: 09/03/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: Not reported  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00136  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Document ID: MAJ6580470  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD000813477  
Generator Ship Date: 06/12/1998  
Trans1 Recv Date: 06/12/1998  
Trans2 Recv Date: 06/12/1998  
TSD Site Recv Date: 06/22/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: P2B81F  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00125  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ6584020  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: NJD071629976  
Generator Ship Date: 12/11/1998  
Trans1 Recv Date: 12/11/1998  
Trans2 Recv Date: 12/12/1998  
TSD Site Recv Date: 12/28/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD053452637  
Trans2 EPA ID: Not reported  
TSD ID: XX98MGNJ  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00770  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB  
Quantity: 00110  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 98

Document ID: MAJ5559810  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Trans1 State ID: Not reported  
Trans2 State ID: 2075  
Generator Ship Date: 970606  
Trans1 Recv Date: 970606  
Trans2 Recv Date: 970606  
TSD Site Recv Date: 970625  
Part A Recv Date: 970624  
Part B Recv Date: 970725  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: NJD000813477  
TSDF ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00075  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97

Document ID: MAJ5593230  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: 102E82  
Trans2 State ID: CTHW387  
Generator Ship Date: 971107  
Trans1 Recv Date: 971107  
Trans2 Recv Date: 971107  
TSD Site Recv Date: 971114  
Part A Recv Date: 971201  
Part B Recv Date: 971223  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: NJD000813477  
TSDF ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00090  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97

Document ID: MAJ5593100  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: P2B81F  
Trans2 State ID: Not reported  
Generator Ship Date: 971010  
Trans1 Recv Date: 971010  
Trans2 Recv Date: 971013  
TSD Site Recv Date: 971020  
Part A Recv Date: Not reported  
Part B Recv Date: 971112  
Generator EPA ID: NYR000026468

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: NJD000813477  
TSD ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00225  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 003  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97

Document ID: MAQ0257876  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: MAD039322250  
Generator Ship Date: 07/20/2005  
Trans1 Recv Date: 07/20/2005  
Trans2 Recv Date: 07/22/2005  
TSD Site Recv Date: 07/25/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: 614171ME  
Trans2 EPA ID: 614171ME  
TSD ID: MAD053452637  
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB  
Quantity: 15421  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: Not reported

Document ID: NYB6948918  
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC  
Trans1 State ID: JA391  
Trans2 State ID: Not reported  
Generator Ship Date: 960719  
Trans1 Recv Date: 960719  
Trans2 Recv Date: 960723  
TSD Site Recv Date: 960723  
Part A Recv Date: 960819  
Part B Recv Date: 960819  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: NJD003812047  
Trans2 EPA ID: Not reported  
TSD ID: PAD981113749  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00165  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Specific Gravity: 100  
Year: 96

Document ID: MAJ5556390  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: MA13273  
Trans2 State ID: 625976ME  
Generator Ship Date: 960906  
Trans1 Recv Date: 960906  
Trans2 Recv Date: 960909  
TSD Site Recv Date: 960909  
Part A Recv Date: 960916  
Part B Recv Date: 961004  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: MAD039322250  
TSDF ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00300  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96

Document ID: NYB7534179  
Manifest Status: Completed copy  
Trans1 State ID: Not reported  
Trans2 State ID: Not reported  
Generator Ship Date: 960805  
Trans1 Recv Date: 960805  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960805  
Part A Recv Date: Not reported  
Part B Recv Date: 960822  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: NJD003812047  
Trans2 EPA ID: Not reported  
TSDF ID: PAD981113749  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00015  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 96

Document ID: MAJ5559840  
Manifest Status: Completed copy  
Trans1 State ID: Not reported  
Trans2 State ID: 614169ME  
Generator Ship Date: 970501

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Trans1 Recv Date: 970501  
Trans2 Recv Date: 970506  
TSD Site Recv Date: 970506  
Part A Recv Date: 970520  
Part B Recv Date: 970522  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: MAD039322250  
TSD ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00080  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97

Document ID: MAJ5558190  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: Not reported  
Generator Ship Date: 961213  
Trans1 Recv Date: 961213  
Trans2 Recv Date: 961216  
TSD Site Recv Date: 970203  
Part A Recv Date: Not reported  
Part B Recv Date: 970212  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: MAD039322250  
TSD ID: MAD053452637  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00045  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: MAJ5590220  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: 2075  
Generator Ship Date: 970711  
Trans1 Recv Date: 970711  
Trans2 Recv Date: 970711  
TSD Site Recv Date: 970723  
Part A Recv Date: 970805  
Part B Recv Date: 970812  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: MAD039322250  
Trans2 EPA ID: NJD000813477  
TSD ID: MAD053452637

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - 67 MANHATTAN AVE (Continued)**

**1001119359**

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00110  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 97

Document ID: MAQ0257876  
Manifest Status: Not reported  
Trans1 State ID: MAD039322250  
Trans2 State ID: MAD039322250  
Generator Ship Date: 07/20/2005  
Trans1 Recv Date: 07/20/2005  
Trans2 Recv Date: 07/22/2005  
TSD Site Recv Date: 07/25/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000026468  
Trans1 EPA ID: 614171ME  
Trans2 EPA ID: 614171ME  
TSD ID: MAD053452637  
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB  
Quantity: 15421  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2005

[Click this hyperlink](#) while viewing on your computer to access  
3 additional NY\_MANIFEST: record(s) in the EDR Site Report.

85  
South  
1/8-1/4  
0.158 mi.  
833 ft.

**2001 HIGH TECH AUTO SERVICE CORP.  
30 BARTLETT STREET  
BROOKLYN, NY 11206**

**UST U004053200  
N/A**

**Relative:  
Higher**

UST:  
Facility Id: 2-610233  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2011/06/09  
UTM X: 588973.26349000004  
UTM Y: 4506078.0826399997

**Actual:  
14 ft.**

Affiliation Records:  
Site Id: 365192  
Affiliation Type: Owner  
Company Name: ROSALINDA JOSE  
Contact Type: MANAGER  
Contact Name: JULIO C. JOSE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2001 HIGH TECH AUTO SERVICE CORP. (Continued)**

**U004053200**

Address1: 620 EAGLE AVENUE  
Address2: Not reported  
City: WEST HEMPSTEAD  
State: NY  
Zip Code: 11552  
Country Code: 001  
Phone: (516) 486-8471  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 3/23/2009

Site Id: 365192  
Affiliation Type: On-Site Operator  
Company Name: 2001 HIGH TECH AUTO SERVICE CORP.  
Contact Type: Not reported  
Contact Name: JULIO C. JOSE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NY  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 387-5373  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 3/23/2009

Site Id: 365192  
Affiliation Type: Emergency Contact  
Company Name: ROSALINDA JOSE  
Contact Type: Not reported  
Contact Name: JULIO C. JOSE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 387-5373  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 3/23/2009

Site Id: 365192  
Affiliation Type: Mail Contact  
Company Name: 2001 HIGH TECH AUTO SERVICE CORP.  
Contact Type: Not reported  
Contact Name: JULIO C. JOSE  
Address1: 30 BARTLETT STREET  
Address2: Not reported  
City: BROOKLYN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**2001 HIGH TECH AUTO SERVICE CORP. (Continued)**

**U004053200**

State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 387-5373  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 6/9/2006

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating  
E00 - Piping Secondary Containment - None  
A03 - Tank Internal Protection - Fiberglass Liner (FRP)  
G00 - Tank Secondary Containment - None  
F01 - Pipe External Protection - Painted/Asphalt Coating  
H00 - Tank Leak Detection - None  
D02 - Pipe Type - Galvanized Steel  
J02 - Dispenser - Suction  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
K00 - Spill Prevention - None  
L00 - Piping Leak Detection - None

Tank Info:

Site ID: 365192  
  
Tank Number: 1  
Tank ID: 212178  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/7/1998  
Capacity Gallons: 275  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 6/9/2006

86  
SW  
1/8-1/4  
0.162 mi.  
854 ft.

**BAIS RUCHEL HIGH SCHOOL INC**  
**177 HARRISON AVE**  
**BROOKLYN, NY 11206**

**MANIFEST S111314429**  
**N/A**

Relative:  
Equal

NY MANIFEST:  
EPA ID: NYR000183780  
Country: USA  
Mailing Name: BAIS RUCHEL HIGH SCHOOL INC  
Mailing Contact: CONGREGATION YGS  
Mailing Address: 174 RODNEY STREET  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN

Actual:  
13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Mailing State: NY  
Mailing Zip: 11211  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-963-9260

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 46140.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930772JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Waste Code: Not reported  
Quantity: 45680.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930773JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 43400.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930774JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 40820.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930775JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 41580.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Year: 2011  
Manifest Tracking Num: 008930776JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 39280.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0

Year: 2011  
Manifest Tracking Num: 008930777JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 39960.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930778JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 40220.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930779JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 44660.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930780JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 37500.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930781JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 33720.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930782JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 35780.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930783JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 41500.0  
Units: P - Pounds  
Number of Containers: 1.0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930784JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 42760.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930785JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 44780.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930786JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 46400.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930787JJK  
Import Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 42480.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930788JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 38660.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930789JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 47100.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930790JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAIS RUCHEL HIGH SCHOOL INC (Continued)**

**S111314429**

Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJR000029967  
Trans2 State ID: Not reported  
Generator Ship Date: 2011-10-06  
Trans1 Recv Date: 2011-10-06  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2011-10-06  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000183780  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 46480.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2011  
Manifest Tracking Num: 008930791JJK  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: Y  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

[Click this hyperlink](#) while viewing on your computer to access  
1 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**S87**  
**NE**  
**1/8-1/4**  
**0.166 mi.**  
**879 ft.**

**MARS CLEANERS**  
**80 MANHATTAN AVE**  
**BROOKLYN, NY 11206**

**Site 3 of 4 in cluster S**

**Relative:**  
**Higher**

RCRA-CESQG:  
Date form received by agency: 01/01/2007  
Facility name: MARS CLEANERS  
Facility address: 80 MANHATTAN AVE  
BROOKLYN, NY 11206  
EPA ID: NYD987029188  
Mailing address: MANHATTAN AVE  
BROOKLYN, NY 11206

**Actual:**  
**19 ft.**

**RCRA-CESQG** **1004758895**  
**FINDS** **NYD987029188**  
**MANIFEST**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Contact: SHUANG YUAN KAO  
Contact address: MANHATTAN AVE  
BROOKLYN, NY 11206  
Contact country: US  
Contact telephone: (718) 963-1594  
Contact email: Not reported  
EPA Region: 02  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

**Owner/Operator Summary:**

Owner/operator name: SHUANG YUAN KAO  
Owner/operator address: 43-61 149TH ST  
FLUSHING, NY 11355  
Owner/operator country: US  
Owner/operator telephone: (718) 461-7593  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: SHUANG YUAN KAO  
Owner/operator address: 43-61 149TH ST  
FLUSHING, NY 11355  
Owner/operator country: US  
Owner/operator telephone: (718) 461-7593  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: MARS CLEANERS  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 09/13/1996  
Facility name: MARS CLEANERS  
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002367028

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD987029188  
Country: USA  
Mailing Name: RMA CLNRS  
Mailing Contact: RMA CLNRS  
Mailing Address: 80 MANHATTAN AVE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Mailing Phone: 718-963-1594

Document ID: NYC2307767  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 930601  
Trans1 Recv Date: 930601  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 930601  
Part A Recv Date: 930621  
Part B Recv Date: 930610  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 93

Document ID: NYC3153576  
Manifest Status: Completed copy  
Trans1 State ID: AM6252NY  
Trans2 State ID: Not reported  
Generator Ship Date: 940722  
Trans1 Recv Date: 940722  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940722  
Part A Recv Date: 940826  
Part B Recv Date: 940802  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00060  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC3329728  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 941108  
Trans1 Recv Date: 941108

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 941108  
Part A Recv Date: 941118  
Part B Recv Date: 941117  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00060  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC4067605  
Manifest Status: Completed copy  
Trans1 State ID: GF2859NY  
Trans2 State ID: AR0041204  
Generator Ship Date: 960424  
Trans1 Recv Date: 960424  
Trans2 Recv Date: 960426  
TSD Site Recv Date: 960427  
Part A Recv Date: 960503  
Part B Recv Date: 960516  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: ARD981908551  
TSD ID: OHD980587364  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96

Document ID: NYC4941742  
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC  
Trans1 State ID: NYGF2859  
Trans2 State ID: Not reported  
Generator Ship Date: 971230  
Trans1 Recv Date: 971230  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 980109  
Part A Recv Date: 980120  
Part B Recv Date: 980209  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: OHD980587364  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97

Document ID: NYC4569276  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: NYGF2859  
Trans2 State ID: 12071PNY  
Generator Ship Date: 971104  
Trans1 Recv Date: 971104  
Trans2 Recv Date: 971112  
TSD Site Recv Date: 971117  
Part A Recv Date: 971119  
Part B Recv Date: 971218  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: NYD980769947  
TSDF ID: OHD980587364  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 97

Document ID: NYC5026072  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: MOD095038998  
Generator Ship Date: 03/27/1998  
Trans1 Recv Date: 03/27/1998  
Trans2 Recv Date: 04/02/1998  
TSD Site Recv Date: 04/04/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSDF ID: JE4550NY  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 98

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Document ID: NYC5941045  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: NJD071629976  
Generator Ship Date: 10/05/1999  
Trans1 Recv Date: 10/05/1999  
Trans2 Recv Date: 10/14/1999  
TSD Site Recv Date: 10/18/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5966875  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 11/01/1999  
Trans1 Recv Date: 11/01/1999  
Trans2 Recv Date: 11/03/1999  
TSD Site Recv Date: 11/05/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5529238  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 01/28/1999  
Trans1 Recv Date: 01/28/1999  
Trans2 Recv Date: 02/03/1999  
TSD Site Recv Date: 02/09/1999  
Part A Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: JE4550NY  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5548320  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 02/25/1999  
Trans1 Recv Date: 02/25/1999  
Trans2 Recv Date: 03/02/1999  
TSD Site Recv Date: 03/05/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: JE4550NY  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5578380  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 03/24/1999  
Trans1 Recv Date: 03/24/1999  
Trans2 Recv Date: 03/31/1999  
TSD Site Recv Date: 04/07/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00390  
Units: P - Pounds  
Number of Containers: 002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5610475  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 04/22/1999  
Trans1 Recv Date: 04/22/1999  
Trans2 Recv Date: 04/29/1999  
TSD Site Recv Date: 05/05/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5639365  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 05/19/1999  
Trans1 Recv Date: 05/19/1999  
Trans2 Recv Date: 05/20/1999  
TSD Site Recv Date: 05/25/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5669291  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Trans2 State ID: SCD987574647  
Generator Ship Date: 06/16/1999  
Trans1 Recv Date: 06/16/1999  
Trans2 Recv Date: 06/23/1999  
TSD Site Recv Date: 06/24/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5852452  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 07/15/1999  
Trans1 Recv Date: 07/15/1999  
Trans2 Recv Date: 07/21/1999  
TSD Site Recv Date: 07/23/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5627406  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 08/10/1999  
Trans1 Recv Date: 08/10/1999  
Trans2 Recv Date: 08/18/1999  
TSD Site Recv Date: 08/20/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5945376  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCR000074591  
Generator Ship Date: 12/29/1999  
Trans1 Recv Date: 12/29/1999  
Trans2 Recv Date: 01/05/2000  
TSD Site Recv Date: 01/11/2000  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYC5995203  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: SCD987574647  
Generator Ship Date: 11/30/1999  
Trans1 Recv Date: 11/30/1999  
Trans2 Recv Date: 12/08/1999  
TSD Site Recv Date: 12/10/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NYLP3931  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARS CLEANERS (Continued)**

**1004758895**

Year: 99

Document ID: NYC6786415  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: NJD071629976  
Generator Ship Date: 06/11/2002  
Trans1 Recv Date: 06/11/2002  
Trans2 Recv Date: 06/14/2002  
TSD Site Recv Date: 06/14/2002  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD987029188  
Trans1 EPA ID: OHD980587364  
Trans2 EPA ID: Not reported  
TSD ID: NY58468JH  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00195  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 2002

[Click this hyperlink](#) while viewing on your computer to access  
86 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**S88  
NE  
1/8-1/4  
0.166 mi.  
879 ft.**

**MARS CLEANERS  
80 MANHATTAN AVE.  
BROOKLYN, NY 11206  
Site 4 of 4 in cluster S**

**DRYCLEANERS S106435380  
N/A**

**Relative:  
Higher**

DRYCLEANERS:  
Facility ID: 2-6104-01050  
Phone Number: Not reported  
Region: 2  
Registration Effective Date: 7/8/2003 13:32:59:26  
Inspection Date: 07APR18  
Install Date: Not reported  
Drop Shop: Not reported  
Shutdown: Not reported  
Alternate Solvent: Not reported  
Current Business: PERC DRY CLEANER

**Actual:  
19 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number  
EPA ID Number

T89  
West  
1/8-1/4  
0.167 mi.  
883 ft.

**NYCT - BROADWAY-LORIMER SUBSTATION**  
**143 LORIMER ST**  
**BROOKLYN, NY 11206**  
**Site 1 of 2 in cluster T**

**MANIFEST S109826131**  
**N/A**

**Relative:**  
**Higher**

NY MANIFEST:  
EPA ID: NYR000156547  
Country: USA  
Mailing Name: NYCT - BROADWAY-LORIMER SUBSTATION  
Mailing Contact: NYCT - BROADWAY-LORIMER SUBSTATION  
Mailing Address: 2 BROADWAY RM 27TH FL RM A27.63  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 11201  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: Not reported

**Actual:**  
**15 ft.**

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 2009-06-29  
Trans1 Recv Date: 2009-06-29  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2009-06-29  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000156547  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: Not reported  
Quantity: 238.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000958016GBF  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCT - BROADWAY-LORIMER SUBSTATION (Continued)**

**S109826131**

Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 2009-06-29  
Trans1 Recv Date: 2009-06-29  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2009-06-29  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000156547  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: Not reported  
Quantity: 238.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000958016GBF  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJ0000027193  
Trans2 State ID: Not reported  
Generator Ship Date: 2009-06-29  
Trans1 Recv Date: 2009-06-29  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2009-06-29  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYR000156547  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD002200046  
Waste Code: Not reported  
Quantity: 238.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000958016GBF

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCT - BROADWAY-LORIMER SUBSTATION (Continued)**

**S109826131**

Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

**T90  
West  
1/8-1/4  
0.167 mi.  
883 ft.**

**NYCT - BROADWAY-LORIMER SUBSTATION  
143 LORIMER ST  
BROOKLYN, NY 11206**

**RCRA-SQG 1010787683  
NYR000156547**

**Site 2 of 2 in cluster T**

**Relative:  
Higher**

RCRA-SQG:

Date form received by agency: 03/27/2008  
Facility name: NYCT - BROADWAY-LORIMER SUBSTATION  
Facility address: 143 LORIMER ST  
BROOKLYN, NY 11206

**Actual:  
15 ft.**

EPA ID: NYR000156547  
Mailing address: BROADWAY - A27.63  
NEW YORK, NY 10004  
Contact: SHERRY L BULKLEY  
Contact address: BROADWAY - A27.63  
NEW YORK, NY 10004

Contact country: US  
Contact telephone: (646) 252-5774  
Contact email: SHERRYBULKLEY@NYCT.COM  
EPA Region: 02  
Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NEW YORK CITY TRANSIT  
Owner/operator address: BROADWAY - A27.63  
NEW YORK, NY 10004

Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: State  
Owner/Operator Type: Owner  
Owner/Op start date: 03/01/1968  
Owner/Op end date: Not reported

Owner/operator name: NEW YORK CITY TRANSIT  
Owner/operator address: Not reported  
Not reported

Owner/operator country: Not reported  
Owner/operator telephone: Not reported  
Legal status: State

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYCT - BROADWAY-LORIMER SUBSTATION (Continued)**

**1010787683**

Owner/Operator Type: Operator  
Owner/Op start date: 03/01/1968  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 03/26/2008  
Facility name: NYCT - BROADWAY-LORIMER SUBSTATION  
Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

U91  
SSW  
1/8-1/4  
0.169 mi.  
892 ft.

CON ED - MH 485  
GERRY ST & HARRISON AVE  
BROOKLYN, NY 11206

RCRA-NonGen 1007206268  
MANIFEST NYP004006821

Site 1 of 4 in cluster U

Relative:  
Equal

RCRA-NonGen:

Date form received by agency: 02/28/1998  
Facility name: CON ED - MH 485  
Facility address: GERRY ST & HARRISON AVE  
BROOKLYN, NY 112060000  
EPA ID: NYP004006821  
Mailing address: CONSOLIDATED EDISON INC  
4 IRVING PL RM 300  
NEW YORK, NY 100030000  
Contact: ANTHONY DRUMMINGS  
Contact address: CONSOLIDATED EDISON INC  
NEW YORK, NY 100030000

Actual:  
13 ft.

Contact country: US  
Contact telephone: (212) 460-3770  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON ED - MH 485 (Continued)**

**1007206268**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 02/27/1998  
Facility name: CON ED - MH 485  
Classification: Not a generator, verified

Date form received by agency: 02/26/1998  
Facility name: CON ED - MH 485  
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004006821  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NYG0250407  
Manifest Status: Completed copy  
Trans1 State ID: SM1563  
Trans2 State ID: Not reported  
Generator Ship Date: 970513  
Trans1 Recv Date: 970513  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970514  
Part A Recv Date: 970527  
Part B Recv Date: 970523  
Generator EPA ID: NYP004006821  
Trans1 EPA ID: NYD006982359  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980593636

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CON ED - MH 485 (Continued)**

**1007206268**

Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB  
 Quantity: 04325  
 Units: K - Kilograms (2.2 pounds)  
 Number of Containers: 001  
 Container Type: TT - Cargo tank, tank trucks  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 97

**92  
 NNW  
 1/8-1/4  
 0.171 mi.  
 904 ft.**

**LINDSAY PARK HOUSING CORP  
 54 BOERUM ST  
 BROOKLYLN, NY**

**LTANKS S109829698  
 N/A**

**Relative:  
 Higher**

**LTANKS:**

**Actual:  
 15 ft.**

Site ID: 418462  
 Spill No: 0906148  
 Spill Date: 8/26/2009  
 Spill Cause: Tank Test Failure  
 Spill Source: Commercial/Industrial  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 10/27/2010  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: hrpatel  
 Referred To: Not reported  
 Reported to Dept: 8/26/2009  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: Other  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 8/26/2009  
 Spill Record Last Update: 10/27/2010  
 Spiller Name: JAY SILVERBERG  
 Spiller Company: LINDSAY PARK HOUSING CORP  
 Spiller Address: 54 BOERUM ST  
 Spiller City,St,Zip: BROOKLYLN, NY  
 Spiller County: 999  
 Spiller Contact: BOB URBAN  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 367555  
 DEC Memo: CSL letter prepared by Sangesland and forwarded to Zhune for signature Mr. Jay Silverberg Lindsay Park Housing Corp 202 Union Ave Brooklyn, NY 11211 10/06/09-Hiralkumar Patel. discussed with DEC Austin about multiple spill numbers (0701867, 0905544, 0906148 & 0905433) under Lindsey Park Housing Corp.. as same management and same contractor working at the site, transferred case 0906148 to Patel. 11/10/09-Hiralkumar Patel. 2:15 PM:- visited site. met Tom from Protest and Mr. Silverberg. 550 gal diesel tank removed and

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**S109829698**

excavation was backfilled. contaminated soil found at the site. contamination at this site will be removed, once protest done working with other buildings where major contamination found. will remove clean fill and any contamination. 01/22/10-Hiralkumar Patel. 3:22 PM:- spoke with Tom at Protest. asked him to send updates. 04/12/10-Hiralkumar Patel. 3:17 PM:- received email from Tom. he mentioned that removal of contaminated soil has been completed and will submit report soon. 05/11/10-Hiralkumar Patel. 11:11 AM:- received email from Tom with updates. cleanup completed. will submit report. 2:53 PM:- sent letter to Mr. Silberberg requiring endpoint samples. letter emailed to Mr. Silverberg and Tom. 06/25/10-Hiralkumar Patel. 1:15 PM:- office meeting with DEC Urda, DEC Morenzi, DEC Austin, Mr. Silverberg, Tom, Scott Smiw and Chris O'Donnell. during meeting, agreed upon following: - completion of excavation work at 31 Leonard Street - installation of 6 inch monitoring wells around USTs at 67 Manhattan Ave and pump out of product (as an interim measure before excavation starts) - either installation of soil boring (and three monitoring wells based on results of groundwater sample from soil boring) or soil excavation at 24 Boerum Street and 54 Boerum Street - installation of 6 inch monitoring wells around previously abandoned USTs at 30 Montrose avenue Tom will submit revised work plan for 30 Montrose Ave and work plan for wells installation at 67 Manhattan Ave and boring/well installation at 24 and 54 Boerum Street. site visit needed during collection of endpoint samples from north end of excavation at 31 Leonard Street. DEC Urda asked to issue multi-sites STIP. 09/21/10-Hiralkumar Patel. 11:07 AM:- received email from DEC Urda with copy of signed STIP. DEC regional director signed STIP on 09/16/10. as per the CAP of the signed STIP, following documents are due: - a work plan for free phase product removal at 67 Manhattan Ave is due by end of 10/01/10 - an interim spill cleanup report for 31 Leonard Street is due now - tank closure report for buildings 24 Boerum and 54 Boerum street are due on 12/21/10 - a remedial investigation report for groundwater investigation at 30 Montrose is due on 02/28/11 10/27/10-Hiralkumar Patel. 9:46 AM:- received report from Protest. abstract: - a 550 gal diesel tank was removed - final excavation was 25 ft long, 5 ft wide and 13 ft deep - endpoint sidewall samples were collected at 12 ft depth - two endpoint bottom samples were collected at 14 ft depth - no VOC contamination found in any endpoint sample - minor SVOC contamination found in samples based on submitted report, case closed. 1:49 PM:- sent spill closure letter to Mr. Silverberg. letter emailed to Mr. Silverberg (jadius7@aol.com) and Tom. \*\*see also spill #s: 0103137, 0701867, 0905433, 0905544 and 1000673.\*\*

Remarks:

Removed tank on 8/18/09, no soil or other contamination noted at that time; just received the test results showing oil contamination. 550 gallon in ground diesel tank.

Material:

Site ID: 418462  
Operable Unit ID: 1174632  
Operable Unit: 01  
Material ID: 2167005  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINDSAY PARK HOUSING CORP (Continued)**

**S109829698**

Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**U93**  
**SSW**  
**1/8-1/4**  
**0.172 mi.**  
**910 ft.**

**V4821**  
**48 GERRY STREET**  
**NEW YORK CITY, NY 11206**

**RCRA-NonGen** **1007206956**  
**MANIFEST** **NYP004034575**

**Site 2 of 4 in cluster U**

**Relative:**  
**Equal**

RCRA-NonGen:

Date form received by agency: 01/03/2001

Facility name: V4821

Facility address: 48 GERRY STREET  
NEW YORK CITY, NY 11206

EPA ID: NYP004034575

Mailing address: CONSOLIDATED EDISON INC.  
4 IRVING PLACE -- ROOM 300  
NEW YORK, NY 10003

Contact: ANTHONY DRUMMINGS

Contact address: CONSOLIDATED EDISON INC.  
NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 460-3770

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**V4821 (Continued)**

**1007206956**

Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/02/2001  
Facility name: V4821  
Classification: Not a generator, verified

Date form received by agency: 01/01/2001  
Facility name: V4821  
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004034575  
Country: USA  
Mailing Name: CONSOLIDATED EDISON COMPANY OF NEW YORK  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NYE0232852  
Manifest Status: Not reported  
Trans1 State ID: NYD006982359  
Trans2 State ID: Not reported  
Generator Ship Date: 01/08/1999  
Trans1 Recv Date: 01/08/1999  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 01/10/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004034575  
Trans1 EPA ID: NYD980593636  
Trans2 EPA ID: Not reported  
TSD ID: 80336AB  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES  
Quantity: 00627  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 008  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 01.00  
Year: 99

Document ID: NYE0256410  
Manifest Status: Not reported  
Trans1 State ID: NYD006982359

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**V4821 (Continued)**

**1007206956**

Trans2 State ID: Not reported  
Generator Ship Date: 01/08/1999  
Trans1 Recv Date: 01/08/1999  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 01/11/1999  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004034575  
Trans1 EPA ID: NYD980593636  
Trans2 EPA ID: Not reported  
TSD ID: 31877AJ  
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB  
Quantity: 02945  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 99

**U94**  
**SSW**  
**1/8-1/4**  
**0.173 mi.**  
**912 ft.**

**ARLINGTON PRESS-191 HARRISON AVE**  
**191 HARRISON AVE**  
**BROOKLYN, NY 11206**

**RCRA-SQG** **1000257521**  
**FINDS** **NYD001513779**  
**MANIFEST**

**Site 3 of 4 in cluster U**

**Relative:**  
**Equal**

**RCRA-SQG:**

**Actual:**  
**13 ft.**

Date form received by agency: 01/01/2007  
Facility name: ARLINGTON PRESS  
Facility address: 191 HARRISON AVE  
BROOKLYN, NY 11206  
EPA ID: NYD001513779  
Mailing address: HARRISON AVE  
BROOKLYN, NY 11206  
Contact: LARRY CORNACCHIA  
Contact address: HARRISON AVE  
BROOKLYN, NY 11206  
Contact country: US  
Contact telephone: (718) 486-7474  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: ARLINGTON PRESS INC  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Owner/Op start date: Not reported  
Owner/Op end date: Not reported  
  
Owner/operator name: ARLINGTON PRESS INC  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: ARLINGTON PRESS  
Classification: Small Quantity Generator

Date form received by agency: 05/02/1989  
Facility name: ARLINGTON PRESS  
Classification: Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 12/21/2004  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004335112

Environmental Interest/Information System

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

**NY MANIFEST:**

EPA ID: NYD001513779  
Country: USA  
Mailing Name: ARLINGTON PRESS  
Mailing Contact: ARLINGTON PRESS  
Mailing Address: 191 HARRISON AVENUE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-486-7474

Document ID: NJA9628381  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS869  
Generator Ship Date: 891004  
Trans1 Recv Date: 891004  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 891005  
Part A Recv Date: 891016  
Part B Recv Date: 891017  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00426  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 89

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Document ID: NJA1925961  
Manifest Status: Completed copy  
Trans1 State ID: 08690  
Trans2 State ID: NJDEP0869  
Generator Ship Date: 941025  
Trans1 Recv Date: 941025  
Trans2 Recv Date: 941028  
TSD Site Recv Date: 941028  
Part A Recv Date: 941103  
Part B Recv Date: 941109  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: ILD984908202  
TSD ID: NJD002182897  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00426  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00421  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NJA2693990  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: 08690  
Trans2 State ID: Not reported  
Generator Ship Date: 961101  
Trans1 Recv Date: 961101  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 961106  
Part A Recv Date: 961115  
Part B Recv Date: 961129  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NJD002182897  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00458  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96

Document ID: CTF0502038  
Manifest Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Trans1 State ID: ILD984908202  
Trans2 State ID: Not reported  
Generator Ship Date: 07/28/1998  
Trans1 Recv Date: 07/28/1998  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/13/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: CTD001156009  
Trans2 EPA ID: Not reported  
TSD ID: NYAM6252  
Waste Code: D011 - SILVER 5.0 MG/L TCLP  
Quantity: 00458  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 01.00  
Year: 98

Document ID: CTF0512255  
Manifest Status: Not reported  
Trans1 State ID: ILD984908202  
Trans2 State ID: Not reported  
Generator Ship Date: 02/10/1998  
Trans1 Recv Date: 02/10/1998  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 03/02/1998  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: CTD001156009  
Trans2 EPA ID: Not reported  
TSD ID: P24399  
Waste Code: D011 - SILVER 5.0 MG/L TCLP  
Quantity: 00558  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 01.00  
Year: 98

Document ID: 06  
Manifest Status: 000106220CEX  
Trans1 State ID: NYD001513779  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2006-11-22  
Generator EPA ID: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 2  
Number of Containers: DM  
Container Type: 800  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported

Document ID: 06  
Manifest Status: NYC7747560  
Trans1 State ID: NYD001513779  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD471629976  
Part B Recv Date: 2006-01-30  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 2  
Number of Containers: DM  
Container Type: 800  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported

Document ID: 06  
Manifest Status: NYC7862815  
Trans1 State ID: NYD001513779  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2006-08-04  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 4  
Number of Containers: DM  
Container Type: 1600  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported

Document ID: NYC6814732  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: Not reported  
Generator Ship Date: 08/02/2002  
Trans1 Recv Date: 08/02/2002  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/08/2002  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: NYD000708198  
Trans2 EPA ID: Not reported  
TSD ID: 89930JENY  
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP  
Quantity: 00012  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 01.00  
Year: 2002

Document ID: NYC6708644  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: MOD095038998  
Generator Ship Date: 08/09/2002  
Trans1 Recv Date: 08/09/2002  
Trans2 Recv Date: 08/14/2002  
TSD Site Recv Date: 08/26/2002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: KYD053348108  
Trans2 EPA ID: Not reported  
TSD ID: NJX9693C  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00960  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 2002

Document ID: NYC6629332  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: Not reported  
Generator Ship Date: 02/11/2002  
Trans1 Recv Date: 02/11/2002  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 02/13/2002  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: NYD000708198  
Trans2 EPA ID: Not reported  
TSD ID: NJX9693L  
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP  
Quantity: 00012  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 01.00  
Year: 2002

Document ID: NYC6755534  
Manifest Status: Not reported  
Trans1 State ID: SCR000075150  
Trans2 State ID: Not reported  
Generator Ship Date: 05/06/2002  
Trans1 Recv Date: 05/06/2002  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 05/08/2002  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: NYD000708198  
Trans2 EPA ID: Not reported  
TSD ID: NYCAT8305  
Waste Code: D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP  
Quantity: 00010  
Units: G - Gallons (liquids only)\* (8.3 pounds)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 01.00  
Year: 2002

Document ID: NYC7195522  
Manifest Status: Not reported  
Trans1 State ID: NYCA7801  
Trans2 State ID: T364DANJ  
Generator Ship Date: 04/08/2004  
Trans1 Recv Date: 04/08/2004  
Trans2 Recv Date: 04/13/2004  
TSD Site Recv Date: 04/25/2004  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: TXR000050930  
Trans2 EPA ID: Not reported  
TSD ID: KYD053348  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00880  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00  
Year: 2004

Document ID: 07  
Manifest Status: 000028831SKS  
Trans1 State ID: NYD001513779  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2007-05-16  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 2  
Number of Containers: DM  
Container Type: 800  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported

Document ID: 07  
Manifest Status: 000028831SKS  
Trans1 State ID: NYD001513779  
Trans2 State ID: Not reported  
Generator Ship Date: KYD053348108  
Trans1 Recv Date: Not reported  
Trans2 Recv Date: TXR000050930  
TSD Site Recv Date: Not reported  
Part A Recv Date: NJD071629976  
Part B Recv Date: 2007-05-16  
Generator EPA ID: N  
Trans1 EPA ID: N  
Trans2 EPA ID: N  
TSD ID: N  
Waste Code: N  
Quantity: Not reported  
Units: 1  
Number of Containers: DF  
Container Type: 400  
Handling Method: P  
Specific Gravity: 1  
Waste Code: B  
Quantity: Not reported  
Units: Not reported  
Number of Containers: Not reported  
Container Type: Not reported  
Handling Method: Not reported  
Specific Gravity: Not reported  
Year: Not reported

Document ID: NYC7487302  
Manifest Status: Not reported  
Trans1 State ID: TXR000050930  
Trans2 State ID: NJD071629976  
Generator Ship Date: 03/15/2005  
Trans1 Recv Date: 03/15/2005  
Trans2 Recv Date: 03/18/2005  
TSD Site Recv Date: 03/21/2005  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: NY71148JR  
Trans2 EPA ID: T465GLNJ  
TSD ID: KYD053348108  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 02100  
Units: P - Pounds  
Number of Containers: 007  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 01.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

ARLINGTON PRESS-191 HARRISON AVE (Continued)

1000257521

Year: Not reported

Document ID: NJA1320943  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 911008  
Trans1 Recv Date: 911008  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 911017  
Part A Recv Date: 911017  
Part B Recv Date: 911106  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDf ID: NJD002182897  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00458  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91

Document ID: NJA1332786  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJDEPS869  
Trans2 State ID: NJDEPS103  
Generator Ship Date: 911211  
Trans1 Recv Date: 911211  
Trans2 Recv Date: 911220  
TSD Site Recv Date: 911220  
Part A Recv Date: Not reported  
Part B Recv Date: 920110  
Generator EPA ID: NYD001513779  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: NJD000813477  
TSDf ID: NJD002182897  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00426  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91

Document ID: NJA1206291  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS869  
Trans2 State ID: Not reported  
Generator Ship Date: 910906  
Trans1 Recv Date: 910906

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**ARLINGTON PRESS-191 HARRISON AVE (Continued)**

**1000257521**

Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 910911  
 Part A Recv Date: 910916  
 Part B Recv Date: 910925  
 Generator EPA ID: NYD001513779  
 Trans1 EPA ID: ILD051060408  
 Trans2 EPA ID: Not reported  
 TSD ID: NJD002182897  
 Waste Code: F005 - UNKNOWN  
 Quantity: 00412  
 Units: P - Pounds  
 Number of Containers: 001  
 Container Type: DM - Metal drums, barrels  
 Handling Method: B Incineration, heat recovery, burning.  
 Specific Gravity: 100  
 Year: 91

Document ID: NJA1367759  
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
 Trans1 State ID: NJDEPS869  
 Trans2 State ID: Not reported  
 Generator Ship Date: 920619  
 Trans1 Recv Date: 920619  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 920625  
 Part A Recv Date: Not reported  
 Part B Recv Date: 920717  
 Generator EPA ID: NYD001513779  
 Trans1 EPA ID: ILD051060408  
 Trans2 EPA ID: Not reported  
 TSD ID: NJD002182897  
 Waste Code: F005 - UNKNOWN  
 Quantity: 00430  
 Units: P - Pounds  
 Number of Containers: 001  
 Container Type: DM - Metal drums, barrels  
 Handling Method: B Incineration, heat recovery, burning.  
 Specific Gravity: 100  
 Year: 92

[Click this hyperlink](#) while viewing on your computer to access  
 55 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**U95**  
**SSW**  
**1/8-1/4**  
**0.173 mi.**  
**912 ft.**

**ARLINGTON PRESS**  
**191 HARRISON AVE**  
**BROOKLYN, NY 11206**  
**Site 4 of 4 in cluster U**

**MANIFEST S109782046**  
**N/A**

**Relative:**  
**Equal**

CT MANIFEST:

**Actual:**  
**13 ft.**

Waste:  
 Manifest No: CTF0502038  
 Waste Occurrence: 1  
 UNNA: 3082  
 Hazard Class: 9  
 US Dot Description: RQ HAZARDOUS WASTE, LIQUID, N.O.S.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS (Continued)**

**S109782046**

No of Containers: 001  
Container Type: DF  
Quantity: 458  
Weight/Volume: P  
Additional Description: Not reported  
Handling Code: Not reported  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Waste CD:

Manifest No: CTF0502038  
Waste Occurrence: 1  
EPA Waste Code: D011  
Recycled Waste?: F  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Detail:

Year: 1998  
Manifest ID: CTF0502038  
TSDf EPA ID: CTD001156009  
TSDf Name: SAFETY-KLEEN SYSTEMS, INC.  
TSDf Address: 39 COMMUNITY AVE EXT.  
TSDf City,St,Zip: PLAINFIELD, CT 06374  
TSDf Country: USA  
TSDf Telephone: Not reported  
Transport Date: 7/28/1998  
Transporter EPA ID: ILD984908202  
Transporter Name: SAFETY-KLEEN SYSTEMS, INC.  
Transporter Country: USA  
Transporter Phone: Not reported  
Trans 2 Date: Not reported  
Trans 2 EPA ID: Not reported  
Trans 2 Name: Not reported  
Trans 2 Address: Not reported  
Trans 2 City,St,Zip: CT  
Trans 2 Country: USA  
Trans 2 Phone: Not reported  
EPA ID: NYD001513779  
Generator Phone: 7184867474  
Generator Mailing Addr: 191 HARRISON AVE  
Generator Mailing Town: BROOKLYN  
Generator Mailing State: NY  
Generator Mailing Zip: 11206  
Generator Mailing Country: USA  
Special Handling: Not reported  
Discrepancies: Not reported  
Date Shipped: 7/28/1998  
Date Received: 8/13/1998  
Last modified date: 4/26/2004  
Last modified by: IG  
Comments: Not reported

Waste:

Manifest No: CTF0502031

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARLINGTON PRESS (Continued)**

**S109782046**

Waste Occurrence: 1  
UNNA: 3082  
Hazard Class: 9  
US Dot Description: RQ HAZARDOUS WASTE, LIQUID, N.O.S.  
No of Containers: 001  
Container Type: DF  
Quantity: 55  
Weight/Volume: G  
Additional Description: Not reported  
Handling Code: Not reported  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Waste CD:

Manifest No: CTF0502031  
Waste Occurrence: 1  
EPA Waste Code: D011  
Recycled Waste?: F  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Detail:

Year: 1997  
Manifest ID: CTF0502031  
TSDF EPA ID: CTD001156009  
TSDF Name: SAFETY-KLEEN CORP.  
TSDF Address: 39 COMMUNITY AVE EXT.  
TSDF City,St,Zip: PLAINFIELD, CT 06374  
TSDF Country: USA  
TSDF Telephone: Not reported  
Transport Date: 9/12/1997  
Transporter EPA ID: ILD984908202  
Transporter Name: SAFETY-KLEEN CORP.  
Transporter Country: USA  
Transporter Phone: Not reported  
Trans 2 Date: Not reported  
Trans 2 EPA ID: Not reported  
Trans 2 Name: Not reported  
Trans 2 Address: Not reported  
Trans 2 City,St,Zip: CT  
Trans 2 Country: USA  
Trans 2 Phone: Not reported  
EPA ID: NYD001513779  
Generator Phone: 7184867474  
Generator Mailing Addr: 191 HARRISON AVE  
Generator Mailing Town: BROOKLYN  
Generator Mailing State: NY  
Generator Mailing Zip: 11206  
Generator Mailing Country: USA  
Special Handling: Not reported  
Discrepancies: Not reported  
Date Shipped: 9/12/1997  
Date Received: 9/22/1997  
Last modified date: 4/26/2004  
Last modified by: IG  
Comments: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

V96  
 SSE  
 1/8-1/4  
 0.177 mi.  
 936 ft.

113 THROOP AVE/ B'KLYN/  
 113 THROOP AVE  
 NEW YORK CITY, NY

LTANKS S106703168  
 HIST LTANKS N/A

Site 1 of 2 in cluster V

Relative:  
 Higher

LTANKS:

Actual:  
 17 ft.

Site ID: 102990  
 Spill No: 8707623  
 Spill Date: 12/5/1987  
 Spill Cause: Tank Test Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 3/4/2003  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: ADMIN. CLOSED  
 Referred To: Not reported  
 Reported to Dept: 12/5/1987  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 12/7/1987  
 Spill Record Last Update: 3/14/2003  
 Spiller Name: Not reported  
 Spiller Company: ALL SAINTS SCHOOL  
 Spiller Address: 113 THROOP AVE  
 Spiller City,St,Zip: BROOKLYN, NY 11206  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 91146  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ADMIN.CLOSED" // : Action Unknown. 03/04/2003-Closed Due To The Nature / Extent Of The Spill Report  
 Remarks: 2.5K TANK FAILED WITH A LEAK RATE OF -.402G/HR. CONTACT: SISTER DONNA MURPHY (718) 782-0569. 8/5/88 : L R =-0.14 GPH, 2.5K TANK FAILED RE-TEST,PETRO-TITE TANK ONLY.CLOSED DUE TO LACK OF ANY RECENT INFO-DOES NOT MEET ANY CLEANUP REQUIREMENTS.

Material:

Site ID: 102990  
 Operable Unit ID: 911963  
 Operable Unit: 01  
 Material ID: 466561  
 Material Code: 0001  
 Material Name: #2 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: -1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

113 THROOP AVE/ B'KLYN/ (Continued)

S106703168

Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 102990  
Spill Tank Test: 1532544  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8707623  
Spill Date: 12/05/1987  
Spill Time: 12:30  
Spill Cause: Tank Test Failure  
Resource Affected: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: BATTISTA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 12/05/87  
Reported to Department Time: 12:37  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: ALL SAINTS SCHOOL  
Spiller Address: 113 THROOP AVE  
Spiller City,St,Zip: BROOKLYN, NY 11206  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 782-0569  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-364673

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

113 THROOP AVE/ B'KLYN/ (Continued)

S106703168

Last Inspection: //  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: //  
Investigation Complete: //  
UST Involvement: False  
Date Region Sent Summary to Central Office: //  
Corrective Action Plan Submitted: //  
Date Spill Entered In Computer Data File: 12/07/87  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/27/92  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: // : ACTION UNKNOWN.  
Spill Cause: 2.5K TANK FAILED WITH A LEAK RATE OF -.402G/HR. CONTACT: SISTER DONNA MURPHY  
718) 782-0569. 8/5/88 : L R =-0.14 GPH, 2.5K TANK FAILED RE-TEST,PETRO-TITE  
TANK ONLY.

97  
East  
1/8-1/4  
0.177 mi.  
937 ft.

COOK STREET HOUSING  
40 VARET STREET  
BROOKLYN, NY 11206

UST U004129097  
N/A

Relative:  
Higher

UST:

Facility Id: 2-610972  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 589292.49034999998  
UTM Y: 4506319.6293200003

Actual:  
18 ft.

Affiliation Records:

Site Id: 406762  
Affiliation Type: Mail Contact  
Company Name: COOK STREET HOUSING, LLC  
Contact Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COOK STREET HOUSING (Continued)**

**U004129097**

Contact Name: DEBBIE KENYON  
Address1: 316 DOUGLASS ST., 2ND FLOOR  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11217  
Country Code: 001  
Phone: (914) 833-3000  
Phone Ext: Not reported  
Email: DKENYON@LMDERPARTNERS.COM  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 1/5/2009

Site Id: 406762  
Affiliation Type: Owner  
Company Name: COOK STREET HOUSING, LLC  
Contact Type: DIR & MEMBER  
Contact Name: RONALD MOELIS  
Address1: 316 DOUGLASS STREET, 2ND FLOOR  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11217  
Country Code: 001  
Phone: (914) 833-3000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 1/5/2009

Site Id: 406762  
Affiliation Type: On-Site Operator  
Company Name: COOK STREET HOUSING  
Contact Type: Not reported  
Contact Name: DEBBIE KENYON  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (914) 833-3000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 1/5/2009

Site Id: 406762  
Affiliation Type: Emergency Contact  
Company Name: COOK STREET HOUSING, LLC  
Contact Type: Not reported  
Contact Name: DEBBIE KENYON  
Address1: Not reported  
Address2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COOK STREET HOUSING (Continued)**

**U004129097**

City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (914) 833-3000  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 1/5/2009

Equipment Records:

B00 - Tank External Protection - None  
K00 - Spill Prevention - None  
C02 - Pipe Location - Underground/On-ground  
E00 - Piping Secondary Containment - None  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J00 - Dispenser - None  
L00 - Piping Leak Detection - None

Tank Info:

Site ID: 406762  
  
Tank Number: 001  
Tank ID: 226172  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 5000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 1/29/2008  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 1/5/2009

**V98**  
**SSE**  
**1/8-1/4**  
**0.179 mi.**  
**944 ft.**

**ALL SAINTS R C CHURCH**  
**115 THROOP AVE**  
**BROOKLYN, NY 11206**  
**Site 2 of 2 in cluster V**

**UST** **U000405431**  
**HIST UST** **N/A**

**Relative:**  
**Higher**

UST:  
Facility Id: 2-364673  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2003/01/07

**Actual:**  
**17 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

UTM X: 589180.91891000001  
UTM Y: 4506045.6227799999

Affiliation Records:

Site Id: 18493  
Affiliation Type: Owner  
Company Name: ALL SAINTS R C CHURCH  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 115 THROOP AVE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 388-1951  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 18493  
Affiliation Type: Mail Contact  
Company Name: ALL SAINTS R C CHURCH  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 115 THROOP AVE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 388-1951  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 18493  
Affiliation Type: Emergency Contact  
Company Name: ALL SAINTS R C CHURCH  
Contact Type: Not reported  
Contact Name: ALL SAINTS R C CHURCH  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 388-1951  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

Site Id: 18493  
Affiliation Type: On-Site Operator  
Company Name: ALL SAINTS R C CHURCH  
Contact Type: Not reported  
Contact Name: ALL SAINTS R C CHURCH  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 388-1951  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
J02 - Dispenser - Suction  
C00 - Pipe Location - No Piping  
B00 - Tank External Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
F00 - Pipe External Protection - None  
B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
J02 - Dispenser - Suction  
F00 - Pipe External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
I04 - Overfill - Product Level Gauge (A/G)  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
G03 - Tank Secondary Containment - Vault (w/o access)  
J02 - Dispenser - Suction  
B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
A00 - Tank Internal Protection - None  
G03 - Tank Secondary Containment - Vault (w/o access)  
A00 - Tank Internal Protection - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None  
B00 - Tank External Protection - None  
H00 - Tank Leak Detection - None  
G07 - Tank Secondary Containment - Excavation/Trench Liner System  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
H00 - Tank Leak Detection - None  
G03 - Tank Secondary Containment - Vault (w/o access)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

Tank Info:

Site ID: 18493

Tank Number: 001  
Tank ID: 22628  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 6/1/1961  
Capacity Gallons: 2800  
Tightness Test Method: 01  
Next Test Date: 9/1/1993  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 9/1/1988  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 18493

Tank Number: 002  
Tank ID: 22629  
Tank Status: Tank Converted to Non-Regulated Use  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1956  
Capacity Gallons: 1080  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 8/1/1996  
Tank Location: 6  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 18493

Tank Number: 003  
Tank ID: 22630  
Tank Status: Tank Converted to Non-Regulated Use  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1985  
Capacity Gallons: 275  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 8/1/1996  
Tank Location: 6  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

Site ID: 18493  
Tank Number: 004  
Tank ID: 22631  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 3/1/1985  
Capacity Gallons: 3000  
Tightness Test Method: 03  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1995  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 1/1/1998  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-364673  
SPDES Number: Not reported  
Emergency Contact: ALL SAINTS R C CHURCH  
Emergency Telephone: (718) 388-1951  
Operator: ALL SAINTS R C CHURCH  
Operator Telephone: (718) 388-1951  
Owner Name: ALL SAINTS R C CHURCH  
Owner Address: 115 THROOP AVE  
Owner City,St,Zip: BROOKLYN, NY 11206  
Owner Telephone: (718) 388-1951  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: ALL SAINTS R C CHURCH  
Mailing Address: 115 THROOP AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11206  
Mailing Contact: Not reported  
Mailing Telephone: (718) 388-1951  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 115 THROOP AVE  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: SCHOOL  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 05/21/1998  
Expiration Date: 01/07/2003  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 2800

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19610601  
Capacity (gals): 2800  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 09/01/1988  
Next Test Date: 09/01/1993  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Petro-Tite  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Tank Converted To Non-Regulated Use  
Install Date: 19560101  
Capacity (gals): 1080  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

Missing Data for Tank: Minor Data Missing  
Date Closed: 08/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS  
Tank Status: Tank Converted To Non-Regulated Use  
Install Date: 19850101  
Capacity (gals): 275  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 08/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19850301  
Capacity (gals): 3000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Vault (w/o access)  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 01/01/1998  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1995  
Test Method: Horner EZ Check

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALL SAINTS R C CHURCH (Continued)**

**U000405431**

Deleted: False  
Updated: True  
Lat/long: Not reported

**W99**  
**SSW**  
**1/8-1/4**  
**0.191 mi.**  
**1009 ft.**

**HARRISON/YORKTOWN/ACE RAPID DRYCLEANERS**  
**209 HARRISON AVENUE #A**  
**BROOKLYN, NY 11206**

**DRYCLEANERS** **S106435386**  
**N/A**

**Site 1 of 5 in cluster W**

**Relative:**  
**Equal**

**DRYCLEANERS:**  
Facility ID: 2-6104-00956  
Phone Number: Not reported  
Region: 2  
Registration Effective Date: 8/5/2005  
Inspection Date: 07SEP17  
Install Date: Not reported  
Drop Shop: Not reported  
Shutdown: Not reported  
Alternate Solvent: Not reported  
Current Business: PERC DRY CLEANER

**Actual:**  
**13 ft.**

**W100**  
**SSW**  
**1/8-1/4**  
**0.191 mi.**  
**1009 ft.**

**HARRISON DRY CLEANERS**  
**209 HARRISON AVENUE**  
**BROOKLYN, NY 11206**

**RCRA-NonGen** **1000129464**  
**FINDS** **NYD045446994**  
**MANIFEST**

**Site 2 of 5 in cluster W**

**Relative:**  
**Equal**

**RCRA-NonGen:**  
Date form received by agency: 01/01/2007  
Facility name: ACE RAPID CLEANERS  
Facility address: 209 HARRISON AVE  
BROOKLYN, NY 11206  
EPA ID: NYD045446994  
Mailing address: HARRISON AVE  
BROOKLYN, NY 11206  
Contact: Not reported  
Contact address: HARRISON AVE  
BROOKLYN, NY 11206  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:**  
**13 ft.**

**Owner/Operator Summary:**

Owner/operator name: HAROLD GREENSTEIN  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Owner/operator name: HAROLD GREENSTEIN  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: ACE RAPID CLEANERS  
Classification: Not a generator, verified  
  
Date form received by agency: 04/05/1995  
Facility name: ACE RAPID CLEANERS  
Classification: Not a generator, verified  
  
Date form received by agency: 12/24/1985  
Facility name: ACE RAPID CLEANERS  
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004355830

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

**NY MANIFEST:**

EPA ID: NYD045446994  
Country: USA  
Mailing Name: ACE RAPID CLNRS  
Mailing Contact: ACE RAPID CLNRS  
Mailing Address: 209 HARRISON AVENUE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-388-1218

Document ID: NYA8624316  
Manifest Status: Completed copy  
Trans1 State ID: NY16549GW  
Trans2 State ID: Not reported  
Generator Ship Date: 880113  
Trans1 Recv Date: 880113  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880113  
Part A Recv Date: 880120  
Part B Recv Date: 880122  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00140  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 88

Document ID: NYA9006579  
Manifest Status: Completed copy  
Trans1 State ID: NYAM6252  
Trans2 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Generator Ship Date: 880818  
Trans1 Recv Date: 880818  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880818  
Part A Recv Date: 880823  
Part B Recv Date: 880823  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 88

Document ID: NYA9826266  
Manifest Status: Completed copy  
Trans1 State ID: AY9381NY  
Trans2 State ID: Not reported  
Generator Ship Date: 891107  
Trans1 Recv Date: 891107  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 891107  
Part A Recv Date: 891115  
Part B Recv Date: 891115  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 89

Document ID: NYA9834658  
Manifest Status: Completed copy  
Trans1 State ID: 000000000  
Trans2 State ID: 000000000  
Generator Ship Date: 891207  
Trans1 Recv Date: 891207  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 891207  
Part A Recv Date: 891211  
Part B Recv Date: 891218  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 89

Document ID: NYC0307809  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: 000000000  
Trans2 State ID: 000000000  
Generator Ship Date: 900529  
Trans1 Recv Date: 900529  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 900529  
Part A Recv Date: 900724  
Part B Recv Date: 900606  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 90

Document ID: NYC0707321  
Manifest Status: Completed copy  
Trans1 State ID: AT8756NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910129  
Trans1 Recv Date: 910129  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910129  
Part A Recv Date: 910208  
Part B Recv Date: 910213  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Document ID: NYC0641169  
Manifest Status: Completed copy  
Trans1 State ID: LP3931NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910425  
Trans1 Recv Date: 910425  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910425  
Part A Recv Date: 910502  
Part B Recv Date: 910508  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91

Document ID: NYC1085174  
Manifest Status: Completed copy  
Trans1 State ID: AY9381NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910717  
Trans1 Recv Date: 910717  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910717  
Part A Recv Date: 910725  
Part B Recv Date: 910726  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91

Document ID: NYC1131669  
Manifest Status: Completed copy  
Trans1 State ID: LP3931NY  
Trans2 State ID: Not reported  
Generator Ship Date: 910815  
Trans1 Recv Date: 910815  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 910815  
Part A Recv Date: 910823

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Part B Recv Date: 910822  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 91

Document ID: NYC1864023  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 921013  
Trans1 Recv Date: 921013  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 921013  
Part A Recv Date: 921104  
Part B Recv Date: 921028  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92

Document ID: NYC1937507  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 921111  
Trans1 Recv Date: 921111  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 921111  
Part A Recv Date: 921124  
Part B Recv Date: 921120  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92

Document ID: NYC1801607  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 920818  
Trans1 Recv Date: 920818  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920818  
Part A Recv Date: Not reported  
Part B Recv Date: 920827  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92

Document ID: NYA3291827  
Manifest Status: Completed copy  
Trans1 State ID: IL009  
Trans2 State ID: Not reported  
Generator Ship Date: 861024  
Trans1 Recv Date: 861024  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 861024  
Part A Recv Date: 861103  
Part B Recv Date: 861031  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD000805911  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00480  
Units: P - Pounds  
Number of Containers: 008  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86

Document ID: NYA8902091  
Manifest Status: Completed copy  
Trans1 State ID: NYAM6252

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Trans2 State ID: Not reported  
Generator Ship Date: 880624  
Trans1 Recv Date: 880624  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880624  
Part A Recv Date: 880630  
Part B Recv Date: 880706  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 88

Document ID: NYA8731629  
Manifest Status: Completed copy  
Trans1 State ID: NY16549GW  
Trans2 State ID: Not reported  
Generator Ship Date: 880302  
Trans1 Recv Date: 880302  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880302  
Part A Recv Date: 880310  
Part B Recv Date: 880309  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00140  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 88

Document ID: NYA8787802  
Manifest Status: Completed copy  
Trans1 State ID: NY16549GW  
Trans2 State ID: Not reported  
Generator Ship Date: 880428  
Trans1 Recv Date: 880428  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880428  
Part A Recv Date: 880504  
Part B Recv Date: 880502  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 88

Document ID: NYA8831979  
Manifest Status: Completed copy  
Trans1 State ID: NY16549GV  
Trans2 State ID: Not reported  
Generator Ship Date: 880526  
Trans1 Recv Date: 880526  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880526  
Part A Recv Date: 880603  
Part B Recv Date: 880601  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 88

Document ID: NYA8960185  
Manifest Status: Completed copy  
Trans1 State ID: LP3931  
Trans2 State ID: Not reported  
Generator Ship Date: 880727  
Trans1 Recv Date: 880727  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880727  
Part A Recv Date: 880802  
Part B Recv Date: 880802  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HARRISON DRY CLEANERS (Continued)**

**1000129464**

Year: 88

Document ID: NYA9394121  
Manifest Status: Completed copy  
Trans1 State ID: AY9381NY  
Trans2 State ID: Not reported  
Generator Ship Date: 890330  
Trans1 Recv Date: 890330  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 890330  
Part A Recv Date: 890405  
Part B Recv Date: 890404  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 89

Document ID: NYA9299441  
Manifest Status: Completed copy  
Trans1 State ID: LP3931  
Trans2 State ID: Not reported  
Generator Ship Date: 890202  
Trans1 Recv Date: 890202  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 890202  
Part A Recv Date: 890207  
Part B Recv Date: 890213  
Generator EPA ID: NYD045446994  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV  
Quantity: 00070  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 89

[Click this hyperlink](#) while viewing on your computer to access  
54 additional NY\_MANIFEST: record(s) in the EDR Site Report.

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**101**  
**WSW**  
**1/8-1/4**  
**0.192 mi.**  
**1013 ft.**

**HYDRO TECH**  
**70 UNION AVENUE**  
**BROOK LYN, NY 10001**

**MANIFEST**    **S109155767**  
**N/A**

**Relative:**  
**Higher**

NY MANIFEST:  
EPA ID: NYR000146126  
Country: USA  
Mailing Name: HYDRO TECH  
Mailing Contact: CAS DEVELOPERS LLC  
Mailing Address: 1111 FULTON ST  
Mailing Address 2: 2ND FLOOR  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11238  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 631-433-5048

**Actual:**  
**14 ft.**

NY MANIFEST:  
No Manifest Records Available

**102**  
**South**  
**1/8-1/4**  
**0.199 mi.**  
**1048 ft.**

**CON EDISON**  
**WHIPPLE ST & FLUSHING AVE**  
**BROOKLYN, NY 11206**

**RCRA-CESQG**    **1014396428**  
**NYP004186920**

**Relative:**  
**Higher**

RCRA-CESQG:  
Date form received by agency: 07/27/2009  
Facility name: CON EDISON  
Facility address: WHIPPLE ST & FLUSHING AVE  
BROOKLYN, NY 11206  
EPA ID: NYP004186920  
Mailing address: 4 IRVING PL, RM 828  
NEW YORK, NY 10003  
Contact: CAROLINE ISKANDER  
Contact address: Not reported  
Not reported  
Contact country: Not reported  
Contact telephone: (718) 666-4714  
Contact email: Not reported  
EPA Region: 02  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

**Actual:**  
**14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON (Continued)**

**1014396428**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

**X103**  
**ESE**  
**1/8-1/4**  
**0.200 mi.**  
**1057 ft.**

**GRAYCO CORP.**  
**29 COOK STREET**  
**BROOKLYN, NY 11206**  
**Site 1 of 3 in cluster X**

**AST A100294254**  
**N/A**

**Relative:**  
**Higher**

AST:

Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-608645  
Program Type: PBS  
UTM X: 589215.83430999995  
UTM Y: 4506242.1687500002  
Expiration Date: 2013/03/19

**Actual:**  
**19 ft.**

Affiliation Records:

Site Id: 30497  
Affiliation Type: Emergency Contact  
Company Name: GRAYCO CORP.  
Contact Type: Not reported  
Contact Name: DAVID GROSS  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (917) 325-1140  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 30497  
Affiliation Type: Mail Contact  
Company Name: GRAYCO CORP.  
Contact Type: Not reported  
Contact Name: DAVID GROSS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAYCO CORP. (Continued)**

**A100294254**

Address1: 300 MERRICK ROAD  
Address2: SUITE 301  
City: LYNBROOK  
State: NY  
Zip Code: 11563  
Country Code: 001  
Phone: (516) 596-1818  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 30497  
Affiliation Type: On-Site Operator  
Company Name: GRAYCO CORP.  
Contact Type: Not reported  
Contact Name: JOSE SANTIAGO  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 782-0362  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 30497  
Affiliation Type: Owner  
Company Name: GRAYCO CORP.  
Contact Type: MGR  
Contact Name: DAVID GROSS  
Address1: 300 MERRICK RD., STE. 301  
Address2: Not reported  
City: LYNBROOK  
State: NY  
Zip Code: 11563  
Country Code: 001  
Phone: (516) 596-1818  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: msbaptis  
Date Last Modified: 8/4/2008

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A01 - Tank Internal Protection - Epoxy Liner  
C01 - Pipe Location - Aboveground  
I05 - Overfill - Vent Whistle  
J02 - Dispenser - Suction  
G03 - Tank Secondary Containment - Vault (w/o access)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAYCO CORP. (Continued)**

**A100294254**

H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
B00 - Tank External Protection - None

Tank Info:

Tank Number: 001  
Tank Id: 65433  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1984  
Capacity Gallons: 4000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: msbaptis  
Last Modified: 8/4/2008

**Y104**      **GEORGE ROYH**  
**West**      **116 UNION AVENUE**  
**1/8-1/4**      **BROOKLYN, NY 11204**  
**0.202 mi.**  
**1065 ft.**      **Site 1 of 3 in cluster Y**

**UST**      **U003127205**  
**HIST UST**      **N/A**

**Relative:**  
**Higher**

UST:  
Facility Id: 2-602780  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 588712.96514999995  
UTM Y: 4506363.1780700004

**Actual:**  
**16 ft.**

Affiliation Records:  
Site Id: 24736  
Affiliation Type: Emergency Contact  
Company Name: UNION PLAZA REALTY CORP.  
Contact Type: Not reported  
Contact Name: GEORGE ROTH  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 384-3377  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 24736

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Affiliation Type: Mail Contact  
Company Name: UNION PLAZA REALTY CORP.  
Contact Type: Not reported  
Contact Name: GEORGE ROTH  
Address1: 401 MARCY AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11204  
Country Code: 001  
Phone: (718) 384-3377  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 24736  
Affiliation Type: Owner  
Company Name: UNION PLAZA REALTY CORP.  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 401 MARCY AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11204  
Country Code: 001  
Phone: Not reported  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 24736  
Affiliation Type: On-Site Operator  
Company Name: GEORGE ROYH  
Contact Type: Not reported  
Contact Name: GEORGE ROTH  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 384-3377  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating  
B01 - Tank External Protection - Painted/Asphalt Coating  
F00 - Pipe External Protection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

GEORGE ROYH (Continued)

U003127205

- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- I04 - Overfill - Product Level Gauge (A/G)
- I04 - Overfill - Product Level Gauge (A/G)
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

GEORGE ROYH (Continued)

U003127205

- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- C02 - Pipe Location - Underground/On-ground
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- C02 - Pipe Location - Underground/On-ground
- C02 - Pipe Location - Underground/On-ground
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- C02 - Pipe Location - Underground/On-ground
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- C02 - Pipe Location - Underground/On-ground
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- D02 - Pipe Type - Galvanized Steel
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- D02 - Pipe Type - Galvanized Steel
- D02 - Pipe Type - Galvanized Steel
- D02 - Pipe Type - Galvanized Steel
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- D02 - Pipe Type - Galvanized Steel

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D02 - Pipe Type - Galvanized Steel  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
C02 - Pipe Location - Underground/On-ground

Tank Info:

Site ID: 24736

Tank Number: 001  
Tank ID: 51498  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 002  
Tank ID: 51499  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 003  
Tank ID: 51500  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 004  
Tank ID: 51501  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 005  
Tank ID: 51502  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 006  
Tank ID: 51503  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 007  
Tank ID: 51504  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 008  
Tank ID: 51505  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 009  
Tank ID: 51506  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 010  
Tank ID: 51507  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 011  
Tank ID: 51508  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 012  
Tank ID: 51509  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 013  
Tank ID: 51510  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 24736

Tank Number: 014  
Tank ID: 51511  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-602780  
SPDES Number: Not reported  
Emergency Contact: GEORGE ROTH  
Emergency Telephone: (718) 384-3377  
Operator: GEORGE ROTH  
Operator Telephone: (718) 384-3377  
Owner Name: UNION PLAZA REALTY CORP.  
Owner Address: 401 MARCY AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11204

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Owner Telephone: Not reported  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: UNION PLAZA REALTY CORP.  
Mailing Address: 401 MARCY AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11204  
Mailing Contact: GEORGE ROTH  
Mailing Telephone: (718) 384-3377  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: 278-290 HEYWARD STREET  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: Not reported  
Expiration Date: 09/18/2001  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 011  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 012  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 013  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None  
Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 014  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: USED OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GEORGE ROYH (Continued)**

**U003127205**

Pipe External: None  
Second Containment: Not reported  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: 0  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**Y105**  
**West**  
**1/8-1/4**  
**0.203 mi.**  
**1070 ft.**

**KNIGHTS COLLISION & AUTO CARE CENTER**  
**120 UNION AVENUE**  
**BROOKLYN, NY 11206**

**UST** **U004047351**  
**N/A**

**Site 2 of 3 in cluster Y**

**Relative:**  
**Higher**

UST:  
Facility Id: 2-608507  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 588688.54897999996  
UTM Y: 4506387.6165100001

**Actual:**  
**16 ft.**

Affiliation Records:  
Site Id: 30359  
Affiliation Type: Emergency Contact  
Company Name: JOSEPH ROBLES  
Contact Type: Not reported  
Contact Name: SEAN CUSICK  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (917) 709-4877  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 30359  
Affiliation Type: Owner  
Company Name: JOSEPH ROBLES  
Contact Type: VP  
Contact Name: SEAN CUSICK  
Address1: 120 UNION AVE.  
Address2: Not reported  
City: BROOKLYN  
State: NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION & AUTO CARE CENTER (Continued)**

**U004047351**

Zip Code: 11206  
Country Code: 001  
Phone: (718) 963-4440  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 6/1/2010

Site Id: 30359  
Affiliation Type: On-Site Operator  
Company Name: KNIGHTS COLLISION & AUTO CARE CENTER  
Contact Type: Not reported  
Contact Name: SEAN CUSICK  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 963-4440  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 30359  
Affiliation Type: Mail Contact  
Company Name: KNIGHTS COLLISION & AUTO  
Contact Type: Not reported  
Contact Name: SEAN CUSICK  
Address1: CARE CENTER  
Address2: 120 UNION AVENUE  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 963-4440  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)  
D00 - Pipe Type - No Piping  
H99 - Tank Leak Detection - Other  
C02 - Pipe Location - Underground/On-ground  
G99 - Tank Secondary Containment - Other  
B99 - Tank External Protection - Other  
A99 - Tank Internal Protection - Other  
F99 - Pipe External Protection - Other

Tank Info:

Site ID: 30359

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION & AUTO CARE CENTER (Continued)**

**U004047351**

Tank Number: 001  
Tank ID: 65261  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 3000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: 4/2/2010  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 9/18/2003  
Register: True  
Modified By: MSBAPTIS  
Last Modified: 6/1/2010

**Y106**  
**West**  
**1/8-1/4**  
**0.203 mi.**  
**1070 ft.**

**KNIGHTS COLLISION EXPERTS INC**  
**120 UNION AVE**  
**BROOKLYN, NY 11206**  
**Site 3 of 3 in cluster Y**

**RCRA-NonGen** **1000235004**  
**MANIFEST** **NYD012575643**

**Relative:**  
**Higher**

RCRA-NonGen:  
Date form received by agency: 01/01/2007  
Facility name: KNIGHTS COLLISION EXPERTS INC  
Facility address: 120 UNION AVE  
BROOKLYN, NY 11206  
EPA ID: NYD012575643  
Mailing address: UNION AVE  
BROOKLYN, NY 11206  
Contact: Not reported  
Contact address: UNION AVE  
BROOKLYN, NY 11206  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:**  
**16 ft.**

Owner/Operator Summary:  
Owner/operator name: Not reported  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported  
Owner/operator name: Not reported  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: KNIGHTS COLLISION EXPERTS INC  
Classification: Not a generator, verified

Date form received by agency: 03/30/1995  
Facility name: KNIGHTS COLLISION EXPERTS INC  
Classification: Unverified

Date form received by agency: 06/28/1985  
Facility name: KNIGHTS COLLISION EXPERTS INC  
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 02/20/1991  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

NY MANIFEST:

EPA ID: NYD012575643  
Country: USA  
Mailing Name: KNIGHTS COLLISION EXPERTS INC  
Mailing Contact: JOSEPH ROBLES  
Mailing Address: 120 UNION AVE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Mailing Country: USA  
Mailing Phone: 212-963-4440

Document ID: NYC1836202  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 920821  
Trans1 Recv Date: 920821  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920821  
Part A Recv Date: 920903  
Part B Recv Date: 920901  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00096  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92

Document ID: NYC1817932  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 930318  
Trans1 Recv Date: 930318  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 930318  
Part A Recv Date: 930329  
Part B Recv Date: 930329  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00096  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 93

Document ID: NYC3156693  
Manifest Status: Completed copy  
Trans1 State ID: AM6252NY  
Trans2 State ID: Not reported  
Generator Ship Date: 940725

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Trans1 Recv Date: 940725  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940725  
Part A Recv Date: Not reported  
Part B Recv Date: 940802  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC3345221  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 941111  
Trans1 Recv Date: 941111  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 941111  
Part A Recv Date: Not reported  
Part B Recv Date: 941121  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC366677  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: GF2859NY  
Trans2 State ID: Not reported  
Generator Ship Date: 960102  
Trans1 Recv Date: 960102  
Trans2 Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

TSD Site Recv Date: 960123  
Part A Recv Date: Not reported  
Part B Recv Date: 960226  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NCD077840148  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96

Document ID: NYC1834863  
Manifest Status: Completed copy  
Trans1 State ID: HW8207NY  
Trans2 State ID: Not reported  
Generator Ship Date: 930623  
Trans1 Recv Date: 930623  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 930623  
Part A Recv Date: Not reported  
Part B Recv Date: 930702  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00096  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 93

Document ID: NYC3181847  
Manifest Status: Completed copy  
Trans1 State ID: JE4550IL  
Trans2 State ID: Not reported  
Generator Ship Date: 940915  
Trans1 Recv Date: 940915  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940915  
Part A Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Part B Recv Date: 940926  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC3293572  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 941017  
Trans1 Recv Date: 941017  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 941017  
Part A Recv Date: Not reported  
Part B Recv Date: 941025  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC3187181  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 940815  
Trans1 Recv Date: 940815  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940815  
Part A Recv Date: Not reported  
Part B Recv Date: 940824  
Generator EPA ID: NYD012575643

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC3891925  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 950523  
Trans1 Recv Date: 950523  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950523  
Part A Recv Date: Not reported  
Part B Recv Date: 950605  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

Document ID: NYC3553176  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 950330  
Trans1 Recv Date: 950330

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950330  
Part A Recv Date: Not reported  
Part B Recv Date: 950406  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

Document ID: NJA0253708  
Manifest Status: Completed copy  
Trans1 State ID: NJDEPS-10  
Trans2 State ID: Not reported  
Generator Ship Date: 861119  
Trans1 Recv Date: 861119  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 861120  
Part A Recv Date: 861128  
Part B Recv Date: 861201  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: NJD980787147  
Trans2 EPA ID: Not reported  
TSD ID: NJD002454544  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00055  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: R Material recovery of more than 75 percent of the total material.  
Specific Gravity: 100  
Year: 86

Document ID: NYC1261833  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: MT9351  
Trans2 State ID: Not reported  
Generator Ship Date: 920422  
Trans1 Recv Date: 920422  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920427

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Part A Recv Date: 920629  
Part B Recv Date: 920529  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980753784  
Waste Code: F005 - UNKNOWN  
Quantity: 00096  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92

Document ID: NYC1693899  
Manifest Status: Completed copy  
Trans1 State ID: GF3013  
Trans2 State ID: Not reported  
Generator Ship Date: 920618  
Trans1 Recv Date: 920618  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920618  
Part A Recv Date: 920708  
Part B Recv Date: 920625  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD051060408  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00096  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 92

Document ID: NYC2622870  
Manifest Status: Completed copy  
Trans1 State ID: LF2859NY  
Trans2 State ID: Not reported  
Generator Ship Date: 931015  
Trans1 Recv Date: 931015  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 931015  
Part A Recv Date: 931029  
Part B Recv Date: 931029  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSDF ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00096  
Units: P - Pounds

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 93

Document ID: NYC2858141  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 940131  
Trans1 Recv Date: 940131  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940131  
Part A Recv Date: 940215  
Part B Recv Date: 940210  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00027  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYC3608392  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 950714  
Trans1 Recv Date: 950714  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950714  
Part A Recv Date: Not reported  
Part B Recv Date: 950724  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

Document ID: NYC3671763  
Manifest Status: Completed copy  
Trans1 State ID: AM6252NY  
Trans2 State ID: Not reported  
Generator Ship Date: 950915  
Trans1 Recv Date: 950915  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950915  
Part A Recv Date: Not reported  
Part B Recv Date: 950927  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

Document ID: NYC3567183  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 950623  
Trans1 Recv Date: 950623  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950623  
Part A Recv Date: Not reported  
Part B Recv Date: 950706  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KNIGHTS COLLISION EXPERTS INC (Continued)**

**1000235004**

Waste Code: Not reported  
Quantity: 00112  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

Document ID: NYC3495925  
Manifest Status: Completed copy  
Trans1 State ID: JE4550NY  
Trans2 State ID: Not reported  
Generator Ship Date: 950302  
Trans1 Recv Date: 950302  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 950302  
Part A Recv Date: Not reported  
Part B Recv Date: 950313  
Generator EPA ID: NYD012575643  
Trans1 EPA ID: ILD984908202  
Trans2 EPA ID: Not reported  
TSD ID: NYD980785760  
Waste Code: F005 - UNKNOWN  
Quantity: 00036  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 95

[Click this hyperlink](#) while viewing on your computer to access  
16 additional NY\_MANIFEST: record(s) in the EDR Site Report.

**W107 PFIZER INC**  
**SSW 11 BARTLETT ST**  
**1/8-1/4 BROOKLYN, NY 11206**  
**0.204 mi.**  
**1079 ft. Site 3 of 5 in cluster W**

**CORRACTS 1000443177**  
**RCRA-LQG NYD001374214**  
**FINDS**  
**RAATS**  
**MANIFEST**

**Relative:**  
**Equal**

**CORRACTS:**

**Actual:**  
**13 ft.**

EPA ID: NYD001374214  
EPA Region: 02  
Area Name: SITEWIDE  
Actual Date: 04/19/1994  
Action: CA075ME - CA Prioritization, Facility or area was assigned a medium  
corrective action priority  
NAICS Code(s): Not reported  
Original schedule date: Not reported  
Schedule end date: Not reported  
  
EPA ID: NYD001374214  
EPA Region: 02  
Area Name: SITEWIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Actual Date: 09/22/1992  
Action: CA050 - RFA Completed  
NAICS Code(s): Not reported  
Original schedule date: Not reported  
Schedule end date: Not reported

**RCRA-LQG:**

Date form received by agency: 03/04/2008  
Facility name: PFIZER INC  
Facility address: 13 BARTLETT ST  
BROOKLYN, NY 11206  
EPA ID: NYD001374214  
Mailing address: RTE 206 NORTH  
PEAPACK, NJ 07977  
Contact: RUSSELL G DOWNEY  
Contact address: RTE 206 NORTH  
PEAPACK, NJ 07977  
Contact country: US  
Contact telephone: (908) 901-6079  
Contact email: Not reported  
EPA Region: 02  
Land type: Private  
Classification: Large Quantity Generator  
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

**Owner/Operator Summary:**

Owner/operator name: PFIZER INC  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: Not reported  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 01/01/1851  
Owner/Op end date: Not reported  
Owner/operator name: PFIZER INC  
Owner/operator address: ROUTE 206 NORTH M/S 611  
PEAPACK, NJ 07977  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 01/01/1851  
Owner/Op end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Owner/operator name: PFIZER INC  
Owner/operator address: ROUTE 206 NORTH M/S 611  
PEAPACK, NJ 07977  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 01/01/1851  
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC  
Owner/operator address: RTE 206 NORTH  
PEAPACK, NJ 07977  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 01/01/1851  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: Yes  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 03/03/2008  
Facility name: PFIZER INC  
Classification: Large Quantity Generator

Date form received by agency: 03/03/2008  
Facility name: PFIZER INC  
Classification: Large Quantity Generator

Date form received by agency: 01/01/2006  
Facility name: PFIZER INC  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: PFIZER INC  
Classification: Not a generator, verified

Date form received by agency: 03/01/1990  
Facility name: PFIZER INC

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Site name: PFIZER INC BROOKLYN PLANT  
Classification: Large Quantity Generator

Date form received by agency: 11/19/1980  
Facility name: PFIZER INC  
Classification: Not a generator, verified

Date form received by agency: 08/18/1980  
Facility name: PFIZER INC  
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D009  
Waste name: MERCURY

Waste code: B007  
Waste name: B007

Waste code: D009  
Waste name: MERCURY

Waste code: B007  
Waste name: B007

Corrective Action Summary:

Event date: 09/22/1992  
Event: RFA Completed

Event date: 04/19/1994  
Event: CA Prioritization, Facility or area was assigned a medium corrective action priority.

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 05/01/1987  
Date achieved compliance: 06/01/1987  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 05/01/1987  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 06/24/1985  
Date achieved compliance: 07/24/1985  
Violation lead agency: EPA  
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
Enforcement action date: 12/30/1985  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Enforcement lead agency: EPA  
Proposed penalty amount: 0  
Final penalty amount: 3000  
Paid penalty amount: 3000

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 03/01/1985  
Date achieved compliance: 08/11/1985  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 06/11/1985  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 02/05/1985  
Date achieved compliance: 08/01/1985  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 06/11/1985  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 02/05/1985  
Date achieved compliance: 08/11/1985  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 06/11/1985  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 03/14/1984  
Date achieved compliance: 08/20/1984  
Violation lead agency: EPA  
Enforcement action: INITIAL 3008(A) COMPLIANCE  
Enforcement action date: 05/31/1984  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Proposed penalty amount: 10000  
Final penalty amount: 0  
Paid penalty amount: 0

Evaluation Action Summary:

Evaluation date: 10/09/1987  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 05/01/1987  
Evaluation: FINANCIAL RECORD REVIEW  
Area of violation: Generators - General  
Date achieved compliance: 06/01/1987  
Evaluation lead agency: State

Evaluation date: 04/08/1987  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 05/16/1986  
Evaluation: FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 06/24/1985  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 07/24/1985  
Evaluation lead agency: EPA

Evaluation date: 03/28/1985  
Evaluation: FOCUSED COMPLIANCE INSPECTION  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 03/01/1985  
Evaluation: FOCUSED COMPLIANCE INSPECTION  
Area of violation: Generators - General  
Date achieved compliance: 08/11/1985  
Evaluation lead agency: State

Evaluation date: 02/05/1985  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 08/01/1985  
Evaluation lead agency: State

Evaluation date: 02/05/1985  
Evaluation: FOCUSED COMPLIANCE INSPECTION  
Area of violation: Generators - General  
Date achieved compliance: 08/11/1985

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Evaluation lead agency: State  
  
Evaluation date: 08/20/1984  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 06/18/1984  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 03/14/1984  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - General  
Date achieved compliance: 08/20/1984  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

**FINDS:**

Registry ID: 110001595122

**Environmental Interest/Information System**

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

**NY MANIFEST:**

EPA ID: NYD001374214  
Country: USA  
Mailing Name: PFIZER INC BROOKLYN PLANT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Mailing Contact: HETTENBACH JR SEN PROC EN  
Mailing Address: 11 BARTLETT ST  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: 5001  
Mailing Country: USA  
Mailing Phone: 212-573-1686

Document ID: NJA0040357  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: NJ-XF75KG  
Trans2 State ID: Not reported  
Generator Ship Date: 841213  
Trans1 Recv Date: 841213  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 841213  
Part A Recv Date: 841226  
Part B Recv Date: 841227  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NJD089216790  
Trans2 EPA ID: Not reported  
TSDf ID: NJD089216790  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00250  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 005  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 84

Document ID: NJA0040358  
Manifest Status: Completed copy  
Trans1 State ID: NJ-XF75KG  
Trans2 State ID: Not reported  
Generator Ship Date: 841213  
Trans1 Recv Date: 841213  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 841213  
Part A Recv Date: 841227  
Part B Recv Date: 841227  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NJD089216790  
Trans2 EPA ID: Not reported  
TSDf ID: NJD089216790  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00025  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 84

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Document ID: NYA1557837  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 89851GCNY  
Trans2 State ID: Not reported  
Generator Ship Date: 841018  
Trans1 Recv Date: 841018  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 841018  
Part A Recv Date: 841114  
Part B Recv Date: 841108  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NYD049178296  
Trans2 EPA ID: Not reported  
TSDf ID: NYD049178296  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 01000  
Units: P - Pounds  
Number of Containers: 005  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 84

Document ID: CTA0015973  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: CT-HW-134  
Trans2 State ID: Not reported  
Generator Ship Date: 850529  
Trans1 Recv Date: 850529  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 850529  
Part A Recv Date: 850628  
Part B Recv Date: 850613  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NJD099287484  
Trans2 EPA ID: Not reported  
TSDf ID: CTD001147495  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 00825  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 015  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 85

Document ID: NYA2022066  
Manifest Status: Completed copy  
Trans1 State ID: S10331-26  
Trans2 State ID: Not reported  
Generator Ship Date: 871229  
Trans1 Recv Date: 871229  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 871230  
Part A Recv Date: 880105

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Part B Recv Date: 880111  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: ILD099202681  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 04000  
Units: P - Pounds  
Number of Containers: 010  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 05600  
Units: P - Pounds  
Number of Containers: 014  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00400  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00800  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 87

Document ID: NYA6283368  
Manifest Status: Completed copy  
Trans1 State ID: 46623ANY  
Trans2 State ID: Not reported  
Generator Ship Date: 870825  
Trans1 Recv Date: 870825  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 870826  
Part A Recv Date: 870831  
Part B Recv Date: 870901  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NYD049836679  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 02700  
Units: L  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Waste Code: Not reported  
Quantity: 00900  
Units: L  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00450  
Units: L  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00450  
Units: L  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 87

Document ID: NYB2181015  
Manifest Status: Completed copy  
Trans1 State ID: NYGW8136  
Trans2 State ID: Not reported  
Generator Ship Date: 891127  
Trans1 Recv Date: 891127  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 891127  
Part A Recv Date: 891204  
Part B Recv Date: 891211  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NYD049178296  
Trans2 EPA ID: Not reported  
TSD ID: NYD049178296  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00040  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 89

Document ID: NJA0068494  
Manifest Status: Completed copy  
Trans1 State ID: NYJA026NJ  
Trans2 State ID: Not reported  
Generator Ship Date: 850308  
Trans1 Recv Date: 850308  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 850308  
Part A Recv Date: 850322

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Part B Recv Date: 850315  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NJD089216790  
Trans2 EPA ID: Not reported  
TSD ID: NJD089216790  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 01925  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 035  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00275  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 85

Document ID: NYA2024658  
Manifest Status: Completed copy  
Trans1 State ID: NY89851-G  
Trans2 State ID: Not reported  
Generator Ship Date: 850606  
Trans1 Recv Date: 850606  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 850606  
Part A Recv Date: 850611  
Part B Recv Date: 850614  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NYD049178296  
Trans2 EPA ID: Not reported  
TSD ID: NYD049178296  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 05490  
Units: P - Pounds  
Number of Containers: 020  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00005  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00040  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Waste Code: Not reported  
Quantity: 00040  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 85

Document ID: NYA2140065  
Manifest Status: Completed copy  
Trans1 State ID: S-10331  
Trans2 State ID: Not reported  
Generator Ship Date: 880511  
Trans1 Recv Date: 880512  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 880517  
Part A Recv Date: 880516  
Part B Recv Date: 880526  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: ILD099202681  
Trans2 EPA ID: Not reported  
TSDF ID: NYD049836679  
Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
Quantity: 04050  
Units: P - Pounds  
Number of Containers: 010  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 02400  
Units: P - Pounds  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00400  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 88

Document ID: NYA7505712  
Manifest Status: Completed copy  
Trans1 State ID: S10331  
Trans2 State ID: P40249  
Generator Ship Date: 900216  
Trans1 Recv Date: 900216  
Trans2 Recv Date: 900221  
TSD Site Recv Date: 900222  
Part A Recv Date: 900301

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Part B Recv Date: 900312  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: ILD099202681  
Trans2 EPA ID: NYD049836679  
TSD ID: NYD049836679  
Waste Code: F003 - UNKNOWN  
Quantity: 04050  
Units: P - Pounds  
Number of Containers: 009  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 04950  
Units: P - Pounds  
Number of Containers: 011  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00450  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 90

Document ID: NYB1407105  
Manifest Status: Completed copy  
Trans1 State ID: 57356C(NY)  
Trans2 State ID: Not reported  
Generator Ship Date: 900808  
Trans1 Recv Date: 900808  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 900813  
Part A Recv Date: 900824  
Part B Recv Date: 900830  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NYD046765574  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00330  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 006  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 90

Document ID: NYB1942524  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: NJXTC194  
Trans2 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Generator Ship Date: 900718  
Trans1 Recv Date: 900718  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 900719  
Part A Recv Date: 900917  
Part B Recv Date: 900830  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NJD000813477  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: U154 - METHANOL  
Quantity: 02525  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 90

Document ID: PAC7590866  
Manifest Status: Completed copy  
Trans1 State ID: PAAH0067  
Trans2 State ID: Not reported  
Generator Ship Date: 930316  
Trans1 Recv Date: 930316  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 930319  
Part A Recv Date: 930324  
Part B Recv Date: 930402  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: NJD054126164  
Trans2 EPA ID: Not reported  
TSD ID: PAD002390961  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 00010  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00015  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 93

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: Not reported  
Generator Ship Date: 2007-06-11  
Trans1 Recv Date: 2007-06-11

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2007-06-11  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 2548.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 14.0  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 2007  
Manifest Tracking Num: 000113111VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: Not reported  
Generator Ship Date: 2007-06-11  
Trans1 Recv Date: 2007-06-11  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2007-06-11  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 546.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 3.0  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 2007  
Manifest Tracking Num: 000113111VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: ALD067138891  
Trans2 State ID: Not reported  
Generator Ship Date: 2008-07-28  
Trans1 Recv Date: 2008-07-28  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2008-07-30  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: ALD000622464  
Waste Code: Not reported  
Quantity: 13182.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 1.0  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 2008  
Manifest Tracking Num: 000182811VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H132

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: ALD067138891  
Trans2 State ID: Not reported  
Generator Ship Date: 2008-08-28  
Trans1 Recv Date: 2008-08-28  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2008-08-30  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

1000443177

Trans2 EPA ID: Not reported  
TSDF ID: ALD000622464  
Waste Code: Not reported  
Quantity: 13154.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 1.0  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 2008  
Manifest Tracking Num: 000237377VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H132

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: ALD067138891  
Trans2 State ID: Not reported  
Generator Ship Date: 2008-07-30  
Trans1 Recv Date: 2008-07-30  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2008-08-01  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSDF ID: ALD000622464  
Waste Code: Not reported  
Quantity: 13432.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 1.0  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 2008  
Manifest Tracking Num: 000182787VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**1000443177**

Mgmt Method Type Code: H132

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: ALD067138891  
Trans2 State ID: Not reported  
Generator Ship Date: 2008-08-18  
Trans1 Recv Date: 2008-08-18  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2008-08-19  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001374214  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: ALD000622464  
Waste Code: Not reported  
Quantity: 13659.0  
Units: K - Kilograms (2.2 pounds)  
Number of Containers: 1.0  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: L Landfill.  
Specific Gravity: 1.0  
Year: 2008  
Manifest Tracking Num: 000182804VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H132

[Click this hyperlink](#) while viewing on your computer to access 217 additional NY\_MANIFEST: record(s) in the EDR Site Report.

108  
NW  
1/8-1/4  
0.205 mi.  
1082 ft.

**NYNEX**  
**18 BOERUM STREET**  
**BROOKLYN, NY 11206**

**TANKS S110771804**  
**N/A**

**Relative:**  
**Higher**

TANKS:  
Facility Id: 2-344443  
Region: STATE  
DEC Region: 2  
Site Status: Administratively Closed  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 588808.56923999998  
UTM Y: 4506545.1465999996

**Actual:**  
**15 ft.**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**Z109**      **CONSOLIDATED EDISON MH1401**  
**East**      **64 GRAHAM AVE**  
**1/8-1/4**     **BROOKLYN, NY 11206**  
**0.205 mi.**  
**1084 ft.**    **Site 1 of 3 in cluster Z**

**MANIFEST**    **S110046844**  
**N/A**

**Relative:**  
**Higher**

NY MANIFEST:

EPA ID: NYP004184297

Country: USA

**Actual:**  
**19 ft.**

Mailing Name: CONSOLIDATED EDISON MH1401

Mailing Contact: FRANKLYN MURRAY

Mailing Address: 4 IRVING PL RM 828

Mailing Address 2: Not reported

Mailing City: NEW YORK

Mailing State: NY

Mailing Zip: 10003

Mailing Zip4: Not reported

Mailing Country: USA

Mailing Phone: 212-460-2808

Document ID: Not reported

Manifest Status: Not reported

Trans1 State ID: NJD003812047

Trans2 State ID: Not reported

Generator Ship Date: 2009-07-22

Trans1 Recv Date: 2009-07-22

Trans2 Recv Date: Not reported

TSD Site Recv Date: 2009-07-27

Part A Recv Date: Not reported

Part B Recv Date: Not reported

Generator EPA ID: NYP004184297

Trans1 EPA ID: Not reported

Trans2 EPA ID: Not reported

TSD ID: NJD991291105

Waste Code: Not reported

Quantity: 200.0

Units: G - Gallons (liquids only)\* (8.3 pounds)

Number of Containers: 1.0

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0

Year: 2009

Manifest Tracking Num: 000894726GBF

Import Ind: N

Export Ind: N

Discr Quantity Ind: N

Discr Type Ind: N

Discr Residue Ind: N

Discr Partial Reject Ind: N

Discr Full Reject Ind: N

Manifest Ref Num: Not reported

Alt Fac RCRA Id: Not reported

Alt Fac Sign Date: Not reported

Mgmt Method Type Code: H111

Document ID: Not reported

Manifest Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSOLIDATED EDISON MH1401 (Continued)**

**S110046844**

Trans1 State ID: NJD003812047  
Trans2 State ID: Not reported  
Generator Ship Date: 2009-07-22  
Trans1 Recv Date: 2009-07-22  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 2009-07-27  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004184297  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291105  
Waste Code: Not reported  
Quantity: 200.0  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 1.0  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000894726GBF  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H111

**Z110**  
**East**  
**1/8-1/4**  
**0.205 mi.**  
**1084 ft.**

**CON EDISON - MANHOLE 14001**  
**64 GRAHAM AVE**  
**BROOKLYN, NY 11206**  
**Site 2 of 3 in cluster Z**

**RCRA-LQG 1014396249**  
**NYP004184297**

**Relative:**  
**Higher**

RCRA-LQG:

**Actual:**  
**19 ft.**

Date form received by agency: 03/23/2010  
Facility name: CON EDISON - MANHOLE 14001  
Facility address: 64 GRAHAM AVE  
BROOKLYN, NY 11206  
EPA ID: NYP004184297  
Mailing address: 4 IRVING PLACE  
NEW YORK, NY 10003  
Contact: FRANKLYN MURRAY  
Contact address: Not reported  
Not reported  
Contact country: Not reported  
Contact telephone: (212) 460-2808  
Contact email: MURRAYFR@CONED.COM  
EPA Region: 02  
Classification: Large Quantity Generator  
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - MANHOLE 14001 (Continued)**

**1014396249**

residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.  
Owner/operator address: 4 IRVING PLACE  
NEW YORK, NY 10003  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 07/14/2009  
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.  
Owner/operator address: 4 IRVING PLACE  
NEW YORK, NY 10003  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 07/14/2009  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 07/14/2009  
Facility name: CON EDISON - MANHOLE 14001  
Site name: CON EDISON  
Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON EDISON - MANHOLE 14001 (Continued)**

1014396249

Waste code: D008  
Waste name: LEAD  
  
Violation Status: No violations found

111  
ENE  
1/8-1/4  
0.206 mi.  
1090 ft.

**HELEN LEVINE  
73 GRAHAM AVE  
BROOKLYN, NY 11206**

AST U003386747  
HIST AST N/A

Relative:  
Higher

AST:  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-246832  
Program Type: PBS  
UTM X: 589354.55286000005  
UTM Y: 4506415.6454999996  
Expiration Date: 2012/07/07

Actual:  
18 ft.

Affiliation Records:  
Site Id: 9672  
Affiliation Type: On-Site Operator  
Company Name: HELEN LEVINE LESIEV CORP  
Contact Type: Not reported  
Contact Name: MANNY SURILLO  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 916-7554  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 5/3/2007

Site Id: 9672  
Affiliation Type: Emergency Contact  
Company Name: LES LEV CORPORATION  
Contact Type: Not reported  
Contact Name: JOHN COCO  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 626-8833  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 5/3/2007

Site Id: 9672

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HELEN LEVINE (Continued)**

**U003386747**

Affiliation Type: Owner  
Company Name: LES LEV CORPORATION  
Contact Type: MANAGING AGENT  
Contact Name: JOHN COCO  
Address1: 767 WOOLLEY AVENUE  
Address2: Not reported  
City: STATEN ISLAND  
State: NY  
Zip Code: 10314  
Country Code: 001  
Phone: (718) 761-3062  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 5/3/2007

Site Id: 9672  
Affiliation Type: Mail Contact  
Company Name: J.C. MANAGEMENT SERVICES LLC  
Contact Type: Not reported  
Contact Name: JOHN COCO  
Address1: 28-60 31ST STREET  
Address2: Not reported  
City: ASTORIA  
State: NY  
Zip Code: 11102  
Country Code: 001  
Phone: (718) 626-8833  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 5/3/2007

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping  
I04 - Overfill - Product Level Gauge (A/G)  
C00 - Pipe Location - No Piping  
B00 - Tank External Protection - None  
F00 - Pipe External Protection - None  
G00 - Tank Secondary Containment - None  
H00 - Tank Leak Detection - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Info:

Tank Number: 001  
Tank Id: 10623  
Tank Location: 1  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 10/1/1949

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HELEN LEVINE (Continued)**

**U003386747**

Capacity Gallons: 2000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: KXTANG  
Last Modified: 5/3/2007

**HIST AST:**

PBS Number: 2-246832  
SWIS Code: 6101  
Operator: MAX LEVINE  
Facility Phone: (718) 761-3062  
Facility Addr2: 73 GRAHAM AVE  
Facility Type: APARTMENT BUILDING  
Emergency: MAX LEVINE  
Emergency Tel: (718) 761-3062  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: LES LEV CORPORATION  
Owner Address: 767 WOOLLEY AVENUE  
Owner City,St,Zip: STATEN ISL, NY 10314  
Federal ID: Not reported  
Owner Tel: (718) 761-3062  
Owner Type: Private Resident  
Owner Subtype: Not reported  
Mailing Contact: LES LEV CORPORATION  
Mailing Name: HELEN LEVINE  
Mailing Address: 767 WOOLLEY AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: STATEN ISLAND, NY 10314  
Mailing Telephone: (718) 761-3062  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 09/09/1997  
Expiration: 07/07/2002  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 2000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HELEN LEVINE (Continued)**

**U003386747**

Tank Location: ABOVEGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 2000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: None  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
SPDES Number: Not reported  
Lat/Long: Not reported

**W112**  
**SSW**  
**1/8-1/4**  
**0.208 mi.**  
**1098 ft.**

**PFIZER INC**  
**11 BARTLETT STREET**  
**BROOKLYN, NY 11206**  
**Site 4 of 5 in cluster W**

**MANIFEST** **S109533642**  
**N/A**

**Relative:**  
**Equal**

NJ MANIFEST:  
Manifest Code: 000237129VES  
EPA ID: NYD001374214  
Date Shipped: 8/5/2008  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: NJD000692061  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 8/5/2008  
Date Trans2 Transported Waste: 8/8/2008  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 8/8/2008  
Tranporter 1 Decal: Not reported

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**S109533642**

Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D007  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 2275  
Unit: K  
Hand Code: H141

Manifest Code: 000160183VES  
EPA ID: NYD001374214  
Date Shipped: 2/25/2008  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: NJD080631369  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 2/25/2008  
Date Trans2 Transported Waste: 2/29/2008  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 2/29/2008  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D008  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 200  
Unit: P  
Hand Code: H141

Manifest Code: 000113111VES  
EPA ID: NYD001374214  
Date Shipped: 6/11/200  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**S109533642**

Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 6/11/2  
Date Trans2 Transported Waste: Not reported  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 6/11/2  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D009  
Manifest Year: 2007 New Jersey Manifest Data  
Quantity: 546  
Unit: KG  
Hand Code: H14

**W113 BP AMOCO SERVICE STATION #36714**  
**SSW 655 FLUSHING AVENUE**  
**1/8-1/4 BROOKLYN, NY 11206**  
**0.209 mi.**  
**1106 ft. Site 5 of 5 in cluster W**

**UST U001839090**  
**HIST UST N/A**

**Relative:** UST:  
**Equal** Facility Id: 2-337439  
Region: STATE  
**Actual:** DEC Region: 2  
**13 ft.** Site Status: Active  
Program Type: PBS  
Expiration Date: 2012/10/29  
UTM X: 588979.51921000006  
UTM Y: 4505968.9224899998

**Affiliation Records:**  
Site Id: 16176  
Affiliation Type: Emergency Contact  
Company Name: BP PRODUCTS NORTH AMERICA, INC.  
Contact Type: Not reported  
Contact Name: MARK OKAMOTO  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Zip Code: Not reported  
Country Code: 999  
Phone: (908) 227-1893  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: BKFALVEY  
Date Last Modified: 10/26/2009

Site Id: 16176  
Affiliation Type: Owner  
Company Name: BP PRODUCTS NORTH AMERICA, INC.  
Contact Type: ENVIRONMENTAL COMPLIANCE SPECIALIST  
Contact Name: MARK OKAMOTO  
Address1: PO BOX 6038  
Address2: Not reported  
City: ARTESIA  
State: CA  
Zip Code: 90702  
Country Code: 001  
Phone: (732) 743-0901  
Phone Ext: Not reported  
Email: OKAMMR@BP.COM  
Fax Number: Not reported  
Modified By: BKFALVEY  
Date Last Modified: 10/26/2009

Site Id: 16176  
Affiliation Type: On-Site Operator  
Company Name: BP AMOCO SERVICE STATION #36714  
Contact Type: Not reported  
Contact Name: RAM JAN  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 387-5165  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 11/14/2007

Site Id: 16176  
Affiliation Type: Mail Contact  
Company Name: BP PRODUCTS NORTH AMERICA, INC.  
Contact Type: ENVIRONMENTAL COMPLIANCE SPECIALIST  
Contact Name: MARK OKAMOTO  
Address1: PO BOX 6038  
Address2: Not reported  
City: ARTESIA  
State: CA  
Zip Code: 90702  
Country Code: 001  
Phone: (732) 743-0901

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Phone Ext: Not reported  
Email: OKAMMR@BP.COM  
Fax Number: Not reported  
Modified By: BKFALVEY  
Date Last Modified: 10/26/2009

Equipment Records:

I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
B00 - Tank External Protection - None  
B02 - Tank External Protection - Original Sacrificial Anode  
H05 - Tank Leak Detection - In-Tank System (ATG)  
L07 - Piping Leak Detection - Pressurized Piping Leak Detector  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
L07 - Piping Leak Detection - Pressurized Piping Leak Detector  
G00 - Tank Secondary Containment - None  
C00 - Pipe Location - No Piping  
C00 - Pipe Location - No Piping  
G00 - Tank Secondary Containment - None  
G00 - Tank Secondary Containment - None  
H05 - Tank Leak Detection - In-Tank System (ATG)  
F00 - Pipe External Protection - None  
B08 - Tank External Protection - Retrofitted Impressed Current  
G00 - Tank Secondary Containment - None  
G00 - Tank Secondary Containment - None  
I00 - Overfill - None  
B00 - Tank External Protection - None  
I00 - Overfill - None  
H05 - Tank Leak Detection - In-Tank System (ATG)  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
D02 - Pipe Type - Galvanized Steel  
L07 - Piping Leak Detection - Pressurized Piping Leak Detector  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
D02 - Pipe Type - Galvanized Steel  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
J01 - Dispenser - Submersible  
B02 - Tank External Protection - Original Sacrificial Anode  
I02 - Overfill - High Level Alarm  
B00 - Tank External Protection - None  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None  
B00 - Tank External Protection - None  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
H00 - Tank Leak Detection - None  
A00 - Tank Internal Protection - None  
B02 - Tank External Protection - Original Sacrificial Anode  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
F00 - Pipe External Protection - None  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
A00 - Tank Internal Protection - None  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
A00 - Tank Internal Protection - None  
C02 - Pipe Location - Underground/On-ground  
L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

- F00 - Pipe External Protection - None
- F04 - Pipe External Protection - Fiberglass
- C00 - Pipe Location - No Piping
- K01 - Spill Prevention - Catch Basin
- J02 - Dispenser - Suction
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C02 - Pipe Location - Underground/On-ground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- D02 - Pipe Type - Galvanized Steel
- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- I02 - Overfill - High Level Alarm
- I02 - Overfill - High Level Alarm
- B00 - Tank External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- J02 - Dispenser - Suction
- J01 - Dispenser - Submersible
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- H00 - Tank Leak Detection - None
- D02 - Pipe Type - Galvanized Steel
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- F04 - Pipe External Protection - Fiberglass
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- J01 - Dispenser - Submersible
- C00 - Pipe Location - No Piping
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- F00 - Pipe External Protection - None
- J01 - Dispenser - Submersible
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- B08 - Tank External Protection - Retrofitted Impressed Current
- F04 - Pipe External Protection - Fiberglass
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- D02 - Pipe Type - Galvanized Steel
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- B08 - Tank External Protection - Retrofitted Impressed Current
- I04 - Overfill - Product Level Gauge (A/G)
- F04 - Pipe External Protection - Fiberglass
- B08 - Tank External Protection - Retrofitted Impressed Current
- H00 - Tank Leak Detection - None
- I00 - Overfill - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

- C02 - Pipe Location - Underground/On-ground
- I00 - Overfill - None
- I02 - Overfill - High Level Alarm
- G00 - Tank Secondary Containment - None
- B02 - Tank External Protection - Original Sacrificial Anode
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I00 - Overfill - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G00 - Tank Secondary Containment - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- I00 - Overfill - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- B02 - Tank External Protection - Original Sacrificial Anode
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- I02 - Overfill - High Level Alarm
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- J01 - Dispenser - Submersible
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I00 - Overfill - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B00 - Tank External Protection - None
- D02 - Pipe Type - Galvanized Steel
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- D02 - Pipe Type - Galvanized Steel
- B00 - Tank External Protection - None
- B00 - Tank External Protection - None
- I00 - Overfill - None
- I00 - Overfill - None
- F00 - Pipe External Protection - None
- D02 - Pipe Type - Galvanized Steel
- B00 - Tank External Protection - None
- C00 - Pipe Location - No Piping
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- C02 - Pipe Location - Underground/On-ground
- F00 - Pipe External Protection - None
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
- L07 - Piping Leak Detection - Pressurized Piping Leak Detector
- F04 - Pipe External Protection - Fiberglass
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- B08 - Tank External Protection - Retrofitted Impressed Current

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
D02 - Pipe Type - Galvanized Steel  
C00 - Pipe Location - No Piping  
I04 - Overfill - Product Level Gauge (A/G)  
K01 - Spill Prevention - Catch Basin  
F00 - Pipe External Protection - None  
F00 - Pipe External Protection - None  
A00 - Tank Internal Protection - None  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
E04 - Piping Secondary Containment - Double-Walled (Underground)  
E04 - Piping Secondary Containment - Double-Walled (Underground)

Tank Info:

Site ID: 16176

Tank Number: 001  
Tank ID: 28655  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176

Tank Number: 002  
Tank ID: 28656  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Site ID: 16176  
  
Tank Number: 003  
Tank ID: 28657  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 004  
Tank ID: 28658  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 005  
Tank ID: 28659  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Site ID: 16176  
  
Tank Number: 006  
Tank ID: 28660  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 007  
Tank ID: 28661  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 008  
Tank ID: 28662  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Site ID: 16176  
  
Tank Number: 009  
Tank ID: 28663  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 010  
Tank ID: 28664  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 011  
Tank ID: 28665  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Site ID: 16176  
  
Tank Number: 012  
Tank ID: 28666  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1968  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 16176  
  
Tank Number: 101  
Tank ID: 28667  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 7/1/1990  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 11/8/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 11/22/2010

Site ID: 16176  
  
Tank Number: 102  
Tank ID: 28668  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 7/1/1990  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 11/8/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 11/22/2010

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Site ID: 16176  
  
Tank Number: 103  
Tank ID: 28669  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 7/1/1990  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 11/8/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 11/22/2010

Site ID: 16176  
  
Tank Number: 104  
Tank ID: 28670  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 7/1/1990  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 11/8/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 11/22/2010

Site ID: 16176  
  
Tank Number: 105  
Tank ID: 28671  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 7/1/1990  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 11/8/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 11/22/2010

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

HIST UST:

PBS Number: 2-337439  
SPDES Number: Not reported  
Emergency Contact: AMOCO OIL CO  
Emergency Telephone: (800) 892-6626  
Operator: OCTAVIA E. PEREZ  
Operator Telephone: (718) 338-6967  
Owner Name: AMOCO OIL COMPANY - RAE ADAMS  
Owner Address: MORRIS CORPO.CTER.1-BLD.C/300 INTER.PKY.  
Owner City,St,Zip: PARSIPPANY, NJ 07054-1177  
Owner Telephone: (973) 331-7012  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: AMOCO OIL COMPANY - RAE ADAMS  
Mailing Address: MORRIS CORPORATE CENTER 1- BLDG. C  
Mailing Address 2: 300 INTERPACE PARKWAY  
Mailing City,St,Zip: PARSIPPANY, NJ 07054-1177  
Mailing Contact: Not reported  
Mailing Telephone: (973) 331-7012  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 655 FLUSHING AVE  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 11/20/1997  
Expiration Date: 10/29/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 20000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 011  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Lat/long: Not reported

Tank Id: 012  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19681201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 101  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900701  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Sacrificial Anode  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 05/01/1997  
Next Test Date: 07/01/2005  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Tank Id: 102  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900701  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Sacrificial Anode  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 05/01/1997  
Next Test Date: 07/01/2005  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 103  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900701  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Sacrificial Anode  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 05/01/1997  
Next Test Date: 07/01/2005  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 104  
Tank Location: UNDERGROUND  
Tank Status: In Service

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #36714 (Continued)**

**U001839090**

Install Date: 19900701  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Sacrificial Anode  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 05/01/1997  
Next Test Date: 07/01/2005  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 105  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19900701  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Sacrificial Anode  
Pipe Location: Not reported  
Pipe Type: Not reported  
Pipe Internal: Not reported  
Pipe External: Sacrificial Anode  
Second Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Submersible  
Date Tested: 05/01/1997  
Next Test Date: 07/01/2005  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: VPLT (NDE)  
Deleted: False  
Updated: True  
Lat/long: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

**Z114**      **30 FAMILY APT HOUSE**  
**East**      **77 VARET ST**  
**1/8-1/4**    **BROOKLYN, NY 11206**  
**0.212 mi.**  
**1118 ft.**    **Site 3 of 3 in cluster Z**

**AST**      **U003384666**  
**HIST AST**    **N/A**

**Relative:**  
**Higher**

AST:  
Region:                    STATE  
DEC Region:             2  
Site Status:             Active  
Facility Id:              2-116823  
Program Type:          PBS  
UTM X:                    589378.15523999999  
UTM Y:                    4506304.5318299998  
Expiration Date:        2012/03/24

**Actual:**  
**20 ft.**

Affiliation Records:

Site Id:                    3952  
Affiliation Type:        Mail Contact  
Company Name:          77 VARET ST HOLDING CORP  
Contact Type:            Not reported  
Contact Name:          77 VARET HOLDING CORP.  
Address1:                C/O ABECO MANAGEMENT CORP.  
Address2:                114 AVENUE T  
City:                      BROOKLYN  
State:                     NY  
Zip Code:                11223  
Country Code:          001  
Phone:                    (718) 265-1200  
Phone Ext:               Not reported  
Email:                    ABE@ABECOMANAGEMENT.COM  
Fax Number:             Not reported  
Modified By:             BVCAMPBE  
Date Last Modified:    6/15/2010

Site Id:                    3952  
Affiliation Type:        Emergency Contact  
Company Name:          77 VARET ST HOLDING CORP C/O ABECO MANAGEMENT  
Contact Type:            Not reported  
Contact Name:          GEORGE  
Address1:                Not reported  
Address2:                Not reported  
City:                      Not reported  
State:                     NN  
Zip Code:                Not reported  
Country Code:          999  
Phone:                    (718) 807-8431  
Phone Ext:               Not reported  
Email:                    Not reported  
Fax Number:             Not reported  
Modified By:             BVCAMPBE  
Date Last Modified:    6/15/2010

Site Id:                    3952  
Affiliation Type:        On-Site Operator  
Company Name:          30 FAMILY APT HOUSE  
Contact Type:            Not reported  
Contact Name:          GEORGE  
Address1:                Not reported  
Address2:                Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**30 FAMILY APT HOUSE (Continued)**

**U003384666**

City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 807-8431  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: BVCAMPBE  
Date Last Modified: 6/15/2010

Site Id: 3952  
Affiliation Type: Owner  
Company Name: 77 VARET ST HOLDING CORP C/O ABECO MANAGEMENT  
Contact Type: MANAGER  
Contact Name: ABE BETESH  
Address1: 114 AVENUE T  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11223  
Country Code: 001  
Phone: (718) 265-1200  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: BVCAMPBE  
Date Last Modified: 6/15/2010

Equipment Records:

H00 - Tank Leak Detection - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
B00 - Tank External Protection - None  
J02 - Dispenser - Suction  
L09 - Piping Leak Detection - Exempt Suction Piping  
A00 - Tank Internal Protection - None  
D02 - Pipe Type - Galvanized Steel  
I04 - Overfill - Product Level Gauge (A/G)  
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001  
Tank Id: 4168  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 2/1/1980  
Capacity Gallons: 4000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**30 FAMILY APT HOUSE (Continued)**

**U003384666**

Modified By: BVCAMPBE  
Last Modified: 6/15/2010

HIST AST:

PBS Number: 2-116823  
SWIS Code: 6101  
Operator: ELADIO ORTUZ-SUPERINTENDENT  
Facility Phone: (718) 388-9265  
Facility Addr2: 77 VARET ST  
Facility Type: APARTMENT BUILDING  
Emergency: ELADIO ORTIZ  
Emergency Tel: (718) 388-9265  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: 77 VARET ST HOLDING CORP C/O ABECO MANAGEMENT  
Owner Address: 10 WEST 33RD STREET  
Owner City,St,Zip: NEW YORK, NY 10001  
Federal ID: Not reported  
Owner Tel: (212) 736-6915  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: 77 VARET HOLDING CORP.  
Mailing Name: 77 VARET ST HOLDING CORP  
Mailing Address: C/O ABECO MANAGEMENT CORP.  
Mailing Address 2: 10 WEST 33RD STREET  
Mailing City,St,Zip: NEW YORK, NY 10001  
Mailing Telephone: (212) 736-3915  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 03/27/1997  
Expiration: 03/24/2002  
Renew Flag: False  
Renew Date: 20011113  
Total Capacity: 4000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 4000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**30 FAMILY APT HOUSE (Continued)**

**U003384666**

Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Not reported  
 Pipe Type: GALVANIZED STEEL  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Tank Containment: Diking  
 Leak Detection: 0  
 Overfill Protection: 4  
 Dispenser Method: Suction  
 Date Tested: Not reported  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: Not reported  
 Test Method: Not reported  
 Deleted: False  
 Updated: False  
 SPDES Number: Not reported  
 Lat/Long: Not reported

**AA115**  
**SSE**  
**1/8-1/4**  
**0.212 mi.**  
**1120 ft.**

**709-715 FLUSHING AVE**  
**709-715 FLUSHING AVE**  
**BROOKLYN, NY 11206**  
**Site 1 of 2 in cluster AA**

**UST U004107550**  
**N/A**

**Relative:**  
**Higher**

UST:  
 Facility Id: 2-610576  
 Region: STATE  
 DEC Region: 2  
 Site Status: Unregulated  
 Program Type: PBS  
 Expiration Date: N/A  
 UTM X: 589184.93104000005  
 UTM Y: 4506046.2262399998

**Actual:**  
**18 ft.**

Affiliation Records:  
 Site Id: 381757  
 Affiliation Type: On-Site Operator  
 Company Name: 709-715 FLUSHING AVE  
 Contact Type: Not reported  
 Contact Name: FLUSHING 1 REALTY, LLC.  
 Address1: Not reported  
 Address2: Not reported  
 City: Not reported  
 State: NN  
 Zip Code: Not reported  
 Country Code: 001  
 Phone: (718) 499-5100  
 Phone Ext: Not reported  
 Email: Not reported  
 Fax Number: Not reported  
 Modified By: KAKYER  
 Date Last Modified: 5/21/2007

Site Id: 381757  
 Affiliation Type: Mail Contact  
 Company Name: P.W. GROSSER CONSULTING

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**709-715 FLUSHING AVE (Continued)**

**U004107550**

Contact Type: Not reported  
Contact Name: KRIS ALMSKOG  
Address1: 630 JOHNSON AVE  
Address2: SUITE 7  
City: BOHEMIA  
State: NY  
Zip Code: 11716-2618  
Country Code: 001  
Phone: (631) 589-6353  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KAKYER  
Date Last Modified: 5/21/2007

Site Id: 381757  
Affiliation Type: Emergency Contact  
Company Name: FLUSHING 1 REALTY, LLC.  
Contact Type: Not reported  
Contact Name: MICHAEL SBEGLIA  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (917) 939-5450  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KAKYER  
Date Last Modified: 5/21/2007

Site Id: 381757  
Affiliation Type: Owner  
Company Name: FLUSHING 1 REALTY, LLC.  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 15 CALDER PL.  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11215  
Country Code: 001  
Phone: (718) 499-5100  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 9/11/2008

Equipment Records:

A00 - Tank Internal Protection - None  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
K00 - Spill Prevention - None  
F00 - Pipe External Protection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

709-715 FLUSHING AVE (Continued)

U004107550

- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- K00 - Spill Prevention - None
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- E00 - Piping Secondary Containment - None
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- A00 - Tank Internal Protection - None
- D00 - Pipe Type - No Piping
- D00 - Pipe Type - No Piping
- A00 - Tank Internal Protection - None
- J00 - Dispenser - None
- D00 - Pipe Type - No Piping
- J00 - Dispenser - None
- C00 - Pipe Location - No Piping
- I00 - Overfill - None
- I00 - Overfill - None
- B00 - Tank External Protection - None
- D00 - Pipe Type - No Piping
- B00 - Tank External Protection - None
- H00 - Tank Leak Detection - None
- I00 - Overfill - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- K00 - Spill Prevention - None
- K00 - Spill Prevention - None
- E00 - Piping Secondary Containment - None
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- L00 - Piping Leak Detection - None

Tank Info:

Site ID: 381757

Tank Number: 01  
Tank ID: 217309  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 3/30/1970  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 5/3/2007  
Tank Location: 6

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

709-715 FLUSHING AVE (Continued)

U004107550

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 6/4/2007

Site ID: 381757

Tank Number: 02  
Tank ID: 217310  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 3/30/1970  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 5/3/2007  
Tank Location: 6  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 6/4/2007

Site ID: 381757

Tank Number: 03  
Tank ID: 217311  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 3/30/1970  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 5/3/2007  
Tank Location: 6  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 6/4/2007

Site ID: 381757

Tank Number: 04  
Tank ID: 217312  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 3/30/1970  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 5/3/2007  
Tank Location: 6

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

709-715 FLUSHING AVE (Continued)

U004107550

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 6/4/2007

AB116  
SW  
1/8-1/4  
0.212 mi.  
1121 ft.

255 WALLABOUT ST/PFIZER  
255 WALLABOUT STREET  
NEW YORK CITY, NY

LTANKS S102671554  
HIST LTANKS N/A

Site 1 of 2 in cluster AB

Relative:  
Equal

LTANKS:

Site ID: 219704  
Spill No: 9005003  
Spill Date: 8/6/1990  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

Actual:  
13 ft.

Spill Closed Dt: 11/14/2006  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: CHAWLA  
Referred To: Not reported  
Reported to Dept: 8/6/1990  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 8/8/1990  
Spill Record Last Update: 11/14/2006  
Spiller Name: Not reported  
Spiller Company: PFIZER INC  
Spiller Address: 11 BARTLETT STREET  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 181700  
DEC Memo: Not reported  
Remarks: CONTAMINATED SOIL DISCOVERED UPON EXCAVATION OF TANK.

Material:

Site ID: 219704  
Operable Unit ID: 945487  
Operable Unit: 01  
Material ID: 436074  
Material Code: 0001  
Material Name: #2 Fuel Oil

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**255 WALLABOUT ST/PFIZER (Continued)**

**S102671554**

Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9005003  
Spill Date: 08/06/1990  
Spill Time: 10:45  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: FINGER  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 08/06/90  
Reported to Department Time: 11:35  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: PFIZER INC  
Spiller Address: 11 BARTLETT STREET  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

255 WALLABOUT ST/PFIZER (Continued)

S102671554

Facility Extension: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 08/08/90  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: CONTAMINATED SOIL DISCOVERED UPON EXCAVATION OF TANK.

AB117  
SW  
1/8-1/4  
0.213 mi.  
1124 ft.

PFIZER INC BROOKLYN PLANT  
338 WALLABOUT ST  
BROOKLYN, NY 11206  
Site 2 of 2 in cluster AB

RCRA-NonGen 1000871470  
FINDS NY0000055384  
MANIFEST

Relative:  
Equal

RCRA-NonGen:  
Date form received by agency: 01/01/2007  
Facility name: PFIZER INC BROOKLYN PLANT  
Facility address: 338 WALLABOUT ST  
BROOKLYN, NY 112064923  
EPA ID: NY0000055384  
Mailing address: FLUSHING AVE  
BROOKLYN, NY 112065092  
Contact: Not reported  
Contact address: FLUSHING AVE  
BROOKLYN, NY 112065092  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported

Actual:  
13 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PFIZER INC  
Owner/operator address: 630 FLUSHING AVE  
BROOKLYN, NY 11206

Owner/operator country: US  
Owner/operator telephone: (718) 780-8686  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC  
Owner/operator address: 630 FLUSHING AVE  
BROOKLYN, NY 11206

Owner/operator country: US  
Owner/operator telephone: (718) 780-8686  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: PFIZER INC BROOKLYN PLANT  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: PFIZER INC BROOKLYN PLANT  
Classification: Not a generator, verified

Date form received by agency: 03/03/1998  
Facility name: PFIZER INC BROOKLYN PLANT  
Site name: PFIZER INC  
Classification: Large Quantity Generator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Date form received by agency: 03/29/1996  
Facility name: PFIZER INC BROOKLYN PLANT  
Site name: PFIZER INC  
Classification: Large Quantity Generator

Date form received by agency: 11/08/1993  
Facility name: PFIZER INC BROOKLYN PLANT  
Classification: Large Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110000881920

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

EPA ID: NY0000055384  
Country: USA  
Mailing Name: PFIZER INC  
Mailing Contact: TOM SNEE  
Mailing Address: 630 FLUSHING AVE  
Mailing Address 2: Not reported  
Mailing City: FLUSHING  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-780-8686

Document ID: NJA2023528  
Manifest Status: Completed copy  
Trans1 State ID: S00938  
Trans2 State ID: Not reported  
Generator Ship Date: 941216  
Trans1 Recv Date: 941216  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 941219  
Part A Recv Date: Not reported  
Part B Recv Date: 950109  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NJD071629976  
Trans2 EPA ID: Not reported  
TSDF ID: NJD053288239  
Waste Code: D002 - NON-LISTED CORROSIVE WASTES  
Quantity: 00080  
Units: P - Pounds  
Number of Containers: 002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 94

Document ID: NJA2023524  
Manifest Status: Completed copy  
Trans1 State ID: S00938  
Trans2 State ID: Not reported  
Generator Ship Date: 941216  
Trans1 Recv Date: 941216  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 941219  
Part A Recv Date: Not reported  
Part B Recv Date: 950109  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NJD071629976  
Trans2 EPA ID: Not reported  
TSD ID: NJD053288239  
Waste Code: F003 - UNKNOWN  
Quantity: 01760  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 01560  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00440  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NJA1914499  
Manifest Status: Completed copy  
Trans1 State ID: S03217  
Trans2 State ID: Not reported  
Generator Ship Date: 940916  
Trans1 Recv Date: 940916  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 940919  
Part A Recv Date: 940923  
Part B Recv Date: 941005  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NJD071629976  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

TSDF ID: NJD053288239  
Waste Code: U122 - FORMALDEHYDE  
Quantity: 00100  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00925  
Units: P - Pounds  
Number of Containers: 005  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 00880  
Units: P - Pounds  
Number of Containers: 002  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 94

Document ID: NYB4207293  
Manifest Status: Completed copy  
Trans1 State ID: RL40489  
Trans2 State ID: Not reported  
Generator Ship Date: 960826  
Trans1 Recv Date: 960826  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960826  
Part A Recv Date: 960904  
Part B Recv Date: 960918  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSDF ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 24917  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207392  
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
Trans1 State ID: RK35522  
Trans2 State ID: Not reported  
Generator Ship Date: 960828  
Trans1 Recv Date: 960828  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960829

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Part A Recv Date: 960912  
Part B Recv Date: 960923  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 31533  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207329  
Manifest Status: Completed copy  
Trans1 State ID: RG99979QB  
Trans2 State ID: Not reported  
Generator Ship Date: 960827  
Trans1 Recv Date: 960827  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960828  
Part A Recv Date: 960909  
Part B Recv Date: 960918  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 38302  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB7840989  
Manifest Status: Completed copy  
Trans1 State ID: T4A695NJ  
Trans2 State ID: Not reported  
Generator Ship Date: 960826  
Trans1 Recv Date: 960826  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960827  
Part A Recv Date: 960904  
Part B Recv Date: 960917  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD986969947  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 40360  
Units: P - Pounds

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207284  
Manifest Status: Completed copy  
Trans1 State ID: RH16173QC  
Trans2 State ID: Not reported  
Generator Ship Date: 960826  
Trans1 Recv Date: 960826  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960826  
Part A Recv Date: 960904  
Part B Recv Date: 960918  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD986909752  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 29548  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB7840971  
Manifest Status: Completed copy  
Trans1 State ID: T4A69SNJ  
Trans2 State ID: Not reported  
Generator Ship Date: 960822  
Trans1 Recv Date: 960822  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960823  
Part A Recv Date: 960909  
Part B Recv Date: 960912  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD986969947  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 47860  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207365  
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Trans1 State ID: RK43250  
Trans2 State ID: Not reported  
Generator Ship Date: 960828  
Trans1 Recv Date: 960828  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960829  
Part A Recv Date: 960912  
Part B Recv Date: 960923  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 35127  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207419  
Manifest Status: Completed copy  
Trans1 State ID: RJ40302OK  
Trans2 State ID: Not reported  
Generator Ship Date: 960830  
Trans1 Recv Date: 960830  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960830  
Part A Recv Date: 960912  
Part B Recv Date: 960923  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD986909752  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 37905  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207455  
Manifest Status: Completed copy  
Trans1 State ID: RG48009  
Trans2 State ID: Not reported  
Generator Ship Date: 960830  
Trans1 Recv Date: 960830  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960830  
Part A Recv Date: 960912  
Part B Recv Date: 960923  
Generator EPA ID: NY0000055384

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSDF ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 39250  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB5211189  
Manifest Status: Completed copy  
Trans1 State ID: RG11135QU  
Trans2 State ID: Not reported  
Generator Ship Date: 960826  
Trans1 Recv Date: 960826  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960829  
Part A Recv Date: 960904  
Part B Recv Date: 960918  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSDF ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 25160  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207302  
Manifest Status: Completed copy  
Trans1 State ID: RL40489  
Trans2 State ID: Not reported  
Generator Ship Date: 960827  
Trans1 Recv Date: 960827  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960828  
Part A Recv Date: 960909  
Part B Recv Date: 960918  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSDF ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 46890  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Specific Gravity: 100  
Year: 96

Document ID: NYB4207383  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: Not reported  
Trans2 State ID: RH40301  
Generator Ship Date: 960828  
Trans1 Recv Date: 960828  
Trans2 Recv Date: 960828  
TSD Site Recv Date: 960829  
Part A Recv Date: 960912  
Part B Recv Date: 960923  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD986909752  
Trans2 EPA ID: Not reported  
TSDf ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 43440  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207482  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: RG11135  
Trans2 State ID: Not reported  
Generator Ship Date: 960905  
Trans1 Recv Date: 960905  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960905  
Part A Recv Date: 960912  
Part B Recv Date: 961001  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSDf ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 41213  
Units: P - Pounds  
Number of Containers: 004  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207464  
Manifest Status: Completed copy  
Trans1 State ID: RL40489Q  
Trans2 State ID: Not reported  
Generator Ship Date: 960830

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Trans1 Recv Date: 960830  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960830  
Part A Recv Date: 960912  
Part B Recv Date: 960923  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415  
Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 39052  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYB7840134  
Manifest Status: Completed copy  
Trans1 State ID: 4285STIL  
Trans2 State ID: Not reported  
Generator Ship Date: 960105  
Trans1 Recv Date: 960105  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960108  
Part A Recv Date: 960112  
Part B Recv Date: 960125  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD986969947  
Trans2 EPA ID: Not reported  
TSD ID: KYD088438817  
Waste Code: U002 - ACETONE  
Quantity: 00020  
Units: Y - Cubic yards\* (.85 tons)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 96

Document ID: NYB4207743  
Manifest Status: Completed copy  
Trans1 State ID: RL40498QC  
Trans2 State ID: Not reported  
Generator Ship Date: 960827  
Trans1 Recv Date: 960827  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 960828  
Part A Recv Date: 960909  
Part B Recv Date: 960918  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: NYD980762140  
Trans2 EPA ID: Not reported  
TSD ID: CDD980756415

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLANT (Continued)**

**1000871470**

Waste Code: D009 - MERCURY 0.2 MG/L TCLP  
Quantity: 47805  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 96

Document ID: NYG0101817  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: RL37394QC  
Trans2 State ID: Not reported  
Generator Ship Date: 970627  
Trans1 Recv Date: 970627  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 970701  
Part A Recv Date: 970723  
Part B Recv Date: 970725  
Generator EPA ID: NY0000055384  
Trans1 EPA ID: CDN0000FA094  
Trans2 EPA ID: Not reported  
TSDf ID: CDD980756415  
Waste Code: F003 - UNKNOWN  
Quantity: 40088  
Units: P - Pounds  
Number of Containers: 001  
Container Type: CM - Metal boxes, cases, roll-offs  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 97

[Click this hyperlink](#) while viewing on your computer to access  
155 additional NY\_MANIFEST: record(s) in the EDR Site Report.

X118  
East  
1/8-1/4  
0.214 mi.  
1129 ft.

35 GRAHM AVE.  
35 GRAHM AVE.  
BROOKLYN, NY  
Site 2 of 3 in cluster X

LTANKS S102672170  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 68726  
Spill No: 9302281  
Spill Date: 5/19/1993  
Spill Cause: Tank Overfill  
Spill Source: Commercial/Industrial  
Spill Class: Possible release with minimal potential for fire or hazard or Known  
release with no damage. DEC Response. Willing Responsible Party.  
Corrective action taken.  
Spill Closed Dt: 5/19/1993  
Facility Addr2: Not reported  
Cleanup Ceased: 5/19/1993  
Cleanup Meets Standard: True  
SWIS: 2401  
Investigator: CAMMISA  
Referred To: Not reported

Actual:  
20 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**35 GRAHM AVE. (Continued)**

**S102672170**

Reported to Dept: 5/19/1993  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 5/20/1993  
Spill Record Last Update: 7/19/1993  
Spiller Name: Not reported  
Spiller Company: COASTAL OIL  
Spiller Address: 31-70 COLLEGE PT. BLVD.  
Spiller City,St,Zip: FUSHING QUEENS, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 65422  
DEC Memo: Not reported  
Remarks: SPILL WENT ON SIDEWALK. CUSTOMER ORDERED TOO MUCH OIL - DRIVER OVERFILLED - NOTIFIED DEP - DRIVER CONTAINED AND PUT DOWN SD - COASTAL SENDING CLEANUP MAN.

Material:

Site ID: 68726  
Operable Unit ID: 980720  
Operable Unit: 01  
Material ID: 556994  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 3  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9302281

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**35 GRAHM AVE. (Continued)**

**S102672170**

Spill Date: 05/19/1993  
Spill Time: 07:45  
Spill Cause: Tank Overfill  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.  
  
Spill Closed Dt: 05/19/93  
Cleanup Ceased: 05/19/93  
Cleanup Meets Standard: True  
Investigator: CAMMISA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/19/93  
Reported to Department Time: 08:18  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: COASTAL OIL  
Spiller Address: 31-70 COLLEGE PT. BLVD.  
Spiller City,St,Zip: FUSHING QUEENS  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 746-2411  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/20/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 07/19/93  
Is Updated: False

Tank:  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**35 GRAHM AVE. (Continued)**

**S102672170**

Material Class Type: Petroleum  
Quantity Spilled: 3  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: SPILL WENT ON SIDEWALK. CUSTOMER ORDERED TOO MUCH OIL - DRIVER OVERFILLED - NOTIFIED DEP - DRIVER CONTAINED AND PUT DOWN SD - COASTAL SENDING CLEANUP MAN.

**AC119  
NW  
1/8-1/4  
0.214 mi.  
1131 ft.**

**LINCOLN PROPERTIES DEVELOPMENT, LLC  
531 BROADWAY  
BROOKLYN, NY 11206**

**UST U004078502  
N/A**

**Site 1 of 3 in cluster AC**

**Relative:  
Higher**

UST:  
Facility Id: 2-603629  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2012/06/15  
UTM X: 588748.9077899997  
UTM Y: 4506534.9684100002

**Actual:  
15 ft.**

Affiliation Records:  
Site Id: 25539  
Affiliation Type: Owner  
Company Name: BROAD AND BOERUM LLC  
Contact Type: MGR  
Contact Name: YANKY DAVIDOWITZ  
Address1: 545 BROADWAY  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (212) 308-5580  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 8/14/2009

Site Id: 25539  
Affiliation Type: Emergency Contact  
Company Name: BROAD AND BOERUM LLC  
Contact Type: Not reported  
Contact Name: YANKY DAVIDOWITZ  
Address1: Not reported  
Address2: Not reported  
City: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN PROPERTIES DEVELOPMENT, LLC (Continued)**

**U004078502**

State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (917) 213-0101  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 8/14/2009

Site Id: 25539  
Affiliation Type: Mail Contact  
Company Name: BROAD AND BOERUM LLC  
Contact Type: MGR  
Contact Name: YANKY DAVIDOWITZ  
Address1: 545 BROADWAY  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (212) 308-5580  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 8/14/2009

Site Id: 25539  
Affiliation Type: On-Site Operator  
Company Name: LINCOLN PROPERTIES DEVELOPMENT, LLC  
Contact Type: Not reported  
Contact Name: YANKY DAVIDOWITZ  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (212) 308-5580  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 8/14/2009

Equipment Records:

L00 - Piping Leak Detection - None  
B05 - Tank External Protection - Jacketed  
C01 - Pipe Location - Aboveground  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
E00 - Piping Secondary Containment - None  
G00 - Tank Secondary Containment - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN PROPERTIES DEVELOPMENT, LLC (Continued)**

**U004078502**

J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
F01 - Pipe External Protection - Painted/Asphalt Coating  
I05 - Overfill - Vent Whistle  
A00 - Tank Internal Protection - None  
H00 - Tank Leak Detection - None  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
F00 - Pipe External Protection - None  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
K00 - Spill Prevention - None

Tank Info:

Site ID: 25539

Tank Number: 001  
Tank ID: 54995  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 3000  
Tightness Test Method: 03  
Next Test Date: Not reported  
Date Tank Closed: 9/1/2004  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 6/1/1998  
Register: True  
Modified By: KXTANG  
Last Modified: 10/14/2004

**AC120  
NW  
1/8-1/4  
0.214 mi.  
1131 ft.**

**DIME SAVINGS BANK. FBS  
531 BROADWAY  
BROOKLYN, NY 11206  
Site 2 of 3 in cluster AC**

**HIST UST U003397310  
N/A**

**Relative:  
Higher**

HIST UST:  
PBS Number: 2-603629  
SPDES Number: Not reported  
Emergency Contact: MR. LENOX DEBRA  
Emergency Telephone: (516) 568-3688  
Operator: DIME SAVINGS BANK. FBS  
Operator Telephone: (718) 782-6000  
Owner Name: PAZCON CONSTRUCTION  
Owner Address: 545 BROADWAY  
Owner City,St,Zip: BROOKLYN, NY 11206  
Owner Telephone: (718) 388-3445  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: DIME SAVINGS BANK, FBS.  
Mailing Address: 400 SUNRISE HIGHWAY  
Mailing Address 2: Not reported  
Mailing City,St,Zip: VALLEY STREAM, NY 11582  
Mailing Contact: MR. LEMOX DEBRA

**Actual:  
15 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DIME SAVINGS BANK. FBS (Continued)**

**U003397310**

Mailing Telephone: (516) 568-3688  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 531 BROADWAY  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 08/26/1998  
Expiration Date: 08/21/2003  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 3000  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (gals): 3000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: 06/01/1998  
Next Test Date: 06/01/2003  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Horner EZ Check  
Deleted: False  
Updated: True  
Lat/long: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AC121**  
**NW**  
**1/8-1/4**  
**0.214 mi.**  
**1131 ft.**

**LINCOLN PROPERTIES DEVELOPMENT, LLC**  
**531 BROADWAY**  
**BROOKLYN, NY 11206**  
**Site 3 of 3 in cluster AC**

**AST** **A100294838**  
**N/A**

**Relative:**  
**Higher**

AST:

Region: STATE  
 DEC Region: 2  
 Site Status: Active  
 Facility Id: 2-603629  
 Program Type: PBS  
 UTM X: 588748.90778999997  
 UTM Y: 4506534.9684100002  
 Expiration Date: 2012/06/15

**Actual:**  
**15 ft.**

Affiliation Records:

Site Id: 25539  
 Affiliation Type: Owner  
 Company Name: BROAD AND BOERUM LLC  
 Contact Type: MGR  
 Contact Name: YANKY DAVIDOWITZ  
 Address1: 545 BROADWAY  
 Address2: Not reported  
 City: BROOKLYN  
 State: NY  
 Zip Code: 11206  
 Country Code: 001  
 Phone: (212) 308-5580  
 Phone Ext: Not reported  
 Email: Not reported  
 Fax Number: Not reported  
 Modified By: MSBAPTIS  
 Date Last Modified: 8/14/2009

Site Id: 25539  
 Affiliation Type: Emergency Contact  
 Company Name: BROAD AND BOERUM LLC  
 Contact Type: Not reported  
 Contact Name: YANKY DAVIDOWITZ  
 Address1: Not reported  
 Address2: Not reported  
 City: Not reported  
 State: NN  
 Zip Code: Not reported  
 Country Code: 999  
 Phone: (917) 213-0101  
 Phone Ext: Not reported  
 Email: Not reported  
 Fax Number: Not reported  
 Modified By: MSBAPTIS  
 Date Last Modified: 8/14/2009

Site Id: 25539  
 Affiliation Type: Mail Contact  
 Company Name: BROAD AND BOERUM LLC  
 Contact Type: MGR  
 Contact Name: YANKY DAVIDOWITZ  
 Address1: 545 BROADWAY  
 Address2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN PROPERTIES DEVELOPMENT, LLC (Continued)**

**A100294838**

City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (212) 308-5580  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 8/14/2009

Site Id: 25539  
Affiliation Type: On-Site Operator  
Company Name: LINCOLN PROPERTIES DEVELOPMENT, LLC  
Contact Type: Not reported  
Contact Name: YANKY DAVIDOWITZ  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (212) 308-5580  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: MSBAPTIS  
Date Last Modified: 8/14/2009

Equipment Records:

L00 - Piping Leak Detection - None  
B05 - Tank External Protection - Jacketed  
C01 - Pipe Location - Aboveground  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
E00 - Piping Secondary Containment - None  
G00 - Tank Secondary Containment - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
F01 - Pipe External Protection - Painted/Asphalt Coating  
I05 - Overfill - Vent Whistle  
A00 - Tank Internal Protection - None  
H00 - Tank Leak Detection - None  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
F00 - Pipe External Protection - None  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
K00 - Spill Prevention - None

Tank Info:

Tank Number: 002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LINCOLN PROPERTIES DEVELOPMENT, LLC (Continued)**

**A100294838**

Tank Id: 180421  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/2004  
Capacity Gallons: 3000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: MSBAPTIS  
Last Modified: 8/14/2009

**AD122**  
**WSW**  
**1/8-1/4**  
**0.219 mi.**  
**1157 ft.**

**CAS DEVELOPERS LLC**  
**70 UNION AVE**  
**BROOKLYN, NY 11206**  
**Site 1 of 2 in cluster AD**

**RCRA-CESQG 1010329016**  
**NYR000146126**

**Relative:**  
**Higher**

RCRA-CESQG:

Date form received by agency: 06/16/2008

Facility name: CAS DEVELOPERS LLC

Facility address: 70 UNION AVENUE  
BROOK LYN, NY 10001

EPA ID: NYR000146126

Mailing address: BROOKLYN NAVY YARD  
BLDG 664  
BROOKLYN, NY 10001

Contact: CHESKEL SCHWIMMER

Contact address: Not reported

Contact address: Not reported

Contact country: Not reported

Contact telephone: (718) 522-5512

Contact email: Not reported

EPA Region: 02

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: CHESKEL SCHWIMMER

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CAS DEVELOPERS LLC (Continued)**

**1010329016**

Owner/operator address: BROOKLYN NAVY YARD BLDG 664  
BROOKLYN, NY 11206  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 03/01/2001  
Owner/Op end date: Not reported

Owner/operator name: CHESICEL SCHWIMMER  
Owner/operator address: BROOKLYN NAVY YARD BLDG 664  
BROOKLYN, NY 10001  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 12/01/2006  
Owner/Op end date: Not reported

Owner/operator name: AVI MANDEL  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: Not reported  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 03/01/2001  
Owner/Op end date: Not reported

Owner/operator name: CHESKEL SCHWIMMER  
Owner/operator address: BROOKLYN NAVY YARD, BLDG 664  
BROOKLYN, NY 10001  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 12/01/2006  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CAS DEVELOPERS LLC (Continued)**

**1010329016**

Historical Generators:

Date form received by agency: 04/13/2007  
Facility name: CAS DEVELOPERS LLC  
Site name: WILLBORO PROPERTIES LLC  
Classification: Large Quantity Generator

Date form received by agency: 04/12/2007  
Facility name: CAS DEVELOPERS LLC  
Site name: WILLBORO PROPERTIES LLC  
Classification: Large Quantity Generator

Date form received by agency: 04/12/2007  
Facility name: CAS DEVELOPERS LLC  
Site name: WILLBORO PROPERTIES LLC  
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D001  
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008  
Waste name: LEAD

Waste code: D008  
Waste name: LEAD

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/04/2008  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

**AD123 70 UNION AVENUE**  
**WSW 70 UNION AVENUE**  
**1/8-1/4 BROOKLYN, NY 11206**  
**0.219 mi.**  
**1157 ft. Site 2 of 2 in cluster AD**

**UST U004078635**  
**N/A**

**Relative:** UST:  
**Higher** Facility Id: 2-610501  
Region: STATE  
**Actual:** DEC Region: 2  
**14 ft.** Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 588687.84510000004  
UTM Y: 4506191.9865899999

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**70 UNION AVENUE (Continued)**

**U004078635**

Affiliation Records:

Site Id: 377704  
Affiliation Type: Owner  
Company Name: MR. CHESKEL SCHWIMMER  
Contact Type: MEMBER  
Contact Name: CHESKEL SCHWIMMER  
Address1: BROOKLYN NAVY YARD, BLDG. 664  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11205  
Country Code: 001  
Phone: (718) 522-5512  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 2/26/2007

Site Id: 377704  
Affiliation Type: Mail Contact  
Company Name: HYDROTECH ENVIRONMENTAL CORP.  
Contact Type: Not reported  
Contact Name: YASH SAHA  
Address1: 1111 FULTON STREET  
Address2: 2ND FLOOR  
City: BROOKLYN  
State: NY  
Zip Code: 11238  
Country Code: 001  
Phone: (718) 636-0800  
Phone Ext: Not reported  
Email: YSAHA@HYDROTECHENVIRONMENTAL.COM  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 2/26/2007

Site Id: 377704  
Affiliation Type: On-Site Operator  
Company Name: 70 UNION AVENUE  
Contact Type: Not reported  
Contact Name: MR. AVI  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (917) 577-5045  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 2/26/2007

Site Id: 377704  
Affiliation Type: Emergency Contact

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

70 UNION AVENUE (Continued)

U004078635

Company Name: MR. CHESKEL SCHWIMMER  
Contact Type: Not reported  
Contact Name: MR. AVI  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (917) 377-5045  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 2/26/2007

Equipment Records:

F00 - Pipe External Protection - None  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
J00 - Dispenser - None  
K00 - Spill Prevention - None  
I00 - Overfill - None  
E00 - Piping Secondary Containment - None  
I00 - Overfill - None  
A00 - Tank Internal Protection - None  
D00 - Pipe Type - No Piping  
H00 - Tank Leak Detection - None  
C00 - Pipe Location - No Piping  
I00 - Overfill - None  
D00 - Pipe Type - No Piping  
G00 - Tank Secondary Containment - None  
C00 - Pipe Location - No Piping  
B00 - Tank External Protection - None  
I00 - Overfill - None  
K00 - Spill Prevention - None  
J00 - Dispenser - None  
K00 - Spill Prevention - None  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
E00 - Piping Secondary Containment - None  
G00 - Tank Secondary Containment - None  
J00 - Dispenser - None  
B00 - Tank External Protection - None  
C00 - Pipe Location - No Piping  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
D00 - Pipe Type - No Piping  
E00 - Piping Secondary Containment - None  
A00 - Tank Internal Protection - None  
B00 - Tank External Protection - None  
I00 - Overfill - None  
E00 - Piping Secondary Containment - None  
H00 - Tank Leak Detection - None  
D00 - Pipe Type - No Piping  
K00 - Spill Prevention - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

70 UNION AVENUE (Continued)

U004078635

- A00 - Tank Internal Protection - None
- K00 - Spill Prevention - None
- J00 - Dispenser - None
- B00 - Tank External Protection - None
- G00 - Tank Secondary Containment - None
- D00 - Pipe Type - No Piping
- A00 - Tank Internal Protection - None
- K00 - Spill Prevention - None
- I00 - Overfill - None
- E00 - Piping Secondary Containment - None
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- A00 - Tank Internal Protection - None
- C00 - Pipe Location - No Piping
- J00 - Dispenser - None
- A00 - Tank Internal Protection - None
- D00 - Pipe Type - No Piping
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- J00 - Dispenser - None
- C00 - Pipe Location - No Piping
- B00 - Tank External Protection - None
- F00 - Pipe External Protection - None
- E00 - Piping Secondary Containment - None
- L00 - Piping Leak Detection - None

Tank Info:

Site ID: 377704

Tank Number: 001  
Tank ID: 216093  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1958  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 2/12/2007  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 10/30/2007

Site ID: 377704

Tank Number: 002  
Tank ID: 216094  
Tank Status: Closed - Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

70 UNION AVENUE (Continued)

U004078635

Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1958  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 2/12/2007  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 10/30/2007

Site ID: 377704

Tank Number: 003  
Tank ID: 216095  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1958  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 2/12/2007  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 10/30/2007

Site ID: 377704

Tank Number: 004  
Tank ID: 216096  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1958  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 2/12/2007  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 10/30/2007

Site ID: 377704

Tank Number: 005  
Tank ID: 216097  
Tank Status: Closed - Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

70 UNION AVENUE (Continued)

U004078635

Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1958  
Capacity Gallons: 1080  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 2/12/2007  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 10/30/2007

Site ID: 377704

Tank Number: 006  
Tank ID: 220141  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 6/15/2007  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 10/30/2007

X124  
ESE  
1/8-1/4  
0.222 mi.  
1171 ft.

L.J.S.T. REALTY  
45 COOK STREET  
BROOKLYN, NY 11206  
Site 3 of 3 in cluster X

AST A100294723  
N/A

Relative:  
Higher

Actual:  
20 ft.

AST:  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-607392  
Program Type: PBS  
UTM X: 589366.81148000003  
UTM Y: 4506255.9068099996  
Expiration Date: 2012/02/04

Affiliation Records:  
Site Id: 29245  
Affiliation Type: Mail Contact  
Company Name: L.J.S.T. REALTY  
Contact Type: Not reported  
Contact Name: JOE  
Address1: 48 GRAHAM AVE  
Address2: Not reported  
City: BROOKLYN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**L.J.S.T. REALTY (Continued)**

**A100294723**

State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 388-7400  
Phone Ext: Not reported  
Email: JOE@PRIINC.COM  
Fax Number: Not reported  
Modified By: DXLIVING  
Date Last Modified: 2/21/2007

Site Id: 29245  
Affiliation Type: Owner  
Company Name: L.J.S.T. REALTY  
Contact Type: MANAGER  
Contact Name: JOSEPH DIURNO  
Address1: 48 GRAHAM AVE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 388-7400  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: DXLIVING  
Date Last Modified: 2/21/2007

Site Id: 29245  
Affiliation Type: Emergency Contact  
Company Name: L.J.S.T. REALTY  
Contact Type: Not reported  
Contact Name: JOSE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 388-7400  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 29245  
Affiliation Type: On-Site Operator  
Company Name: L.J.S.T. REALTY  
Contact Type: Not reported  
Contact Name: JOSE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**L.J.S.T. REALTY (Continued)**

**A100294723**

Phone: (718) 388-7400  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
G03 - Tank Secondary Containment - Vault (w/o access)  
B00 - Tank External Protection - None  
I05 - Overfill - Vent Whistle  
I04 - Overfill - Product Level Gauge (A/G)  
C03 - Pipe Location - Aboveground/Underground Combination  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
L09 - Piping Leak Detection - Exempt Suction Piping  
A00 - Tank Internal Protection - None

Tank Info:

Tank Number: 001  
Tank Id: 62877  
Tank Location: 1  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 10/14/1935  
Capacity Gallons: 2000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: DXLIVING  
Last Modified: 2/21/2007

**AE125**  
**WNW**  
**1/8-1/4**  
**0.223 mi.**  
**1176 ft.**

**SERVICE STATION**  
**152 UNION AVE**  
**BROOKLYN, NY 11206**

**RCRA-NonGen** **1000432489**  
**FINDS** **NYD000824201**

**Site 1 of 2 in cluster AE**

**Relative:**  
**Higher**

RCRA-NonGen:  
Date form received by agency: 01/01/2007  
Facility name: SERVICE STATION  
Facility address: 152 UNION AVE  
BROOKLYN, NY 112062930  
EPA ID: NYD000824201  
Mailing address: UNION AVE  
BROOKLYN, NY 11206  
Contact: Not reported  
Contact address: UNION AVE  
BROOKLYN, NY 11206  
Contact country: US  
Contact telephone: Not reported

**Actual:**  
**17 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SERVICE STATION (Continued)**

**1000432489**

Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: SUN OIL COMPANY OF PENNSYLVANIA  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: SUN OIL COMPANY OF PENNSYLVANIA  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

**Historical Generators:**

Date form received by agency: 01/01/2006  
Facility name: SERVICE STATION  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: SERVICE STATION  
Classification: Not a generator, verified

Date form received by agency: 08/18/1980  
Facility name: SERVICE STATION  
Classification: Large Quantity Generator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SERVICE STATION (Continued)**

**1000432489**

Violation Status: No violations found

**FINDS:**

Registry ID: 110004332197

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**AE126  
WNW  
1/8-1/4  
0.223 mi.  
1177 ft.**

**BP AMOCO SERVICE STATION #17869  
152 UNION AVENUE  
BROOKLYN, NY 11211  
Site 2 of 2 in cluster AE**

**UST U001833054  
HIST UST N/A**

**Relative:  
Higher**

**UST:**

Facility Id: 2-191612  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2012/02/25  
UTM X: 588709.09779000003  
UTM Y: 4506470.8014200004

**Actual:  
17 ft.**

**Affiliation Records:**

Site Id: 5982  
Affiliation Type: Mail Contact  
Company Name: BP PRODUCTS NORTH AMERICA, INC  
Contact Type: ENV. COMP SPECIALIST  
Contact Name: MARK OKAMOTO  
Address1: PO BOX 6038  
Address2: Not reported  
City: ARTESIA  
State: CA  
Zip Code: 90702  
Country Code: 001  
Phone: (732) 743-0901  
Phone Ext: Not reported  
Email: OKAMMR@BP.COM  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 10/4/2007

Site Id: 5982  
Affiliation Type: Emergency Contact  
Company Name: BP PRODUCTS NORTH AMERICA, INC  
Contact Type: Not reported  
Contact Name: MARK OKAMOTO  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Zip Code: Not reported  
Country Code: 999  
Phone: (732) 743-0901  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 10/9/2007

Site Id: 5982  
Affiliation Type: On-Site Operator  
Company Name: BP AMOCO SERVICE STATION #17869  
Contact Type: Not reported  
Contact Name: BOB GALLAGHER  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NY  
Zip Code: Not reported  
Country Code: 001  
Phone: (973) 331-7005  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 10/9/2007

Site Id: 5982  
Affiliation Type: Owner  
Company Name: BP PRODUCTS NORTH AMERICA, INC  
Contact Type: ENV. COMPLIANCE SPECIALIST  
Contact Name: MARK OKAMOTO  
Address1: PO BOX 6038  
Address2: Not reported  
City: ARTESIA  
State: CA  
Zip Code: 90702  
Country Code: 001  
Phone: (973) 331-7011  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 10/9/2007

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)  
G99 - Tank Secondary Containment - Other  
G99 - Tank Secondary Containment - Other  
F05 - Pipe External Protection - Jacketed  
C02 - Pipe Location - Underground/On-ground  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
G99 - Tank Secondary Containment - Other  
F05 - Pipe External Protection - Jacketed  
H00 - Tank Leak Detection - None  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
B00 - Tank External Protection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

- B00 - Tank External Protection - None
- G99 - Tank Secondary Containment - Other
- G99 - Tank Secondary Containment - Other
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
- B00 - Tank External Protection - None
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I02 - Overfill - High Level Alarm
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- B00 - Tank External Protection - None
- H00 - Tank Leak Detection - None
- I00 - Overfill - None
- K01 - Spill Prevention - Catch Basin
- I00 - Overfill - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- H05 - Tank Leak Detection - In-Tank System (ATG)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I00 - Overfill - None
- I00 - Overfill - None
- I02 - Overfill - High Level Alarm
- C02 - Pipe Location - Underground/On-ground
- H00 - Tank Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- H00 - Tank Leak Detection - None
- B04 - Tank External Protection - Fiberglass
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B00 - Tank External Protection - None
- H00 - Tank Leak Detection - None
- D02 - Pipe Type - Galvanized Steel
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- H00 - Tank Leak Detection - None
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction
- G99 - Tank Secondary Containment - Other
- G99 - Tank Secondary Containment - Other
- D02 - Pipe Type - Galvanized Steel
- B00 - Tank External Protection - None
- J02 - Dispenser - Suction
- D02 - Pipe Type - Galvanized Steel
- B00 - Tank External Protection - None
- G99 - Tank Secondary Containment - Other
- B00 - Tank External Protection - None
- F00 - Pipe External Protection - None
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- A03 - Tank Internal Protection - Fiberglass Liner (FRP)
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- D02 - Pipe Type - Galvanized Steel
- D02 - Pipe Type - Galvanized Steel
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

A00 - Tank Internal Protection - None  
D02 - Pipe Type - Galvanized Steel  
D02 - Pipe Type - Galvanized Steel  
A00 - Tank Internal Protection - None  
J01 - Dispenser - Submersible  
A00 - Tank Internal Protection - None  
F00 - Pipe External Protection - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
J02 - Dispenser - Suction  
I02 - Overfill - High Level Alarm  
C02 - Pipe Location - Underground/On-ground  
I00 - Overfill - None  
D02 - Pipe Type - Galvanized Steel  
J01 - Dispenser - Submersible  
J01 - Dispenser - Submersible  
J02 - Dispenser - Suction  
C00 - Pipe Location - No Piping  
K01 - Spill Prevention - Catch Basin  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
C00 - Pipe Location - No Piping  
F04 - Pipe External Protection - Fiberglass  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
F00 - Pipe External Protection - None  
F00 - Pipe External Protection - None  
A00 - Tank Internal Protection - None  
K01 - Spill Prevention - Catch Basin  
I00 - Overfill - None  
G99 - Tank Secondary Containment - Other  
D02 - Pipe Type - Galvanized Steel  
I00 - Overfill - None  
I00 - Overfill - None  
B00 - Tank External Protection - None  
I00 - Overfill - None  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
I00 - Overfill - None  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
C00 - Pipe Location - No Piping  
F00 - Pipe External Protection - None  
H05 - Tank Leak Detection - In-Tank System (ATG)  
H00 - Tank Leak Detection - None  
H00 - Tank Leak Detection - None  
J02 - Dispenser - Suction  
C00 - Pipe Location - No Piping  
C00 - Pipe Location - No Piping  
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
C00 - Pipe Location - No Piping  
C02 - Pipe Location - Underground/On-ground  
F05 - Pipe External Protection - Jacketed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

B00 - Tank External Protection - None  
F00 - Pipe External Protection - None  
I02 - Overfill - High Level Alarm  
G99 - Tank Secondary Containment - Other  
F00 - Pipe External Protection - None  
J01 - Dispenser - Submersible  
B05 - Tank External Protection - Jacketed  
B05 - Tank External Protection - Jacketed  
B05 - Tank External Protection - Jacketed

Tank Info:

Site ID: 5982

Tank Number: 001  
Tank ID: 7597  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1994  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: 11/30/2015  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Fiberglass coated steel  
Date Test: 11/30/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 12/13/2010

Site ID: 5982

Tank Number: 002  
Tank ID: 7598  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1994  
Capacity Gallons: 4000  
Tightness Test Method: 21  
Next Test Date: 11/30/2015  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Fiberglass coated steel  
Date Test: 11/30/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 12/13/2010

Site ID: 5982

Tank Number: 003  
Tank ID: 7599  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1994  
Capacity Gallons: 4000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Tightness Test Method: 21  
Next Test Date: 11/30/2015  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Fiberglass coated steel  
Date Test: 11/30/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 12/13/2010

Site ID: 5982

Tank Number: 004  
Tank ID: 86454  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 3/1/2002  
Capacity Gallons: 12000  
Tightness Test Method: 21  
Next Test Date: 3/1/2017  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Equivalent technology  
Date Test: 11/30/2010  
Register: True  
Modified By: BKFALVEY  
Last Modified: 12/13/2010

Site ID: 5982

Tank Number: 004-A  
Tank ID: 86456  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 005  
Tank ID: 7600  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 006  
Tank ID: 7601  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 007  
Tank ID: 7602  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 008  
Tank ID: 7603  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 009  
Tank ID: 7604  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 010  
Tank ID: 7605  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 011  
Tank ID: 7606  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 012  
Tank ID: 7607  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 9/1/1964  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 12/1/1990  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 5982

Tank Number: 013  
Tank ID: 7608  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1990  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 8/1/1996  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-191612  
SPDES Number: Not reported  
Emergency Contact: GEORGE ESAYAH  
Emergency Telephone: (718) 782-4200  
Operator: GASTERIA OIL CORP  
Operator Telephone: (718) 782-4200  
Owner Name: GASETERIA OIL CORPORATION  
Owner Address: 364 MASPETH AVENUE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Owner City,St,Zip: BROOKLYN, NY 11211  
Owner Telephone: (718) 782-4200  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: GASETERIA OIL CORPORATION  
Mailing Address: 364 MASPETH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11211  
Mailing Contact: ROBERTO PORCELLI  
Mailing Telephone: (718) 782-4200  
Owner Mark: Second Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 152 UNION AV  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: RETAIL GASOLINE SALES  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 09/10/1999  
Expiration Date: 02/03/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 12000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19940101  
Capacity (gals): 4000  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 12  
Pipe Location: Underground  
Pipe Type: NONE  
Pipe Internal: Other  
Pipe External: Other  
Second Containment: Vault (w/access)  
Leak Detection: 19  
Overfill Prot: Catch Basin, High Level Alarm  
Dispenser: Submersible  
Date Tested: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19940101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 12  
Pipe Location: Underground  
Pipe Type: FIBERGLASS REINFORCED PLASTIC  
Pipe Internal: Other  
Pipe External: Other  
Second Containment: Vault (w/access)  
Leak Detection: 19  
Overfill Prot: Catch Basin, High Level Alarm  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19940101  
Capacity (gals): 4000  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: 12  
Pipe Location: Underground  
Pipe Type: FIBERGLASS REINFORCED PLASTIC  
Pipe Internal: Other  
Pipe External: Other  
Second Containment: Vault (w/access)  
Leak Detection: 19  
Overfill Prot: Catch Basin, High Level Alarm  
Dispenser: Submersible  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 004  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 009  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 010  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 011  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 012  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19640901  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BP AMOCO SERVICE STATION #17869 (Continued)**

**U001833054**

Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 12/01/1990  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 013  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19901201  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Other  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 08/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

AF127  
West  
1/8-1/4  
0.223 mi.  
1177 ft.

**CONSOLIDATED EDISON  
MIDDLETON & HARRISON  
BROOKLYN, NY 12201**  
Site 1 of 2 in cluster AF

**MANIFEST 1009239144  
N/A**

Relative:  
Higher

NY MANIFEST:  
EPA ID: NYP004057790  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY

Actual:  
16 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSOLIDATED EDISON (Continued)**

**1009239144**

Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NJA3171757  
Manifest Status: Not reported  
Trans1 State ID: NJD982744260  
Trans2 State ID: Not reported  
Generator Ship Date: 06/28/2000  
Trans1 Recv Date: 06/28/2000  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 06/29/2000  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004057790  
Trans1 EPA ID: NJD002200046  
Trans2 EPA ID: Not reported  
TSD ID: S09041  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 01000  
Units: P - Pounds  
Number of Containers: 001  
Container Type: TT - Cargo tank, tank trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2000

AA128  
SSE  
1/8-1/4  
0.224 mi.  
1180 ft.

**EMS BATT 57 @ WOODHULL HOSPITAL  
131 THROOP AVE  
BROOKLYN, NY 11206**  
**Site 2 of 2 in cluster AA**

**UST U004046659  
N/A**

**Relative:  
Higher**

UST:  
Facility Id: 2-609575  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2014/05/25  
UTM X: 589188.78359999997  
UTM Y: 4506018.2440900002

**Actual:  
18 ft.**

Affiliation Records:  
Site Id: 55635  
Affiliation Type: Mail Contact  
Company Name: FDNY FACILITIES  
Contact Type: Not reported  
Contact Name: ASST. COMMISSIONER OF FACILITIES  
Address1: 48-34 35TH STREET  
Address2: Not reported  
City: LONG ISLAND CITY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EMS BATT 57 @ WOODHULL HOSPITAL (Continued)**

**U004046659**

State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 784-6510  
Phone Ext: Not reported  
Email: MASTROJ@FDNY.NYC.GOV  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 2/18/2009

Site Id: 55635  
Affiliation Type: Emergency Contact  
Company Name: F.D.N.Y.  
Contact Type: Not reported  
Contact Name: EOC/NOTIFICATION DESK  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 999-2094  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 1/7/2010

Site Id: 55635  
Affiliation Type: Owner  
Company Name: F.D.N.Y.  
Contact Type: ASST. COMMISSIONER OF FACILITIES  
Contact Name: JOSEPH M. MASTROPIETLO  
Address1: 9 METROTECH CENTER  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11201-3857  
Country Code: 001  
Phone: (718) 999-2094  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 1/7/2010

Site Id: 55635  
Affiliation Type: On-Site Operator  
Company Name: EMS BATT 57 @ WOODHULL HOSPITAL  
Contact Type: Not reported  
Contact Name: OFFICER ON DUTY  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**EMS BATT 57 @ WOODHULL HOSPITAL (Continued)**

**U004046659**

Phone: (718) 302-5662  
 Phone Ext: Not reported  
 Email: Not reported  
 Fax Number: Not reported  
 Modified By: kxtang  
 Date Last Modified: 5/25/2004

Equipment Records:

F99 - Pipe External Protection - Other  
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
 C02 - Pipe Location - Underground/On-ground  
 G04 - Tank Secondary Containment - Double-Walled (Underground)  
 K01 - Spill Prevention - Catch Basin  
 L04 - Piping Leak Detection - Groundwater Well  
 H05 - Tank Leak Detection - In-Tank System (ATG)  
 F04 - Pipe External Protection - Fiberglass  
 B04 - Tank External Protection - Fiberglass  
 L09 - Piping Leak Detection - Exempt Suction Piping  
 J02 - Dispenser - Suction  
 D01 - Pipe Type - Steel/Carbon Steel/Iron  
 A00 - Tank Internal Protection - None  
 I02 - Overfill - High Level Alarm

Tank Info:

Site ID: 55635

Tank Number: 001  
 Tank ID: 178909  
 Tank Status: In Service  
 Tank Model: Not reported  
 Pipe Model: Not reported  
 Install Date: 5/1/1999  
 Capacity Gallons: 2500  
 Tightness Test Method: 00  
 Next Test Date: Not reported  
 Date Tank Closed: Not reported  
 Tank Location: 5  
 Tank Type: Fiberglass coated steel  
 Date Test: Not reported  
 Register: True  
 Modified By: dxliving  
 Last Modified: 2/18/2009

129  
 SE  
 1/8-1/4  
 0.226 mi.  
 1196 ft.

**EMS @ WOODHULL HOSPITAL  
 720 FLUSHING AVE  
 BROOKLYN, NY 11206**

**UST U003652107  
 HIST UST N/A**

**Relative:  
 Higher**

UST:  
 Facility Id: 2-604099  
 Region: STATE  
 DEC Region: 2  
 Site Status: Administratively Closed  
 Program Type: PBS  
 Expiration Date: N/A  
 UTM X: 589263.58996000001  
 UTM Y: 4506016.9424799997

**Actual:  
 19 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

EMS @ WOODHULL HOSPITAL (Continued)

U003652107

Affiliation Records:

Site Id: 25983  
Affiliation Type: Owner  
Company Name: F.D.N.Y.  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 9 METROTECH CENTER  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11201-3857  
Country Code: 001  
Phone: (718) 999-2094  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25983  
Affiliation Type: Mail Contact  
Company Name: NEW YORK CITY FIRE DEPARTMENT  
Contact Type: Not reported  
Contact Name: DIRECTOR-FDNY BLDG MAINT  
Address1: 48-34 35TH STREET  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 784-6510  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25983  
Affiliation Type: On-Site Operator  
Company Name: EMS @ WOODHULL HOSPITAL  
Contact Type: Not reported  
Contact Name: EMS  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 999-2094  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25983  
Affiliation Type: Emergency Contact

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EMS @ WOODHULL HOSPITAL (Continued)**

**U003652107**

Company Name: F.D.N.Y.  
Contact Type: Not reported  
Contact Name: JOSEPH MASTROPIETRO  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 999-2094  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)  
A00 - Tank Internal Protection - None  
I02 - Overfill - High Level Alarm  
F04 - Pipe External Protection - Fiberglass  
D08 - Pipe Type - Equivalent Technology  
B04 - Tank External Protection - Fiberglass  
C02 - Pipe Location - Underground/On-ground  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
K01 - Spill Prevention - Catch Basin  
J02 - Dispenser - Suction  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
F99 - Pipe External Protection - Other

Tank Info:

Site ID: 25983  
  
Tank Number: 001  
Tank ID: 56687  
Tank Status: Administratively Closed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 5/1/1999  
Capacity Gallons: 2500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Fiberglass coated steel  
Date Test: Not reported  
Register: True  
Modified By: cgfreedm  
Last Modified: 5/25/2004

HIST UST:

PBS Number: 2-604099  
SPDES Number: Not reported  
Emergency Contact: JOSEPH MASTROPIETRO  
Emergency Telephone: (718) 999-2094  
Operator: EMS  
Operator Telephone: (718) 999-2094

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

EMS @ WOODHULL HOSPITAL (Continued)

U003652107

Owner Name: F.D.N.Y.  
Owner Address: 9 METROTECH CENTER  
Owner City,St,Zip: BROOKLYN, NY 11201-3857  
Owner Telephone: (718) 999-2094  
Owner Type: Local Government  
Owner Subtype: Not reported  
Mailing Name: NEW YORK CITY FIRE DEPARTMENT  
Mailing Address: 48-34 35TH STREET  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: DIRECTOR-FDNY BLDG MAINT  
Mailing Telephone: (718) 784-6510  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: OTHER  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 06/11/1999  
Expiration Date: 06/04/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 2500  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19990501  
Capacity (gals): 2500  
Product Stored: DIESEL  
Tank Type: Fiberglass coated steel  
Tank Internal: None  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: FIBERGLASS REINFORCED PLASTIC  
Pipe Internal: Other  
Pipe External: 49  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: Catch Basin, High Level Alarm

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

EMS @ WOODHULL HOSPITAL (Continued)

U003652107

Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

AF130  
West  
1/8-1/4  
0.229 mi.  
1209 ft.

ANTONIA GONSALIS  
118-120 HARRISON AVENUE  
BROOKLYN, NY 11206  
Site 2 of 2 in cluster AF

UST U003418625  
HIST UST N/A

Relative:  
Higher

UST:  
Facility Id: 2-603840  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 588665.47207000002  
UTM Y: 4506339.8675699998

Actual:  
17 ft.

Affiliation Records:  
Site Id: 25740  
Affiliation Type: On-Site Operator  
Company Name: ANTONIA GONSALIS  
Contact Type: Not reported  
Contact Name: MEYER STEIN  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 963-2538  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25740  
Affiliation Type: Owner  
Company Name: ANTONIA GONSALIS  
Contact Type: Not reported  
Contact Name: Not reported  
Address1: 118-120 HARRISON AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 963-2538  
Phone Ext: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ANTONIA GONSALIS (Continued)**

**U003418625**

Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25740  
Affiliation Type: Emergency Contact  
Company Name: ANTONIA GONSALIS  
Contact Type: Not reported  
Contact Name: MEYER STEIN  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 963-2538  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 25740  
Affiliation Type: Mail Contact  
Company Name: ANTONIA GONZALIS  
Contact Type: Not reported  
Contact Name: MEYER STEIN  
Address1: 239 HAVENYER STREET  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11211  
Country Code: 001  
Phone: (718) 963-2538  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
C02 - Pipe Location - Underground/On-ground  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
C02 - Pipe Location - Underground/On-ground  
H00 - Tank Leak Detection - None  
A00 - Tank Internal Protection - None  
B00 - Tank External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
F00 - Pipe External Protection - None  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
G00 - Tank Secondary Containment - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

ANTONIA GONSALIS (Continued)

U003418625

A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
G00 - Tank Secondary Containment - None  
B00 - Tank External Protection - None  
F00 - Pipe External Protection - None  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
F00 - Pipe External Protection - None  
H00 - Tank Leak Detection - None  
G00 - Tank Secondary Containment - None  
C02 - Pipe Location - Underground/On-ground  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
C02 - Pipe Location - Underground/On-ground  
B00 - Tank External Protection - None  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
I04 - Overfill - Product Level Gauge (A/G)  
G00 - Tank Secondary Containment - None  
I04 - Overfill - Product Level Gauge (A/G)  
J02 - Dispenser - Suction

Tank Info:

Site ID: 25740

Tank Number: 01  
Tank ID: 55693  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 11/1/1998  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 25740

Tank Number: 02  
Tank ID: 55694  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 11/1/1998  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ANTONIA GONSALIS (Continued)**

**U003418625**

Modified By: TRANSLAT  
Last Modified: 3/4/2004  
  
Site ID: 25740  
  
Tank Number: 03  
Tank ID: 55695  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 11/1/1998  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 25740  
  
Tank Number: 04  
Tank ID: 55696  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 11/1/1998  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-603840  
SPDES Number: Not reported  
Emergency Contact: MEYER STEIN  
Emergency Telephone: (718) 963-2538  
Operator: MEYER STEIN  
Operator Telephone: (718) 963-2538  
Owner Name: ANTONIA GONSALIS  
Owner Address: 118-120 HARRISON AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11206  
Owner Telephone: (718) 963-2538  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Name: ANTONIA GONZALIS  
Mailing Address: 239 HAVENYER STREET  
Mailing Address 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ANTONIA GONSALIS (Continued)**

**U003418625**

Mailing City,St,Zip: BROOKLYN, NY 11211  
Mailing Contact: MEYER STEIN  
Mailing Telephone: (718) 963-2538  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: 118-120 HARRISON AVENUE  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: Not reported  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: Not reported  
Expiration Date: 12/16/2003  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: Minor Data Missing  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 01  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 500  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ANTONIA GONSALIS (Continued)**

**U003418625**

Tank Id: 02  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 500  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 03  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 500  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 04  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ANTONIA GONSALIS (Continued)**

**U003418625**

Install Date: Not reported  
Capacity (gals): 500  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 11/01/1998  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

**AG131  
ESE  
1/8-1/4  
0.230 mi.  
1213 ft.**

**NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN  
60 COOK ST  
BROOKLYN, NY 11206  
Site 1 of 2 in cluster AG**

**RCRA-CESQG 1004755781  
FINDS NY0000375469  
MANIFEST**

**Relative:  
Higher**

RCRA-CESQG:

Date form received by agency: 01/01/2007  
Facility name: NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN

**Actual:  
20 ft.**

Facility address: 60 COOK ST  
BROOKLYN, NY 11206

EPA ID: NY0000375469  
Mailing address: COOK ST  
BROOKLYN, NY 11206

Contact: ROBERT GUASTA  
Contact address: COOK ST  
BROOKLYN, NY 11206

Contact country: US  
Contact telephone: (718) 349-5590

Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN (Continued)**

**1004755781**

hazardous waste

Owner/Operator Summary:

Owner/operator name: NYC BOARD OF EDUCATION  
Owner/operator address: 28-11 QUEENS PLZ N  
LONG ISLAND CITY, NY 11101  
Owner/operator country: US  
Owner/operator telephone: (718) 349-5600  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NYC BOARD OF EDUCATION  
Owner/operator address: 28-11 QUEENS PLZ N  
LONG ISLAND CITY, NY 11101  
Owner/operator country: US  
Owner/operator telephone: (718) 349-5600  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN  
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 08/10/1995  
Facility name: NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN  
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004316561

Environmental Interest/Information System

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN (Continued)**

**1004755781**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

**NY MANIFEST:**

EPA ID: NY0000375469  
Country: USA  
Mailing Name: NYC BOARD OF EDUCATION  
Mailing Contact: JACK BRUCCULERI  
Mailing Address: 28-11 QUEENS PLAZA NORTH  
Mailing Address 2: Not reported  
Mailing City: LONG ISLAND CITY  
Mailing State: NY  
Mailing Zip: 11101  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-361-6094

Document ID: NJA2116848  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 50082  
Trans2 State ID: S6993  
Generator Ship Date: 950812  
Trans1 Recv Date: 950812  
Trans2 Recv Date: 951026  
TSD Site Recv Date: 951026  
Part A Recv Date: Not reported  
Part B Recv Date: 951107  
Generator EPA ID: NY0000375469  
Trans1 EPA ID: NY0000551218  
Trans2 EPA ID: NJD980772768  
TSDf ID: NJD991291105  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC BD OF ED - PUBLIC SCHOOL 257 BKLYN (Continued)**

**1004755781**

Handling Method: L Landfill.  
Specific Gravity: 100  
Year: 95

Document ID: NYG2805399  
Manifest Status: Not reported  
Trans1 State ID: MAD985286988  
Trans2 State ID: Not reported  
Generator Ship Date: 08/27/2003  
Trans1 Recv Date: 08/27/2003  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/28/2003  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NY0000375469  
Trans1 EPA ID: NYD077444263  
Trans2 EPA ID: Not reported  
TSDF ID: MA43218  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00080  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2003

**AG132**  
**ESE**  
**1/8-1/4**  
**0.230 mi.**  
**1213 ft.**

**P S 257**  
**60 COOK ST**  
**BKLN, NY 11206**  
**Site 2 of 2 in cluster AG**

**AST U003394210**  
**HIST AST N/A**

**Relative:**  
**Higher**

AST:  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-354279  
Program Type: PBS  
UTM X: 589435.50551000005  
UTM Y: 4506226.8075999999  
Expiration Date: 2013/06/28

**Actual:**  
**20 ft.**

Affiliation Records:  
Site Id: 17608  
Affiliation Type: Owner  
Company Name: NEW YORK CITY DEPARTMENT OF EDUCATION  
Contact Type: MANAGER, FUEL DIVISION  
Contact Name: JAMES A. MERLO  
Address1: 44-36 VERNON BOULEVARD  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 349-5738  
Phone Ext: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**P S 257 (Continued)**

**U003394210**

Email:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	10/3/2011
Site Id:	17608
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	Not reported
Contact Name:	SCHOOL SAFETY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 935-3300
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	10/3/2011
Site Id:	17608
Affiliation Type:	On-Site Operator
Company Name:	PUBLIC SCHOOL 257 - BROOKLYN
Contact Type:	Not reported
Contact Name:	PLANT OPERATIONS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 349-5400
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	17608
Affiliation Type:	Mail Contact
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	Not reported
Contact Name:	JAMES A. MERLO
Address1:	FIELD OPERATIONS-FUEL DIVISION
Address2:	44-36 VERNON BOULEVARD
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 349-5738
Phone Ext:	Not reported
Email:	JMERLO@SCHOOLS.NYC.GOV
Fax Number:	Not reported
Modified By:	dxliving

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**P S 257 (Continued)**

**U003394210**

Date Last Modified: 9/2/2008

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- J02 - Dispenser - Suction
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- G02 - Tank Secondary Containment - Vault (w/access)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- C01 - Pipe Location - Aboveground
- J02 - Dispenser - Suction
- H00 - Tank Leak Detection - None
- I04 - Overfill - Product Level Gauge (A/G)
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- G02 - Tank Secondary Containment - Vault (w/access)
- B01 - Tank External Protection - Painted/Asphalt Coating
- L00 - Piping Leak Detection - None
- L00 - Piping Leak Detection - None

Tank Info:

Tank Number: 001  
Tank Id: 34475  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1962  
Capacity Gallons: 7500  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 5/13/2008

Tank Number: 002  
Tank Id: 34476  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1962  
Capacity Gallons: 7500  
Tightness Test Method: NN  
Date Test: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**P S 257 (Continued)**

**U003394210**

Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: dxliving  
Last Modified: 5/13/2008

**HIST AST:**

PBS Number: 2-354279  
SWIS Code: 6101  
Operator: PLANT OPERATION  
Facility Phone: (718) 391-6000  
Facility Addr2: 60 COOK ST  
Facility Type: SCHOOL  
Emergency: SCHOOL SAFETY  
Emergency Tel: (212) 979-3300  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: CITY OF NEW YORK C/O BOARD OF EDUCATION  
Owner Address: 28-11 QUEENS PLAZA NORTH  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Federal ID: Not reported  
Owner Tel: (718) 391-6832  
Owner Type: Local Government  
Owner Subtype: Not reported  
Mailing Contact: FRANK CARDELLO NTROL  
Mailing Name: BOARD OF EDUCATION  
Mailing Address: 28-11 QUEENS PLAZA NORTH  
Mailing Address 2: 5TH FLOOR  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Telephone: (718) 391-6832  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 09/02/1998  
Expiration: 06/28/2003  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 15000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**P S 257 (Continued)**

**U003394210**

Capacity (Gal): 7500  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Diking  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 002  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 7500  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Diking  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AH133**     **TEXECO STATION**  
**SSW**       **630 FLUSHING AVE**  
**1/8-1/4**     **WILLIAMBURG, NY**  
**0.232 mi.**  
**1225 ft.**     **Site 1 of 6 in cluster AH**

**LTANKS**     **U003074670**  
**HIST LTANKS**     **N/A**  
**HIST UST**  
**AST**  
**HIST AST**  
**NY Spills**  
**NY Hist Spills**

**Relative:**  
**Equal**

**Actual:**  
**13 ft.**

**LTANKS:**

Site ID: 201034  
 Spill No: 9901811  
 Spill Date: 5/17/1999  
 Spill Cause: Tank Failure  
 Spill Source: Gasoline Station  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 3/31/2006  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: SWKRASZE  
 Referred To: Not reported  
 Reported to Dept: 5/17/1999  
 CID: 257  
 Water Affected: Not reported  
 Spill Notifier: Responsible Party  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: True  
 Remediation Phase: 0  
 Date Entered In Computer: 5/17/1999  
 Spill Record Last Update: 3/31/2006  
 Spiller Name: Not reported  
 Spiller Company: TEXACO STATION  
 Spiller Address: 630 FLUSHING AVE  
 Spiller City,St,Zip: BROOKLYN WILLIAMSBURG, NY  
 Spiller County: 001  
 Spiller Contact: THOMAS SNEE  
 Spiller Phone: (718) 780-8686  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 244426  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "SUN" 1/2/2004 Reassigned from Rommel to Sun. (Also refer to Spill # 93-03325 for this site) 07/08/04 This spill is closed. To be investigated and remediated under Spill #93-03325. 01/12/06-The spill is reopened since this spill was caused by gasoline, while Spill #93-03325 was caused by #6 fuel oil. 1/12/2006 - Feng - Called Pfizer Inc and spoke with Manuel Lopez (718-780-0947). He remembers that they have been sent the some report to DEC. He would contact his engineer and find the information DEC need and get back to DEC. (RJF) 1/12/2006 - Feng - Faxed the two spill report to Samantha Plourde (718-780-8380) and request to send 1) tank closure report, 2) any other site investigation/site assessment, to DEC. (RJF) 1/27/2006 - Feng - Reviewed the Tank Closure Report of 12/10/1999, sent on 1/20/2006 by Pfizer. These 6 USTs were discovered during pre-construction activities in the northwestern corner. The site was a former Texaco gasoline station some time in the 1940's. 6 USTs in

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

the northwestern corner of the site were confirmed by the insurance maps. Pfizer registered and removed the USTs performed from 5/17/1999 to 9/30/1999. 6 soil borings were done prior the removal activities. Analyticals show SB-6 (10'-12' bg) with high contamination, 840 ppb Toluene, 10,000 ppb Ethylbenzene, 51,800 ppb Xylene, 20,000 ppb 1,3,5-Trimethylbenzene, and 40,000 ppb 1,2,4-Trimethylbenzene. To further delineate the SB-6, SB-6A to SB-6E (12'-14') were drilled and sampled, lab result indicated low VOCs. And removed all the soil above the clay layer (12' bg plus 0.5'-1.0' of the clay). The tanks found no cracks or holes. After tank removal, precipitation occurred for several days and the rain water run into the excavation, water removed and tested, found 6,047 ppb BTEX. All the piping associated with the USTs were removed. Soil removal extended to where the pre-UST removal soil samples contained concentration of VOCs below DEC STARS. Total of 286.18 tons of soil were removed. The report attached with lab analyticals sheet for soil sample, but not indicated the location of sample taken and not mentioned in the narrative text. Backfilled with clean sand and permanent asphalt pavement was placed on top. Requested spill closure. (RJF) 1/27/2006 - Feng - Send letter to Pfizer request of 1) groundwater sample in the vicinity of the former SB-6 boring location, 2) clarification of the soil sample presented in the lab report attached in App C. Result due 4/3/2006. Faxed to Scott Glash (Roux). (RJF) 02/09/06: This spill transferred from R.Feng to S.Kraszewski. 03/06/06: Received letter from Pfizer, dated March 2, 2006. Pfizer is requesting that the Department suspend the April 3rd deadline for the subsurface investigation. Pfizer believes that the Department is not familiar with all documentation related to this spill. Pfizer will collect and review all historic documentation and correspondence related to the closure and removal of the gasoline USTs. This information will be submitted to the DEC by March 15, 2006. Pfizer believes that based on the contents of this letter that an additional investigation will not be necessary. - SK 03/24/06: Received detailed summary of closure activities from Pfizer. Currently under review. - SK 03/27/06: Reviewed all documents for the UST closure. This additional information was sent in response to the DEC's request for a complete subsurface delineation both on-site and off-site. Pfizer believes that with the information supplied in this closure summary that there is no need for further investigation and NFA should be issued. Pfizer has also included documentation and explanations in response to R.Feng's letter issued January 2006 and previous DEC requests: No post-exc samples taken: Pfizer contests that retrieving samples would cause stockpiling of contaminated soil and leave the excavation open, which is a hazard. Instead, they conducted soil borings to eliminate the hazards associated with an open excavation. Furthermore, Pfizer feels that the soil borings properly delineated the horizontal extent of the contamination since they were conducted until no VOCs were detected by PID. Rainwater from the excavation was sampled and found to contain high levels of BTEX: It was a waste characterization sample, a composite from several sources. Pfizer states this water sample was mixture of rainwater from the USTs, the excavation and waste water used to clean each UST. A soil samples with highly elevated VOC concentrations was detected but it was not mentioned in the report summary nor is it given a location on the site plan: This sample was also a composite sample, collected from each UST. Sand material was discovered within the USTs and this sample was used to characterize the tank solids for proper disposal. It did not come from the

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

excavation. R.Feng requests GW samples: Pfizer attached results from two GW samples taken from the former tank area in June 2004. The samples were taken from 8 to 10 fbg using low-flow purging techniques. Actetone was detected in both samples, a common laboratory contaminant. Naphthalene and Xylenes were detected but below GW standards. Boring logs, PID logs, information of perched GW and explanations of work methods are also included in response to a February 2000 letter from DEC to provide information for these shortcomings in the UST closure report from 1999. - SK 03/27/03: Called Manuel Lopez to ask about the report. He said it would be best to contact Omar at Roux & Associates. I called and left Omar (631-232-2600) a voicemail to call me back. - SK 03/28/06: Rob Kovacs for Roux and Associates called in place of Omar. I asked Rob about the clay layer and he said based on historic production wells used by Pfizer and Roux & Associates' experience with the surrounding area they have mapped out the extent of the clay layer. Rob is emailing me a map with the known extent of the clay layer. - SK 03/31/06: Received PDF of the geologic cross section for that area and an overhead map. After careful consultation and consideration with supervisor J.Kolleeny, we feel that based on all of the available information at hand, this spill poses no threat to GW, the environment or the public. NFA letter sent out. Closed out. - SK  
Remarks: TOOK 65 BORING AND RECEIVED TEST RESULTS BACK THIS MORNING SHOW CONTAMINATED SOIL

Material:

Site ID: 201034  
Operable Unit ID: 1076587  
Operable Unit: 01  
Material ID: 305339  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9901811

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Spill Date: 05/17/1999  
Spill Time: 08:45  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Gas Station  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: ROMMEL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/17/99  
Reported to Department Time: 10:04  
SWIS: 61  
Spiller Contact: THOMAS SNEE  
Spiller Phone: (718) 780-8686  
Spiller Extention: Not reported  
Spiller Name: TEXECO STATION  
Spiller Address: 630 FLUSHING AVE  
Spiller City,St,Zip: WILLIAMSBURG, NY  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: ( ) -  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/17/99  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/17/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: TOOK 65 BORING AND RECEIVED TEST RESULTS BACK THIS MORNING SHOW CONTAMINATED SOIL

**HIST UST:**

PBS Number: 2-017329  
SPDES Number: Not reported  
Emergency Contact: THOMAS J. SNEE  
Emergency Telephone: (718) 780-8686  
Operator: JOHN R. DAY  
Operator Telephone: (718) 780-1472  
Owner Name: PFIZER INC BROOKLYN PLANT  
Owner Address: 630 FLUSHING AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11206  
Owner Telephone: (718) 780-8880  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Name: PFIZER INC BROOKLYN PLANT  
Mailing Address: 630 FLUSHING AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11206  
Mailing Contact: THOMAS J. SNEE  
Mailing Telephone: (718) 780-8686  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Facility Addr2: 630 FLUSHING AVENUE  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: MANUFACTURING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 09/30/1999  
Expiration Date: 11/16/2002  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 40000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2

Tank Id: 002  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19331201  
Capacity (gals): 10000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 06/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 003  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19551201  
Capacity (gals): 18000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Tank Id: 005  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19551201  
Capacity (gals): 30000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 06/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 006  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19551201  
Capacity (gals): 30000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 06/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: 007  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Install Date: 19551201  
Capacity (gals): 30000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 008  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19551201  
Capacity (gals): 30000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 209  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19771201  
Capacity (gals): 1500  
Product Stored: UNKNOWN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 210  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19721201  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: 21A  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19721201  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: D1E  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19321201  
Capacity (gals): 550  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: FO1  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19910401  
Capacity (gals): 20000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Fiberglass coated steel  
Tank Internal: None  
Tank External: Fiberglass  
Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Pipe External: 50  
Second Containment: Vault (w/access)  
Leak Detection: Electronic  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: FO2  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 19910401  
Capacity (gals): 20000  
Product Stored: NOS 5 OR 6 FUEL OIL  
Tank Type: Fiberglass coated steel  
Tank Internal: None  
Tank External: Fiberglass  
Pipe Location: Aboveground/Underground Combination  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: 50  
Second Containment: Vault (w/access)  
Leak Detection: Electronic  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: G01  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/1999  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: G02  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/1999  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: G03  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/1999  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: G04  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/1999  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: G05  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/1999

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: G06  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: Painted/Asphalt Coating  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: None  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: None  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 09/01/1999  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: GAS  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19321201  
Capacity (gals): 550  
Product Stored: UNLEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Lat/long: Not reported

Tank Id: GST  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19301201  
Capacity (gals): 2000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: P10  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Tank Id: PK6  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: PK7  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: 19511201  
Capacity (gals): 550  
Product Stored: LEADED GASOLINE  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: PK8  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Install Date: 19321201  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: Diking  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

Tank Id: PK9  
Tank Location: UNDERGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: Not reported  
Capacity (gals): 550  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Not reported  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
Lat/long: Not reported

**AST:**

Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-017329  
Program Type: PBS  
UTM X: 588836.53532999998

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

UTM Y: 4505943.3720899997  
Expiration Date: 2012/11/16

Affiliation Records:

Site Id: 125  
Affiliation Type: Owner  
Company Name: PFIZER INC  
Contact Type: SITE LEADER  
Contact Name: BILL BARBERICH  
Address1: 630 FLUSHING AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 780-0947  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 11/16/2007

Site Id: 125  
Affiliation Type: Mail Contact  
Company Name: PFIZER INC  
Contact Type: Not reported  
Contact Name: MANUEL LOPEZ  
Address1: 630 FLUSHING AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 780-0947  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 125  
Affiliation Type: On-Site Operator  
Company Name: PFIZER INC  
Contact Type: Not reported  
Contact Name: PFIZER INC  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 780-0947  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

Site Id: 125  
Affiliation Type: Emergency Contact  
Company Name: PFIZER INC  
Contact Type: Not reported  
Contact Name: PFIZER SECURITY  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 780-8911  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
I05 - Overfill - Vent Whistle  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction  
I00 - Overfill - None  
J02 - Dispenser - Suction  
I00 - Overfill - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
L09 - Piping Leak Detection - Exempt Suction Piping  
G03 - Tank Secondary Containment - Vault (w/o access)  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
B00 - Tank External Protection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
C02 - Pipe Location - Underground/On-ground  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
B00 - Tank External Protection - None  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
G03 - Tank Secondary Containment - Vault (w/o access)  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
G01 - Tank Secondary Containment - Diking (Aboveground)  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
G00 - Tank Secondary Containment - None  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
I00 - Overfill - None  
F00 - Pipe External Protection - None  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
G03 - Tank Secondary Containment - Vault (w/o access)  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
F00 - Pipe External Protection - None  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
C02 - Pipe Location - Underground/On-ground  
B00 - Tank External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- B00 - Tank External Protection - None
- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- C02 - Pipe Location - Underground/On-ground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- G00 - Tank Secondary Containment - None
- B00 - Tank External Protection - None
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- G03 - Tank Secondary Containment - Vault (w/o access)
- C00 - Pipe Location - No Piping
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- C00 - Pipe Location - No Piping
- F04 - Pipe External Protection - Fiberglass
- C00 - Pipe Location - No Piping
- C01 - Pipe Location - Aboveground
- G03 - Tank Secondary Containment - Vault (w/o access)
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- G03 - Tank Secondary Containment - Vault (w/o access)
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- H00 - Tank Leak Detection - None
- B03 - Tank External Protection - Original Impressed Current
- H00 - Tank Leak Detection - None
- B00 - Tank External Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- I02 - Overfill - High Level Alarm
- I00 - Overfill - None
- B00 - Tank External Protection - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- B00 - Tank External Protection - None
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- J02 - Dispenser - Suction
- I00 - Overfill - None
- B00 - Tank External Protection - None
- D10 - Pipe Type - Copper
- J02 - Dispenser - Suction
- I00 - Overfill - None
- I00 - Overfill - None
- J02 - Dispenser - Suction
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- C02 - Pipe Location - Underground/On-ground
- G03 - Tank Secondary Containment - Vault (w/o access)
- G01 - Tank Secondary Containment - Diking (Aboveground)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- B00 - Tank External Protection - None
- B00 - Tank External Protection - None
- G10 - Tank Secondary Containment - Impervious Underlayment
- A00 - Tank Internal Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- G00 - Tank Secondary Containment - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

F06 - Pipe External Protection - Wrapped  
F00 - Pipe External Protection - None  
B07 - Tank External Protection - Retrofitted Sacrificial Anode  
I04 - Overfill - Product Level Gauge (A/G)  
F00 - Pipe External Protection - None  
I02 - Overfill - High Level Alarm  
F06 - Pipe External Protection - Wrapped  
I00 - Overfill - None  
I02 - Overfill - High Level Alarm  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
G03 - Tank Secondary Containment - Vault (w/o access)  
B03 - Tank External Protection - Original Impressed Current

Tank Info:

Tank Number: 001  
Tank Id: 30761  
Tank Location: 1  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 10000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: 7/1/1993  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Tank Number: 463  
Tank Id: 30779  
Tank Location: 1  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 1000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Tank Number: EG-01  
Tank Id: 64111  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Pipe Model: Not reported  
Install Date: 1/1/1975  
Capacity Gallons: 62  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Tank Number: F03  
Tank Id: 53532  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: Tank Converted to Non-Regulated Use  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 10/1/1974  
Capacity Gallons: 275  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: 8/1/1996  
Register: True  
Modified By: dxliving  
Last Modified: 11/16/2007

Tank Number: FP-01  
Tank Id: 64112  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/1973  
Capacity Gallons: 300  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Tank Number: FP-02  
Tank Id: 64113  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 1/1/2000  
Capacity Gallons: 275

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST AST:**

PBS Number: 2-017329  
SWIS Code: 6101  
Operator: JOHN R. DAY  
Facility Phone: (718) 780-1472  
Facility Addr2: 630 FLUSHING AVENUE  
Facility Type: MANUFACTURING  
Emergency: THOMAS J. SNEE  
Emergency Tel: (718) 780-8686  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: PFIZER INC BROOKLYN PLANT  
Owner Address: 630 FLUSHING AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11206  
Federal ID: Not reported  
Owner Tel: (718) 780-8880  
Owner Type: Not reported  
Owner Subtype: Not reported  
Mailing Contact: THOMAS J. SNEE  
Mailing Name: PFIZER INC BROOKLYN PLANT  
Mailing Address: 630 FLUSHING AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BROOKLYN, NY 11206  
Mailing Telephone: (718) 780-8686  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 09/30/1999  
Expiration: 11/16/2002  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 40000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: No Missing Data  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Tank Status: Closed-Removed  
Install Date: Not reported  
Capacity (Gal): 10000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: 0  
Tank External: 01  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: 04  
Tank Containment: Diking  
Leak Detection: 00  
Overfill Protection: 46  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 07/01/1993  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: 463  
Tank Location: ABOVEGROUND  
Tank Status: Closed Before April 1, 1991  
Install Date: Not reported  
Capacity (Gal): 1000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: None  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: F03  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: Tank Converted To Non-Regulated Use

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Install Date: 19741001  
Capacity (Gal): 275  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: 0  
Tank External: 12  
Pipe Location: Aboveground  
Pipe Type: FIBERGLASS COATED STEEL  
Pipe Internal: None  
Pipe External: 00  
Tank Containment: 58  
Leak Detection: 9  
Overfill Protection: 2  
Dispenser Method: Gravity  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data  
Date Closed: 08/01/1996  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

**NY Spills:**

Site ID: 201032  
Facility Addr2: Not reported  
Facility ID: 0013515  
Spill Number: 0013515  
Facility Type: ER  
SWIS: 2401  
Investigator: SMSANGES  
Referred To: Not reported  
Spill Date: 3/27/2001  
Reported to Dept: 3/27/2001  
CID: 397  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 6/16/2003  
Remediation Phase: 0  
Date Entered In Computer: 3/27/2001  
Spill Record Last Update: 12/19/2003  
Spiller Name: MIKE TROCHIO  
Spiller Company: PHIZER  
Spiller Address: 630 FLUSHING AVE  
Spiller City,St,Zip: BROOKLYN, ZZ  
Spiller Company: 001  
Contact Name: MIKE TROCHIO

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Contact Phone: (718) 780-8800  
DEC Region: 2  
DER Facility ID: 244426  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "SANGESLAND" 4/2/2001 Sangesland and NYCDEP Wai Man Wan made a site visit to the Pfizer facility to look for a reported Acetone leak. After initial inspection, DEC - ECO Shawn Dussault arrived to make a similar inspection of the roof top equipment. According to Pfizer Engineer Mr. Daniel Shiel the following is a description of the process and then the system problem: Process: Acetone is used in the process of coating pills. After the material leaves the "pills bath" area, the vapor acetone is collected and piped to a chiller/condensor on the plant roof. This "Edwards Unit" chiller/condensor has 3 stages which drops the vapor temperature in 3 steps to 85°F below zero. At that point the acetone is in liquid form and is recovered via pipe and collected. This material is then tanked and removed from the site. (Pfizer states that a company purchases this recondensed acetone from them). Problem: Somewhere in the second stage of this unit is a leak. The Pfizer representative stated that there is probably a crack in the line someplace, but the exact location has not been found. Pfizer states that they first became aware of the problem in early March 2001 and took the system out of service for approx. 10 days to perform routine maintenance to the unit and to try to find the problem. The specific problem was not found and not fixed. The equipment was put back into operation. At the site visit, it was clear that acetone was leaking to the atmosphere. Pfizer says that they have done a mass balance which shows that they are still retreating approx. 91% of the total process acetone, above their legal limit (limit is someplace in the low 80's %). Pfizer also had LEL meters on the equipment to show that they have remained below approx 50% of the LEL explosive limits. However, there is no alarm on this meter. The meter is read several times per day by plant personnel. Pfizer rep also said the units are actually 2 separate parallel process lines running at the same time. He believes that the leak is only in one side of the system. The system can operate with only one side of the process system in operation, only at a lower volume and therefore a lower pill production rate. In order to repair the system, the unit would need to be lifted off the roof of the building, lowered to the street level, opened and re-welded. Pfizer said they had an equipment rep on site later today to quote them on the cost and time needed to build a replacement unit. ECO Dussault issued 2 tickets. 6NYCRR Part 595.3.a.2.ii and .iii with a May 17, 2001 court appearance date. Since this is a release to the atmosphere it may include the NYSDEC Air Unit. Since it is a material AFTER production (of the pills) it may be considered by NYSDEC RCRA Dept. 4/3/2001 Officer Dussault spoke with Dan Shiel (Pfizer) later on the afternoon of 4/2. Mr. Shiel said that Pfizer met with the manufacturer of the Edwards unit and he said it would take about 6 to 8 weeks to build and install a new unit. Until that time, Mr. Shiel said they may try to find a way to run just the first and third stage of the system and bypass the second unit. This will still allow some condensation of the process acetone and may allow the production line to operate (perhaps at a reduced rate)  
Remarks: caller states that the compnay has had a leak since june on the roof of the building from the edwards unit. the do not want to fix this due to the down time and the cost. dennis pappas engineer of charge

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

Material:

Site ID: 201032  
Operable Unit ID: 834992  
Operable Unit: 01  
Material ID: 540227  
Material Code: 0024B  
Material Name: 2-PROPANONE  
Case No.: 00067641  
Material FA: Hazardous Material  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

Site ID: 444686  
Facility Addr2: Not reported  
Facility ID: 1011062  
Spill Number: 1011062  
Facility Type: ER  
SWIS: 2401  
Investigator: vszhune  
Referred To: Not reported  
Spill Date: 2/1/2011  
Reported to Dept: 2/1/2011  
CID: Not reported  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Not reported  
Spill Closed Dt: Not Closed  
Remediation Phase: 1  
Date Entered In Computer: 2/1/2011  
Spill Record Last Update: 2/3/2011  
Spiller Name: Not reported  
Spiller Company: UNK  
Spiller Address: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TEXECO STATION (Continued)**

**U003074670**

Spiller City,St,Zip: NY  
Spiller Company: 999  
Contact Name: RUSSEL DOWNEY  
Contact Phone: Not reported  
DEC Region: 2  
DER Facility ID: 399574  
DEC Memo: 02/02/11- Zhune spoke to Russel Downey 908-413-0811. Site is a Pfizer Factory. Property is going to be sell. During investigation found groundwater contamination. Requested report. Mr. Russel will send the report.  
Remarks: SOIL SAMPLES POSITIVE FOR PETRO. CONTAMINATION, CLEANUP PENDING.

Material:  
Site ID: 444686  
Operable Unit ID: 1195130  
Operable Unit: 01  
Material ID: 2191146  
Material Code: 0066A  
Material Name: UNKNOWN PETROLEUM  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

[Click this hyperlink](#) while viewing on your computer to access additional NY\_SPILL: detail in the EDR Site Report.

NY Hist Spills:  
Region of Spill: 2  
Spill Number: 0013515  
Investigator: SANGESLAND  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 03/27/2001 08:17  
Reported to Dept Date/Time: 03/27/01 08:17  
SWIS: 61  
Spiller Name: PHIZER

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

Spiller Contact: MIKE TROCHIO  
Spiller Phone: (718) 780-8800  
Spiller Contact: MIKE TROCHIO  
Spiller Phone: (718) 780-8800  
Spiller Address: 630 FLUSHING AVE  
Spiller City,St,Zip: BROOKLYN  
Spill Cause: Equipment Failure  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 01  
Spill Notifier: Other  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 03/27/01  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 04/03/01  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Nonpetroleum/Nonhazardous  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: 2-PROPANONE  
Class Type: 2-PROPANONE  
Times Material Entry In File: 0  
CAS Number: 00067641  
Last Date: Not reported  
Material: ACETONE  
Class Type: ACETONE  
Times Material Entry In File: 71  
CAS Number: 00067641  
Last Date: 19940728  
DEC Remarks: 4/2/2001 Sangesland and NYCDEP Wai Man Wan made a site visit to the Pfi er facility to look for a reported Acetone leak. After initial inspection, DEC - ECO Shawn Dussault arrived to make a similar inspection of the roof top

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TEXECO STATION (Continued)

U003074670

equipment. According to Pfizer Engineer Mr. Daniel Shiel the following is a description of the process and then the system problem: Process: Acetone is used in the process of coating pills. After the material leaves the pills bath area, the vapor acetone is collected and piped to a chiller/condensor on the plant roof. This Edwards Unit chiller/condensor has 3 stages which drops the vapor temperature in 3 steps to 85 F below zero. At that point the acetone is in liquid form and is recovered via pipe and collected. This material is then tanked and removed from the site. Pfizer states that a company purchases this recondensed acetone from them). Problem: Somewhere in the second stage of this unit is a leak. The Pfizer representative stated that there is probably a crack in the line someplace, but the exact location has not been found. Pfizer states that they first became aware of the problem in early March 2001 and took the system out of service for approx. 10 days to perform routine maintenance to the unit and to try to find the problem. The specific problem was not found and not fixed. The equipment was put back into operation. At the site visit, it was clear that acetone was leaking to the atmosphere. Pfizer says that they have done a mass balance which shows that they are still retrieving approx. 91% of the total process acetone, above their legal limit (limit is someplace in the low 80s %). Pfizer also had LEL meters on the equipment to show that they have remained below approx 50% of the LEL explosive limits. However, there is no alarm on this meter. The meter is read several times per day by plant personnel. Pfizer rep also said the units are actually 2 separate parallel process lines running at the same time. He believes that the leak is only in one side of the system. The system can operate with only one side of the process system in operation, only at a lower volume and therefore a lower pill production rate. In order to repair the system, the unit would need to be lifted off the roof of the building, lowered to the street level, opened and re-welded. Pfizer said they had an equipment rep on site later today to quote them on the cost and time needed to build a replacement unit. ECO Dussault issued 2 tickets. 6 NYCRR Part 595.3.a.2.ii and .iii with a May 17, 2001 court appearance date. Since this is a release to the atmosphere it may include the NYSDEC Air Unit. Since it is a material AFTER production (of the pills) it may be considered by NYSDEC RCRA Dept. 4/3/2001 Officer Dussault spoke with Dan Shiel (Pfizer) later on the afternoon of 4/2. Mr. Shiel said that Pfizer met with the manufacturer of the Edwards unit and he said it would take about 6 to 8 weeks to build and install a new unit. Until that time, Mr. Shiel said they may try to find a way to run just the first and third stage of the system and bypass the second unit. This will still allow some condensation of the process acetone and may allow the production line to operate (perhaps at a reduced rate)

Remark: caller states that the company has had a leak since June on the roof of the building from the Edwards unit. They do not want to fix this due to the downtime and the cost. Dennis Pappas engineer of charge

AH134  
SSW  
1/8-1/4  
0.232 mi.  
1225 ft.

PFIZER INC. (CITRIC BLOCK)  
630 FLUSHING AVE.  
BROOKLYN, NY  
Site 2 of 6 in cluster AH

VCP S104323934  
N/A

Relative:  
Equal

VCP:  
Program Type: VCP  
Site Code: 56802  
Actual:  
HW Code: V00067  
13 ft. Site Class: C  
SWIS: 2401  
Region: 2  
Town: New York City

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PFIZER INC. (CITRIC BLOCK) (Continued)**

**S104323934**

Acres: 1.750  
 Date Record Added: 11/30/2000 4:06:00 PM  
 Date Record Updated: 3/23/2007 2:17:00 PM  
 Updated By: dcwalsh  
 Site Description: The Citric Block Site is located in the Williamsburg section of Brooklyn, New York. Gerry Street, Harrison Avenue, and Union Avenue border the Citric Block Site to the north, east, and west, respectively, while Flushing Avenue border the Citric Block Site to the south. The Citric Block Site is situated within a high-density, mixed urban residential commercial industrial zone, approximately one mile east-southeast of the East River. Pfizer decommissioned the Citric Block Site for future redevelopment and/or beneficial use. As part of the decommissioning process, all Citric Block Site buildings were demolished, with demolition activities being completed in August 1995. Presently, the reinforced-concrete slab foundation is the only aboveground remnant of the former buildings. The concrete slab is continuous throughout most of the Citric Block Site, and varies in thickness between approximately 0.5 and 1.5 feet. The remaining portion of the Citric Block Site is covered with asphalt pavement approximately two inches thick with a four-inch aggregate subgrade. The entire Citric Block Site is surrounded by a 10-ft high chain-link fence, and is under continuous security surveillance. The Citric Block Site was developed for chemical manufacturing between 1854 and 1888 and it operated continuously until 1985, and was demolished in 1995. Redevelopment is likely to include paved areas for outdoor activities in the center of the Citric Block Site and a small park in the western portion. The remainder of the Citric Block Site would be Capped by either the existing concrete slab or by new pavement. The cap will prevent any direct exposure of future users of the property with fill material. Institutional controls involving Deed restrictions have been implemented. The property can be used for industrial/ commercial usage. Site Management Plan requires proper management of all future subgrade construction activities and proper notification to the Department.  
 Env Problem: The site has been cleaned up. Post remedial groundwater monitoring was satisfactory.  
 Health Problem: Not reported

**AH135**  
**SSW**  
**1/8-1/4**  
**0.232 mi.**  
**1225 ft.**

**630 FLUSHING AVE**  
**630 FLUSHING AVE**  
**BROOKLYN, NY**  
**Site 3 of 6 in cluster AH**

**HIST LTANKS**  
**CBS AST**  
**MANIFEST**  
**NY Spills**  
**CBS**

**S100560594**  
**N/A**

**Relative:**  
**Equal**

HIST LTANKS:  
 Region of Spill: 2  
 Spill Number: 9303325  
 Spill Date: 06/14/1993  
 Spill Time: 10:30  
 Spill Cause: Tank Overfill  
 Resource Affectd: On Land  
 Water Affected: Not reported  
 Spill Source: Unknown  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: / /  
 Cleanup Ceased: / /  
 Cleanup Meets Standard: False

**Actual:**  
**13 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Investigator: GARDINEER  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 06/14/93  
Reported to Department Time: 10:30  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: PFIZER  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Notifier: Other  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/18/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/08/00  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Spill Cause: ENZEP DIVISOR OF ENSI TO DO WORK 6 BOROUGHES TAKEN EACH BORINGS SHOW CONTAMINATION ON SOIL AND GROUND WATER. WILL REMOVE TANKS 6/21/ WOULD LIKE DEC TO VISIT SITE. 2 TANKS 3000-10000 ONE OTHER FILLED. CASE FILE BEING HANDLED BY HAZ. WASTE SECTION.

**CBS AST:**

CBS Number: 2-000082  
Region: STATE  
ICS Number: 2-017329  
PBS Number: Not reported  
MOSF Number: Not reported  
Telephone: (718) 780-8880  
Facility Town: NEW YORK CITY  
Operator: PFIZER INC.  
Emrgncy Contact: PFIZER SECURITY  
Emrgncy Phone: (718) 780-8880  
Expiration Date: 04/18/2002  
Owner Name: PFIZER INC. BROOKLYN PLANT  
Owner Address: 630 FLUSHING AVENUE  
Owner City,St,Zip: BROOKLYN, NY 11206  
Owner Telephone: (718) 780-8880  
Owner type: Corporate/Commercial  
Facility Type: MANUFACTURING  
Mail Name: PFIZER INC.  
Mail Contact Addr: 630 FLUSHING AVENUE  
Mail Contact Addr2: Not reported  
Mail Contact Contact: THOMAS J. SNEE  
Mail Contact City,St,Zip: BROOKLYN, NY 11206  
Mail Phone: (718) 780-8880  
SPDES Number: Not reported  
Facility Status: ACTIVE FACILITY  
Owner Sub Type: Not reported

Tank Id: BT-01  
Date Entered: 04/17/2000  
Capacity (Gal): 10000  
Chemical: 2-Propanone  
Tank Closed: Not reported  
Tank Status: In Service  
Tank Type: Stainless steel alloy  
Install Date: 04/00  
Certified Date: 11/21/2000  
CAS Number: 67641  
Substance: Single Hazardous Substance on DEC List  
Tank Location: ABOVEGROUND  
Intrnl Protection: None  
Extrnl Protection: None  
Pipe Location: Aboveground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: None  
Pipe External: 0  
Pipe Containment: None  
Tank Containment: Excavation/Tranch Liner  
Leak Detection: Electronic  
Overfill Protection: High Level Alarm,Impressed Current  
Haz Percent: 100  
Total Tanks: 3

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

630 FLUSHING AVE (Continued)

S100560594

Tank Secret: False  
Last Test: Not reported  
Due Date: Not reported  
Tank Error Status: No Missing Data  
SWIS Code: 6101  
Lat/Long: Not reported  
Pipe Flag: False  
Federal ID: Not reported  
Is Updated: F  
Renew Date: 08/20/91  
Is it There: F  
Deliquent: F  
Date Expired: 07/05/91  
Owner Mark: 1  
Certificate Needs to be Printed: False  
Fiscal Amt for Registration Fee Correct: True  
Renewal Has Been Printed for Facility: True  
Pre-Printed Renewal App Last Printed: 12/27/2001  
Total Capacity of All Active Tanks(gal): 30000

Tank Id: BT-03  
Date Entered: 04/17/2000  
Capacity (Gal): 10000  
Chemical: 2-Propanone  
Tank Closed: Not reported  
Tank Status: In Service  
Tank Type: Stainless steel alloy  
Install Date: 04/00  
Certified Date: 11/21/2000  
CAS Number: 67641  
Substance: Single Hazardous Substance on DEC List  
Tank Location: ABOVEGROUND  
Intrnl Protection: None  
Extrnl Protection: None  
Pipe Location: Aboveground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: None  
Pipe External: 0  
Pipe Containment: None  
Tank Containment: Excavation/Tranch Liner  
Leak Detection: Electronic  
Overfill Protection: High Level Alarm,Impressed Current  
Haz Percent: 100  
Total Tanks: 3  
Tank Secret: False  
Last Test: Not reported  
Due Date: Not reported  
Tank Error Status: No Missing Data  
SWIS Code: 6101  
Lat/Long: Not reported  
Pipe Flag: False  
Federal ID: Not reported  
Is Updated: F  
Renew Date: 08/20/91  
Is it There: F  
Deliquent: F

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

630 FLUSHING AVE (Continued)

S100560594

Date Expired: 07/05/91  
Owner Mark: 1  
Certificate Needs to be Printed: False  
Fiscal Amt for Registration Fee Correct: True  
Renewal Has Been Printed for Facility: True  
Pre-Printed Renewal App Last Printed: 12/27/2001  
Total Capacity of All Active Tanks(gal): 30000

Tank Id: BT-02  
Date Entered: 04/17/2000  
Capacity (Gal): 10000  
Chemical: 2-Propanone  
Tank Closed: Not reported  
Tank Status: In Service  
Tank Type: Stainless steel alloy  
Install Date: 04/00  
Certified Date: 11/21/2000  
CAS Number: 67641  
Substance: Single Hazardous Substance on DEC List  
Tank Location: ABOVEGROUND  
Intrnl Protection: None  
Extrnl Protection: None  
Pipe Location: Aboveground  
Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: None  
Pipe External: 0  
Pipe Containment: None  
Tank Containment: Excavation/Tranch Liner  
Leak Detection: Electronic  
Overfill Protection: High Level Alarm,Impressed Current  
Haz Percent: 100  
Total Tanks: 3  
Tank Secret: False  
Last Test: Not reported  
Due Date: Not reported  
Tank Error Status: No Missing Data  
SWIS Code: 6101  
Lat/Long: Not reported  
Pipe Flag: False  
Federal ID: Not reported  
Is Updated: F  
Renew Date: 08/20/91  
Is it There: F  
Deliquent: F  
Date Expired: 07/05/91  
Owner Mark: 1  
Certificate Needs to be Printed: False  
Fiscal Amt for Registration Fee Correct: True  
Renewal Has Been Printed for Facility: True  
Pre-Printed Renewal App Last Printed: 12/27/2001  
Total Capacity of All Active Tanks(gal): 30000

Tank Id: 12B20  
Date Entered: 07/05/1989  
Capacity (Gal): 572

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

630 FLUSHING AVE (Continued)

S100560594

Chemical: Hydrochloric acid  
Tank Closed: 03/91  
Tank Status: In Service  
Tank Type: Other  
Install Date: 01/40  
Certified Date: 11/21/2000  
CAS Number: 7647010  
Substance: Not reported  
Tank Location: ABOVEGROUND  
Intrnl Protection: Not reported  
Extrnl Protection: Not reported  
Pipe Location: Not reported  
Pipe Type: OTHER  
Pipe Internal: Not reported  
Pipe External: Not reported  
Pipe Containment: Not reported  
Tank Containment: None  
Leak Detection: Not reported  
Overfill Protection: Not reported  
Haz Percent: 0  
Total Tanks: 3  
Tank Secret: False  
Last Test: Not reported  
Due Date: Not reported  
Tank Error Status: Minor Data Missing  
SWIS Code: 6101  
Lat/Long: Not reported  
Pipe Flag: False  
Federal ID: Not reported  
Is Updated: F  
Renew Date: 08/20/91  
Is it There: F  
Deliquent: F  
Date Expired: 07/05/91  
Owner Mark: 1  
Certificate Needs to be Printed: False  
Fiscal Amt for Registration Fee Correct: True  
Renewal Has Been Printed for Facility: True  
Pre-Printed Renewal App Last Printed: 12/27/2001  
Total Capacity of All Active Tanks(gal): 30000

Tank Id: 22-S9  
Date Entered: 07/05/1989  
Capacity (Gal): 580  
Chemical: Sodium hydroxide  
Tank Closed: 03/91  
Tank Status: In Service  
Tank Type: Stainless steel alloy  
Install Date: 01/40  
Certified Date: 11/21/2000  
CAS Number: 1310732  
Substance: Not reported  
Tank Location: ABOVEGROUND  
Intrnl Protection: Not reported  
Extrnl Protection: Not reported  
Pipe Location: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Pipe Type: STAINLESS STEEL ALLOY  
Pipe Internal: Not reported  
Pipe External: Not reported  
Pipe Containment: Not reported  
Tank Containment: None  
Leak Detection: Not reported  
Overfill Protection: Not reported  
Haz Percent: 0  
Total Tanks: 3  
Tank Secret: False  
Last Test: Not reported  
Due Date: Not reported  
Tank Error Status: Minor Data Missing  
SWIS Code: 6101  
Lat/Long: Not reported  
Pipe Flag: False  
Federal ID: Not reported  
Is Updated: F  
Renew Date: 08/20/91  
Is it There: F  
Deliquent: F  
Date Expired: 07/05/91  
Owner Mark: 1  
Certificate Needs to be Printed: False  
Fiscal Amt for Registration Fee Correct: True  
Renewal Has Been Printed for Facility: True  
Pre-Printed Renewal App Last Printed: 12/27/2001  
Total Capacity of All Active Tanks(gal): 30000

[Click this hyperlink](#) while viewing on your computer to access  
18 additional NY\_AST\_CBS: record(s) in the EDR Site Report.

NY MANIFEST:

EPA ID: NYD986936904  
Country: USA  
Mailing Name: PFIZER INC  
Mailing Contact: JULIAN OLIVERI  
Mailing Address: 630 FLUSHING AVE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11206  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 718-780-8851

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 80.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 140.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 56.0  
Units: P - Pounds  
Number of Containers: 2.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 1.0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSDF ID: NJD980536593  
Waste Code: Not reported  
Quantity: 10.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 10.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 1.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 90.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 140.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 1.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 1.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

630 FLUSHING AVE (Continued)

S100560594

TSDF ID: NJD980536593  
Waste Code: Not reported  
Quantity: 56.0  
Units: P - Pounds  
Number of Containers: 2.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSDF ID: NJD980536593  
Waste Code: Not reported  
Quantity: 80.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 90.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 10.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 80.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0

Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

630 FLUSHING AVE (Continued)

S100560594

Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 140.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 56.0  
Units: P - Pounds  
Number of Containers: 2.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported  
Trans2 EPA ID: Not reported  
TSD ID: NJD980536593  
Waste Code: Not reported  
Quantity: 1.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

Document ID: Not reported  
Manifest Status: Not reported  
Trans1 State ID: NJD080631369  
Trans2 State ID: NJD080631369  
Generator Ship Date: 2009-01-15  
Trans1 Recv Date: 2009-01-15  
Trans2 Recv Date: 2009-01-15  
TSD Site Recv Date: 2009-01-16  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYD986936904  
Trans1 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Trans2 EPA ID: Not reported  
TSDf ID: NJD980536593  
Waste Code: Not reported  
Quantity: 10.0  
Units: P - Pounds  
Number of Containers: 1.0  
Container Type: DF - Fiberboard or plastic drums (glass)  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 1.0  
Year: 2009  
Manifest Tracking Num: 000181191VES  
Import Ind: N  
Export Ind: N  
Discr Quantity Ind: N  
Discr Type Ind: N  
Discr Residue Ind: N  
Discr Partial Reject Ind: N  
Discr Full Reject Ind: N  
Manifest Ref Num: Not reported  
Alt Fac RCRA Id: Not reported  
Alt Fac Sign Date: Not reported  
Mgmt Method Type Code: H141

[Click this hyperlink](#) while viewing on your computer to access  
12 additional NY\_MANIFEST: record(s) in the EDR Site Report.

NY Spills:

Site ID: 302547  
Facility Addr2: Not reported  
Facility ID: 0203912  
Spill Number: 0203912  
Facility Type: ER  
SWIS: 2401  
Investigator: JXZHAO  
Referred To: Not reported  
Spill Date: 7/14/2002  
Reported to Dept: 7/14/2002  
CID: 266  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Commercial/Industrial  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 9/17/2003  
Remediation Phase: 0  
Date Entered In Computer: 7/14/2002  
Spill Record Last Update: 9/18/2003  
Spiller Name: NATHAN EDESON  
Spiller Company: PFIZER, INC.  
Spiller Address: 630 FLUSHING AVENUE  
Spiller City,St,Zip: BROOKLYN, NY 11206-

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Spiller Company: 001  
Contact Name: NATHAN EDESON  
Contact Phone: (718) 780-8829  
DEC Region: 2  
DER Facility ID: 244426  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ZHAO/DEMEO" 7/14/2002 - 21:05pm: Ms Zhao spoke with Nathan Edeson. Spill has been contained. There is no drains or valves involved. Clean up was in progress by contractor Tradewind by the time of contact. Zhao has requested clean up statement from Tradewind and will follow-up on it. 7/16/2002 - A follow up call Zhao made to Mr Edeson. Spill cause was found due to the gauge system, not the pump. Tradewind went back yesterday and have got clean up completed. Clean up statement will be furnished within two days by Tradewind. Mr Edeson will then forward it to DEC with some requested clean up pictures. 9/17/2003 - Spill closed upon a site visit on 9/15/2003 and final clean up statement received on 9/16/2003.

Remarks: BUILDING 16 (MAIN BUILDING), FIRST FLOOR. LEAK FROM A PUMP ON THEIR HEATING SYSTEM. MOST WAS CONFINED WITHIN THE BUILDING. ABOUT 5 GALLONS SPILLED ONTO THE SIDEWALK. SPEEDY DRI APPLIED BY PLANT EMPLOYEES. TRADEWIND ENVIRONMENTAL WAS CONTACTED FOR CLEAN UP. SIDEWALK HAS BEEN CLEANED UP. THEY'RE NOW WORKING INSIDE. PUMP TAKEN OUT OF SERVICE FOR REPAIRS.

Material:  
Site ID: 302547  
Operable Unit ID: 855198  
Operable Unit: 01  
Material ID: 552611  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 30  
Units: Gallons  
Recovered: 30  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

CBS:  
CBS Number: 2-000082  
Program Type: CBS  
Dec Region: 2  
Expiration Date: N/A

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**630 FLUSHING AVE (Continued)**

**S100560594**

Facility Status: Unregulated  
UTMX: 588848.06590000  
UTMY: 4505936.2976099

AH136  
SSW  
1/8-1/4  
0.232 mi.  
1225 ft.

**PFIZER INC. BROOKLYN PLANT**  
**630 FLUSHING AVENUE**  
**BROOKLYN, NY 11206**  
**Site 4 of 6 in cluster AH**

**RCRA-LQG 1000458301**  
**FINDS NYD986936904**  
**MANIFEST**

**Relative:**  
**Equal**

RCRA-LQG:

**Actual:**  
**13 ft.**

Date form received by agency: 03/08/2010  
Facility name: PFIZER INC. BROOKLYN PLANT  
Facility address: 630 FLUSHING AVENUE  
BROOKLYN, NY 11206  
EPA ID: NYD986936904  
Mailing address: FLUSING AVENUE  
BROOKLYN, NY 11206  
Contact: EVERETT JACKSON  
Contact address: Not reported  
Not reported  
Contact country: Not reported  
Contact telephone: (212) 733-0151  
Contact email: EVERETT.JACKSON@PFIZER.COM  
EPA Region: 02  
Land type: Private  
Classification: Large Quantity Generator  
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: PFIZER INC  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: Not reported  
Owner/operator telephone: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 01/01/1849  
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC  
Owner/operator address: FLUSHING AVENUE  
BROOKLYN, NY 11206  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Legal status: Private

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Owner/Operator Type: Owner  
Owner/Op start date: 01/01/1849  
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC  
Owner/operator address: 630 FLUSHING AVE  
BROOKLYN, NY 11206

Owner/operator country: Not reported  
Owner/operator telephone: (718) 780-8472  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Universal Waste Summary:

Waste type: Batteries  
Accumulated waste on-site: Yes  
Generated waste on-site: Not reported

Waste type: Lamps  
Accumulated waste on-site: Yes  
Generated waste on-site: Not reported

Waste type: Thermostats  
Accumulated waste on-site: Yes  
Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 03/03/2008  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC. - BROOKLYN PLANT  
Classification: Large Quantity Generator

Date form received by agency: 01/01/2007  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 02/10/2006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 02/09/2006  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 02/26/2004  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 02/25/2002  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 01/01/2001  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 03/04/1998  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 03/26/1996  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 03/28/1994  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 02/28/1992  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC.  
Classification: Large Quantity Generator

Date form received by agency: 01/22/1991  
Facility name: PFIZER INC. BROOKLYN PLANT  
Site name: PFIZER INC BROOKLYN PLT  
Classification: Large Quantity Generator

**Hazardous Waste Summary:**

Waste code: D001  
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D008  
Waste name: LEAD

Waste code: D011  
Waste name: SILVER

Waste code: U002  
Waste name: ACETONE (I)

Waste code: B001  
Waste name: B001

Waste code: D001  
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: F002  
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003  
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005

Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: X001

Waste name: WASTE OILS

Biennial Reports:

Last Biennial Reporting Year: 2011

Annual Waste Handled:

Waste code: D001

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Amount (Lbs): 231

Waste code: D002

Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Amount (Lbs): 97

Waste code: D008

Waste name: LEAD

Amount (Lbs): 10

Waste code: D011

Waste name: SILVER

Amount (Lbs): 1

Waste code: U002

Waste name: ACETONE (I)

Amount (Lbs): 140

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Facility Has Received Notices of Violations:

Regulation violated: SR - 6nycrr372.2(a)(8)(i)(a)(2)  
Area of violation: Generators - General  
Date violation determined: 04/06/1998  
Date achieved compliance: 05/07/1998  
Violation lead agency: EPA  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 04/20/1998  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 09/02/1994  
Date achieved compliance: 09/27/1994  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/02/1994  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 01/14/1992  
Date achieved compliance: 03/24/1992  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 01/14/1992  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Evaluation Action Summary:

Evaluation date: 02/26/2009  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 12/05/2003  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Evaluation date: 02/10/1998  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 05/07/1998  
Evaluation lead agency: EPA

Evaluation date: 06/29/1994  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 09/27/1994  
Evaluation lead agency: State

Evaluation date: 03/31/1993  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 11/13/1991  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 03/24/1992  
Evaluation lead agency: State

**FINDS:**

Registry ID: 110000323294

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NJ MANIFEST:

Manifest Code: 000204577VES  
EPA ID: NYD986936904  
Date Shipped: 9/26/2008  
TSDf EPA ID: NJD002454544  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 9/26/2008  
Date Trans2 Transported Waste: Not reported  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 9/26/2008  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 100  
Unit: G  
Hand Code: H061

Manifest Code: 000204666VES  
EPA ID: NYD986936904  
Date Shipped: 10/3/2008  
TSDf EPA ID: NJD002454544  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 10/3/2008

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans2 Transported Waste: Not reported  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 10/3/2008  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 100  
Unit: G  
Hand Code: H061

Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 50  
Unit: G  
Hand Code: H061

Waste Code: D001  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 30  
Unit: G  
Hand Code: H061

Waste Code: U002  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 30  
Unit: G  
Hand Code: H020

Manifest Code: 000204826VES  
EPA ID: NYD986936904  
Date Shipped: 10/14/2008  
TSDf EPA ID: NJD002454544  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 10/14/2008  
Date Trans2 Transported Waste: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 10/14/2008  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 50  
Unit: G  
Hand Code: H061

Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 20  
Unit: G  
Hand Code: H061

Manifest Code: 000204664VES  
EPA ID: NYD986936904  
Date Shipped: 10/3/2008  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: NJD000692061  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 10/3/2008  
Date Trans2 Transported Waste: 10/7/2008  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 10/9/2008  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 150  
Unit: P  
Hand Code: H141

Manifest Code: 000884374JJK  
EPA ID: NYD986936904  
Date Shipped: 5/16/2008  
TSDf EPA ID: NJD002454544  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 5/16/2008  
Date Trans2 Transported Waste: Not reported  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 5/16/2008  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D001  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 100  
Unit: G  
Hand Code: H061

Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 100  
Unit: G  
Hand Code: H061

Manifest Code: 000884401JJK  
EPA ID: NYD986936904  
Date Shipped: 5/27/2008

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

TSDF EPA ID: NJD002454544  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 5/27/2008  
Date Trans2 Transported Waste: Not reported  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDF Received Waste: 5/27/2008  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: Not reported  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: D001  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 150  
Unit: G  
Hand Code: H061  
  
Waste Code: F003  
Manifest Year: 2008 New Jersey Manifest Data  
Quantity: 100  
Unit: G  
Hand Code: H061  
  
Manifest Code: NJA5319275  
EPA ID: NYD986936904  
Date Shipped: 20060427  
TSDF EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060427  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060427  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 06210621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5339465  
EPA ID: NYD986936904  
Date Shipped: 20060724  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060724  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060724  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 09080622  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Manifest Code: NJA5316036  
EPA ID: NYD986936904  
Date Shipped: 20060323  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060323  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060323  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 04110621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5263074  
EPA ID: NYD986936904  
Date Shipped: 20060126  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060126  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060126  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 03030621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5263059  
EPA ID: NYD986936904  
Date Shipped: 20060119  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060119  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060119  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 02280625  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Manifest Code: NJA5319265  
EPA ID: NYD986936904  
Date Shipped: 20060420  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060420  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060420  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 05160621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5319074  
EPA ID: NYD986936904  
Date Shipped: 20060227  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060227  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060227  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 04200621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5319332  
EPA ID: NYD986936904  
Date Shipped: 20060508  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060508  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060508  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 06200625  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Manifest Code: NJA5316034  
EPA ID: NYD986936904  
Date Shipped: 20060320  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060320  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060320  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 05250621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5263020  
EPA ID: NYD986936904  
Date Shipped: 20060206  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060206  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060206  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 03170621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5263086  
EPA ID: NYD986936904  
Date Shipped: 20060203  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060203  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060203  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 03170621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Manifest Code: NJA5263067  
EPA ID: NYD986936904  
Date Shipped: 20060123  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060123  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060123  
Transporter 1 Decal: Not reported  
Transporter 2 Decal: Not reported  
Data Entry Number: 02280625  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5319359  
EPA ID: NYD986936904  
Date Shipped: 20060601  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060601  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC. BROOKLYN PLANT (Continued)**

**1000458301**

Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060601  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 07200625  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

Manifest Code: NJA5319354  
EPA ID: NYD986936904  
Date Shipped: 20060525  
TSDf EPA ID: NJD980536593  
Transporter EPA ID: NJD080631369  
Transporter 2 EPA ID: Not reported  
Transporter 3 EPA ID: Not reported  
Transporter 4 EPA ID: Not reported  
Transporter 5 EPA ID: Not reported  
Transporter 6 EPA ID: Not reported  
Transporter 7 EPA ID: Not reported  
Transporter 8 EPA ID: Not reported  
Transporter 10 EPA ID: Not reported  
Date Trans1 Transported Waste: 060525  
Date Trans2 Transported Waste: 000000  
Date Trans3 Transported Waste: Not reported  
Date Trans4 Transported Waste: Not reported  
Date Trans5 Transported Waste: Not reported  
Date Trans6 Transported Waste: Not reported  
Date Trans7 Transported Waste: Not reported  
Date Trans8 Transported Waste: Not reported  
Date Trans9 Transported Waste: Not reported  
Date Trans10 Transported Waste: Not reported  
Date TSDf Received Waste: 060525  
Tranporter 1 Decal: Not reported  
Tranporter 2 Decal: Not reported  
Data Entry Number: 07120621  
Reference Manifest Number: Not reported  
Was Load Rejected (Y/N): No  
Reason Load Was Rejected: Not reported  
Waste Code: Not reported  
Manifest Year: Not reported  
Quantity: Not reported  
Unit: Not reported  
Hand Code: Not reported

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**AH137**      **PFIZER INC**  
**SSW**        **630 FLUSHING AVENUE**  
**1/8-1/4**      **BROOKLYN, NY 11206**  
**0.232 mi.**  
**1225 ft.**      **Site 5 of 6 in cluster AH**

**UST**      **U004064026**  
             **N/A**

**Relative:**  
**Equal**

UST:  
Facility Id: 2-017329  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2012/11/16  
UTM X: 588836.53532999998  
UTM Y: 4505943.3720899997

**Actual:**  
**13 ft.**

Affiliation Records:  
Site Id: 125  
Affiliation Type: Owner  
Company Name: PFIZER INC  
Contact Type: SITE LEADER  
Contact Name: BILL BARBERICH  
Address1: 630 FLUSHING AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 780-0947  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: dxliving  
Date Last Modified: 11/16/2007

Site Id: 125  
Affiliation Type: Mail Contact  
Company Name: PFIZER INC  
Contact Type: Not reported  
Contact Name: MANUEL LOPEZ  
Address1: 630 FLUSHING AVENUE  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11206  
Country Code: 001  
Phone: (718) 780-0947  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 125  
Affiliation Type: On-Site Operator  
Company Name: PFIZER INC  
Contact Type: Not reported  
Contact Name: PFIZER INC  
Address1: Not reported  
Address2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 780-0947  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 125  
Affiliation Type: Emergency Contact  
Company Name: PFIZER INC  
Contact Type: Not reported  
Contact Name: PFIZER SECURITY  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 780-8911  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
I05 - Overfill - Vent Whistle  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
G00 - Tank Secondary Containment - None  
J02 - Dispenser - Suction  
I00 - Overfill - None  
J02 - Dispenser - Suction  
I00 - Overfill - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
L09 - Piping Leak Detection - Exempt Suction Piping  
G03 - Tank Secondary Containment - Vault (w/o access)  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
I00 - Overfill - None  
G00 - Tank Secondary Containment - None  
G00 - Tank Secondary Containment - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

PFIZER INC (Continued)

U004064026

- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- B00 - Tank External Protection - None
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- C02 - Pipe Location - Underground/On-ground
- B00 - Tank External Protection - None
- G00 - Tank Secondary Containment - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction
- G00 - Tank Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- B00 - Tank External Protection - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- G03 - Tank Secondary Containment - Vault (w/o access)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- G01 - Tank Secondary Containment - Diking (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G00 - Tank Secondary Containment - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- I00 - Overfill - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

- B00 - Tank External Protection - None
- B00 - Tank External Protection - None
- G03 - Tank Secondary Containment - Vault (w/o access)
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- F00 - Pipe External Protection - None
- B00 - Tank External Protection - None
- B00 - Tank External Protection - None
- C02 - Pipe Location - Underground/On-ground
- B00 - Tank External Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- B00 - Tank External Protection - None
- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- C02 - Pipe Location - Underground/On-ground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- G00 - Tank Secondary Containment - None
- B00 - Tank External Protection - None
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- G03 - Tank Secondary Containment - Vault (w/o access)
- C00 - Pipe Location - No Piping
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

- B01 - Tank External Protection - Painted/Asphalt Coating
- C00 - Pipe Location - No Piping
- F04 - Pipe External Protection - Fiberglass
- C00 - Pipe Location - No Piping
- C01 - Pipe Location - Aboveground
- G03 - Tank Secondary Containment - Vault (w/o access)
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- G03 - Tank Secondary Containment - Vault (w/o access)
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- H00 - Tank Leak Detection - None
- B03 - Tank External Protection - Original Impressed Current
- H00 - Tank Leak Detection - None
- B00 - Tank External Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- I02 - Overfill - High Level Alarm
- I00 - Overfill - None
- B00 - Tank External Protection - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- B00 - Tank External Protection - None
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

PFIZER INC (Continued)

U004064026

- J02 - Dispenser - Suction
- I00 - Overfill - None
- B00 - Tank External Protection - None
- D10 - Pipe Type - Copper
- J02 - Dispenser - Suction
- I00 - Overfill - None
- I00 - Overfill - None
- J02 - Dispenser - Suction
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- C02 - Pipe Location - Underground/On-ground
- G03 - Tank Secondary Containment - Vault (w/o access)
- G01 - Tank Secondary Containment - Diking (Aboveground)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- B00 - Tank External Protection - None
- B00 - Tank External Protection - None
- G10 - Tank Secondary Containment - Impervious Underlayment
- A00 - Tank Internal Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- F00 - Pipe External Protection - None
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- G00 - Tank Secondary Containment - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- G00 - Tank Secondary Containment - None
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

- B01 - Tank External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- C00 - Pipe Location - No Piping
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- G00 - Tank Secondary Containment - None
- F06 - Pipe External Protection - Wrapped
- F00 - Pipe External Protection - None
- B07 - Tank External Protection - Retrofitted Sacrificial Anode
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- I02 - Overfill - High Level Alarm
- F06 - Pipe External Protection - Wrapped
- I00 - Overfill - None
- I02 - Overfill - High Level Alarm
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G03 - Tank Secondary Containment - Vault (w/o access)
- B03 - Tank External Protection - Original Impressed Current

Tank Info:

Site ID: 125

Tank Number: 002  
Tank ID: 30762  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1933  
Capacity Gallons: 10000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 6/1/1993  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 003  
Tank ID: 30767  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1955  
Capacity Gallons: 18000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 005  
Tank ID: 30763  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1955  
Capacity Gallons: 30000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 6/1/1993  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 006  
Tank ID: 30764  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1955  
Capacity Gallons: 30000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 6/1/1993  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 007  
Tank ID: 30765  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1955  
Capacity Gallons: 30000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 008  
Tank ID: 30766  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1955  
Capacity Gallons: 30000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 209  
Tank ID: 30770  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1977  
Capacity Gallons: 1500  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 210  
Tank ID: 30771  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1972  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: 21A  
Tank ID: 30772  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1972  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: D1E  
Tank ID: 30768  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1932  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: FO-1  
Tank ID: 41683  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1991  
Capacity Gallons: 20000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: FO-2  
Tank ID: 41684  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 4/1/1991  
Capacity Gallons: 20000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported

Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: G01  
Tank ID: 56702  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1999

Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: G02  
Tank ID: 56703  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1999  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: G03  
Tank ID: 56704  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1999  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: G04  
Tank ID: 56705  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1999  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: G05  
Tank ID: 56706  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1999  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: G06  
Tank ID: 56707  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 9/1/1999  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: GAS  
Tank ID: 30769  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1932  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: GST  
Tank ID: 30773  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1930  
Capacity Gallons: 2000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type:	Steel/carbon steel
Date Test:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	3/4/2004
Site ID:	125
Tank Number:	P10
Tank ID:	30777
Tank Status:	Closed Prior to Micro Conversion, 03/91
Tank Model:	Not reported
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	550
Tightness Test Method:	NN
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Tank Location:	5
Tank Type:	Steel/carbon steel
Date Test:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	3/4/2004
Site ID:	125
Tank Number:	PK6
Tank ID:	30778
Tank Status:	Closed Prior to Micro Conversion, 03/91
Tank Model:	Not reported
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	550
Tightness Test Method:	NN
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Tank Location:	5
Tank Type:	Steel/carbon steel
Date Test:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	3/4/2004
Site ID:	125
Tank Number:	PK7
Tank ID:	30774
Tank Status:	Closed Prior to Micro Conversion, 03/91
Tank Model:	Not reported
Pipe Model:	Not reported
Install Date:	12/1/1951
Capacity Gallons:	550
Tightness Test Method:	NN
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Tank Location:	5

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC (Continued)**

**U004064026**

Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: PK8  
Tank ID: 30775  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1932  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 125

Tank Number: PK9  
Tank ID: 30776  
Tank Status: Closed Prior to Micro Conversion, 03/91  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: Not reported  
Capacity Gallons: 550  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

AH138  
SSW  
1/8-1/4  
0.232 mi.  
1225 ft.

PFIZER INC BROOKLYN PLT  
630 FLUSHING AVENUE  
BROOKLYN, NY 11206

MANIFEST S109785213  
N/A

Site 6 of 6 in cluster AH

Relative:  
Equal

CT MANIFEST:

Actual:  
13 ft.

Waste:  
Manifest No: CTF0770496  
Waste Occurence: 1  
UNNA: 1760  
Hazard Class: 8  
US Dot Description: corrosive liquid nos

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLT (Continued)**

**S109785213**

No of Containers: 001  
Container Type: DF  
Quantity: 507  
Weight/Volume: P  
Additional Description: Not reported  
Handling Code: Not reported  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Waste CD:

Manifest No: CTF0770496  
Waste Occurrence: 1  
EPA Waste Code: D002  
Recycled Waste?: F  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Detail:

Year: 1999  
Manifest ID: CTF0770496  
TSDf EPA ID: CTD000604488  
TSDf Name: CLEAN HARBORS OF CONNECTICUT, INC.  
TSDf Address: 51 BRODERICK RD  
TSDf City,St,Zip: BRISTOL, CT 06010  
TSDf Country: USA  
TSDf Telephone: Not reported  
Transport Date: 5/11/1999  
Transporter EPA ID: MAD039322250  
Transporter Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.  
Transporter Country: USA  
Transporter Phone: Not reported  
Trans 2 Date: 5/17/1999  
Trans 2 EPA ID: MAD039322250  
Trans 2 Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.  
Trans 2 Address: Not reported  
Trans 2 City,St,Zip: CT  
Trans 2 Country: USA  
Trans 2 Phone: Not reported  
EPA ID: NYD986936904  
Generator Phone: 7187808686  
Generator Mailing Addr: 630 FLUSHING AVE  
Generator Mailing Town: BROOKLYN  
Generator Mailing State: NY  
Generator Mailing Zip: 11206  
Generator Mailing Country: USA  
Special Handling: Not reported  
Discrepancies: No  
Date Shipped: 5/11/1999  
Date Received: 5/18/1999  
Last modified date: 4/26/2004  
Last modified by: IG  
Comments: Not reported

Waste:

Manifest No: CTF0592614

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PFIZER INC BROOKLYN PLT (Continued)**

**S109785213**

Waste Occurrence: 1  
UNNA: 2821  
Hazard Class: 6.1  
US Dot Description: WASTE PHENOL SOLUTION  
No of Containers: 001  
Container Type: DF  
Quantity: 60  
Weight/Volume: P  
Additional Description: Not reported  
Handling Code: Not reported  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Waste CD:

Manifest No: CTF0592614  
Waste Occurrence: 1  
EPA Waste Code: U188  
Recycled Waste?: F  
Date Record Was Last Modified: 4/26/2004  
DEO Who Last Modified Record: IG

Detail:

Year: 1998  
Manifest ID: CTF0592614  
TSDF EPA ID: CTD000604488  
TSDF Name: CLEAN HARBORS OF CONNECTICUT, INC.  
TSDF Address: 51 BRODERICK RD  
TSDF City,St,Zip: BRISTOL, CT 06010  
TSDF Country: USA  
TSDF Telephone: Not reported  
Transport Date: 6/11/1998  
Transporter EPA ID: MAD039322250  
Transporter Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.  
Transporter Country: USA  
Transporter Phone: Not reported  
Trans 2 Date: 6/15/1998  
Trans 2 EPA ID: MAD039322250  
Trans 2 Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.  
Trans 2 Address: Not reported  
Trans 2 City,St,Zip: CT  
Trans 2 Country: USA  
Trans 2 Phone: Not reported  
EPA ID: NYD986936904  
Generator Phone: 7187808686  
Generator Mailing Addr: 630 FLUSHING AVE  
Generator Mailing Town: BROOKLYN  
Generator Mailing State: NY  
Generator Mailing Zip: 11206  
Generator Mailing Country: USA  
Special Handling: Not reported  
Discrepancies: No  
Date Shipped: 6/11/1998  
Date Received: 7/24/1998  
Last modified date: 4/26/2004  
Last modified by: IG  
Comments: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

139  
NE  
1/8-1/4  
0.236 mi.  
1245 ft.

**CONSOLIDATED EDISON  
MCKIBBEN ST & GRAHAM AVE  
BROOKLYN, NY**

**MANIFEST 1009240828  
N/A**

**Relative:  
Higher**

NY MANIFEST:

**Actual:  
21 ft.**

EPA ID: NYP004088399  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NYE0523377  
Manifest Status: Not reported  
Trans1 State ID: NYD006982359  
Trans2 State ID: NYD006982359  
Generator Ship Date: 08/20/2001  
Trans1 Recv Date: 08/20/2001  
Trans2 Recv Date: 08/21/2001  
TSD Site Recv Date: 08/21/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004088399  
Trans1 EPA ID: NYD077444263  
Trans2 EPA ID: Not reported  
TSD ID: 60913AX  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00800  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 01.00  
Year: 2001

Document ID: NYE0523665  
Manifest Status: Not reported  
Trans1 State ID: NYD006982359  
Trans2 State ID: Not reported  
Generator Ship Date: 08/22/2001  
Trans1 Recv Date: 08/22/2001  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 08/30/2001  
Part A Recv Date: Not reported  
Part B Recv Date: Not reported  
Generator EPA ID: NYP004088399  
Trans1 EPA ID: NYD077444263  
Trans2 EPA ID: Not reported  
TSD ID: 17741AV

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009240828

Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00200  
Units: P - Pounds  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: L Landfill.  
Specific Gravity: 01.00  
Year: 2001

140  
NE  
1/8-1/4  
0.246 mi.  
1297 ft.

134 BOEHUM ST  
134 BOERUM STREET  
BKLYN, NY 11211

AST U003389985  
HIST AST N/A

Relative:  
Higher

AST:  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-259039  
Program Type: PBS  
UTM X: 589317.31261999998  
UTM Y: 4506607.9698900003  
Expiration Date: 2012/08/17

Actual:  
24 ft.

Affiliation Records:  
Site Id: 10757  
Affiliation Type: Owner  
Company Name: BITOCHEN REALTY CORP  
Contact Type: MANAGING AGENT  
Contact Name: JACOB HAGER  
Address1: 544 PARK AVE., SUITE 610  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11205  
Country Code: 001  
Phone: (718) 852-0978  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 6/26/2007

Site Id: 10757  
Affiliation Type: On-Site Operator  
Company Name: 134 BOEHUM ST  
Contact Type: Not reported  
Contact Name: MIGUEL RODRIGUEZ  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 599-1737  
Phone Ext: Not reported  
Email: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

134 BOEHUM ST (Continued)

U003389985

Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 10757  
Affiliation Type: Emergency Contact  
Company Name: BITOCHEN REALTY CORP  
Contact Type: Not reported  
Contact Name: J.A. HAGER  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 852-0978  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 6/26/2007

Site Id: 10757  
Affiliation Type: Mail Contact  
Company Name: BITOCHEN REALTY CORP  
Contact Type: Not reported  
Contact Name: J. HAGER  
Address1: 544 PARK AVENUE, #610  
Address2: Not reported  
City: BROOKLYN  
State: NY  
Zip Code: 11205  
Country Code: 001  
Phone: (718) 852-0978  
Phone Ext: Not reported  
Email: JHAGER@HAGERMANAGEMENT.COM  
Fax Number: Not reported  
Modified By: KXTANG  
Date Last Modified: 6/26/2007

Equipment Records:

B00 - Tank External Protection - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
C00 - Pipe Location - No Piping  
D02 - Pipe Type - Galvanized Steel  
H00 - Tank Leak Detection - None  
G00 - Tank Secondary Containment - None  
I04 - Overfill - Product Level Gauge (A/G)  
J02 - Dispenser - Suction  
F00 - Pipe External Protection - None  
A00 - Tank Internal Protection - None

Tank Info:

Tank Number: 001  
Tank Id: 18085  
Tank Location: 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

134 BOEHUM ST (Continued)

U003389985

Tank Type: Steel/Carbon Steel/Iron  
Tank Status: In Service  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 11/2/1960  
Capacity Gallons: 5000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Register: True  
Modified By: KXTANG  
Last Modified: 6/26/2007

HIST AST:

PBS Number: 2-259039  
SWIS Code: 6101  
Operator: E CALDERAN  
Facility Phone: (718) 338-6132  
Facility Addr2: 134 BOERUM STREET  
Facility Type: APARTMENT BUILDING  
Emergency: J.A. HAGER  
Emergency Tel: (718) 782-0579  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: BITOCHEN REALTY CORP  
Owner Address: 217 HAVEMEYER STREET #505  
Owner City,St,Zip: BKLYN, NY 11211  
Federal ID: Not reported  
Owner Tel: (718) 782-0579  
Owner Type: Corporate/Commercial  
Owner Subtype: Not reported  
Mailing Contact: J. HAGER  
Mailing Name: BITOCHEN REALTY CORP  
Mailing Address: 260 HAVEMEYER STREET #505  
Mailing Address 2: Not reported  
Mailing City,St,Zip: BKLYN, NY 11211  
Mailing Telephone: (718) 782-0579  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Certification Flag: False  
Certification Date: 08/13/1997  
Expiration: 08/17/2002  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 5000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: No Missing Data  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

134 BOEHUM ST (Continued)

U003389985

County Code: 61  
Town or City Code: 01  
Region: 2  
  
Tank ID: 001  
Tank Location: ABOVEGROUND  
Tank Status: In Service  
Install Date: Not reported  
Capacity (Gal): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Not reported  
Pipe Type: GALVANIZED STEEL  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: None  
Leak Detection: 0  
Overfill Protection: 4  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: False  
SPDES Number: Not reported  
Lat/Long: Not reported

141  
NNE  
1/8-1/4  
0.246 mi.  
1296 ft.

CON ED-MH 15132  
MANHATTAN AVE & JOHNSON AVE  
BROOKLYN, NY 11206

RCRA-NonGen 1007206720  
MANIFEST NYP004014932

Relative:  
Higher

RCRA-NonGen:

Date form received by agency: 02/28/1998  
Facility name: CON ED-MH 15132  
Facility address: MANHATTAN AVE & JOHNSON AVE  
BROOKLYN, NY 112060000  
EPA ID: NYP004014932  
Mailing address: CONSOLIDATED EDISON INC  
4 IRVING PL ROOM 300  
NEW YORK, NY 100030000  
Contact: ANTHONY DRUMMINGS  
Contact address: CONSOLIDATED EDISON INC  
NEW YORK, NY 100030000  
Contact country: US  
Contact telephone: (212) 460-3770  
Contact email: Not reported  
EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:  
29 ft.

Handler Activities Summary:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CON ED-MH 15132 (Continued)**

**1007206720**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 02/27/1998  
Facility name: CON ED-MH 15132  
Classification: Not a generator, verified

Date form received by agency: 02/26/1998  
Facility name: CON ED-MH 15132  
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004014932  
Country: USA  
Mailing Name: CONSOLIDATED EDISON  
Mailing Contact: FRANKLIN MURRAY  
Mailing Address: 4 IRVING PLACE RM 828  
Mailing Address 2: Not reported  
Mailing City: NEW YORK  
Mailing State: NY  
Mailing Zip: 10003  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 212-460-2808

Document ID: NYE0006129  
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
Trans1 State ID: 80336AB  
Trans2 State ID: Not reported  
Generator Ship Date: 971120  
Trans1 Recv Date: 971120  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 971120  
Part A Recv Date: 971211  
Part B Recv Date: 971218  
Generator EPA ID: NYP004014932  
Trans1 EPA ID: NYD006982359  
Trans2 EPA ID: Not reported  
TSDf ID: NYD077444263  
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CON ED-MH 15132 (Continued)**

**1007206720**

Quantity: 00681  
 Units: K - Kilograms (2.2 pounds)  
 Number of Containers: 003  
 Container Type: DM - Metal drums, barrels  
 Handling Method: L Landfill.  
 Specific Gravity: 100  
 Year: 97

Document ID: NYE0096974  
 Manifest Status: Completed copy  
 Trans1 State ID: 20854AD  
 Trans2 State ID: Not reported  
 Generator Ship Date: 971120  
 Trans1 Recv Date: 971120  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 971121  
 Part A Recv Date: 971211  
 Part B Recv Date: 971211  
 Generator EPA ID: NYP004014932  
 Trans1 EPA ID: NYD006982359  
 Trans2 EPA ID: Not reported  
 TSD ID: NYD980593636  
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB  
 Quantity: 01427  
 Units: K - Kilograms (2.2 pounds)  
 Number of Containers: 001  
 Container Type: TT - Cargo tank, tank trucks  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 97

**142**  
**SSW**  
**1/8-1/4**  
**0.248 mi.**  
**1312 ft.**

**PFIZER (ORGANICS/SUCIAC BLOCK)**  
**CENTRAL PORTION OF PFIZER FACILITY, 630 FLUSHING A**  
**BROOKLYN, NY**

**VCP S104323903**  
**N/A**

**Relative:**  
**Lower**

VCP:

Program Type: VCP  
 Site Code: 58107  
 HW Code: V00124  
 Site Class: C  
 SWIS: 2401  
 Region: 2  
 Town: New York City  
 Acres: Not reported  
 Date Record Added: 11/30/2000 4:06:00 PM  
 Date Record Updated: 3/23/2007 2:53:00 PM  
 Updated By: dcwalsh  
 Site Description:

**Actual:**  
**12 ft.**

The "Organics/Suciac Block" site is located in the central portion of the Pfizer Inc. facility in the Williamsburg section of Brooklyn, NY. Gerry Street, Harrison Avenue, Union Avenue and Wallabout Street border this block. The site was first developed for chemical manufacturing between 1854-1888. Operations continued there until 1989 and all buildings were demolished by March of 1995. The Organic/Suciac block is situated within a high-density, mixed urban/commercial/ industrial zone. Pfizer decommissioned the

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PFIZER (ORGANICS/SUCIAC BLOCK) (Continued)**

**S104323903**

Organic/Suciac block with the intent to utilize it for future redevelopment and/or beneficial use. As part of the decommissioning process, all buildings were demolished. The present concrete slab is continuous throughout the Block and varies in thickness from 0.5 and 1.5 feet. In 1997, waste from the site was excavated and disposed off site, which included 18.12 tons of mercury and lead hazardous soils. Also, a total of 1,930 tons of benzene hazardous soils were excavated and disposed off-site. In 1999/2000, the excavated soil (approximately 420.3 tons) was classified as a petroleum contaminated non-hazardous material, and was transported off-site and disposed. Institutional Controls: On June 22, 2001, Pfizer presented the deed restrictions for recording in the Kings County Registrar s Office. These restrictions state that unless additional response actions are performed at the Site to allow its use for residential purposes, the Site shall be prohibited from being used for purposes other than industrial, commercial and/or recreational purposes without the expressed written permission from the Department.

Env Problem: In 1997, waste from the site was excavated and disposed off site, which included 18.12 tons of mercury and lead hazardous soils. Also, a total of 1,930 tons of benzene hazardous soils were excavated and disposed off-site. In 1999/2000, the excavated soil (approximately 420.3 tons) was classified as a petroleum contaminated non-hazardous material, and was transported off-site and disposed. Institutional Controls: On June 22, 2001, Pfizer presented the deed restrictions for recording in the Kings County Registrar s Office. These restrictions state that unless additional response actions are performed at the Site to allow its use for residential purposes, the Site shall be prohibited from being used for purposes other than industrial, commercial and/or recreational purposes without the expressed written permission from the Department.

Health Problem: Not reported

143  
 NW  
 1/4-1/2  
 0.282 mi.  
 1490 ft.

**187 UNION AVENUE / BROOKL  
 187 UNION AVE  
 BROOKLYN, NY**

**LTANKS S102662540  
 HIST LTANKS N/A**

**Relative:  
 Higher**

LTANKS:  
 Site ID: 188778  
 Spill No: 8607159  
 Spill Date: 2/24/1987  
 Spill Cause: Tank Overfill  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
 Spill Closed Dt: 1/13/2005  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: JAKOLLEE  
 Referred To: Not reported  
 Reported to Dept: 2/24/1987  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: Federal Government  
 Last Inspection: Not reported

**Actual:  
 18 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

187 UNION AVENUE / BROOKL (Continued)

S102662540

Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 3/4/1987  
Spill Record Last Update: 7/7/2005  
Spiller Name: Not reported  
Spiller Company: NYC FIRE / POLICE DEPT.  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 141497  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ZHITOMIRSKY" // : BURIED ABOVE GROUND TANK LEAKING THROUGH FIRE WALL FROM 90TH PCT. TO FIREHOUSE. ABSORBENT PADS ARE BEINGPUT DOWN. This spill is referred to spill # 9807905 and is closed today as per discussion with Alex. - II (01/13/05).  
Remarks: UNDERGROUND TANK LEAKING FROM THE POLICE DEPT. TO THE FIRE DEPT. FOR SEVERAL MONTHS. 90TH PRECINCT - 718-963-5311 ASSIGNED TO DGS MONITORS FOR FURTHER ACTION

Material:

Site ID: 188778  
Operable Unit ID: 904921  
Operable Unit: 01  
Material ID: 559700  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False  
Site ID: 188778  
Operable Unit ID: 904921  
Operable Unit: 01  
Material ID: 559701  
Material Code: 0063A  
Material Name: UNKNOWN HAZARDOUS MATERIAL  
Case No.: Not reported  
Material FA: Hazardous Material  
Quantity: 0  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

187 UNION AVENUE / BROOKL (Continued)

S102662540

Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8607159  
Spill Date: 02/24/1987  
Spill Time: 12:55  
Spill Cause: Tank Overfill  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: ZHITOMIRSKY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 02/24/87  
Reported to Department Time: 12:55  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC FIRE / POLICE DEPT.  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 476-6288  
Facility Extention: Not reported  
Spill Notifier: Federal Government  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/04/87  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 10/14/97

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

187 UNION AVENUE / BROOKL (Continued)

S102662540

Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
Material Class Type: Nonpetroleum/Nonhazardous  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: UNKNOWN HAZARDOUS MATERIAL  
Class Type: UNKNOWN HAZARDOUS MATERIAL  
Times Material Entry In File: 2093  
CAS Number: Not reported  
Last Date: 19940728

DEC Remarks: // : BURIED ABOVE GROUND TANK LEAKING THROUGH FIRE WALL FROM 90TH PCT. TO FIREHOUSE. ABSORBENT PADS ARE BEINGPUT DOWN.

Spill Cause: UNDERGROUND TANK LEAKING FROM THE POLICE DEPT. TO THE FIRE DEPT. FOR SEVERAL MONTHS. 90TH PRECINCT - 718-963-5311 ASSIGNED TO DGS MONITORS FOR FURTHER ACTION

144  
NNW  
1/4-1/2  
0.288 mi.  
1523 ft.

APARTMENT BLDG  
30 MONTROSE AV  
BROOKLYN, NY

HIST LTANKS S105055138  
NY Spills N/A

Relative:  
Higher

HIST LTANKS:

Region of Spill: 2  
Spill Number: 0103137  
Spill Date: 06/20/2001  
Spill Time: 11:00  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: //  
Cleanup Ceased: //

Actual:  
18 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BLDG (Continued)**

**S105055138**

Cleanup Meets Standard: False  
Investigator: DEMEO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 06/21/01  
Reported to Department Time: 10:36  
SWIS: 61  
Spiller Contact: JIM BRYANT  
Spiller Phone: (718) 384-3159  
Spiller Extension: Not reported  
Spiller Name: APARTMENT BLDG /  
Spiller Address: 30 MONTROSE AV  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller Cleanup Date: / /  
Facility Contact: JIM BRYANT  
Facility Phone: (718) 384-3159  
Facility Extension: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 06/21/01  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 08/09/01  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**APARTMENT BLDG (Continued)**

**S105055138**

DEC Remarks: 06/21/01 NEW YORK PLUMBING. PROTEST JOHN LEDDE IS TRANSFERRING THE OIL FROM THE TWO TANKS IN THE AREA OF THE LEAK TO OTHER TANKS THAT THE COMPLEX OWNS. THE NEXT STEP WILL BE DETERMINED WHEN THE TANKS ARE CLEANED AND CAN BE INSPECTED. 6/26/2001 STEWART THE CONCERNED CITIZEN CALLED TO EXPRESS HIS CONCERNS. 718-441-6800 EDDIE SHAPIRO 718-782-9000 MGMT OFFICE 8/9/01 Spoke with Carol Karp from Phoenix Environmental regarding work plan submitted on 7/26/01. Plan approved. Initial investigation to include soil borings and the installation of 2 monitoring wells.

Spill Cause: underground tank failed - unk amount spilled

NY Spills:

Site ID: 329820  
Facility Addr2: Not reported  
Facility ID: 0103137  
Spill Number: 0103137  
Facility Type: ER  
SWIS: 2401  
Investigator: hrpatel  
Referred To: Not reported  
Spill Date: 6/20/2001  
Reported to Dept: 6/21/2001  
CID: 390  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 9/4/2009  
Remediation Phase: 0

Date Entered In Computer: 6/21/2001

Spill Record Last Update: 1/26/2011

Spiller Name: JIM BRYANT

Spiller Company: APARTMENT BLDG /

Spiller Address: 30 MONTROSE AV

Spiller City,St,Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: JIM BRYANT

Contact Phone: (718) 384-3159

DEC Region: 2

DER Facility ID: 265363

DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "DEMEO" 06/21/01 NEW YORK PLUMBING. PROTEST JOHN LEDDE IS TRANSFERRING THE OIL FROM THE TWO TANKS IN THE AREA OF THE LEAK TO OTHER TANKS THAT THE COMPLEX OWNS. THE NEXT STEP WILL BE DETERMINED WHEN THE TANKS ARE CLEANED AND CAN BE INSPECTED. 6/26/2001 STEWART THE CONCERNED CITIZEN CALLED TO EXPRESS HIS CONCERNS. 718-441-6800 EDDIE SHAPIRO 718-782-9000 MGMT OFFICE 8/9/01 Spoke with Carol Karp from Phoenix Environmental regarding work plan submitted on 7/26/01. Plan approved. Initial investigation to include soil borings and the installation of 2 monitoring wells. 09/04/09-Hiralkumar Patel. transferred case from needs reassignment to me as working on another

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

APARTMENT BLDG (Continued)

S105055138

spill (0905433) at the same site. reviewed old documents.  
\*\*\*\*\*  
-\* 07/26/01: work plan letter from Phoenix environmental regarding tank test and borings around tank. 11/21/01: letter report from Phoenix environmental:- - conducted subsurface investigation and monitoring well installation in the vicinity of the two 30,000 gal USTs - investigation was prompted when fule oil was found to be seeping through the basement wall adjacent to USTs <----- - advanced five soil borings: borings B-1 through B-4 were installed to depths of 22 to 30 ft bg and boring B-5 was installed to depth of 14 ft bg where refusal encountered - PID readings ranged from 0 to 11 ppm except for in B-3 (10-14 ft) which has a reading of 124 ppm <----- - soil encountered consisted of sandy fill material to approx. 8 ft bg underlain by silty clay with varying amount of fine sand - three monitoring wells were installed at boring locations B-1, B-2 and B-3 - three wells were gauged on four dates to checke for product - no product detected in wells except for in MW-3 where 0.03 ft of product measured on 09/11/01 - based on soil and gw investigation, proposed to install additional soil borings and wells between the USTs and the building, to the west of MW-3 <----- - groundwater found between 10 to 12 ft bg - screen in wells MW-1 and MW-2 installed from 5 ft to 15 ft depth and in well MW-3 from 4 to 14 ft depth - no soil or groundwater sample analyticals available in report 08/27/02: DEC DeMeo sent letter to Phoenix environmental approving proposed well installation in report dated 11/21/01. also required to submit previous sample analyticals. 09/05/02: letter from Phoenix environmental proposed to installed two additional wells and further soil borings around MW-2 and MW-3. 01/31/03: Quarterly Update report from Phoenix environmental:- - soil borings B-5, B-6, B-7 and B-8, and monitoring well MW-4 were drilled to dephts ranging from 10 to 22 ft below land surface - borings B-6, B-7 and B-8 were advanced in the vicinity of existing wells MW-3, MW-2 and MW-1, respectively, to collect additional soil data - PID readings ranged from 0 to 63 ppm - soil samples collected at or above water table from borings B-5, B-7 and B-8, and well MW-4 - no soil sample collected from B-6 as found refusal before reaching groundwater and PID was 0 ppm - two inch diameter well was installed at MW-4 to 13 ft bg, consisting of 10 ft of screen - depth to groundwater in well ranged from 9.43 to 11.49 ft bg - well MW-4 contained 0.03 ft of product  
\*\*\*\*\*  
-\* spill closed and will be investigated under the spill #: 0905433.  
underground tank failed - unk amount spilled

Remarks:  
Material:  
Site ID: 329820  
Operable Unit ID: 839728  
Operable Unit: 01  
Material ID: 535233  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**APARTMENT BLDG (Continued)**

**S105055138**

Tank Test:  
 Site ID: Not reported  
 Spill Tank Test: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

**145**  
**WSW**  
**1/4-1/2**  
**0.298 mi.**  
**1572 ft.**

**CONSTRUCTION SITE**  
**420 MARCY AVE**  
**BROOKLYN, NY**

**LTANKS** **S106972318**  
**N/A**

**Relative:**  
**Lower**

LTANKS:  
 Site ID: 349949  
 Spill No: 0505009  
 Spill Date: 7/26/2005  
 Spill Cause: Tank Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 11/4/2005  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: aaobliga  
 Referred To: NFA GRANTED  
 Reported to Dept: 7/26/2005  
 CID: 444  
 Water Affected: Not reported  
 Spill Notifier: Other  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: True  
 Remediation Phase: 0  
 Date Entered In Computer: 7/26/2005  
 Spill Record Last Update: 11/4/2005  
 Spiller Name: SHAGI FREID  
 Spiller Company: CONSTRUCTION SITE  
 Spiller Address: 420 MARCEY AVE  
 Spiller City,St,Zip: BROOKLYN, NY  
 Spiller County: 001  
 Spiller Contact: SHAGI FREID  
 Spiller Phone: (718) 522-5519  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 296385  
 DEC Memo: 7/26/2005 Sangesland spoke to Christopher DeCarlo (cell #201-694-4943) with Flemming Lee Shue Environmental Consulting. Approx. 20 years ago this site was a gasoline station. There is no

**Actual:**  
**12 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S106972318**

DEC - PBS or Spill history for the site. Chris DeCarlo works for the new owner of a property which is now under construction. Apparently the former owner dug out the tanks and left a pit. Now that the new owner has started construction, approx 8 ft below the bottom of the pit they found floating gasoline product. They are in the process of removing product and contaminated soil. Since the consultant knew the DEC procedure and had already started, no contaminated soil letter was sent. 7/26/2005 Sangesland - a second "Spill Report" came in on this site (#0505029). A vapor complaint from a neighbor with the smell of gasoline (95 degree temp today). Sangesland left a voice mail with Chris DeCarlo at Flemming Shue asking him to confirm that the stock piled material is covered and as much "Vapor Abatement" as possible has been done. 9/19/05-Reassigned to A. Obligado. (Sun) 9/19/05- Obligado- Reviewed fax from Christopher De Carlo of Fleming Lee Shue consultants dated 9/8/05 requesting case manager be assigned to site. Called De Carlo to give him contact info. DeCarlo stated that they completed excavation of soil and taken clean soil endpoint samples. GW sample from bottom of excavation is 18 ppm MTBE and 3.9 ppm benzene. Asks if they can request closure of spill number. Tell him the NYSDEC needs to see the UST closure report before a judgement can be made. DeCarlo says report is in progress and NYSDEC should receive it shortly. 9/19/05 - Obligado - Follow up phone conversation with De Carlo. Ask him to send DEC foundation and vapor barrier details. Inquire about site status - site construction on hold pending permit for excavation. Ask him not to begin construction until the department reviews designs and UST excavation results. 10/28/05 - Obligado - Received phone call from De Carlo, says he had sent DEC Remedial Action Report and was waiting for DEC response. Told him that haven't seen report yet, and to email pdf of report. 10/31/05 - Obligado - review Remedial Action Report. 5 gasoline USTs removed previously, no records of soil disposal or analyticals. Upon beginning of FLShue's involvement of the site, the USTs had already been removed and an excavation 3 to 4 ft deep was on site. Continued excavation to 9-10 ft bgs. Excavated laterally until no contaminated soil encountered. 354 tons of soil removed from site. Soil results show no VOC exceedences in endpoint samples, only PAH exceedences in one soil sample, SB-2. Ground water sample collected from bottom of excavation show 3.9 ppb benzene and 18 ppb MTBE. Building construction will include 20 mL high polypropylene vapor barrier. Request NFA based on low concentrations and vapor barrier. Call Chris and leave message. Sent email approving building construction. Need to discuss closure. 11/3/05 - Obligado - Call Chris De Carlo (212) 675-3225, left message

Remarks:

OWNER OF PROPERTY IS WALMARR LLC REALTY : REMOVING TANKS AND LLEFT A HOLE IN MIDDLE OF PROPERTY AND FOUND CONTAMINATED SOIL; AND FREE PRODUCT: ARE RMOVING SOIL AT THIS TIME;

Material:

Site ID: 349949  
Operable Unit ID: 1107537  
Operable Unit: 01  
Material ID: 2097425  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S106972318**

Units: Gallons  
 Recovered: No  
 Resource Affected: Not reported  
 Oxygenate: False

Tank Test:

Site ID: Not reported  
 Spill Tank Test: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

146  
 NW  
 1/4-1/2  
 0.305 mi.  
 1610 ft.

**JOHNSON AVE. & BROADWAY  
 JOHNSON AVE AND BROADWAY  
 BROOKLYN, NY**

**LTANKS  
 HIST LTANKS**

**S100560449  
 N/A**

**Relative:  
 Higher**

LTANKS:

**Actual:  
 19 ft.**

Site ID: 215550  
 Spill No: 9305896  
 Spill Date: 8/13/1993  
 Spill Cause: Tank Failure  
 Spill Source: Commercial/Industrial  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 8/13/1993  
 Facility Addr2: Not reported  
 Cleanup Ceased: 8/13/1993  
 Cleanup Meets Standard: True  
 SWIS: 2401  
 Investigator: GRIFFIN  
 Referred To: Not reported  
 Reported to Dept: 8/13/1993  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: Local Agency  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: True  
 Remediation Phase: 0  
 Date Entered In Computer: 8/16/1993  
 Spill Record Last Update: 9/30/2004  
 Spiller Name: Not reported  
 Spiller Company: Not reported  
 Spiller Address: Not reported  
 Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JOHNSON AVE. & BROADWAY (Continued)**

**S100560449**

DEC Region: 2  
DER Facility ID: 178521  
DEC Memo: Not reported  
Remarks: U/G GASOLINE TANK APPEARS TO BE LEAKING - NYC FIRE HAZ/MAT CHECKING  
FIREMAN RICHARD KELLER

Material:

Site ID: 215550  
Operable Unit ID: 984053  
Operable Unit: 01  
Material ID: 395799  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -50  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9305896  
Spill Date: 08/13/1993  
Spill Time: 09:00  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 08/13/93  
Cleanup Ceased: 08/13/93  
Cleanup Meets Standard: True  
Investigator: GRIFFIN  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JOHNSON AVE. & BROADWAY (Continued)**

**S100560449**

Notifier Extension: Not reported  
Reported to Department Date: 08/13/93  
Reported to Department Time: 09:34  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: Local Agency  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 08/16/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -50  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: U/G GASOLINE TANK APPEARS TO BE LEAKING - NYC FIRE HAZ/MAT CHECKING FIREMAN RICHARD KELLER

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

EDR ID Number  
 EPA ID Number

147  
 ENE  
 1/4-1/2  
 0.308 mi.  
 1624 ft.

**BORINQUEN PLAZA  
 110 HUMBOLDT STREET  
 BROOKLYN, NY 11206**

**LTANKS  
 HIST LTANKS  
 UST  
 HIST UST**

**U002034215  
 N/A**

**Relative:  
 Higher**

**LTANKS:**

**Actual:  
 20 ft.**

Site ID: 86456  
 Spill No: 9605290  
 Spill Date: 7/24/1996  
 Spill Cause: Tank Test Failure  
 Spill Source: Commercial/Industrial  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 11/10/2010  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: jkkann  
 Referred To: Not reported  
 Reported to Dept: 7/24/1996  
 CID: 270  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 7/24/1996  
 Spill Record Last Update: 11/10/2010  
 Spiller Name: DAVE FORTE  
 Spiller Company: NYC HOUSING AUTHORITY  
 Spiller Address: Not reported  
 Spiller City,St,Zip: ZZ  
 Spiller County: 001  
 Spiller Contact: DAVE FORTE  
 Spiller Phone: (212) 306-3229  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 79316  
 DEC Memo: 12/12/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
 09/08/06: NYCHA Schedule D list states that quarterly sampling was performed in 2003 and the samples were clean. No such documents on file. No information in the site summaries. - SK 02/08/07: DEC lead changed from S. Kraszewski to J. Kann. J.Kann 02/13/09: J.Kann - Spoke with Gannett Fleming about a work plan being prepared for the site. Groundwater samples will be collected and analyzed for STARS VOCs and SVOCs. 4/28/09: J.Kann - Draft work plan received on 2/25. Comments sent on 3/17. Final Work Plan received on 4/24 and approved on 4/27. 10/06/09: J.Kann - Site visit to observe gw sampling. 1/27/10: J.Kann - ISR submitted on 1/20/10. Spill Closure request. Report needs to be reviewed. 11/10/10: J.Kann - based on review of the SAR and some PAHs remaining in soils at depth, NYCHA was emailed that a Quantitative exposure assessment should be performed on 10/28/10. A revised report was submitted on 11/5/10 and reviewed. Based on the QEA a complete exposure pathway does not exist. NFA. Spill closed.  
 Remarks: test failed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034215**

Material:

Site ID: 86456  
Operable Unit ID: 1032806  
Operable Unit: 01  
Material ID: 348039  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 86456  
Spill Tank Test: 1544656  
Tank Number: 1b  
Tank Size: 5000  
Test Method: 03  
Leak Rate: -12.800000000000001  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9605290  
Spill Date: 07/24/1996  
Spill Time: 13:49  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 07/24/96  
Reported to Department Time: 13:52  
SWIS: 61  
Spiller Contact: DAVE FORTE  
Spiller Phone: (212) 306-3229

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034215**

Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: DAVE FORTE  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-601867  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 07/24/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 09/05/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1b  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: -12.80  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: test failed

**UST:**

Facility Id: 2-601867  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 589489.82368999999  
UTM Y: 4506519.83115

**Affiliation Records:**

Site Id: 23829

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034215**

Affiliation Type: Owner  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: FUEL OIL REMEDIATION COORDINATOR  
Contact Name: FUEL OIL REMEDIATION COORD.  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/30/2005

Site Id: 23829  
Affiliation Type: Mail Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: LUIS PONCE  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23829  
Affiliation Type: On-Site Operator  
Company Name: BORINQUEN PLAZA  
Contact Type: Not reported  
Contact Name: LUIS PONCE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23829  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034215**

Contact Name: EMERGENCY SERVICE DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/21/2005

Equipment Records:

A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
C00 - Pipe Location - No Piping  
B00 - Tank External Protection - None  
H00 - Tank Leak Detection - None  
F06 - Pipe External Protection - Wrapped  
G00 - Tank Secondary Containment - None  
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 23829  
  
Tank Number: 1  
Tank ID: 48182  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 2/1/1975  
Capacity Gallons: 5000  
Tightness Test Method: 03  
Next Test Date: Not reported  
Date Tank Closed: 3/1/2000  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 4/1/1991  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-601867  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (718) 289-3940  
Operator: LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034215**

Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)  
and Subpart 360-14.  
Facility Addr2: 130 HUMBOLDT STREET (MANAGEMENT OFFICE)  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: Not reported  
Expiration Date: 06/01/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19750201  
Capacity (gals): 5000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Not reported  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Wrapped (Piping)  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 04/01/1991  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 03/01/2000  
Test Method: Horner EZ Check

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034215**

Deleted: False  
 Updated: True  
 Lat/long: Not reported

**AI148**  
**ENE**  
**1/4-1/2**  
**0.316 mi.**  
**1667 ft.**

**BORINQUEN PLAZA**  
**120 HUMBOLDT STREET**  
**BROOKLYN, NY 11206**

**Site 1 of 3 in cluster AI**

**LTANKS**  
**HIST LTANKS**  
**UST**  
**HIST UST**

**U002034216**  
**N/A**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**19 ft.**

Site ID: 201928  
 Spill No: 9807939  
 Spill Date: 9/29/1998  
 Spill Cause: Tank Test Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 10/28/2010  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: jkkann  
 Referred To: Not reported  
 Reported to Dept: 9/29/1998  
 CID: 252  
 Water Affected: Not reported  
 Spill Notifier: Responsible Party  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 9/29/1998  
 Spill Record Last Update: 10/28/2010  
 Spiller Name: FRANK OCELLO  
 Spiller Company: NYC HOUSING AUTHORITY  
 Spiller Address: 250 BROADWAY  
 Spiller City,St,Zip: NEW YORK, NY 10007-001  
 Spiller Contact: FRANK OCELLO  
 Spiller Phone: (212) 306-3229  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 167972  
 DEC Memo: 12/02/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
 09/01/06: DEC Lead for this spill changed from "unassigned" to S. Kraszewski. - J. Kolleeny 02/08/07 : DEC lead changed from S. Kraszewski to J. Kann. J.Kann 02/13/09: J.Kann - Spoke with Ivy Olberding of PW Grosser to discuss Work Plan proposals for this site. Existing groundwater wells will be sampled for STARS VOCs and SVOCs.  
 4/28/09: J.Kann - Draft work plan received on 2/25. Comments sent on 3/26. Final Work Plan received on 4/24 and approved on 4/27.  
 10/06/09: J.Kann - Site visit to observe gw sampling. 1/27/10: J.Kann - ISR submitted on 1/20/10. Spill Closure request. Report needs to be reviewed. 10/28/10: J.Kann - Report reviewed. No SVOCs or VOCs detected in soil samples. No SVOCs in groundwater. One upgradient well contained benzene at 6.2 ppb. Tank closed in 2000. NFA.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034216**

Remarks: WILL ISOLATE AND RE-TEST

Material:

Site ID: 201928  
Operable Unit ID: 1069122  
Operable Unit: 01  
Material ID: 315477  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 201928  
Spill Tank Test: 1546317  
Tank Number: 1  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9807939  
Spill Date: 09/29/1998  
Spill Time: 12:45  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 09/29/98  
Reported to Department Time: 13:19  
SWIS: 61

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034216**

Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELLO  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: -601868  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/29/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/25/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: WILL ISOLATE AND RE-TEST

**UST:**

Facility Id: 2-601868  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 589484.76971000002  
UTM Y: 4506554.5494900001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034216**

Affiliation Records:

Site Id: 23830  
Affiliation Type: On-Site Operator  
Company Name: BORINQUEN PLAZA  
Contact Type: Not reported  
Contact Name: MR. LUIS PONCE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23830  
Affiliation Type: Owner  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: FUEL OIL REMEDIATION COORDINATOR  
Contact Name: FUEL OIL REMEDIATION COORD.  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/30/2005

Site Id: 23830  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: EMERGENCY SERVICE DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/21/2005

Site Id: 23830  
Affiliation Type: Mail Contact

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034216**

Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: MR. LUIS PONCE  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
B00 - Tank External Protection - None  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
F06 - Pipe External Protection - Wrapped  
I04 - Overfill - Product Level Gauge (A/G)  
C02 - Pipe Location - Underground/On-ground

Tank Info:

Site ID: 23830  
  
Tank Number: 1  
Tank ID: 48183  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 2/1/1975  
Capacity Gallons: 5000  
Tightness Test Method: 03  
Next Test Date: Not reported  
Date Tank Closed: 3/1/2000  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 1/1/1991  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-601868  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (718) 289-3940  
Operator: MR. LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034216**

Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: MR. LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons and Subpart 360-14.  
Facility Addr2: 130 HUMBOLDT ST (MANAGEMENT OFFICE)  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 01/05/2001  
Expiration Date: 06/01/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19750201  
Capacity (gals): 5000  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: None  
Tank External: None  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: None  
Pipe External: Wrapped (Piping)  
Second Containment: None  
Leak Detection: None  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 01/01/1991  
Next Test Date: Not reported  
Missing Data for Tank: No Missing Data

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BORINQUEN PLAZA (Continued)**

**U002034216**

Date Closed: 03/01/2000  
 Test Method: Horner EZ Check  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**149  
 ESE  
 1/4-1/2  
 0.316 mi.  
 1668 ft.**

**BUSHWICK HOUSES -NYCHA  
 24 HUMBOLDT STREET  
 BROOKLYN, NY**

**LTANKS  
 HIST LTANKS  
 NY Spills  
 NY Hist Spills**

**S101658432  
 N/A**

**Relative:  
 Higher**

**LTANKS:**

Site ID: 315418  
 Spill No: 9505310  
 Spill Date: 7/31/1995  
 Spill Cause: Tank Test Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
 Willing Responsible Party. Corrective action taken.

**Actual:  
 25 ft.**

Spill Closed Dt: 11/2/2005  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: SWKRASZE  
 Referred To: Not reported  
 Reported to Dept: 7/31/1995  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 7/31/1995  
 Spill Record Last Update: 11/2/2005  
 Spiller Name: Not reported  
 Spiller Company: NYC HOUSING AUTHORITY  
 Spiller Address: Not reported  
 Spiller City,St,Zip: ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 254294  
 DEC Memo: 11/02/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
 This spill closed to consolidate with open spill #0402157.  
 Remarks: TANK #1 - FAILURE

**Material:**

Site ID: 315418  
 Operable Unit ID: 1020217  
 Operable Unit: 01  
 Material ID: 363300  
 Material Code: 0002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK HOUSES -NYCHA (Continued)**

**S101658432**

Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 315418  
Spill Tank Test: 1544039  
Tank Number: 001  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9505310  
Spill Date: 07/31/1995  
Spill Time: 11:35  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 07/31/95  
Reported to Department Time: 12:29  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK HOUSES -NYCHA (Continued)**

**S101658432**

Facility Phone: (212) 306-3142  
Facility Extension: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-474649  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 07/31/95  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
DEC Remarks: Not reported  
Spill Cause: TANK 1 - FAILURE

**NY Spills:**

Site ID: 315415  
Facility Addr2: Not reported  
Facility ID: 0402157  
Spill Number: 0402157  
Facility Type: ER  
SWIS: 2401  
Investigator: jkkann  
Referred To: Not reported  
Spill Date: 5/27/2004  
Reported to Dept: 5/27/2004  
CID: 444  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Notifier: Other  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK HOUSES -NYCHA (Continued)**

**S101658432**

Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/19/2007  
Remediation Phase: 0  
Date Entered In Computer: 5/27/2004  
Spill Record Last Update: 11/19/2007  
Spiller Name: NORMAN ZABUSKI  
Spiller Company: NYCHA BUSHWICK HOUSES  
Spiller Address: 24 HUMBOLT STREET  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller Company: 001  
Contact Name: NORMAN ZABUSKI  
Contact Phone: (718) 707-5709  
DEC Region: 2  
DER Facility ID: 254294  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "KOLLEENY" 11/02/05: This spill transferred from J.Kolleeny to S.Kraszewski 01/13/06: Recieved NYCHA spill report. Gordon Environmental was on site during excavation to perform the site assessment, which is available according to the report. No documentation of investigation report on file. Need to contact NYCHA for the site assessment. - SK 07/07/06: The site summary provided by NYCHA states that a site assessment is available, but doesn't describe what kind of assessment or the date. Recommends that the Department review it. - SK 02/06/07 - J.Kann - site reassigned from S. Kraszewski to J.Kann. 11/19/07: J.Kann - This spill closed and consolidated with 8908280.  
Remarks: FOUND SOME CONTAMINATED SOIL WHILE REMOVING TANK: SOIL IS BEING REMOVED BY GORDON ENVIORMENTAL AND WILL BE TESTED AND STOCKPILED ON PLASTIC.  
Material:  
Site ID: 315415  
Operable Unit ID: 883900  
Operable Unit: 01  
Material ID: 493334  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False  
Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK HOUSES -NYCHA (Continued)**

**S101658432**

Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

Site ID: 315416  
Facility Addr2: Not reported  
Facility ID: 9010350  
Spill Number: 9010350  
Facility Type: ER  
SWIS: 2401  
Investigator: HEALY  
Referred To: Not reported  
Spill Date: 12/24/1990  
Reported to Dept: 12/24/1990  
CID: Not reported  
Spill Cause: Human Error  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Affected Persons  
Cleanup Ceased: 11/16/1994  
Cleanup Meets Std: True  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/16/1994  
Remediation Phase: 0  
Date Entered In Computer: 1/9/1991  
Spill Record Last Update: 11/17/1994  
Spiller Name: Not reported  
Spiller Company: BAYSIDE FUEL  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller Company: 001  
Contact Name: Not reported  
Contact Phone: Not reported  
DEC Region: 2  
DER Facility ID: 254294  
DEC Memo: Not reported  
Remarks: DRIVER OVERFILLED TANK, SPEEDY DRY WAS APPLIED,WILL PICK UP & DISPOSE.  
Not reported

Material:  
Site ID: 315416  
Operable Unit ID: 950744  
Operable Unit: 01  
Material ID: 430510  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 25  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK HOUSES -NYCHA (Continued)**

**S101658432**

Tank Test:

Site ID: 315416  
Spill Tank Test: 1538085  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

[Click this hyperlink](#) while viewing on your computer to access additional NY\_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2  
Spill Number: 9010350  
Investigator: HEALY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 12/24/1990 12:40  
Reported to Dept Date/Time: 12/24/90 13:54  
SWIS: 61  
Spiller Name: BAYSIDE FUEL  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Human Error  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 02  
Spill Notifier: Affected Persons  
PBS Number: 2-474649  
Cleanup Ceased: 11/16/94  
Cleanup Meets Std: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/16/94  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 01/09/91  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 11/17/94

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK HOUSES -NYCHA (Continued)**

**S101658432**

Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 25  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: 11/16/94: REASSIGNED FROM SIGONA TO HEALY ON 11/16/94.  
Remark: DRIVER OVERFILLED TANK, SPEEDY DRY WAS APPLIED,WILL PICK UP DISPOSE.

**AJ150  
WNW  
1/4-1/2  
0.316 mi.  
1667 ft.**

**306 RUTLEDGE ST.  
306 RUTLEDGE ST.  
WILLIAMSBURG, NY  
Site 1 of 4 in cluster AJ**

**HIST LTANKS S106703614  
N/A**

**Relative:  
Higher**

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9200212  
Spill Date: 04/07/1992  
Spill Time: 07:30  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: ZHITOMIRSKY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 04/07/92  
Reported to Department Time: 08:51  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported

**Actual:  
23 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

306 RUTLEDGE ST. (Continued)

S106703614

Spiller Extention: Not reported  
Spiller Name: NYC DOS  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 387-1378  
Facility Extention: Not reported  
Spill Notifier: Citizen  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/08/92  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 10/14/97  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: U.G. TANK INSIDE BLDG, NOT USED FOR 10 YEARS. EXCAV. FOR NEW FLOOR, DISCOVERED CONTAMINATED SOIL. SHOULD BE CHECKED ASAP, PLAN TO POUR NEW FLOOR SOON.

AK151 211 UNION AVE. DIESEL LEA  
NW 211 UNION AVE  
1/4-1/2 NEW YORK CITY, NY  
0.318 mi.  
1679 ft. Site 1 of 2 in cluster AK

LTANKS S100144696  
HIST LTANKS N/A

Relative: LTANKS:  
Higher Site ID: 85755  
Spill No: 8606252  
Actual: Spill Date: 1/7/1987  
18 ft. Spill Cause: Tank Failure  
Spill Source: Institutional, Educational, Gov., Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**211 UNION AVE. DIESEL LEA (Continued)**

**S100144696**

Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
Spill Closed Dt: 1/10/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: JAKOLLEE  
Referred To: Not reported  
Reported to Dept: 1/7/1987  
CID: Not reported  
Water Affected: GROUND WATER  
Spill Notifier: Fire Department  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Remediation Phase: 0  
Date Entered In Computer: 2/10/1987  
Spill Record Last Update: 7/7/2005  
Spiller Name: Not reported  
Spiller Company: NYC POLICE DEPT.  
Spiller Address: 90 TH PRECINCT  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 72843  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "KOLLEENY" // : DEC SULLIVAN WILL INVESTIGATE. FIRE DEPT PUT DRY-SORB ON SPILL. This spill is referred to spill # 8607159 and is closed today by II (01/10/05).  
Remarks: P.D. DIESEL FEUL TANK ALLEGEDLY LEAKED INTO BASEMENT OF ADJACENT FIRE HOUSE - REASSIGNED TO DGS MONITORS FOR FORMAL INVESTIGATION

Material:  
Site ID: 85755  
Operable Unit ID: 903055  
Operable Unit: 01  
Material ID: 475385  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**211 UNION AVE. DIESEL LEA (Continued)**

**S100144696**

Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 8606252  
Spill Date: 01/07/1987  
Spill Time: Not reported  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: GROUND WATER  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: KOLLEENY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 01/07/87  
Reported to Department Time: 14:50  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC POLICE DEPT.  
Spiller Address: 90 TH PRECINCT  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: Fire Department  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/10/87  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 10/14/97  
Is Updated: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

211 UNION AVE. DIESEL LEA (Continued)

S100144696

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728

DEC Remarks: / / : DEC SULLIVAN WILL INVESTIGATE. FIRE DEPT PUT DRY- SORB ON SPILL.  
Spill Cause: P.D. DIESEL FEUL TANK ALLEGEDLY LEAKED INTO BASEMENT OF ADJACENT FIRE HOUSE -  
REASSIGNED TO DGS MONITORS FOR FORMAL INVESTIGATION

AL152  
ENE  
1/4-1/2  
0.324 mi.  
1711 ft.

COOPER TANK & WELDING CO.  
222-26 SIEGAL AVE  
BROOKLYN, NY 11206

SWF/LF S105841714  
N/A

Site 1 of 3 in cluster AL

Relative:  
Higher

SWF/LF:

Flag: INACTIVE  
Region Code: 2  
Phone Number: 2124974431  
Owner Name: Not reported  
Owner Type: Not reported  
Owner Address: Not reported  
Owner Addr2: Not reported  
Owner City,St,Zip: Not reported  
Owner Email: Not reported  
Owner Phone: Not reported  
Contact Name: SAMUEL COOPER; OWNER  
Contact Address: Not reported  
Contact Addr2: Not reported  
Contact City,St,Zip: Not reported  
Contact Email: Not reported  
Contact Phone: Not reported  
Activity Desc: Transfer station - regulated  
Activity Number: [24T19]  
Active: No  
East Coordinate: 589500  
North Coordinate: 4506500  
Accuracy Code: Not reported  
Regulatory Status: Not reported  
Waste Type: Not reported  
Authorization #: 2-6104-00103  
Authorization Date: Not reported  
Expiration Date: Not reported

Actual:  
19 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AI153  
ENE  
1/4-1/2  
0.325 mi.  
1717 ft.

VERINQUIN  
130 HUMBOLT ST  
BROOKLYN, NY  
Site 2 of 3 in cluster AI

LTANKS S104191731  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:

Actual:  
20 ft.

Site ID: 233389  
Spill No: 9905903  
Spill Date: 8/17/1999  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/8/2004  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SACCACIO  
Referred To: Not reported  
Reported to Dept: 8/17/1999  
CID: 388  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 8/17/1999  
Spill Record Last Update: 1/8/2004  
Spiller Name: FRANK OCELO  
Spiller Company: NY CITY HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: CALLER  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 70105  
DEC Memo: Not reported  
Remarks: caller reports tested tank and tank failed.

Material:

Site ID: 233389  
Operable Unit ID: 1080347  
Operable Unit: 01  
Material ID: 302186  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VERINQUIN (Continued)**

**S104191731**

Tank Test:

Site ID: 233389  
Spill Tank Test: 1547491  
Tank Number: 1  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9905903  
Spill Date: 08/17/1999  
Spill Time: 13:30  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 08/17/99  
Reported to Department Time: 14:25  
SWIS: 61  
Spiller Contact: CALLER  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
Spiller Name: NY CITY HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELO  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**VERINQUIN (Continued)**

**S104191731**

Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 08/17/99  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 08/18/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: caller reports tested tank and tank failed.

AI154  
ENE  
1/4-1/2  
0.325 mi.  
1717 ft.

**BORINQUEN HOUSES  
130 HUMBOLDT STREET  
BROOKLYN, NY 11206**

**Site 3 of 3 in cluster AI**

**LTANKS  
HIST LTANKS  
UST  
HIST UST**

**U001840744  
N/A**

**Relative:  
Higher**

**LTANKS:**

Site ID: 74795  
Spill No: 9402292  
Spill Date: 5/16/1994  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/8/2004  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: RXKEATIN  
Referred To: Not reported  
Reported to Dept: 5/16/1994  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Local Agency  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False

**Actual:  
20 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U001840744**

Remediation Phase: 0  
Date Entered In Computer: 5/24/1994  
Spill Record Last Update: 3/7/2005  
Spiller Name: Not reported  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 70105  
DEC Memo: Not reported  
Remarks: WILL EMPTY TANK AND INSPECT.

Material:

Site ID: 74795  
Operable Unit ID: 996090  
Operable Unit: 01  
Material ID: 386032  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 74795  
Spill Tank Test: 1542732  
Tank Number: 001  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9402292  
Spill Date: 05/16/1994  
Spill Time: 12:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U001840744**

Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/16/94  
Reported to Department Time: 15:12  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extention: Not reported  
Spill Notifier: Local Agency  
PBS Number: 2-474657  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/24/94  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/24/95  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U001840744**

Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: WILL EMPTY TANK AND INSPECT.

UST:

Facility Id: 2-474657  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 589479.71573000005  
UTM Y: 4506589.2678199997

Affiliation Records:

Site Id: 20931  
Affiliation Type: Mail Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: LUIS PONCE  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 20931  
Affiliation Type: Owner  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: FUEL OIL REMEDIATION COORDINATOR  
Contact Name: FUEL OIL REMEDIATION COORD.  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/30/2005

Site Id: 20931  
Affiliation Type: On-Site Operator  
Company Name: BORINQUEN HOUSES  
Contact Type: Not reported  
Contact Name: LUIS PONCE  
Address1: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U001840744**

Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 20931  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: EMERGENCY SERVICE DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/21/2005

Equipment Records:

C01 - Pipe Location - Aboveground  
H00 - Tank Leak Detection - None  
D00 - Pipe Type - No Piping  
B00 - Tank External Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
G00 - Tank Secondary Containment - None  
I04 - Overfill - Product Level Gauge (A/G)  
F00 - Pipe External Protection - None

Tank Info:

Site ID: 20931  
  
Tank Number: 1  
Tank ID: 37797  
Tank Status: Closed - In Place  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 2/1/1975  
Capacity Gallons: 5000  
Tightness Test Method: 03  
Next Test Date: Not reported  
Date Tank Closed: 7/1/2000  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 9/1/1994

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U001840744**

Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-474657  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (718) 289-3940  
Operator: LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: 130 HUMBOLDT STREET (MGMT. OFFICE)  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 10/13/2000  
Expiration Date: 03/28/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-In Place  
Install Date: 19750201  
Capacity (gals): 5000  
Product Stored: EMPTY

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U001840744**

Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Aboveground  
 Pipe Type: Not reported  
 Pipe Internal: Not reported  
 Pipe External: Not reported  
 Second Containment: Not reported  
 Leak Detection: Not reported  
 Overfill Prot: Product Level Gauge  
 Dispenser: Suction  
 Date Tested: 09/01/1994  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: 07/01/2000  
 Test Method: Horner EZ Check  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**AK155  
 NW  
 1/4-1/2  
 0.327 mi.  
 1724 ft.**

**209 UNION AVENUE  
 209 UNION AVE - 90TH PCT  
 BROOKLYN, NY  
 Site 2 of 2 in cluster AK**

**LTANKS S102672924  
 HIST LTANKS N/A**

**Relative:  
 Higher  
 Actual:  
 19 ft.**

**LTANKS:**  
 Site ID: 322916  
 Spill No: 9502048  
 Spill Date: 5/18/1995  
 Spill Cause: Tank Overfill  
 Spill Source: Commercial/Industrial  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 5/18/1995  
 Facility Addr2: Not reported  
 Cleanup Ceased: 5/18/1995  
 Cleanup Meets Standard: True  
 SWIS: 2401  
 Investigator: GUTIERREZ  
 Referred To: Not reported  
 Reported to Dept: 5/18/1995  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: DEC  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 5/25/1995  
 Spill Record Last Update: 1/16/1996  
 Spiller Name: Not reported  
 Spiller Company: NYCPD  
 Spiller Address: SAME  
 Spiller City,St,Zip: ZZ  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**209 UNION AVENUE (Continued)**

**S102672924**

Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 260128  
DEC Memo: Not reported  
Remarks: 1983- OVERFILL - TANKS CONTAINING WATER 1987- EMERGENCY GENERATING TANK FAILED TEST.

Material:  
Site ID: 322916  
Operable Unit ID: 1013114  
Operable Unit: 01  
Material ID: 367117  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:  
Region of Spill: 2  
Spill Number: 9502048  
Spill Date: 05/18/1995  
Spill Time: 11:00  
Spill Cause: Tank Overfill  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 05/18/95  
Cleanup Ceased: 05/18/95  
Cleanup Meets Standard: True  
Investigator: GUTIERREZ  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**209 UNION AVENUE (Continued)**

**S102672924**

Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/18/95  
Reported to Department Time: 11:19  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCPD  
Spiller Address: SAME  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 786-3838  
Facility Extention: Not reported  
Spill Notifier: DEC  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/25/95  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/16/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: 1983- OVERFILL - TANKS CONTAINING WATER 1987- EMERGENCY GENERATING TANK FAILED TEST.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**156**  
**East**  
**1/4-1/2**  
**0.337 mi.**  
**1780 ft.**

**130 MOORE ST**  
**BROOKLYN, NY**

**LTANKS**    **S105999336**  
**N/A**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**20 ft.**

Site ID: 264329  
 Spill No: 0303435  
 Spill Date: 7/2/2003  
 Spill Cause: Tank Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 7/2/2003  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: TJDMEEO  
 Referred To: Not reported  
 Reported to Dept: 7/2/2003  
 CID: 233  
 Water Affected: Not reported  
 Spill Notifier: Fire Department  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: True  
 Remediation Phase: 0  
 Date Entered In Computer: 7/2/2003  
 Spill Record Last Update: 7/2/2003  
 Spiller Name: UNKNOWN  
 Spiller Company: UNKNOWN  
 Spiller Address: UNKNOWN  
 Spiller City,St,Zip: UNKNOWN, ZZ  
 Spiller County: 999  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 215440  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "DEMEO"  
 Remarks: veh parked near spill seems to be leaking leaking has stopped speedy dri was applied

**Material:**

Site ID: 264329  
 Operable Unit ID: 870541  
 Operable Unit: 01  
 Material ID: 504303  
 Material Code: 0009  
 Material Name: Gasoline  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 5  
 Units: Gallons  
 Recovered: 5  
 Resource Affected: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**(Continued)**

**S105999336**

Oxygenate: False

Tank Test:

Site ID: Not reported

Spill Tank Test: Not reported

Tank Number: Not reported

Tank Size: Not reported

Test Method: Not reported

Leak Rate: Not reported

Gross Fail: Not reported

Modified By: Not reported

Last Modified: Not reported

Test Method: Not reported

**AJ157**  
**WNW**  
**1/4-1/2**  
**0.337 mi.**  
**1782 ft.**

**BROOKLYN NORTH 03/03A DOS -DDC**  
**306 RUTLEDGE STREET**  
**BROOKLYN, NY**

**Site 2 of 4 in cluster AJ**

**LTANKS** **S102233321**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

**Actual:**  
**25 ft.**

**LTANKS:**

Site ID: 127997

Spill No: 9601941

Spill Date: 5/9/1996

Spill Cause: Tank Failure

Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/2/2005

Facility Addr2: Not reported

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 2401

Investigator: AllIslam

Referred To: Not reported

Reported to Dept: 5/9/1996

CID: 351

Water Affected: Not reported

Spill Notifier: Other

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 5/9/1996

Spill Record Last Update: 3/2/2005

Spiller Name: ANTHONY MARINO

Spiller Company: DEPT OF GENERAL SERVICES

Spiller Address: MUNICIPAL BLDG-15TH FLOOR

Spiller City,St,Zip: NEW YORK, NY 10007-

Spiller County: 001

Spiller Contact: ANTHONY MARINO

Spiller Phone: (212) 669-8286

Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 114349

DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROOKLYN NORTH 03/03A DOS -DDC (Continued)**

**S102233321**

Remarks: "ZHITOMIRSKY" TRANSFERRED FROM Y.KRIMGOLD. The spill is closed in consultation with Alex to consolidate with spill # 0001698. The site is currently under remediation by LiRo Engineers. - II (03/02/05). caller received results from soil tests from around an underground storage tank and the results indicated contamination

Material:

Site ID: 127997  
Operable Unit ID: 1029528  
Operable Unit: 01  
Material ID: 351737  
Material Code: 9999  
Material Name: Other -  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9601941  
Spill Date: 05/09/1996  
Spill Time: 10:15  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: KRIMGOLD  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROOKLYN NORTH 03/03A DOS -DDC (Continued)**

**S102233321**

Notifier Extension: Not reported  
Reported to Department Date: 05/09/96  
Reported to Department Time: 10:54  
SWIS: 61  
Spiller Contact: ANTHONY MARINO  
Spiller Phone: (212) 669-8286  
Spiller Extension: Not reported  
Spiller Name: DEPT OF GENERAL SERVICES  
Spiller Address: MUNICIPAL BLDG-15TH FLOOR  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: ANTHONY MARINO  
Facility Phone: (212) 669-8286  
Facility Extension: Not reported  
Spill Notifier: Other  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/09/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/24/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: OTHER PETROLEUM  
Class Type: OTHER PETROLEUM  
Times Material Entry In File: 996  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: caller received results from soil tests from around an underground storage tank and the results indicated contamination

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AJ158**  
**WNW**  
**1/4-1/2**  
**0.337 mi.**  
**1782 ft.**

**NYC DDC**  
**306 RUTLEDGE ST**  
**BROOKLYN, NY**  
**Site 3 of 4 in cluster AJ**

**LTANKS** **S104621574**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**25 ft.**

Site ID: 127996  
 Spill No: 0001698  
 Spill Date: 4/21/2000  
 Spill Cause: Tank Test Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 6/23/2008  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: jamaison  
 Referred To: HOIST OIL  
 Reported to Dept: 5/10/2000  
 CID: 366  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 5/10/2000  
 Spill Record Last Update: 6/23/2008  
 Spiller Name: Not reported  
 Spiller Company: Not reported  
 Spiller Address: Not reported  
 Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
 Spiller County: 001  
 Spiller Contact: MOHAMMED AZIZ  
 Spiller Phone: (917) -  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 114349  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ROMMEL" 10/14/04 The spill was reassigned to Alex. This spill is also referred to spill # 9601941,9200212& 0001698. -II (03/02/05). 3/09/06: This spill transferred from I. Islam to Q. Abidi. 5/31/07 Spill case transferred from K. Tang to J. Maisonave. - JAM 6/23/08 This spill case is closed and consolidated with spill number 9200212. Free phase hoist oil has been evacuated from several wells. An active MPE system is also remediating a gasoline spill at this site. Hoist oil will be added to the list of materials for spill number 9200212. See that spill for more information. - JAM

Remarks:

North 3-3a garage.

Material:

Site ID: 127996  
 Operable Unit ID: 823519  
 Operable Unit: 01  
 Material ID: 289913  
 Material Code: 1096A

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NYC DDC (Continued)**

**S104621574**

Material Name: HOIST OIL  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 127996  
Spill Tank Test: 1525572  
Tank Number: 2  
Tank Size: 550  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 0001698  
Spill Date: 04/21/2000  
Spill Time: 12:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: ROMMEL  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/10/00  
Reported to Department Time: 09:49  
SWIS: 61  
Spiller Contact: MOHAMMED AZIZ  
Spiller Phone: (917) -  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NYC DDC (Continued)

S104621574

Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Notifier: Tank Tester  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/10/00  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/10/00  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: 2  
Tank Size: 550  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported  
PBS Number: Not reported  
Tank Number: 2  
Tank Size: 550  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: HOIST OIL  
Class Type: HOIST OIL  
Times Material Entry In File: 1  
CAS Number: Not reported  
Last Date: Not reported  
DEC Remarks: Not reported  
Spill Cause: North 3-3a garage.

AJ159  
WNW  
1/4-1/2  
0.337 mi.  
1782 ft.

BROOKLYN NORTH 03/03A DOS -DDC  
306 RUTLEDGE STREET  
BROOKLYN, NY  
Site 4 of 4 in cluster AJ

LTANKS S106703313  
HIST LTANKS N/A

Relative:  
Higher

LTANKS:  
Site ID: 132862  
Spill No: 8809462  
Spill Date: 11/2/1988  
Spill Cause: Tank Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Actual:  
25 ft.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROOKLYN NORTH 03/03A DOS -DDC (Continued)**

**S106703313**

Responsible Party. Corrective action taken.  
Spill Closed Dt: 3/2/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: AllIslam  
Referred To: Not reported  
Reported to Dept: 3/8/1989  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Remediation Phase: 0  
Date Entered In Computer: 3/8/1989  
Spill Record Last Update: 3/2/2005  
Spiller Name: Not reported  
Spiller Company: DOS  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 114349  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ZHITOMERSKY" The spill is closed in consultation with Alex to consolidate with spill # 9200212. The site is under remediation by LiRo Engineers. - II (03/02/05).  
Remarks: 550 GALLON TANK FAILED A NYCFD AIR PRESSURE TEST, UNDETERMINED LEAK RATE, PUMPED OUT TANK, WILL RETEST.

Material:  
Site ID: 132862  
Operable Unit ID: 925527  
Operable Unit: 01  
Material ID: 454194  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: 132862  
Spill Tank Test: 1535230  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROOKLYN NORTH 03/03A DOS -DDC (Continued)**

**S106703313**

Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 8809462  
Spill Date: 11/02/1988  
Spill Time: 12:00  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: ZHITOMERSKY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 03/08/89  
Reported to Department Time: 10:04  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: 2-455970  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/08/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/26/98  
Is Updated: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BROOKLYN NORTH 03/03A DOS -DDC (Continued)**

**S106703313**

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: GASOLINE  
Class Type: GASOLINE  
Times Material Entry In File: 21329  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Spill Cause: 550 GALLON TANK FAILED A NYCFD AIR PRESSURE TEST, UNDETERMINED LEAK RATE, PUMPED OUT TANK, WILL RETEST.

**AL160  
ENE  
1/4-1/2  
0.339 mi.  
1788 ft.**

**BORINQUEN PLAZA  
155 SIEGEL STREET  
NEW YORK CITY, NY**

**LTANKS S100146915  
HIST LTANKS N/A**

**Site 2 of 3 in cluster AL**

**Relative:  
Higher**

**LTANKS:**

Site ID: 327446  
Spill No: 9100258  
Spill Date: 4/5/1991  
Spill Cause: Tank Test Failure  
Spill Source: Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/12/1998  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SACCACIO  
Referred To: Not reported  
Reported to Dept: 4/5/1991  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 4/17/1991  
Spill Record Last Update: 1/12/1998  
Spiller Name: Not reported  
Spiller Company: NYCHA  
Spiller Address: 250 BROADWAY

**Actual:  
19 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**S100146915**

Spiller City,St,Zip: NEW YORK, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 263580  
DEC Memo: Not reported  
Remarks: 5K UNDERGROUND TANK FAILED A HORNER EZY CHECK WITH A GROSS LEAK,WILL EXCAVATE,ISOLATE & RETEST.

Material:

Site ID: 327446  
Operable Unit ID: 953801  
Operable Unit: 01  
Material ID: 426465  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 327446  
Spill Tank Test: 1538426  
Tank Number: 001  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9100258  
Spill Date: 04/05/1991  
Spill Time: 11:30  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 01/12/98  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**S100146915**

Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 04/05/91  
Reported to Department Time: 13:47  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCHA  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, N.Y.  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-601929  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/17/91  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/12/98  
Is Updated: False

Tank:  
PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:  
Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: See Spill 9711438; subsequent tank test failure.  
Spill Cause: 5K UNDERGROUND TANK FAILED A HORNER EZY CHECK WITH A GROSS LEAK,WILL EXCAVATE,ISOLATE RETEST.

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

EDR ID Number  
 EPA ID Number

Map ID	Site	Database(s)	EDR ID Number
<b>AL161</b> <b>ENE</b> <b>1/4-1/2</b> <b>0.339 mi.</b> <b>1788 ft.</b>	<b>BORINQUEN HOUSES</b> <b>155 SIEGEL STREET</b> <b>BROOKLYN, NY</b>  <b>Site 3 of 3 in cluster AL</b>	<b>LTANKS</b> <b>HIST LTANKS</b>	<b>S102959968</b> <b>N/A</b>

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**19 ft.**

Site ID: Spill No: Spill Date: Spill Cause: Spill Source: Spill Class:  Spill Closed Dt: Facility Addr2: Cleanup Ceased: Cleanup Meets Standard: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Notifier: Last Inspection: Recommended Penalty: UST Involvement: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller City,St,Zip: Spiller County: Spiller Contact: Spiller Phone: Spiller Extention: DEC Region: DER Facility ID: DEC Memo:	327447 9711438 1/12/1998 Tank Test Failure Private Dwelling Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  7/12/2010 Not reported Not reported False 2401 jkkann Not reported 1/12/1998 205 Not reported Responsible Party Not reported Penalty Not Recommended False 0 1/12/1998 7/12/2010 FRANK OCELLO NYC HOUSING AUTHORITY 250 BROADWAY NEW YORK, NY 10007- 001 FRANK OCELLA (212) 306-3233 Not reported 2 263580 11/10/05: This spill transferred form J.Kolleeny to S.Kraszewski. Reviewed ISRP prepared by Gannett Fleming dated February 2003. 03/22/06: This spill transferred to K.Tang - SK 02/13/09: J.Kann - Spill transferred to J.Kann. Spoke with Ivy Olberding of PW Grosser to discuss a proposed work plan. Two borings should be advanced with soil samples collected around the groundwater interface. 4 existing monitoring wells will be sampled for analysis of STARS VOCs and SVOCs. 4/28/09: J.Kann - Draft work plan received on 2/25. Comments sent on 3/26. Final Work Plan received on 4/24 and approved on 4/27. 10/06/09: J.Kann - Site visit to observe gw sampling. 1/27/10: J.Kann - ISR submitted on 1/20/10. Spill Closure request. Report needs to be reviewed. 7/12/10: J.Kann - Based on review of the ISR, the spill was closed. Report shows on-site soil samples to have no SVOC or VOCs detected. On-site wells have not been impacted by the UST. One off-site upgradient well did have minor VOCs detected. NFA. houing tested tank, tank failed.
---	--

Remarks:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**S102959968**

Material:

Site ID: 327447  
Operable Unit ID: 1057928  
Operable Unit: 01  
Material ID: 326102  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 327447  
Spill Tank Test: 1545552  
Tank Number: 1  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9711438  
Spill Date: 01/12/1998  
Spill Time: 13:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 01/12/98  
Reported to Department Time: 13:15  
SWIS: 61  
Spiller Contact: FRANK OCELLA  
Spiller Phone: (212) 306-3233

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**S102959968**

Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELLO  
Facility Phone: (212) 306-3233  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: 2-474657  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 01/12/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/14/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: houing tested tank, tank failed.

162  
WSW  
1/4-1/2  
0.352 mi.  
1856 ft.

**CONSTRUCTION SITE  
5 WALTON AVE  
BROOKLYN, NY**

**LTANKS S102960158  
HIST LTANKS N/A**

**Relative:  
Lower**

**LTANKS:**

Site ID: 162103  
Spill No: 9710662  
Spill Date: 12/18/1997  
Spill Cause: Tank Failure  
Spill Source: Unknown  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

**Actual:  
11 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S102960158**

Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 3/7/2003  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: WYNE  
Referred To: Not reported  
Reported to Dept: 12/18/1997  
CID: 257  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 12/18/1997  
Spill Record Last Update: 3/7/2003  
Spiller Name: Not reported  
Spiller Company: UNKNOWN  
Spiller Address: Not reported  
Spiller City,St,Zip: NY  
Spiller County: 999  
Spiller Contact: ROMEO SANTOS  
Spiller Phone: (718) 322-5600  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 136819  
DEC Memo: Not reported  
Remarks: CALLER IS REMOVING TANK FROM GROUNDS AND FOUND CONTAMINATED SOIL

Material:

Site ID: 162103  
Operable Unit ID: 1057036  
Operable Unit: 01  
Material ID: 328949  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S102960158**

Test Method: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9710662  
Spill Date: 12/18/1997  
Spill Time: 10:00  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Unknown  
Spill Class: Not reported  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: Not reported  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 12/18/97  
Reported to Department Time: 10:32  
SWIS: 61  
Spiller Contact: ROMEO SANTOS  
Spiller Phone: (718) 322-5600  
Spiller Extention: Not reported  
Spiller Name: UNKNOWN  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: Other  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 12/18/97  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/18/97  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CONSTRUCTION SITE (Continued)**

**S102960158**

Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: CALLER IS REMOVING TANK FROM GROUNDS AND FOUND CONTAMINATED SOIL

163  
West  
1/4-1/2  
0.365 mi.  
1926 ft.

**ARMY NAT'L GUARD BUILDING  
355 MARCY AVENUE  
BROOKLYN, NY**

**LTANKS  
HIST LTANKS  
NY Hist Spills**

**S102239181  
N/A**

Relative:  
Higher

LTANKS:

Actual:  
18 ft.

Site ID: 135895  
Spill No: 8806820  
Spill Date: 11/15/1988  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/7/1992  
Facility Addr2: Not reported  
Cleanup Ceased: 10/7/1992  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: BATTISTA  
Referred To: Not reported  
Reported to Dept: 11/15/1988  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 11/18/1988  
Spill Record Last Update: 1/2/2004  
Spiller Name: Not reported  
Spiller Company: NYS ARMORY  
Spiller Address: 355 MARCY AVENUE  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARMY NAT'L GUARD BUILDING (Continued)**

**S102239181**

DEC Region: 2  
DEC Facility ID: 116651  
DEC Memo: Not reported  
Remarks: 5K TANK FAILED PETRO TITE WITH A LEAK RATE OF -.626GPH, OGS PROJECT, SYSTEM TEST, WILL TEST ONLY TANK NEXT. 5K TANK FAILED ISOLATED PETROTITEST AT -.605GPH, TANK SHOULD BE PUMPED OUT & REPLACED.

Material:

Site ID: 135895  
Operable Unit ID: 921984  
Operable Unit: 01  
Material ID: 455162  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 135895  
Spill Tank Test: 1534896  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2  
Spill Number: 8806820  
Spill Date: 11/15/1988  
Spill Time: 13:45  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/07/92  
Cleanup Ceased: 10/07/92  
Cleanup Meets Standard: False  
Investigator: BATTISTA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARMY NAT'L GUARD BUILDING (Continued)**

**S102239181**

Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 11/15/88  
Reported to Department Time: 15:11  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYS ARMORY  
Spiller Address: 355 MARCY AVENUE  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 387-9102  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-391999  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/18/88  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/15/94  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: 5K TANK FAILED PETRO TITE WITH A LEAK RATE OF -.626GPH, OGS PROJECT, SYSTEM TEST,WILL TEST ONLY TANK NEXT.5K TANK FAILED ISOLATED PETROTITEST AT -.605GPH, TANK SHOULD BE PUMPED OUT REPLACED.

**NY Hist Spills:**

Region of Spill: 2  
Spill Number: 9514901

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARMY NAT'L GUARD BUILDING (Continued)**

**S102239181**

Investigator: MARTINKAT  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 02/21/1996 10:45  
Reported to Dept Date/Time: 02/21/96 11:29  
SWIS: 61  
Spiller Name: ARMY NAT'L GUARD BUILDING  
Spiller Contact: WALTER ZAYATZ  
Spiller Phone: (718) 599-7588  
Spiller Contact: WALTER ZAYATZ  
Spiller Phone: (718) 599-7588  
Spiller Address: 355 MARCY AVENUE  
Spiller City,St,Zip: BROOKLYN, NY  
Spill Cause: Equipment Failure  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 07  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: / /  
Cleanup Meets Std: False  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 02/21/96  
Corrective Action Plan Submitted: / /  
Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 02/21/96  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 03/27/96  
Is Updated: False  
Tank:  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported  
Material:  
Material Class Type: Petroleum  
Quantity Spilled: 3  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: DIESEL  
Class Type: DIESEL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARMY NAT'L GUARD BUILDING (Continued)**

**S102239181**

Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: Not reported  
Remark: one of the guards vehicles leaked fuel.

**AM164  
ENE  
1/4-1/2  
0.393 mi.  
2076 ft.**

**BORINQUEN HOUSES  
330 BUSHWICK AVENUE  
BROOKLYN, NY 11206**

**Site 1 of 4 in cluster AM**

**LTANKS  
HIST LTANKS  
UST  
HIST UST  
NY Spills**

**U002034218  
N/A**

**Relative:  
Higher**

LTANKS:

Site ID: 63348  
Spill No: 9601914  
Spill Date: 5/8/1996  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

**Actual:  
17 ft.**

Spill Closed Dt: 12/9/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SWKRASZE  
Referred To: Not reported  
Reported to Dept: 5/8/1996  
CID: 233  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 5/8/1996  
Spill Record Last Update: 12/9/2005  
Spiller Name: FRANK OCELO  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: MANHATTAN, NY 10007-  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 61219  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
This spill closed to consolidate with opne spill #9613967.  
Remarks: TANK FAILED TANK RETEST PLANNED

Material:

Site ID: 63348  
Operable Unit ID: 1029518  
Operable Unit: 01  
Material ID: 351709  
Material Code: 0001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 63348  
Spill Tank Test: 1544531  
Tank Number: 1  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9613967  
Spill Date: 03/14/1995  
Spill Time: 11:00  
Spill Cause: Tank Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Major Facility 400,000 gallons  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 02/28/97  
Reported to Department Time: 12:42  
SWIS: 61  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY 16TH FLOOR  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller Cleanup Date: / /  
Facility Contact: SAME

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: DEC  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 02/28/97  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 10/14/98  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207

DEC Remarks: Subsequent investigation to spill 9310335. The NYCHA tank at this location once had a split seam and inventory loss but never reported the spill to the DEC. This report confirms the tank leaked.

Spill Cause: TRC ENVIRONMENTAL INSTALLING WELLS FOR NYVHA FOUND FREE PRODUCT. \*\*\*FAXED FROM REGION

Region of Spill: 2  
Spill Number: 9601914  
Spill Date: 05/08/1996  
Spill Time: 14:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/08/96  
Reported to Department Time: 15:54  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: MANHATTAN, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELO  
Facility Phone: (212) 306-3229  
Facility Extension: 8480  
Spill Notifier: Responsible Party  
PBS Number: 2-474657  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/08/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 07/17/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: TANK FAILED TANK RETEST PLANNED

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

UST:

Facility Id: 2-601870  
Region: STATE  
DEC Region: 2  
Site Status: Unregulated  
Program Type: PBS  
Expiration Date: N/A  
UTM X: 589632.3121500001  
UTM Y: 4506547.2012599995

Affiliation Records:

Site Id: 23832  
Affiliation Type: On-Site Operator  
Company Name: BORINQUEN HOUSES  
Contact Type: Not reported  
Contact Name: MR. LUIS PONCE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23832  
Affiliation Type: Owner  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: FUEL OIL REMEDIATION COORDINATOR  
Contact Name: FUEL OIL REMEDIATION COORD.  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/30/2005

Site Id: 23832  
Affiliation Type: Mail Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: MR. LUIS PONCE  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23832  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: EMERGENCY SERVICE DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/21/2005

Equipment Records:

F06 - Pipe External Protection - Wrapped  
G00 - Tank Secondary Containment - None  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
H00 - Tank Leak Detection - None  
B00 - Tank External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
I04 - Overfill - Product Level Gauge (A/G)  
C02 - Pipe Location - Underground/On-ground

Tank Info:

Site ID: 23832  
  
Tank Number: 1  
Tank ID: 48185  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 2/1/1975  
Capacity Gallons: 5000  
Tightness Test Method: 21  
Next Test Date: Not reported  
Date Tank Closed: 7/1/2000  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 10/17/1997  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

HIST UST:

PBS Number: 2-601870  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (718) 289-3940  
Operator: LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).  
  
Facility Addr2: 130 HUMBOLDT STREET (MANAGEMENT OFFICE)  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 10/13/2000  
Expiration Date: 06/01/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 001  
Tank Location: UNDERGROUND  
Tank Status: Undefined  
Install Date: 19750201  
Capacity (gals): 5000  
Product Stored: EMPTY  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Wrapped (Piping)  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: 10/17/1997  
Next Test Date: 10/17/2002  
Missing Data for Tank: Minor Data Missing  
Date Closed: 05/22/2001  
Test Method: 21  
Deleted: False  
Updated: True  
Lat/long: Not reported

**NY Spills:**

Site ID: 142069  
Facility Addr2: Not reported  
Facility ID: 9613967  
Spill Number: 9613967  
Facility Type: ER  
SWIS: 2401  
Investigator: jkkann  
Referred To: Not reported  
Spill Date: 3/14/1995  
Reported to Dept: 2/28/1997  
CID: 205  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: DEC  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 10/28/2010  
Remediation Phase: 0  
Date Entered In Computer: 2/28/1997  
Spill Record Last Update: 10/28/2010  
Spiller Name: SAME  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY 16TH FLOOR  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller Company: 001  
Contact Name: FRANK OCELLO  
Contact Phone: (212) 306-3229  
DEC Region: 2  
DER Facility ID: 61219  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
02/08/07 : DEC lead changed from S. Kraszewski to J. Kann. J.Kann  
02/13/09: J.Kann - Discussed the site with Ivy Olberding of PW  
Grosser. A work plan will be prepared which will include the sampling

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034218**

of 9 existing monitoring wells and analysis for STARS VOCs and SVOCs.  
 4/28/09: J.Kann - Draft work plan received on 2/25. Comments sent on 3/26. Final Work Plan received on 4/24 and approved on 4/27.  
 10/06/09: J.Kann - Site visit to observe gw sampling. 1/27/10: J.Kann - ISR submitted on 1/20/10. Spill Closure request. Report needs to be reviewed. 10/28/10: J.Kann - No VOCs or SVOCs were detected in soils. One groundwater well (out of nine) contained minor VOC exceedances (n, Butylbenzene - 11.9 ppb). A quantitative exposure assessment was performed as per DER-10. According to the report, a complete exposure pathway does not exist. NFA.

Remarks: TRC ENVIRONMENTAL INSTALLING WELLS FOR NYCHA FOUND FREE PRODUCT.  
 \*\*\*FAXED FROM REGION

Material:

Site ID: 142069  
 Operable Unit ID: 1045376  
 Operable Unit: 01  
 Material ID: 339072  
 Material Code: 0001  
 Material Name: #2 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: 0  
 Units: Gallons  
 Recovered: No  
 Resource Affected: Not reported  
 Oxygenate: False

Tank Test:

Site ID: Not reported  
 Spill Tank Test: Not reported  
 Tank Number: Not reported  
 Tank Size: Not reported  
 Test Method: Not reported  
 Leak Rate: Not reported  
 Gross Fail: Not reported  
 Modified By: Not reported  
 Last Modified: Not reported  
 Test Method: Not reported

**AM165  
 ENE  
 1/4-1/2  
 0.398 mi.  
 2101 ft.**

**BORINQUEN HOUSES  
 300 BUSHWICK AVENUE  
 BROOKLYN, NY 11206  
 Site 2 of 4 in cluster AM**

**LTANKS U002034217  
 HIST LTANKS N/A  
 UST  
 HIST UST**

**Relative:  
 Higher**

LTANKS:

Site ID: 191464  
 Spill No: 9711478  
 Spill Date: 1/13/1998  
 Spill Cause: Tank Test Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
 Spill Closed Dt: 2/2/1998  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported

**Actual:  
 17 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034217**

Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SACCACIO  
Referred To: Not reported  
Reported to Dept: 1/13/1998  
CID: 369  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1/13/1998  
Spill Record Last Update: 2/2/1998  
Spiller Name: FRANK OCELLO  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller County: 001  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 360-3233  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 159754  
DEC Memo: Not reported  
Remarks: tank failed and will be drained and inv is underway

**Material:**

Site ID: 191464  
Operable Unit ID: 1057978  
Operable Unit: 01  
Material ID: 326136  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 191464  
Spill Tank Test: 1545555  
Tank Number: 001  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034217**

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9711478  
Spill Date: 01/13/1998  
Spill Time: 12:45  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)  
Spill Closed Dt: 02/02/98  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 01/13/98  
Reported to Department Time: 13:02  
SWIS: 61  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 360-3233  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELLO  
Facility Phone: (212) 360-3233  
Facility Extention: Not reported  
Spill Notifier: Other  
PBS Number: 2-601896  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 01/13/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/02/98  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034217**

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: 0

Unkonwn Quantity Spilled: False

Units: Gallons

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: #2 FUEL OIL

Class Type: #2 FUEL OIL

Times Material Entry In File: 24464

CAS Number: Not reported

Last Date: 19941207

DEC Remarks: See Spill 9712046, subsequent tank test failure.

Spill Cause: tank failed and will be drained and inv is underway

UST:

Facility Id: 2-601869

Region: STATE

DEC Region: 2

Site Status: Unregulated

Program Type: PBS

Expiration Date: N/A

UTM X: 589622.17610000004

UTM Y: 4506619.9070699997

Affiliation Records:

Site Id: 23831

Affiliation Type: Owner

Company Name: NYC HOUSING AUTHORITY

Contact Type: FUEL OIL REMEDIATION COORDINATOR

Contact Name: FUEL OIL REMEDIATION COORD.

Address1: 23-02 49TH AVENUE

Address2: Not reported

City: LONG ISLAND CITY

State: NY

Zip Code: 11101

Country Code: 001

Phone: (718) 707-5725

Phone Ext: Not reported

Email: Not reported

Fax Number: Not reported

Modified By: EXROSSAN

Date Last Modified: 9/30/2005

Site Id: 23831

Affiliation Type: Mail Contact

Company Name: NYC HOUSING AUTHORITY

Contact Type: Not reported

Contact Name: MR. LUIS PONCE

Address1: 23-02 49TH AVENUE

Address2: Not reported

City: LONG ISLAND CITY

State: NY

Zip Code: 11101

Country Code: 001

Phone: (718) 707-5725

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034217**

Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23831  
Affiliation Type: On-Site Operator  
Company Name: BORINQUEN HOUSES  
Contact Type: Not reported  
Contact Name: MR. LUIS PONCE  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: TRANSLAT  
Date Last Modified: 3/4/2004

Site Id: 23831  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: EMERGENCY SERVICE DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: EXROSSAN  
Date Last Modified: 9/21/2005

Equipment Records:

F06 - Pipe External Protection - Wrapped  
G00 - Tank Secondary Containment - None  
I04 - Overfill - Product Level Gauge (A/G)  
B00 - Tank External Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
H00 - Tank Leak Detection - None  
C02 - Pipe Location - Underground/On-ground

Tank Info:

Site ID: 23831

Tank Number: 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034217**

Tank ID: 48184  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 2/1/1975  
Capacity Gallons: 5000  
Tightness Test Method: 03  
Next Test Date: Not reported  
Date Tank Closed: 7/1/2000  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: 2/1/1992  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-601869  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (718) 289-3940  
Operator: MR. LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: MR. LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.  
Facility Addr2: 130 HUMBOLDT STREET (MANAGEMENT OFFICE)  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 11/08/1999  
Expiration Date: 06/01/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 0  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: 0  
Dead Letter: False

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BORINQUEN HOUSES (Continued)**

**U002034217**

CBS Number: Not reported  
 Town or City: NEW YORK CITY  
 County Code: 61  
 Town or City: 01  
 Region: 2

Tank Id: 1  
 Tank Location: UNDERGROUND  
 Tank Status: Closed-Removed  
 Install Date: 19750201  
 Capacity (gals): 5000  
 Product Stored: EMPTY  
 Tank Type: Steel/carbon steel  
 Tank Internal: Not reported  
 Tank External: Not reported  
 Pipe Location: Underground  
 Pipe Type: STEEL/IRON  
 Pipe Internal: Not reported  
 Pipe External: Wrapped (Piping)  
 Second Containment: Not reported  
 Leak Detection: Not reported  
 Overfill Prot: Product Level Gauge  
 Dispenser: Suction  
 Date Tested: 02/01/1992  
 Next Test Date: Not reported  
 Missing Data for Tank: Minor Data Missing  
 Date Closed: 07/01/2000  
 Test Method: Horner EZ Check  
 Deleted: False  
 Updated: True  
 Lat/long: Not reported

**AM166**  
**ENE**  
**1/4-1/2**  
**0.398 mi.**  
**2101 ft.**

**BORINQUEN HOUSE**  
**300 BUSHWICK AVENUE**  
**BROOKLYN, NY**  
**Site 3 of 4 in cluster AM**

**LTANKS** **S102959975**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

**LTANKS:**  
 Site ID: 191531  
 Spill No: 9712046  
 Spill Date: 1/28/1998  
 Spill Cause: Tank Test Failure  
 Spill Source: Private Dwelling  
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 2/6/2004  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: JAKOLLEE  
 Referred To: Not reported  
 Reported to Dept: 1/28/1998  
 CID: 204  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported

**Actual:**  
**17 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSE (Continued)**

**S102959975**

Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1/28/1998  
Spill Record Last Update: 3/7/2005  
Spiller Name: SEBASTION LOREFICE  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY  
Spiller County: 001  
Spiller Contact: SEBASTION LOREFICE  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 159754  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "KOLLEENY" SITE INVESTIGATIONS WERE PERFORMED BY TRC ENVIRONMENTAL IN THE MID 1990s AND BY GANNETT FLEMING IN 2002. VERY MINOR IMPACTS TO SOIL AND GROUNDWATER WERE IDENTIFIED IN THE AREA OF THE FORMER TANK. SEVERAL PAH COMPOUNDS WERE DETECTED IN SOIL AT LEVELS ABOVE TAGM 4046 GUIDELINES, IN THE HUNDREDS OF PPB (HIGHEST WAS CHRYSENE AT 780 UG/KG), AND SEVERAL PAHs WERE DETECTED IN ONE MONITORING WELL, WITH ONLY ONE COMPOUND EXCEEDING ITS GROUNDWATER STANDARD SLIGHTLY (CHRYSENE AT 1 UG/L). OK TO CLOSE. - JK  
Remarks: TO BE ISOLATED AND RETESTED

Material:  
Site ID: 191531  
Operable Unit ID: 1054708  
Operable Unit: 01  
Material ID: 326676  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:  
Site ID: 191531  
Spill Tank Test: 1545581  
Tank Number: 001  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

HIST LTANKS:  
Region of Spill: 2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSE (Continued)**

**S102959975**

Spill Number: 9712046  
Spill Date: 01/28/1998  
Spill Time: 12:30  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 01/28/98  
Reported to Department Time: 14:21  
SWIS: 61  
Spiller Contact: SEBASTION LOREFICE  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY  
Spiller Cleanup Date: / /  
Facility Contact: SEBASTION LOREFICE  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-601869  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 01/28/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 02/02/98  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 5000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN HOUSE (Continued)**

**S102959975**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: TO BE ISOLATED AND RETESTED

**AM167**  
**ENE**  
**1/4-1/2**  
**0.398 mi.**  
**2101 ft.**

**BORINQUEN PLAZA**  
**300 BUSHWICK AVENUE**  
**NEW YORK CITY, NY**  
**Site 4 of 4 in cluster AM**

**LTANKS** **S100146685**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**  
  
**Actual:**  
**17 ft.**

LTANKS:  
Site ID: 191530  
Spill No: 9010701  
Spill Date: 1/7/1991  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/13/1998  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SACCACIO  
Referred To: Not reported  
Reported to Dept: 1/7/1991  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1/16/1991  
Spill Record Last Update: 8/5/2003  
Spiller Name: Not reported  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 159754  
DEC Memo: Not reported  
Remarks: 5K TANK FAILED HORNER EZY CHECK,SYSTEM TEST,GROSS LEAK,WILL EXCAVATE,  
ISOLATE,REPAIR & RETEST,SUSPECT LEAKING STICK LINE.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**S100146685**

Material:

Site ID: 191530  
Operable Unit ID: 947842  
Operable Unit: 01  
Material ID: 430831  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Pounds  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 191530  
Spill Tank Test: 1538135  
Tank Number: 001  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9010701  
Spill Date: 01/07/1991  
Spill Time: 13:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 01/13/98  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 01/07/91  
Reported to Department Time: 14:33  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORINQUEN PLAZA (Continued)**

**S100146685**

Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, N.Y.  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-601869  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 01/16/91  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/27/98  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Pounds  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: See Spill 9711478 subsequent tank test failure.  
Spill Cause: 5K TANK FAILED HORNER EZY CHECK,SYSTEM TEST,GROSS LEAK,WILL EXCAVATE, ISOLATE,REPAIR RETEST,SUSPECT LEAKING STICK LINE.

168  
WSW  
1/4-1/2  
0.411 mi.  
2170 ft.

**SLATTERY J B & BROS INC**  
**171-187 WALLABOUT ST**  
**BROOKLYN, NY 11206**

**CERC-NFRAP 1000421759**  
**RCRA-NonGen NYD001288349**  
**FINDS**  
**MANIFEST**

**Relative:**  
**Lower**

CERC-NFRAP:  
Site ID: 0203594  
Federal Facility: Not a Federal Facility  
NPL Status: Not on the NPL  
Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

**Actual:**  
**11 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SLATTERY J B & BROS INC (Continued)**

**1000421759**

CERCLIS-NFRAP Site Contact Details:

Contact Sequence ID: 2000421.00000  
Person ID: 2000111.00000

Contact Sequence ID: 2315972.00000  
Person ID: 2000098.00000

CERCLIS-NFRAP Assessment History:

Action: REMOVAL ASSESSMENT  
Date Started: 11/01/1991  
Date Completed: 11/27/1991  
Priority Level: Not reported

Action: REMOVAL  
Date Started: 12/02/1991  
Date Completed: 06/02/1992  
Priority Level: Cleaned up

Action: NON-NATIONAL PRIORITIES LIST POTENTIALLY RESPONSIBLE PARTY SEARCH  
Date Started: 11/15/1991  
Date Completed: 12/17/1992  
Priority Level: Not reported

Action: PREPARATION OF COST DOCUMENT PACKAGE  
Date Started: Not reported  
Date Completed: 03/14/1995  
Priority Level: Not reported

Action: CONSENT AGREEMENT (ADMINISTRATIVE)  
Date Started: Not reported  
Date Completed: 09/29/1995  
Priority Level: Not reported

Action: COST RECOVERY NEGOTIATIONS  
Date Started: Not reported  
Date Completed: 01/30/1996  
Priority Level: Not reported

Action: ARCHIVE SITE  
Date Started: Not reported  
Date Completed: 05/05/2000  
Priority Level: Not reported

RCRA-NonGen:

Date form received by agency: 01/01/2007  
Facility name: SLATTERY J B & BROS INC  
Facility address: 171-187 WALLABOUT ST  
BROOKLYN, NY 112064906  
EPA ID: NYD001288349  
Mailing address: WALLABOUT ST  
BROOKLYN, NY 11206  
Contact: Not reported  
Contact address: WALLABOUT ST  
BROOKLYN, NY 11206  
Contact country: US  
Contact telephone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SLATTERY J B & BROS INC (Continued)**

**1000421759**

Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: J B SLATTERY & BRO INC  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: J B SLATTERY & BRO INC  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, WY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 555-1212  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

**Historical Generators:**

Date form received by agency: 01/01/2006  
Facility name: SLATTERY J B & BROS INC  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: SLATTERY J B & BROS INC  
Classification: Not a generator, verified

Date form received by agency: 08/06/1980  
Facility name: SLATTERY J B & BROS INC  
Classification: Large Quantity Generator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SLATTERY J B & BROS INC (Continued)**

**1000421759**

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 04/30/1993  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 02/04/1993  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004333374

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NY MANIFEST:

EPA ID: NYD001288349  
Country: USA  
Mailing Name: USEPA  
Mailing Contact: PAUL L KAHN  
Mailing Address: 2890 WOODBRIDGE AVE  
Mailing Address 2: Not reported  
Mailing City: EDISON  
Mailing State: NJ  
Mailing Zip: 08837  
Mailing Zip4: Not reported  
Mailing Country: USA  
Mailing Phone: 908-321-6617

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SLATTERY J B & BROS INC (Continued)**

**1000421759**

Document ID: NYB4844952  
Manifest Status: Completed copy  
Trans1 State ID: T977GCNJ  
Trans2 State ID: Not reported  
Generator Ship Date: 920528  
Trans1 Recv Date: 920528  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920602  
Part A Recv Date: 920625  
Part B Recv Date: Not reported  
Generator EPA ID: NYD001288349  
Trans1 EPA ID: NJD054126164  
Trans2 EPA ID: Not reported  
TSD ID: NYD049836679  
Waste Code: D008 - LEAD 5.0 MG/L TCLP  
Quantity: 00700  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 012  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 92

Document ID: MDC0376685  
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC  
Trans1 State ID: HWH0167  
Trans2 State ID: Not reported  
Generator Ship Date: 920528  
Trans1 Recv Date: 920528  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 920601  
Part A Recv Date: Not reported  
Part B Recv Date: 920626  
Generator EPA ID: NYD001288349  
Trans1 EPA ID: NJD054126164  
Trans2 EPA ID: Not reported  
TSD ID: MDD980554653  
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP  
Quantity: 23000  
Units: P - Pounds  
Number of Containers: 038  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Waste Code: Not reported  
Quantity: 02400  
Units: P - Pounds  
Number of Containers: 004  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 92

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

169  
East  
1/4-1/2  
0.423 mi.  
2232 ft.

**BUSHWICK -NYCHA**  
**24 HUMBOLDT STREET**  
**BROOKLYN, NY**

**HIST LTANKS**    **S100145717**  
**NY Spills**        **N/A**

**Relative:**  
**Higher**

HIST LTANKS:

**Actual:**  
**20 ft.**

Region of Spill: 2  
Spill Number: 8908280  
Spill Date: 11/20/1989  
Spill Time: 11:50  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 11/20/89  
Reported to Department Time: 12:54  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCHA  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: 2-474649  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/29/89  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 09/09/94  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUSHWICK -NYCHA (Continued)**

**S100145717**

Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205

DEC Remarks: 06/17/93: SITE ASSESSMENT DONE BY TRC. CRACK REPAIR AND WATERPROOFING IN BOILER ROOM PROPOSED.

Spill Cause: DISCOVERED OIL COMING THROUGH BASEMENT WALL.

NY Spills:

Site ID: 138242  
Facility Addr2: Not reported  
Facility ID: 8908280  
Spill Number: 8908280  
Facility Type: ER  
SWIS: 2401  
Investigator: jkkann  
Referred To: WP RCVD 5/20/09  
Spill Date: 11/20/1989  
Reported to Dept: 11/20/1989  
CID: Not reported  
Spill Cause: Unknown  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: Not reported  
Cleanup Meets Std: False  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: Not Closed  
Remediation Phase: 1  
Date Entered In Computer: 11/29/1989  
Spill Record Last Update: 5/20/2009  
Spiller Name: Not reported  
Spiller Company: NYCHA  
Spiller Address: Not reported  
Spiller City,St,Zip: NY  
Spiller Company: 999  
Contact Name: Not reported  
Contact Phone: Not reported  
DEC Region: 2  
DER Facility ID: 254294

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BUSHWICK -NYCHA (Continued)**

**S100145717**

DEC Memo: 01/30/06: This spill transferred from J.Kolleeny to S.Kraszewski. This site was previously served by two 23K USTs installed in 1960. They were replaced by two 20K USTs in 2004. They all stored #2 fuel oil. A Phase II report performed in 1993 reveals oil-stained soil in the vicinity of the USTs, the leaks origin is suspected to be the fuel lines since oil seepage has been seen coming through the boiler room wall. Two MWs were installed but neither found any free product or a sheen. Test results show no PAHs, AHs or TPH. However, some GW contamination might exist between the tanks and the boiler room wall, were the leak is most likely to be. Report suggests quarterly monitoring and one additional MW. Monitoring and bailing records on file indicate no free product in any of the MWs. No GW samples taken from any of the wells prior to the Phase II. Seems that only the soil has been impacted and isn't migrating into the GW. - SK 03/22/06: This spill transferred to K.Tang - SK 11/19/07: This spill remains open, but consolidated with 0402157. J.Kann 5/20/09: J.Kann - Investigation work plan received.

Remarks: DISCOVERED OIL COMING THROUGH BASEMENT WALL.

Material:  
 Site ID: 138242  
 Operable Unit ID: 933334  
 Operable Unit: 01  
 Material ID: 445028  
 Material Code: 0002  
 Material Name: #4 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: -1  
 Units: Not reported  
 Recovered: No  
 Resource Affected: Not reported  
 Oxygenate: False

Tank Test:  
 Site ID: 138242  
 Spill Tank Test: 1536445  
 Tank Number: Not reported  
 Tank Size: 0  
 Test Method: 00  
 Leak Rate: 0  
 Gross Fail: Not reported  
 Modified By: Spills  
 Last Modified: 10/1/2004  
 Test Method: Unknown

**AN170 WILLIAMSBURGH HOUSES**  
**North 125 STAGG WALK**  
**1/4-1/2 BROOKLYN, NY 11206**  
**0.433 mi.**  
**2286 ft. Site 1 of 3 in cluster AN**

**LTANKS U001840731**  
**HIST LTANKS N/A**  
**UST**  
**HIST UST**  
**AST**  
**HIST AST**

**Relative:  
 Higher**

LTANKS:  
 Site ID: 313516  
 Spill No: 0102133  
 Spill Date: 5/25/2001

**Actual:  
 40 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Spill Cause: Tank Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: Not reported  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: jkkann  
Referred To: SITE STATUS RPT PENDING  
Reported to Dept: 5/25/2001  
CID: 211  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 1  
Date Entered In Computer: 5/25/2001  
Spill Record Last Update: 2/6/2007  
Spiller Name: JOHN TOMKIN  
Spiller Company: NEW YORK CITY HOUSING AUT  
Spiller Address: 123 WILLIAMS  
Spiller City,St,Zip: NEW YORK, NY 10007-001  
Spiller County: 001  
Spiller Contact: JOHN TOMKIN  
Spiller Phone: (718) 566-8960  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 170013  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "BREEN" 11/09/05: Joel Rogers, P.E. from Gannett Fleming sent request letter dated June 23, 2005 for elvaluation of Site Investigation Work Plan dated Jan. 13, 2004. Jon sent approval for Site Investigation Work Plan on Feb. 4 2005 to NYCHA. I spoke with Joel, he never recieved approval letter possibly because Steve Saccacio from NYCHA transferred from his position around the time Jon submitted his approval. I spoke with Ralph Trocchio at NYCHA, he said he would look into it. - SK This spill transferred from J.Kolleeny to S.Kraszewski. 11/22/05: Message from Joel Rogers, says he still hasn't recieved approval for work plan. Faxed him copy of approval. - SK 02/06/07 - J.Kann - site reassigned from S. Kraszewski to J.Kann.  
Remarks: CALLER DID TANK REMOVAL AND SOIL SAMPLE TAKEN SHOWED CONTAMINATION. See 9811727, 9810261, 9810259 and 9415279.

Material:  
Site ID: 313516  
Operable Unit ID: 840958  
Operable Unit: 01  
Material ID: 534258  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 0102133  
Spill Date: 05/25/2001  
Spill Time: 10:00  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SANGESLAND  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/25/01  
Reported to Department Time: 11:00  
SWIS: 61  
Spiller Contact: JOHN TOMKIN  
Spiller Phone: (718) 566-8960  
Spiller Extention: Not reported  
Spiller Name: NEW YORK CITY HOUSING AUT  
Spiller Address: 123 WILLIAMS  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: JOHN TOMKIN  
Facility Phone: (718) 566-8960  
Facility Extention: Not reported  
Spill Notifier: Other  
PBS Number: Not reported  
Last Inspection: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/25/01  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/29/01  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: CALLER DID TANK REMOVAL AND SOIL SAMPLE TAKEN SHOWED CONTAMINATION

**UST:**

Facility Id: 2-475157  
Region: STATE  
DEC Region: 2  
Site Status: Active  
Program Type: PBS  
Expiration Date: 2014/03/28  
UTM X: 589070.81464  
UTM Y: 4506985.1056700004

**Affiliation Records:**

Site Id: 20977  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: EMERGENCY SERVICES DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: 718-707-5900

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 12/31/2008

Site Id: 20977  
Affiliation Type: Owner  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: \\  
Contact Name: Not reported  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: BKFALVEY  
Date Last Modified: 9/30/2011

Site Id: 20977  
Affiliation Type: Mail Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: FUEL OIL REMEDIATION COORDINATOR  
Address1: 23-02 49TH AVENUE  
Address2: TECH SERVS DEPT - 5TH FLOOR  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 1/19/2010

Site Id: 20977  
Affiliation Type: On-Site Operator  
Company Name: WILLIAMSBURGH HOUSES  
Contact Type: Not reported  
Contact Name: FUEL OIL REMEDIATION UNIT  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Modified By: NRLOMBAR  
Date Last Modified: 12/31/2008

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)  
F06 - Pipe External Protection - Wrapped  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
I04 - Overfill - Product Level Gauge (A/G)  
H00 - Tank Leak Detection - None  
C01 - Pipe Location - Aboveground  
B00 - Tank External Protection - None  
H00 - Tank Leak Detection - None  
I03 - Overfill - Automatic Shut-Off  
K00 - Spill Prevention - None  
C02 - Pipe Location - Underground/On-ground  
B09 - Tank External Protection - Urethane  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
F06 - Pipe External Protection - Wrapped  
I02 - Overfill - High Level Alarm  
G00 - Tank Secondary Containment - None  
C02 - Pipe Location - Underground/On-ground  
D11 - Pipe Type - Flexible Piping  
F05 - Pipe External Protection - Jacketed  
L08 - Piping Leak Detection - Tank Top Sump  
H00 - Tank Leak Detection - None  
I04 - Overfill - Product Level Gauge (A/G)  
I03 - Overfill - Automatic Shut-Off  
F00 - Pipe External Protection - None  
C02 - Pipe Location - Underground/On-ground  
H05 - Tank Leak Detection - In-Tank System (ATG)  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
E04 - Piping Secondary Containment - Double-Walled (Underground)

Tank Info:

Site ID: 20977  
  
Tank Number: 1  
Tank ID: 61674  
Tank Status: In Service  
Tank Model: 108  
Pipe Model: E  
Install Date: 8/1/2001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Capacity Gallons: 15000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: Not reported  
Tank Location: 5  
Tank Type: 0  
Date Test: Not reported  
Register: True  
Modified By: NRLOMBAR  
Last Modified: 12/31/2008

Site ID: 20977

Tank Number: OLD 1  
Tank ID: 37751  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1978  
Capacity Gallons: 20000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 5/1/2001  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

Site ID: 20977

Tank Number: OLD 2  
Tank ID: 37752  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 12/1/1978  
Capacity Gallons: 20000  
Tightness Test Method: NN  
Next Test Date: Not reported  
Date Tank Closed: 5/1/2001  
Tank Location: 5  
Tank Type: Steel/carbon steel  
Date Test: Not reported  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

**HIST UST:**

PBS Number: 2-475157  
SPDES Number: Not reported  
Emergency Contact: EMERGENCY SERVICE DEPT.  
Emergency Telephone: (212) 289-3940  
Operator: MR. LUIS PONCE  
Operator Telephone: (718) 707-5725  
Owner Name: NYC HOUSING AUTHORITY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Owner Telephone: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Contact: MR. LUIS PONCE  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
  
Facility Addr2: 176 MAUJER STREET (MGMT OFFICE)  
SWIS ID: 6101  
Old PBS Number: Not reported  
Facility Type: APARTMENT BUILDING  
Inspected Date: Not reported  
Inspector: Not reported  
Inspection Result: Not reported  
Federal ID: Not reported  
Certification Flag: False  
Certification Date: 08/07/2001  
Expiration Date: 03/28/2004  
Renew Flag: False  
Renewal Date: Not reported  
Total Capacity: 15000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City: 01  
Region: 2  
  
Tank Id: 1  
Tank Location: UNDERGROUND  
Tank Status: In Service  
Install Date: 20010801  
Capacity (gals): 15000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Fiberglass coated steel  
Tank Internal: Not reported  
Tank External: Fiberglass  
Pipe Location: Underground  
Pipe Type: FIBERGLASS REINFORCED PLASTIC  
Pipe Internal: Other  
Pipe External: Other  
Second Containment: Vault (w/access)  
Leak Detection: 14  
Overfill Prot: Float Vent Valve, High Level Alarm  
Dispenser: Suction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: Not reported  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: OLD 1  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19781201  
Capacity (gals): 20000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Wrapped (Piping)  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 05/01/2001  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

Tank Id: OLD 2  
Tank Location: UNDERGROUND  
Tank Status: Closed-Removed  
Install Date: 19781201  
Capacity (gals): 20000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Underground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Wrapped (Piping)  
Second Containment: Not reported  
Leak Detection: Not reported  
Overfill Prot: Product Level Gauge  
Dispenser: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Date Closed: 05/01/2001  
Test Method: Not reported  
Deleted: False  
Updated: True  
Lat/long: Not reported

AST:

Region: STATE  
DEC Region: 2  
Site Status: Active  
Facility Id: 2-475157  
Program Type: PBS  
UTM X: 589070.81464  
UTM Y: 4506985.1056700004  
Expiration Date: 2014/03/28

Affiliation Records:

Site Id: 20977  
Affiliation Type: Emergency Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported  
Contact Name: EMERGENCY SERVICES DEPT.  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 999  
Phone: 718-707-5900  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 12/31/2008

Site Id: 20977  
Affiliation Type: Owner  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: \\  
Contact Name: Not reported  
Address1: 23-02 49TH AVENUE  
Address2: Not reported  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: BKFALVEY  
Date Last Modified: 9/30/2011

Site Id: 20977  
Affiliation Type: Mail Contact  
Company Name: NYC HOUSING AUTHORITY  
Contact Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Contact Name: FUEL OIL REMEDIATION COORDINATOR  
Address1: 23-02 49TH AVENUE  
Address2: TECH SERVS DEPT - 5TH FLOOR  
City: LONG ISLAND CITY  
State: NY  
Zip Code: 11101  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 1/19/2010

Site Id: 20977  
Affiliation Type: On-Site Operator  
Company Name: WILLIAMSBURGH HOUSES  
Contact Type: Not reported  
Contact Name: FUEL OIL REMEDIATION UNIT  
Address1: Not reported  
Address2: Not reported  
City: Not reported  
State: NN  
Zip Code: Not reported  
Country Code: 001  
Phone: (718) 707-5725  
Phone Ext: Not reported  
Email: Not reported  
Fax Number: Not reported  
Modified By: NRLOMBAR  
Date Last Modified: 12/31/2008

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)  
F06 - Pipe External Protection - Wrapped  
G00 - Tank Secondary Containment - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
J02 - Dispenser - Suction  
A00 - Tank Internal Protection - None  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
J02 - Dispenser - Suction  
I04 - Overfill - Product Level Gauge (A/G)  
H00 - Tank Leak Detection - None  
C01 - Pipe Location - Aboveground  
B00 - Tank External Protection - None  
H00 - Tank Leak Detection - None  
I03 - Overfill - Automatic Shut-Off  
K00 - Spill Prevention - None  
C02 - Pipe Location - Underground/On-ground  
B09 - Tank External Protection - Urethane  
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
G04 - Tank Secondary Containment - Double-Walled (Underground)  
B00 - Tank External Protection - None  
B00 - Tank External Protection - None  
F06 - Pipe External Protection - Wrapped

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

I02 - Overfill - High Level Alarm  
G00 - Tank Secondary Containment - None  
C02 - Pipe Location - Underground/On-ground  
D11 - Pipe Type - Flexible Piping  
F05 - Pipe External Protection - Jacketed  
L08 - Piping Leak Detection - Tank Top Sump  
H00 - Tank Leak Detection - None  
I04 - Overfill - Product Level Gauge (A/G)  
I03 - Overfill - Automatic Shut-Off  
F00 - Pipe External Protection - None  
C02 - Pipe Location - Underground/On-ground  
H05 - Tank Leak Detection - In-Tank System (ATG)  
J02 - Dispenser - Suction  
J02 - Dispenser - Suction  
D01 - Pipe Type - Steel/Carbon Steel/Iron  
A00 - Tank Internal Protection - None  
A00 - Tank Internal Protection - None  
L09 - Piping Leak Detection - Exempt Suction Piping  
E04 - Piping Secondary Containment - Double-Walled (Underground)

Tank Info:

Tank Number: T-1  
Tank Id: 60290  
Tank Location: 3  
Tank Type: Steel/Carbon Steel/Iron  
Tank Status: Closed - Removed  
Tank Model: Not reported  
Pipe Model: Not reported  
Install Date: 10/1/2000  
Capacity Gallons: 20000  
Tightness Test Method: NN  
Date Test: Not reported  
Next Test Date: Not reported  
Date Tank Closed: 8/1/2001  
Register: True  
Modified By: TRANSLAT  
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-475157  
SWIS Code: 6101  
Operator: MR. LUIS PONCE  
Facility Phone: (718) 707-5725  
Facility Addr2: 176 MAUJER STREET (MGMT OFFICE)  
Facility Type: APARTMENT BUILDING  
Emergency: EMERGENCY SERVICE DEPT.  
Emergency Tel: (212) 289-3940  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Federal ID: Not reported  
Owner Tel: (718) 707-5725

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**U001840731**

Owner Type: Local Government  
Owner Subtype: 51  
Mailing Contact: MR. LUIS PONCE  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False  
Certification Date: 08/07/2001  
Expiration: 03/28/2004  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 15000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61  
Town or City Code: 01  
Region: 2

Tank ID: T-1  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: Closed-Removed  
Install Date: 20001001  
Capacity (Gal): 20000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: Not reported  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Protection: 34  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 08/01/2001  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AN171**  
**North**  
**1/4-1/2**  
**0.433 mi.**  
**2286 ft.**

**WILLIAMSBURGH HOUSES**  
**211 STAGGWALK**  
**BROOKLYN, NY**  
**Site 2 of 3 in cluster AN**

**LTANKS** **S103558693**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

LTANKS:

**Actual:**  
**40 ft.**

Site ID: 187018  
Spill No: 9811227  
Spill Date: 12/7/1998  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/2/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SWKRASZE  
Referred To: Not reported  
Reported to Dept: 12/7/1998  
CID: 312  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 12/7/1998  
Spill Record Last Update: 12/2/2005  
Spiller Name: SEBASTIAN LOREFICE  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 170013  
DEC Memo: 12/02/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
Closed to consolidate with open spill #0102133.  
Remarks: ISOLATE AND RETEST

Material:

Site ID: 187018  
Operable Unit ID: 1072088  
Operable Unit: 01  
Material ID: 315074  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURGH HOUSES (Continued)**

**S103558693**

Tank Test:

Site ID: 187018  
Spill Tank Test: 1546605  
Tank Number: 002  
Tank Size: 20000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9811227  
Spill Date: 12/07/1998  
Spill Time: 12:30  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 12/07/98  
Reported to Department Time: 13:16  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller Cleanup Date: / /  
Facility Contact: SEBASTIAN LOREFICE  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: 2-601884  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S103558693**

Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 12/07/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 05/14/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 002  
Tank Size: 20000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: ISOLATE AND RETEST

**AN172**  
**North**  
**1/4-1/2**  
**0.433 mi.**  
**2286 ft.**

**WILLIAMSBURG HOUSES**  
**125 STAGG WALK**  
**BROOKLYN, NY**  
**Site 3 of 3 in cluster AN**

**LTANKS** **S102672842**  
**HIST LTANKS** **N/A**  
**NY Spills**  
**NY Hist Spills**

**Relative:**  
**Higher**

**LTANKS:**

Site ID: 204508  
Spill No: 9810261  
Spill Date: 11/13/1998  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/8/2004  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: JAKOLLEE  
Referred To: Not reported  
Reported to Dept: 11/13/1998  
CID: 252  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False

**Actual:**  
**40 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Remediation Phase: 0  
Date Entered In Computer: 11/13/1998  
Spill Record Last Update: 3/14/2005  
Spiller Name: PAUL GOLDSTEIN  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-001  
Spiller County: 001  
Spiller Contact: PAUL GOLDSTEIN  
Spiller Phone: (212) 306-3233  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 170013  
DEC Memo: Not reported  
Remarks: TANK TO BE EMPTIED AND INVESTIGATED.

Material:

Site ID: 204508  
Operable Unit ID: 1071175  
Operable Unit: 01  
Material ID: 314128  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 204508  
Spill Tank Test: 1546532  
Tank Number: 2  
Tank Size: 20000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

Site ID: 204507  
Spill No: 9810259  
Spill Date: 11/13/1998  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 1/8/2004  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Investigator: SACCACIO  
Referred To: Not reported  
Reported to Dept: 11/13/1998  
CID: 252  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 11/13/1998  
Spill Record Last Update: 3/4/2005  
Spiller Name: PAUL GOLDSTEIN  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller County: 001  
Spiller Contact: PAUL GOLDSTEIN  
Spiller Phone: (212) 306-3233  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 170013  
DEC Memo: Not reported  
Remarks: TANKS TO BE EMPTIED AND INVESTIGATED

Material:

Site ID: 204507  
Operable Unit ID: 1071172  
Operable Unit: 01  
Material ID: 314127  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 204507  
Spill Tank Test: 1546531  
Tank Number: 1  
Tank Size: 20000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

Site ID: 204509  
Spill No: 9811727  
Spill Date: 12/17/1998

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 3/29/1999  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SACCACIO  
Referred To: Not reported  
Reported to Dept: 12/17/1998  
CID: 366  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 12/17/1998  
Spill Record Last Update: 3/29/1999  
Spiller Name: Not reported  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 170013  
DEC Memo: Not reported  
Remarks: ISOLATE AND RETEST.

Material:

Site ID: 204509  
Operable Unit ID: 1072529  
Operable Unit: 01  
Material ID: 312013  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 204509  
Spill Tank Test: 1546664  
Tank Number: 1  
Tank Size: 20000  
Test Method: 03  
Leak Rate: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9810259  
Spill Date: 11/13/1998  
Spill Time: 14:15  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 11/13/98  
Reported to Department Time: 14:44  
SWIS: 61  
Spiller Contact: PAUL GOLDSTEIN  
Spiller Phone: (212) 306-3233  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: PAUL GOLDSTEIN  
Facility Phone: (212) 306-3233  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: -475157  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/13/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/29/99  
Is Updated: False

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Tank:

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 20000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: 3/29/99 -Saccacio- Subsequent tank test failure 9811727) on 12/17/98 closed and refered to this spill.

Spill Cause: TANKS TO BE EMPTIED AND INVESTIGATED

Region of Spill: 2  
Spill Number: 9811727  
Spill Date: 12/17/1998  
Spill Time: 13:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 03/29/99  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 12/17/98  
Reported to Department Time: 13:14  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Facility Phone: Not reported  
Facility Extension: Not reported  
Spill Notifier: Tank Tester  
PBS Number: -475157  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 12/17/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/29/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 20000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: 3/29/99 -Saccacio- Subsequent tank test failure. Previous tank test failure 9810259) on 11/13/98 will remain open. Spill closed 3/29/99  
Spill Cause: ISOLATE AND RETEST.

Region of Spill: 2  
Spill Number: 9810261  
Spill Date: 11/13/1998  
Spill Time: 14:15  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Private Dwelling  
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 11/13/98  
Reported to Department Time: 14:49  
SWIS: 61  
Spiller Contact: PAUL GOLDSTEIN  
Spiller Phone: (212) 306-3233  
Spiller Extension: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NEW YORK, NY 10007-  
Spiller Cleanup Date: / /  
Facility Contact: PAUL GOLDSTEIN  
Facility Phone: (212) 306-3233  
Facility Extension: Not reported  
Spill Notifier: Tank Tester  
PBS Number: -475157  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/13/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/29/99  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 2  
Tank Size: 20000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: TANK TO BE EMPTIED AND INVESTIGATED.

**NY Spills:**

Site ID: 204506

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Facility Addr2: Not reported  
Facility ID: 9415279  
Spill Number: 9415279  
Facility Type: ER  
SWIS: 2401  
Investigator: HEALY  
Referred To: Not reported  
Spill Date: 2/22/1995  
Reported to Dept: 2/22/1995  
CID: Not reported  
Spill Cause: Equipment Failure  
Water Affected: Not reported  
Spill Source: Institutional, Educational, Gov., Other  
Spill Notifier: Responsible Party  
Cleanup Ceased: 4/3/1995  
Cleanup Meets Std: True  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Trust: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 4/3/1995  
Remediation Phase: 0  
Date Entered In Computer: 2/22/1995  
Spill Record Last Update: 4/3/1995  
Spiller Name: Not reported  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller Company: 001  
Contact Name: Not reported  
Contact Phone: Not reported  
DEC Region: 2  
DER Facility ID: 170013  
DEC Memo: Not reported  
Remarks: STEAM PRE-HEATER LEAKING FROM BROKEN VALVE. WINSTON TO CLEAN UP.

**Material:**

Site ID: 204506  
Operable Unit ID: 1012595  
Operable Unit: 01  
Material ID: 370459  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 75  
Units: Gallons  
Recovered: 75  
Resource Affected: Not reported  
Oxygenate: False  
Site ID: 204506  
Operable Unit ID: 1012595  
Operable Unit: 01  
Material ID: 370460  
Material Code: 0012  
Material Name: Kerosene (#1 Fuel Oil)  
Case No.: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Material FA: Petroleum  
Quantity: 0  
Units: Not reported  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**NY Hist Spills:**

Region of Spill: 2  
Spill Number: 9415279  
Investigator: HEALY  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Spill Date/Time: 02/22/1995 07:00  
Reported to Dept Date/Time: 02/22/95 10:25  
SWIS: 61  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Contact: Not reported  
Spiller Phone: (212) 306-3142  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spill Cause: Equipment Failure  
Reported to Dept: On Land  
Water Affected: Not reported  
Spill Source: 02  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Cleanup Ceased: 04/03/95  
Cleanup Meets Std: True  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Spiller Cleanup Dt: / /  
Enforcement Date: / /  
Invstgn Complete: / /  
UST Involvement: False  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 04/03/95  
Corrective Action Plan Submitted: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WILLIAMSBURG HOUSES (Continued)**

**S102672842**

Date Region Sent Summary to Central Office: / /  
Date Spill Entered In Computer Data File: 02/22/95  
Date Spill Entered In Computer Data File: Not reported  
Update Date: 04/03/95  
Is Updated: False

Tank:  
PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:  
Material Class Type: Petroleum  
Quantity Spilled: 75  
Unkonwn Quantity Spilled: False  
Units: Gallons  
Quantity Recovered: 75  
Unkonwn Quantity Recovered: False  
Material: #4 FUEL OIL  
Class Type: #4 FUEL OIL  
Times Material Entry In File: 1751  
CAS Number: Not reported  
Last Date: 19941205  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: KEROSENE  
Class Type: KEROSENE  
Times Material Entry In File: 2052  
CAS Number: Not reported  
Last Date: 19940929  
DEC Remarks: Not reported  
Remark: STEAM PRE-HEATER LEAKING FROM BROKEN VALVE. WINSTON TO CLEAN UP.

173  
SW  
1/4-1/2  
0.447 mi.  
2361 ft.

**NOSTRAND AVE & FLUSHING A  
NOSTRAND AVE & FLUSHING A  
BROOKLYN, NY**

**LTANKS S100782053  
HIST LTANKS N/A**

**Relative:  
Lower**

LTANKS:  
Site ID: 170265  
Spill No: 9309562  
Spill Date: 11/8/1993  
Spill Cause: Tank Test Failure  
Spill Source: Commercial Vehicle  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Unable/unwilling Responsible Party. Corrective action taken. (ISR)  
Spill Closed Dt: 11/8/1993  
Facility Addr2: Not reported  
Cleanup Ceased: 11/8/1993  
Cleanup Meets Standard: True  
SWIS: 2401

**Actual:  
12 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NOSTRAND AVE & FLUSHING A (Continued)**

**S100782053**

Investigator: SIGONA  
Referred To: Not reported  
Reported to Dept: 11/8/1993  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Fire Department  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Remediation Phase: 0  
Date Entered In Computer: 11/9/1993  
Spill Record Last Update: 9/30/2004  
Spiller Name: Not reported  
Spiller Company: LONDON FOG INDUSTRIES INC  
Spiller Address: ELDERSBURG, MD  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 143270  
DEC Memo: Not reported  
Remarks: INDUSTRIAL WASTE WAS NOTIFIED - JOHN RESPONDED. DEC SIGONA RESPONDED AND SPILL LEAKED FROM FUEL LINE AND WEST ONTO ST. IN FRONT OF MARCY HOUSES. TRYREE HIRED TO REMOVE WASTE MATERIAL.

**Material:**

Site ID: 170265  
Operable Unit ID: 991116  
Operable Unit: 01  
Material ID: 392218  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 50  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 170265  
Spill Tank Test: 1542183  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NOSTRAND AVE & FLUSHING A (Continued)**

**S100782053**

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9309562  
Spill Date: 11/08/1993  
Spill Time: 06:30  
Spill Cause: Tank Test Failure  
Resource Affectd: In Sewer  
Water Affected: Not reported  
Spill Source: Commercial Vehicle  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Unable/unwilling Responsible Party. Corrective action taken. (ISR)  
  
Spill Closed Dt: 11/08/93  
Cleanup Ceased: 11/08/93  
Cleanup Meets Standard: True  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 11/08/93  
Reported to Department Time: 07:00  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: LONDON FOG INDUSTRIES INC  
Spiller Address: ELDERSBURG, MD  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (410) 795-5900  
Facility Extention: Not reported  
Spill Notifier: Fire Department  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 11/09/93  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: / /  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NOSTRAND AVE & FLUSHING A (Continued)**

**S100782053**

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: 50

Unkonwn Quantity Spilled: False

Units: Gallons

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: DIESEL

Class Type: DIESEL

Times Material Entry In File: 10625

CAS Number: Not reported

Last Date: 19940728

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: SAND AND WASTE.

Spill Cause: INDUSTRIAL WASTE WAS NOTIFIED - JOHN RESPONDED. DEC SIGONA RESPONDED AND SPILL LEAKED FROM FUEL LINE AND WEST ONTO ST. IN FRONT OF MARCY HOUSES. TRYREE HIRED TO REMOVE WASTE MATERIAL.

174  
ESE  
1/4-1/2  
0.459 mi.  
2424 ft.

**GONZALEZ RESIDENCE**  
**29 BEAVER ST**  
**BROOKLYN, NY**

**LTANKS S107658820**  
**N/A**

**Relative:**  
**Higher**

LTANKS:

Site ID: 361288

Spill No: 0514546

Spill Date: 3/20/2006

Spill Cause: Tank Overfill

Spill Source: Commercial Vehicle

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/21/2006

Facility Addr2: Not reported

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 2401

Investigator: SMSANGES

Referred To: Not reported

Reported to Dept: 3/20/2006

CID: 409

Water Affected: Not reported

Spill Notifier: Responsible Party

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 3/20/2006

Spill Record Last Update: 3/21/2006

Spiller Name: THOMAS BUTLER

Spiller Company: VIJAX OIL CO,

Spiller Address: 222 VARICK ST

Spiller City,St,Zip: BROOKLYN, NY

Spiller County: 001

Spiller Contact: MIGUEL GONZALEZ

Spiller Phone: (718) 788-3031

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GONZALEZ RESIDENCE (Continued)**

**S107658820**

Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 311478  
DEC Memo: Vijax says it was a minor spill and it was cleaned up. Homeowner did not answer and had no message machine Spill Closed  
Remarks: HAS BEEN CLEANED UP.

Material:

Site ID: 361288  
Operable Unit ID: 1119452  
Operable Unit: 01  
Material ID: 2108876  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 1  
Units: Gallons  
Recovered: Yes  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

AO175  
SW  
1/4-1/2  
0.482 mi.  
2543 ft.

**MARCIE HOUSES - BLDG 9  
NOSTRAND AND PARK AVE  
BROOKLYN, NY**

**LTANKS S105054636  
HIST LTANKS N/A**

**Site 1 of 2 in cluster AO**

**Relative:  
Higher**

LTANKS:

Site ID: 274620  
Spill No: 0100526  
Spill Date: 4/13/2001  
Spill Cause: Tank Failure  
Spill Source: Non Major Facility > 1,100 gal  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/9/2003  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SIGONA  
Referred To: Not reported  
Reported to Dept: 4/13/2001

**Actual:  
18 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCIE HOUSES - BLDG 9 (Continued)**

**S105054636**

CID: 199  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Remediation Phase: 0  
Date Entered In Computer: 4/13/2001  
Spill Record Last Update: 12/9/2005  
Spiller Name: LUIS PONCE  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 23-02 49TH AVENUE  
Spiller City,St,Zip: LONG ISLAND CITY, NY 11101-001  
Spiller County: 001  
Spiller Contact: MOHAMMID ARIF  
Spiller Phone: (718) 566-8960  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 178748  
DEC Memo: Not reported  
Remarks: WHILE REMOVING OLD TANKD (3) THERE WAS EVIDENCE FOUND OF OLD TANKS AND LEAKS IN THE CURRENT TANKS - CONTAMINATED SOIL FOUND / ALL SOIL WILL BE EXCAVATED AND SEPERATED TILL SAMPLES CAN BE TAKEN

Material:

Site ID: 274620  
Operable Unit ID: 837414  
Operable Unit: 01  
Material ID: 536230  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False  
Site ID: 274620  
Operable Unit ID: 837414  
Operable Unit: 01  
Material ID: 536231  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCIE HOUSES - BLDG 9 (Continued)**

**S105054636**

Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 0100526  
Spill Date: 04/13/2001  
Spill Time: 13:30  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SIGONA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 04/13/01  
Reported to Department Time: 15:53  
SWIS: 61  
Spiller Contact: MOHAMMID ARIF  
Spiller Phone: (718) 566-8960  
Spiller Extention: Not reported  
Spiller Name: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: Not reported  
Facility Extention: Not reported  
Spill Notifier: Other  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: True  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/13/01  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 04/16/01

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCIE HOUSES - BLDG 9 (Continued)**

**S105054636**

Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: True  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: WHILE REMOVING OLD TANKD 3) THERE WAS EVIDENCE FOUND OF OLD TANKS AND LEAKS IN THE CURRENT TANKS - CONTAMINATED SOIL FOUND / ALL SOIL WILL BE EXCAVATED AND SEPERATED TILL SAMPLES CAN BE TAKEN

AO176  
SW  
1/4-1/2  
0.482 mi.  
2543 ft.

**MARCY HOUSES  
603 PARK AVE  
BROOKLYN, NY**

**Site 2 of 2 in cluster AO**

**LTANKS S101102893  
HIST LTANKS N/A  
HIST AST**

**Relative:  
Higher**

LTANKS:

Site ID: 274622  
Spill No: 9315457  
Spill Date: 7/7/1992  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.

**Actual:  
18 ft.**

Spill Closed Dt: Not reported  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: jkkann

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Referred To: CONS W/ 9611167 & 9614725, IWP RCVD 3/3/11  
Reported to Dept: 3/30/1994  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: DEC  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 1  
Date Entered In Computer: 4/5/1994  
Spill Record Last Update: 3/10/2011  
Spiller Name: Not reported  
Spiller Company: NYCHA - JOE MONTELLA  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extension: Not reported  
DEC Region: 2  
DER Facility ID: 178748  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
03/23/06: This spill transferred to K.Tang - SK 12/11/07: J.Kann.  
This spill transferred to J.Kann. Consolidated with 9611167 (closed)  
and 9614725 (closed). Spill 9611167 indicates "07/28/06: NYCHA update  
summary states that two 35K USTs installed in 1982 and stored #4 and  
#6 oil were closed-removed in 2001. A 2K Diesel tank installed in  
1982 was closed-removed in 2001. In 1999, a 20K UST was installed. In  
1996, a 4K AST was installed. Both were disconnected in 2001. In  
2001, two 25 USTs that store #2 oil and one 2K diesel tank were  
installed and are currently in service. No recovery system and no MWs  
on site. NYCHA recommends that DEC review the available site  
assessment." 3/10/11: J.Kann - Investigative work plan submitted on  
3/3/11.

Remarks: LEAK RATE OF 0.08 GPH REPORTED AS PASSED BY TESTER.

**Material:**

Site ID: 274622  
Operable Unit ID: 997511  
Operable Unit: 01  
Material ID: 387209  
Material Code: 0001  
Material Name: #2 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: -1  
Units: Not reported  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 274622  
Spill Tank Test: 1542561  
Tank Number: 001  
Tank Size: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown  
Site ID: 274622  
Spill Tank Test: 1542562  
Tank Number: 002  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

Site ID: 215887  
Spill No: 9607616  
Spill Date: 9/17/1996  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/9/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: SWKRASZE  
Referred To: Not reported  
Reported to Dept: 9/17/1996  
CID: 312  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: True  
Remediation Phase: 0  
Date Entered In Computer: 9/17/1996  
Spill Record Last Update: 12/9/2005  
Spiller Name: FRANK OCELLO  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY 16TH FLOOR  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller County: 001  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 178748  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
This spill closed to consolidate with open spill #9614725.  
Remarks: diesel generator fuel tank failed

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Material:

Site ID: 215887  
Operable Unit ID: 1038782  
Operable Unit: 01  
Material ID: 346875  
Material Code: 0008  
Material Name: Diesel  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 215887  
Spill Tank Test: 1544761  
Tank Number: 001  
Tank Size: 2000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

Site ID: 215889  
Spill No: 9614725  
Spill Date: 3/21/1997  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/11/2007  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: jkkann  
Referred To: CONSOLIDATED WITH 9315457  
Reported to Dept: 3/21/1997  
CID: 322  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 3/21/1997  
Spill Record Last Update: 12/11/2007  
Spiller Name: FRANK OCELLO  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: MAHATTAN, NY

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Spiller County: 001  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 178748  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
07/28/06: NYCHA update summary states that two 35K USTs installed in 1982 and stored #4 and #6 oil were closed-removed in 2001. A 2K Diesel tank installe din 1982 was closed-removed in 2001. In 1999, a 20K UST was installed. In 1996, a 4K AST was installed. Both were disconnected in 2001. In 2001, two 25 USTs that store #2 oil and one 2K diesel tank were installed and are currently in service. No recovery system and no MWs on site. NYCHA recommends that DEC review the available site assessment. - SK 12/11/07: Closed and consolidated with spill 9315457. Reassigned to J.Kann -J.Kann  
Remarks: tank failed test

Material:  
Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported

Tank Test:  
Site ID: 215889  
Spill Tank Test: 1545038  
Tank Number: 1  
Tank Size: 35000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

Site ID: 215888  
Spill No: 9611167  
Spill Date: 12/10/1996  
Spill Cause: Tank Test Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 12/11/2007  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: jkkann  
Referred To: CONSOLIDATED WITH 9315457  
Reported to Dept: 12/10/1996  
CID: 312  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 12/10/1996  
Spill Record Last Update: 12/11/2007  
Spiller Name: FRANK OCELLO  
Spiller Company: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: ZZ  
Spiller County: 001  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 178748  
DEC Memo: 12/09/05: This spill transferred from J.Kolleeny to S.Kraszewski.  
07/28/06: See comments for spill #9614725. - SK 02/08/07 : DEC lead  
changed from S. Kraszewski to J. Kann. J.Kann  
Remarks: ISOLATE PIPING FROM TANK AND THEY WILL RE-TEST

Material:

Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported

Tank Test:

Site ID: 215888  
Spill Tank Test: 1544924  
Tank Number: 3  
Tank Size: 2000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Horner EZ Check I or II

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

HIST LTANKS:

Region of Spill: 2  
Spill Number: 9315457  
Spill Date: 07/07/1992  
Spill Time: 12:00  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 03/30/94  
Reported to Department Time: 14:50  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYCHA - JOE MONTELLA  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (212) 306-3142  
Facility Extention: Not reported  
Spill Notifier: DEC  
PBS Number: 2-474584  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 04/05/94  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/12/95  
Is Updated: False

Tank:

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Gross Leak Rate: Not reported  
PBS Number: Not reported  
Tank Number: 002  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: LEAK RATE OF 0.08 GPH REPORTED AS PASSED BY TESTER.

Region of Spill: 2  
Spill Number: 9614725  
Spill Date: 03/21/1997  
Spill Time: 14:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release that creates potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 03/21/97  
Reported to Department Time: 14:26  
SWIS: 61  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 306-3229  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY  
Spiller City,St,Zip: NY, NY  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELLO  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Spill Notifier: Tank Tester  
PBS Number: 4-74584  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 03/21/97  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 03/24/97  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 1  
Tank Size: 35000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Not reported  
Quantity Spilled: Not reported  
Unkonwn Quantity Spilled: Not reported  
Units: Not reported  
Quantity Recovered: Not reported  
Unkonwn Quantity Recovered: Not reported  
Material: Not reported  
Class Type: Not reported  
Times Material Entry In File: Not reported  
CAS Number: Not reported  
Last Date: Not reported  
DEC Remarks: Not reported  
Spill Cause: tank failed test

Region of Spill: 2  
Spill Number: 9611167  
Spill Date: 12/10/1996  
Spill Time: 13:00  
Spill Cause: Tank Test Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 12/10/96  
Reported to Department Time: 14:45  
SWIS: 61  
Spiller Contact: FRANK OCELLO  
Spiller Phone: (212) 306-3229  
Spiller Extension: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: Not reported  
Spiller City,St,Zip: Not reported  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELLO  
Facility Phone: (212) 306-3229  
Facility Extension: Not reported  
Spill Notifier: Responsible Party  
PBS Number: 4-74584  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 12/10/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 12/16/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 3  
Tank Size: 2000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Not reported  
Quantity Spilled: Not reported  
Unkonwn Quantity Spilled: Not reported  
Units: Not reported  
Quantity Recovered: Not reported  
Unkonwn Quantity Recovered: Not reported  
Material: Not reported  
Class Type: Not reported  
Times Material Entry In File: Not reported  
CAS Number: Not reported  
Last Date: Not reported  
DEC Remarks: Not reported  
Spill Cause: ISOLATE PIPING FROM TANK AND THEY WILL RE-TEST

Region of Spill: 2  
Spill Number: 9607616  
Spill Date: 09/17/1996  
Spill Time: 13:40  
Spill Cause: Tank Test Failure

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: SACCACIO  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 09/17/96  
Reported to Department Time: 15:09  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NYC HOUSING AUTHORITY  
Spiller Address: 250 BROADWAY 16TH FLOOR  
Spiller City,St,Zip: MANHATTAN, NY  
Spiller Cleanup Date: / /  
Facility Contact: FRANK OCELLO  
Facility Phone: (212) 306-3229  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 09/17/96  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 09/26/96  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: 001  
Tank Size: 2000  
Test Method: Horner EZ Check  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: False  
Units: Gallons

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: DIESEL  
Class Type: DIESEL  
Times Material Entry In File: 10625  
CAS Number: Not reported  
Last Date: 19940728  
DEC Remarks: THIS TANK IS NOT ON REGISTRATON - CALL FRANK OCELLO TO CONFIRM INFO.  
Spill Cause: diesel generator fuel tank failed

[Click this hyperlink](#) while viewing on your computer to access additional NY\_HIST\_LTANK: detail in the EDR Site Report.

HIST AST:

PBS Number: 2-474584  
SWIS Code: 6101  
Operator: LUIS PONCE  
Facility Phone: (718) 707-5725  
Facility Addr2: 648 PARK AVENUE (MGMT OFFICE)  
Facility Type: APARTMENT BUILDING  
Emergency: EMERGENCY SERVICE DEPT.  
Emergency Tel: (212) 289-3940  
Old PBSNO: Not reported  
Date Inspected: Not reported  
Inspector: Not reported  
Result of Inspection: Not reported  
Owner Name: NYC HOUSING AUTHORITY  
Owner Address: 23-02 49TH AVENUE  
Owner City,St,Zip: LONG ISLAND CITY, NY 11101  
Federal ID: Not reported  
Owner Tel: (718) 707-5725  
Owner Type: Local Government  
Owner Subtype: 51  
Mailing Contact: LUIS PONCE  
Mailing Name: NYC HOUSING AUTHORITY  
Mailing Address: 23-02 49TH AVENUE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101  
Mailing Telephone: (718) 707-5725  
Owner Mark: First Owner  
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.  
Certification Flag: False  
Certification Date: 10/05/2001  
Expiration: 03/28/2004  
Renew Flag: False  
Renew Date: Not reported  
Total Capacity: 52000  
FAMT: True  
Facility Screen: No Missing Data  
Owner Screen: Minor Data Missing  
Tank Screen: Minor Data Missing  
Dead Letter: False  
CBS Number: Not reported  
Town or City: NEW YORK CITY  
County Code: 61

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARCY HOUSES (Continued)**

**S101102893**

Town or City Code: 01  
Region: 2

Tank ID: T-1  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: Closed-Removed  
Install Date: 19990101  
Capacity (Gal): 20000  
Product Stored: NOS 1,2, OR 4 FUEL OIL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: 1  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Vault (w/access)  
Leak Detection: Not reported  
Overfill Protection: 34  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/2001  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

Tank ID: T-2  
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
Tank Status: Closed-Removed  
Install Date: 19961101  
Capacity (Gal): 4000  
Product Stored: DIESEL  
Tank Type: Steel/carbon steel  
Tank Internal: Not reported  
Tank External: 1  
Pipe Location: Aboveground  
Pipe Type: STEEL/IRON  
Pipe Internal: Not reported  
Pipe External: Not reported  
Tank Containment: Not reported  
Leak Detection: Not reported  
Overfill Protection: 34  
Dispenser Method: Suction  
Date Tested: Not reported  
Next Test Date: Not reported  
Missing Data for Tank: Minor Data Missing  
Date Closed: 09/01/2001  
Test Method: Not reported  
Deleted: False  
Updated: True  
SPDES Number: Not reported  
Lat/Long: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

177  
 WSW  
 1/4-1/2  
 0.493 mi.  
 2606 ft.

**204 WALLABOUT /NEW ERA**  
**204 WALLABOUT**  
**NEW YORK CITY, NY**

**LTANKS**    **S106703218**  
**HIST LTANKS**    **N/A**

**Relative:**  
**Lower**

**LTANKS:**

**Actual:**  
**11 ft.**

Site ID: 324576  
 Spill No: 8801005  
 Spill Date: 5/2/1988  
 Spill Cause: Tank Test Failure  
 Spill Source: Commercial/Industrial  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 3/5/2003  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: ADMIN. CLOSED  
 Referred To: Not reported  
 Reported to Dept: 5/2/1988  
 CID: Not reported  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 5/5/1988  
 Spill Record Last Update: 3/25/2004  
 Spiller Name: Not reported  
 Spiller Company: NEW ERA KNITTING MILLS  
 Spiller Address: 204 WALLABOUT  
 Spiller City,St,Zip: BROOKLYN, NY  
 Spiller County: 001  
 Spiller Contact: Not reported  
 Spiller Phone: Not reported  
 Spiller Extention: Not reported  
 DEC Region: 2  
 DER Facility ID: 261444  
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "ADMIN.CLOSED" 03/05/2003- Closed Due To The Nature / Extent Of The Spill Report  
 Remarks: 2500 GALLON TANK FAILED WITH A LEAK RATE OF -.197GPH, INITIAL SYSTEM PETRO TITE TEST.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEANUP REQUIREMENTS.

**Material:**

Site ID: 324576  
 Operable Unit ID: 918001  
 Operable Unit: 01  
 Material ID: 460161  
 Material Code: 0001  
 Material Name: #2 Fuel Oil  
 Case No.: Not reported  
 Material FA: Petroleum  
 Quantity: -1  
 Units: Pounds

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**204 WALLABOUT /NEW ERA (Continued)**

**S106703218**

Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Site ID: 324576  
Spill Tank Test: 1533813  
Tank Number: Not reported  
Tank Size: 0  
Test Method: 00  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Spills  
Last Modified: 10/1/2004  
Test Method: Unknown

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 8801005  
Spill Date: 05/02/1988  
Spill Time: 13:30  
Spill Cause: Tank Test Failure  
Resource Affectd: Groundwater  
Water Affected: Not reported  
Spill Source: Other Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: BATTISTA  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 05/02/88  
Reported to Department Time: 16:01  
SWIS: 61  
Spiller Contact: Not reported  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
Spiller Name: NEW ERA KNITTING MILLS  
Spiller Address: 204 WALLABOUT  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller Cleanup Date: / /  
Facility Contact: Not reported  
Facility Phone: (718) 624-4642  
Facility Extention: Not reported  
Spill Notifier: Tank Tester  
PBS Number: 2-475831  
Last Inspection: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**204 WALLABOUT /NEW ERA (Continued)**

**S106703218**

Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /  
Date Spill Entered In Computer Data File: 05/05/88  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 11/27/92  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: 0  
Test Method: Not reported  
Leak Rate Failed Tank: 0.00  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: -1  
Unkonwn Quantity Spilled: False  
Units: Not reported  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #2 FUEL OIL  
Class Type: #2 FUEL OIL  
Times Material Entry In File: 24464  
CAS Number: Not reported  
Last Date: 19941207  
DEC Remarks: Not reported  
Spill Cause: 2500 GALLON TANK FAILED WITH A LEAK RATE OF -.197GPH, INITIAL SYSTEM PETRO  
TITE TEST.

**AP178  
SW  
1/4-1/2  
0.497 mi.  
2622 ft.**

**BORDEN CHEMICAL  
56 NOSTRAND AVE.  
BROOKLYN, NY  
Site 1 of 2 in cluster AP**

**HSWDS S108146439  
N/A**

**Relative:  
Higher**

**HSWDS:**

Facility ID: Not reported  
Region: 2  
Facility Status: Unknown  
Owner Type: Puplic  
Owner: Borden Chemical  
Owner Address: 56 Nostrand Avenue  
Owner Phone: (212)834-5662  
Operator Type: Same  
Operator: Unknown  
Operator: Unknown  
Operator Phone: Unknown  
EPA ID: None  
Registry: Not on NYS Registry of Inactive Haz Waste Disposal Sites  
Registry Site ID: None  
RCRA Permitted: Unknown  
Site Code: Leaking tanks, drums, lagoons, other containers

**Actual:  
14 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORDEN CHEMICAL (Continued)**

**S108146439**

Owner City State: Brooklyn  
Operator City State: Not reported  
Quadrangle: Brooklyn  
Latitude: 40 41 51 N  
Longitude: 73 57 24 W  
Acres: 0.00  
Operator Date: Unknown  
Close Date: Unknown  
Completed: Unknown  
Active: Not reported  
PCB's Disposed: No  
Pesticides Disposed: No  
Metals Disposed: No  
Asbestos Disposed: No  
Volatile Organic Compounds Disposed: No  
Semi Volatile Organic Compounds Disposed: No  
Analytical Info Exists for Air: Not reported  
Analytical Info Exists for Ground: None  
Analytical Info Exists for Surface: Not reported  
Analytical Info Exists for Sediments: Not reported  
Analytical Info Exists for Surface: Not reported  
Analytical Info Exists for Substance: Not reported  
Analytical Info Exists for Waste: Not reported  
Analytical Info Exists for Leachate: Not reported  
Analytical Info Exists for EP Toxicity: Not reported  
Analytical Info Exists for TCLP: Not reported  
Threat to Environment/Public Health: None  
Surface Water Contamination: Unknown  
Surface Water Body Class: Unknown  
Groundwater Contamination: Unknown  
Groundwater Classification: Unknown  
Drinking Water Contamination: Unknown  
Drinking Water Supply is Active: Unknown  
Any Known Fish or Wildlife: Unknown  
Hazardous Exposure: Unknown  
Site Has Controlled Access: Unknown  
Ambient Air Contamination: Unknown  
Direct Contact: Unknown  
EPA Hazardous Ranking System Score: Unknown  
Inventory: F  
Nefrap: Not reported  
Mailing: Not reported  
Tax Map No: Not reported  
Qualify: 0  
Next Action: Not reported  
Agencies: Not reported  
Air: Not reported  
Building: Not reported  
Site Desc: Not reported  
Drink: Not reported  
Eptox: Not reported  
Fish: Not reported  
Ground: Not reported  
Ground Desc: Not reported  
Hazardous Threat: Not reported  
Haz Threat Desc: Not reported  
Leachate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORDEN CHEMICAL (Continued)**

**S108146439**

Preparer: Not reported  
Sediment: Not reported  
Soil: Not reported  
Surface: Not reported  
Status: Not reported  
Surface Soil: Not reported  
Surface: Not reported  
TCLP: Not reported  
Waste: Not reported

**AP179  
SW  
1/4-1/2  
0.497 mi.  
2622 ft.**

**BORDEN CHEMICAL ADHESIVES & CHEM  
56 NOSTRAND AVE  
BROOKLYN, NY 11205  
Site 2 of 2 in cluster AP**

**CERC-NFRAP 1000186343  
RCRA-NonGen NYD012497335  
FINDS**

**Relative:  
Higher**

CERC-NFRAP:  
Site ID: 0201493  
Federal Facility: Not a Federal Facility

**Actual:  
14 ft.**

NPL Status: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**CERCLIS-NFRAP Assessment History:**

Action: DISCOVERY  
Date Started: Not reported  
Date Completed: 05/01/1980  
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT  
Date Started: Not reported  
Date Completed: 10/01/1980  
Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

Action: SITE INSPECTION  
Date Started: 10/01/1980  
Date Completed: 11/01/1980  
Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

Action: ARCHIVE SITE  
Date Started: Not reported  
Date Completed: 11/01/1980  
Priority Level: Not reported

**RCRA-NonGen:**

Date form received by agency: 01/01/2007  
Facility name: BORDEN CHEMICAL ADHESIVES & CHEMICALS  
Facility address: 56 NOSTRAND AVE  
BROOKLYN, NY 112051624  
EPA ID: NYD012497335  
Mailing address: E BROAD ST  
COLUMBUS, NY 43215  
Contact: Not reported  
Contact address: E BROAD ST  
COLUMBUS, NY 43215  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BORDEN CHEMICAL ADHESIVES & CHEM (Continued)**

**1000186343**

EPA Region: 02  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: BORDEN INC  
Owner/operator address: 180 EAST BROAD ST  
OPERCITY, OH 99999

Owner/operator country: US  
Owner/operator telephone: (212) 834-5662  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: BORDEN INC  
Owner/operator address: 180 E BROAD ST  
COLUMBUS, OH 43215

Owner/operator country: US  
Owner/operator telephone: (212) 834-5662  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: BORDEN CHEMICAL ADHESIVES & CHEMICALS  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: BORDEN CHEMICAL ADHESIVES & CHEMICALS  
Classification: Not a generator, verified

Date form received by agency: 11/19/1980  
Facility name: BORDEN CHEMICAL ADHESIVES & CHEMICALS  
Classification: Not a generator, verified

Date form received by agency: 08/18/1980

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BORDEN CHEMICAL ADHESIVES & CHEM (Continued)**

**1000186343**

Facility name: BORDEN CHEMICAL ADHESIVES & CHEMICALS  
 Classification: Small Quantity Generator

Violation Status: No violations found

**FINDS:**

Registry ID: 110004344451

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**180**  
**NNE**  
**1/4-1/2**  
**0.497 mi.**  
**2622 ft.**

**IS#49K**  
**223 GRAHM ST**  
**BROOKLYN, NY**

**LTANKS** **S102960163**  
**HIST LTANKS** **N/A**

**Relative:**  
**Higher**

**LTANKS:**

**Actual:**  
**38 ft.**

Site ID: 336264  
 Spill No: 0411168  
 Spill Date: 1/14/2005  
 Spill Cause: Tank Test Failure  
 Spill Source: Institutional, Educational, Gov., Other  
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
 Spill Closed Dt: 12/19/2005  
 Facility Addr2: Not reported  
 Cleanup Ceased: Not reported  
 Cleanup Meets Standard: False  
 SWIS: 2401  
 Investigator: AJWHITE  
 Referred To: Not reported  
 Reported to Dept: 1/14/2005  
 CID: 444  
 Water Affected: Not reported  
 Spill Notifier: Tank Tester  
 Last Inspection: Not reported  
 Recommended Penalty: Penalty Not Recommended  
 UST Involvement: False  
 Remediation Phase: 0  
 Date Entered In Computer: 1/14/2005  
 Spill Record Last Update: 12/19/2005  
 Spiller Name: JEFF DEVERTEUIO  
 Spiller Company: SCHOOL  
 Spiller Address: 223 GRAHM AVE  
 Spiller City,St,Zip: BROOKLYN, NY  
 Spiller County: 001  
 Spiller Contact: JEFF DEVERTEUIO  
 Spiller Phone: (718) 349-5752  
 Spiller Extention: Not reported  
 DEC Region: 2

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**IS#49K (Continued)**

**S102960163**

DER Facility ID: 110563  
DEC Memo: send ttf letter See also spill #9711161. Spill 971116 was closed and merged with this spill no. This is a NYTC school, will track down the NYC school coordinator. Spoke to Phil Frazin of A-1 Crown Leak. this is a NYC School. I will check to see if Spill response will take this over as part of the whole NYC School project.- S. Scharf August 30, 2005. 11/15/2005: Lead transferred to Joe White as part of the Spill Initiative Project. 12/08/2005: Mr. James Merlo, the coordinator for NYC School spills, called Joe White to indicate that the tank has been emptied and taken out of service. a certificate of abandonment will be forwarded to document this. 12/19/2005: Joe White received the "Certificate of Affidavit" for abandonment of the the tank at this location. The certificate date was 2/1/2005. This abandonment is sufficient for closure of this spill report due to tanks test failure.  
Not reported  
Remarks: PBS No: 2-356220

Material:

Site ID: 336264  
Operable Unit ID: 1098301  
Operable Unit: 01  
Material ID: 578471  
Material Code: 0002  
Material Name: #4 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: 336264  
Spill Tank Test: 1548488  
Tank Number: 2  
Tank Size: 7500  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified: 1/14/2005  
Test Method: Horner EZ Check I or II  
Site ID: 336264  
Spill Tank Test: 1548491  
Tank Number: 1  
Tank Size: 7500  
Test Method: 03  
Leak Rate: 0  
Gross Fail: Not reported  
Modified By: Watchdog  
Last Modified: 1/14/2005  
Test Method: Horner EZ Check I or II

Site ID: 128139

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**IS#49K (Continued)**

**S102960163**

Spill No: 9711161  
Spill Date: 1/5/1998  
Spill Cause: Tank Failure  
Spill Source: Institutional, Educational, Gov., Other  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 3/14/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: RWAUSTIN  
Referred To: Not reported  
Reported to Dept: 1/5/1998  
CID: 281  
Water Affected: Not reported  
Spill Notifier: Responsible Party  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 1/5/1998  
Spill Record Last Update: 3/14/2005  
Spiller Name: KWAME FOSU  
Spiller Company: NY CITY SCHOOL DISTRICT  
Spiller Address: 30-30 THOMSON AVE  
Spiller City,St,Zip: LONG ISLAND, NY 11101-001  
Spiller County: 001  
Spiller Contact: KWAME FOSU  
Spiller Phone: (718) 472-8501  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 110563  
DEC Memo: Prior to Sept, 2004 data translation this spill Lead\_DEC Field was "AUSTIN" 5/12/04 - ORIG. ASIGNED TO HALE 3/14/05 - Austin - closed and consolidated with spill #0411168 - end  
Remarks: SOIL TEST AT ABOVE LOCATION IDICATE A POSSIBLE LEAK AT ABOVE LOCATION. ADDITIONAL TESTING WILL BE DONE TO DETERMINE AMOUNT AND NATURE OF SPILL. CALLER REQUEST CALL DURING BUSINESS HOURS.

**Material:**

Site ID: 128139  
Operable Unit ID: 1054046  
Operable Unit: 01  
Material ID: 325865  
Material Code: 0003  
Material Name: #6 Fuel Oil  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: 0  
Units: Gallons  
Recovered: No  
Resource Affected: Not reported  
Oxygenate: False

**Tank Test:**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**IS#49K (Continued)**

**S102960163**

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

**HIST LTANKS:**

Region of Spill: 2  
Spill Number: 9711161  
Spill Date: 01/05/1998  
Spill Time: 16:00  
Spill Cause: Tank Failure  
Resource Affectd: On Land  
Water Affected: Not reported  
Spill Source: Other Non Commercial/Industrial  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.  
Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: / /  
Cleanup Ceased: / /  
Cleanup Meets Standard: False  
Investigator: HALE  
Caller Name: Not reported  
Caller Agency: Not reported  
Caller Phone: Not reported  
Caller Extension: Not reported  
Notifier Name: Not reported  
Notifier Agency: Not reported  
Notifier Phone: Not reported  
Notifier Extension: Not reported  
Reported to Department Date: 01/05/98  
Reported to Department Time: 16:54  
SWIS: 61  
Spiller Contact: KWAME FOSU  
Spiller Phone: (718) 472-8501  
Spiller Extention: Not reported  
Spiller Name: NY CITY SCHOOL DISTRICT  
Spiller Address: 30-30 THOMSON AVE  
Spiller City,St,Zip: LONG ISLAND, NY 11101-  
Spiller Cleanup Date: / /  
Facility Contact: KWAME FOSU  
Facility Phone: (718) 472-8501  
Facility Extention: Not reported  
Spill Notifier: Responsible Party  
PBS Number: Not reported  
Last Inspection: / /  
Recommended Penalty: Penalty Not Recommended  
Enforcement Date: / /  
Investigation Complete: / /  
UST Involvement: False  
Date Region Sent Summary to Central Office: / /  
Corrective Action Plan Submitted: / /

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**IS#49K (Continued)**

**S102960163**

Date Spill Entered In Computer Data File: 01/05/98  
Time Spill Entered In Computer Data File: Not reported  
Spill Record Last Update: 01/15/98  
Is Updated: False

**Tank:**

PBS Number: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate Failed Tank: Not reported  
Gross Leak Rate: Not reported

**Material:**

Material Class Type: Petroleum  
Quantity Spilled: 0  
Unkonwn Quantity Spilled: True  
Units: Gallons  
Quantity Recovered: 0  
Unkonwn Quantity Recovered: False  
Material: #6 FUEL OIL  
Class Type: #6 FUEL OIL  
Times Material Entry In File: 2190  
CAS Number: Not reported  
Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: SOIL TEST AT ABOVE LOCATION IDICATE A POSSIBLE LEAK AT ABOVE LOCATION.  
ADDITIONAL TESTING WILL BE DONE TO DETERMINE AMOUNT AND NATURE OF SPILL.  
CALLER REQUEST CALL DURING BUSINESS HOURS.

181  
ENE  
1/4-1/2  
0.499 mi.  
2635 ft.

**MARC KATZMAN  
255 MCKIBBON ST  
BROOKLYN, NY**

**LTANKS S106737658  
N/A**

**Relative:  
Higher**

**LTANKS:**

Site ID: 332168  
Spill No: 0407643  
Spill Date: 10/9/2004  
Spill Cause: Tank Test Failure  
Spill Source: Private Dwelling  
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/30/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: True  
SWIS: 2401  
Investigator: rmpiper  
Referred To: Not reported  
Reported to Dept: 10/9/2004  
CID: 72  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended

**Actual:  
17 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARC KATZMAN (Continued)**

**S106737658**

UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 10/12/2004  
Spill Record Last Update: 9/20/2006  
Spiller Name: Not reported  
Spiller Company: Not reported  
Spiller Address: Not reported  
Spiller City,St,Zip: \*\*\*Update\*\*\*, ZZ  
Spiller County: 001  
Spiller Contact: ALEX - COSMOS ENVIRONMENT  
Spiller Phone: (516) 374-7890  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 267329  
DEC Memo: 09/19/05- Spoke to Alex from Cosmos Environmental. He will send me the owners name and asdressed. Cosmos recommended closing the tanks and he gave an estimate, but the owner never signed the contract. Need to follow up on this. S. Scharf 11/30/05- DEC PIPER received proper documentation from Managing co. see e-docs. 11/17/05- Integrity of the tank failed. The client did not sign the contract.Refer back to Region 2 for closure as this was cross-referenced with spill No. 0410531- S. Scharf  
Remarks: Not reported

Material:  
Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported

Tank Test:  
Site ID: 332168  
Spill Tank Test: 1548235  
Tank Number: 001  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: F  
Modified By: Watchdog  
Last Modified: 10/12/2004  
Test Method: Horner EZ Check I or II

Site ID: 335506  
Spill No: 0410531  
Spill Date: 12/22/2004  
Spill Cause: Tank Test Failure

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARC KATZMAN (Continued)**

**S106737658**

Spill Source: Commercial/Industrial  
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: 11/30/2005  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: True  
SWIS: 2401  
Investigator: rmpiper  
Referred To: Not reported  
Reported to Dept: 12/22/2004  
CID: 407  
Water Affected: Not reported  
Spill Notifier: Tank Tester  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 0  
Date Entered In Computer: 12/22/2004  
Spill Record Last Update: 9/20/2006  
Spiller Name: MARC KATZMAN  
Spiller Company: MARC KATZMAN  
Spiller Address: 255 MCKIBBON ST  
Spiller City,St,Zip: BROOKLYN, NY  
Spiller County: 001  
Spiller Contact: MARC KATZMAN  
Spiller Phone: (212) 472-1100  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 267329  
DEC Memo: ttf ltr sent 1/14/2005 11/14/05- DEc Piper Contacted Property owner, Zumck Realty Co., 516-829-2428 Lucy Quiceno- (Book keeper) . Supposedly, tank is out of service. ABC Tank?? filed application. No records found. Lucy will follow up. 11/17/05- Integrity of the tank failed. The client did not sign the contract.Refer back to Region 2 for closure as this was cross-referenced with spill No. 0407643. 11/30/05 DEC Piper received proper documentation from Management co. see e-docs.  
Remarks: PBS No: 2-259527

Material:  
Site ID: Not reported  
Operable Unit ID: Not reported  
Operable Unit: Not reported  
Material ID: Not reported  
Material Code: Not reported  
Material Name: Not reported  
Case No.: Not reported  
Material FA: Not reported  
Quantity: Not reported  
Units: Not reported  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARC KATZMAN (Continued)**

**S106737658**

Tank Test:  
Site ID: 335506  
Spill Tank Test: 1548434  
Tank Number: 1  
Tank Size: 5000  
Test Method: 03  
Leak Rate: 0  
Gross Fail: F  
Modified By: Watchdog  
Last Modified: 12/22/2004  
Test Method: Horner EZ Check I or II

**182**  
**West**  
**1/4-1/2**  
**0.499 mi.**  
**2637 ft.**

**GULF STATION 70227 TTF**  
**189 PENN. AVE**  
**BROOKLYN, NY**

**LTANKS** **S110045410**  
**N/A**

**Relative:**  
**Higher**

LTANKS:  
Site ID: 420161  
Spill No: 0907625  
Spill Date: 10/7/2009  
Spill Cause: Tank Test Failure  
Spill Source: Gasoline Station  
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.  
Spill Closed Dt: Not reported  
Facility Addr2: Not reported  
Cleanup Ceased: Not reported  
Cleanup Meets Standard: False  
SWIS: 2401  
Investigator: HRAHMED  
Referred To: Not reported  
Reported to Dept: 10/7/2009  
CID: Not reported  
Water Affected: Not reported  
Spill Notifier: Other  
Last Inspection: Not reported  
Recommended Penalty: Penalty Not Recommended  
UST Involvement: False  
Remediation Phase: 1  
Date Entered In Computer: 10/7/2009  
Spill Record Last Update: 10/7/2009  
Spiller Name: Not reported  
Spiller Company: GULF  
Spiller Address: Not reported  
Spiller City,St,Zip: NY  
Spiller County: 999  
Spiller Contact: MELISA GLIDDEN  
Spiller Phone: Not reported  
Spiller Extention: Not reported  
DEC Region: 2  
DER Facility ID: 369183  
DEC Memo: Not reported  
Remarks: Not reported

**Actual:**  
**37 ft.**

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GULF STATION 70227 TTF (Continued)**

**S110045410**

Material:

Site ID: 420161  
Operable Unit ID: 1176145  
Operable Unit: 01  
Material ID: 2168805  
Material Code: 0009  
Material Name: Gasoline  
Case No.: Not reported  
Material FA: Petroleum  
Quantity: Not reported  
Units: Gallons  
Recovered: Not reported  
Resource Affected: Not reported  
Oxygenate: False

Tank Test:

Site ID: Not reported  
Spill Tank Test: Not reported  
Tank Number: Not reported  
Tank Size: Not reported  
Test Method: Not reported  
Leak Rate: Not reported  
Gross Fail: Not reported  
Modified By: Not reported  
Last Modified: Not reported  
Test Method: Not reported

183  
WSW  
1/2-1  
0.529 mi.  
2791 ft.

**TECHTRONICS ECOLOGICAL CORP  
8 WALWORTH ST  
NEW YORK, NY 11205**

**CORRACTS 1000244308  
RCRA-NonGen NYD000824334  
FINDS  
MANIFEST**

Relative:  
Equal

CORRACTS:

Actual:  
13 ft.

EPA ID: NYD000824334  
EPA Region: 02  
Area Name: SITEWIDE  
Actual Date: 08/02/1994  
Action: CA075ME - CA Prioritization, Facility or area was assigned a medium corrective action priority  
NAICS Code(s): 32551  
Paint and Coating Manufacturing  
Original schedule date: Not reported  
Schedule end date: Not reported

EPA ID: NYD000824334  
EPA Region: 02  
Area Name: SITEWIDE  
Actual Date: 11/22/1985  
Action: CA050 - RFA Completed  
NAICS Code(s): 32551  
Paint and Coating Manufacturing  
Original schedule date: Not reported  
Schedule end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

RCRA-NonGen:

Date form received by agency: 01/01/2007  
Facility name: TECHTRONICS ECOLOGICAL CORP  
Facility address: 8 WALWORTH ST  
NEW YORK, NY 11205  
EPA ID: NYD000824334  
Mailing address: FLUSHING AVE  
BROOKLYN, NY 11205  
Contact: Not reported  
Contact address: FLUSHING AVE  
BROOKLYN, NY 11205  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 02  
Land type: Facility is not located on Indian land. Additional information is not known.  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TECHTRONICS ECOLOGICAL CORP  
Owner/operator address: 501 FLUSHING AVE  
OPERCITY, NY 99999  
Owner/operator country: US  
Owner/operator telephone: (212) 624-5240  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported  
  
Owner/operator name: TWELVE WALWORTH STREET CORP  
Owner/operator address: 501 FLUSHING AVE  
BROOKLYN, NY 11205  
Owner/operator country: US  
Owner/operator telephone: (212) 624-5240  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Historical Generators:

Date form received by agency: 01/01/2006  
Facility name: TECHTRONICS ECOLOGICAL CORP  
Classification: Not a generator, verified

Date form received by agency: 07/08/1999  
Facility name: TECHTRONICS ECOLOGICAL CORP  
Classification: Not a generator, verified

Date form received by agency: 11/19/1980  
Facility name: TECHTRONICS ECOLOGICAL CORP  
Classification: Not a generator, verified

Date form received by agency: 08/18/1980  
Facility name: TECHTRONICS ECOLOGICAL CORP  
Classification: Large Quantity Generator

Corrective Action Summary:

Event date: 11/22/1985  
Event: RFA Completed

Event date: 08/02/1994  
Event: CA Prioritization, Facility or area was assigned a medium corrective action priority.

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 12/13/1988  
Date achieved compliance: 06/06/1990  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 03/01/1990  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: LDR - General  
Date violation determined: 03/30/1988  
Date achieved compliance: 04/30/1988  
Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - Manifest

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Date violation determined: 01/15/1987  
Date achieved compliance: 01/17/1987  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 01/15/1987  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Permits - Application  
Date violation determined: 08/28/1986  
Date achieved compliance: 04/30/1988  
Violation lead agency: State  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 03/11/1986  
Date achieved compliance: 08/28/1986  
Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 03/11/1986  
Date achieved compliance: 04/30/1988  
Violation lead agency: State  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - Manifest  
Date violation determined: 09/16/1985

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Date achieved compliance: 07/16/1986  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/16/1985  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - Manifest  
Date violation determined: 09/16/1985  
Date achieved compliance: 07/16/1986  
Violation lead agency: State  
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
Enforcement action date: 04/24/1986  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 875  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - Manifest  
Date violation determined: 05/16/1985  
Date achieved compliance: 07/16/1986  
Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - Manifest  
Date violation determined: 05/16/1985  
Date achieved compliance: 01/17/1987  
Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 02/21/1985  
Date achieved compliance: 06/06/1990

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: Not reported  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: Not reported  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - General  
Date violation determined: 05/01/1984  
Date achieved compliance: 06/08/1984  
Violation lead agency: EPA  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 05/11/1984  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Generators - Manifest  
Date violation determined: 03/31/1984  
Date achieved compliance: 10/04/1985  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/20/1985  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Regulation violated: Not reported  
Area of violation: Permits - Application  
Date violation determined: 03/09/1984  
Date achieved compliance: 11/21/1984  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/20/1984  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: 0  
Final penalty amount: 0  
Paid penalty amount: 0

Evaluation Action Summary:  
Evaluation date: 12/13/1988  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 06/06/1990

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Evaluation lead agency: State

Evaluation date: 03/30/1988  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: LDR - General  
Date achieved compliance: 04/30/1988  
Evaluation lead agency: EPA

Evaluation date: 05/27/1987  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 02/13/1987  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 02/13/1987  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 01/15/1987  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - Manifest  
Date achieved compliance: 01/17/1987  
Evaluation lead agency: State

Evaluation date: 01/06/1987  
Evaluation: FINANCIAL RECORD REVIEW  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 08/28/1986  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 08/28/1986  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Permits - Application  
Date achieved compliance: 04/30/1988  
Evaluation lead agency: State

Evaluation date: 03/11/1986  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 04/30/1988  
Evaluation lead agency: State

Evaluation date: 03/11/1986

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 08/28/1986  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 09/16/1985  
Evaluation: FOCUSED COMPLIANCE INSPECTION  
Area of violation: Generators - Manifest  
Date achieved compliance: 07/16/1986  
Evaluation lead agency: State

Evaluation date: 05/16/1985  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - Manifest  
Date achieved compliance: 07/16/1986  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 05/16/1985  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - Manifest  
Date achieved compliance: 01/17/1987  
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 02/21/1985  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 06/06/1990  
Evaluation lead agency: EPA

Evaluation date: 02/21/1985  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 05/01/1984  
Evaluation: NON-FINANCIAL RECORD REVIEW  
Area of violation: Generators - General  
Date achieved compliance: 06/08/1984  
Evaluation lead agency: EPA

Evaluation date: 03/31/1984  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - Manifest  
Date achieved compliance: 10/04/1985  
Evaluation lead agency: State

Evaluation date: 03/09/1984  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Permits - Application  
Date achieved compliance: 11/21/1984  
Evaluation lead agency: State

**FINDS:**

Registry ID: 110007996204

Environmental Interest/Information System

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD000824334  
Country: USA  
Mailing Name: TECHTRONICS ECOLOGICAL  
Mailing Contact: CARL LING-GENERAL MANAGER  
Mailing Address: 501 FLUSHING AVE  
Mailing Address 2: Not reported  
Mailing City: BROOKLYN  
Mailing State: NY  
Mailing Zip: 11205  
Mailing Zip4: 1610  
Mailing Country: USA  
Mailing Phone: 718-522-3838

Document ID: NYO3019599  
Manifest Status: Completed copy  
Trans1 State ID: 7087AC  
Trans2 State ID: Not reported  
Generator Ship Date: 830628  
Trans1 Recv Date: 830628  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830628  
Part A Recv Date: 030713  
Part B Recv Date: 030713  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSDF ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019689  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 830711  
Trans1 Recv Date: 830711  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830711  
Part A Recv Date: 030728  
Part B Recv Date: 030728

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291063  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019815  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 830718  
Trans1 Recv Date: 830718  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830719  
Part A Recv Date: 030802  
Part B Recv Date: 030802  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSD ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019833  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 830721  
Trans1 Recv Date: 830721  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830721  
Part A Recv Date: 030802  
Part B Recv Date: 030802  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSD ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010491  
Manifest Status: Completed copy  
Trans1 State ID: JA-071  
Trans2 State ID: Not reported  
Generator Ship Date: 831025  
Trans1 Recv Date: 831025  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831025  
Part A Recv Date: 031031  
Part B Recv Date: 031031  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD991291063  
Trans2 EPA ID: Not reported  
TSDF ID: NJD991291063  
Waste Code: F003 - UNKNOWN  
Quantity: 05500  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010653  
Manifest Status: Completed copy  
Trans1 State ID: JA148  
Trans2 State ID: Not reported  
Generator Ship Date: 831107  
Trans1 Recv Date: 831107  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831108  
Part A Recv Date: 031116  
Part B Recv Date: 031116  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD099287484  
Trans2 EPA ID: Not reported  
TSDF ID: VAD098443443  
Waste Code: F003 - UNKNOWN  
Quantity: 05000  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010716  
Manifest Status: Completed copy  
Trans1 State ID: JA148  
Trans2 State ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Generator Ship Date: 831110  
Trans1 Recv Date: 831110  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831111  
Part A Recv Date: 031205  
Part B Recv Date: 031205  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD099287484  
Trans2 EPA ID: Not reported  
TSDF ID: VAD098443443  
Waste Code: F003 - UNKNOWN  
Quantity: 05000  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010725  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 831114  
Trans1 Recv Date: 831114  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831115  
Part A Recv Date: 031206  
Part B Recv Date: 031206  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSDF ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019059  
Manifest Status: Completed copy  
Trans1 State ID: JA-071  
Trans2 State ID: Not reported  
Generator Ship Date: 830524  
Trans1 Recv Date: 830524  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830524  
Part A Recv Date: 030601  
Part B Recv Date: 030601  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD991291063  
Trans2 EPA ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

TSDF ID: NJD991291063  
Waste Code: F003 - UNKNOWN  
Quantity: 06000  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019131  
Manifest Status: Completed copy  
Trans1 State ID: 1A808  
Trans2 State ID: Not reported  
Generator Ship Date: 830527  
Trans1 Recv Date: 830527  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830527  
Part A Recv Date: 030607  
Part B Recv Date: 030607  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSDF ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DM - Metal drums, barrels  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019185  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 830610  
Trans1 Recv Date: 830610  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830610  
Part A Recv Date: 030620  
Part B Recv Date: 030620  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSDF ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Document ID: NYO3019383  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 830614  
Trans1 Recv Date: 830614  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830614  
Part A Recv Date: 030620  
Part B Recv Date: 030620  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSD ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3019482  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 830622  
Trans1 Recv Date: 830622  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830622  
Part A Recv Date: 030713  
Part B Recv Date: 030713  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSD ID: NYD080469935  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010086  
Manifest Status: Completed copy  
Trans1 State ID: NY1A014  
Trans2 State ID: Not reported  
Generator Ship Date: 830929  
Trans1 Recv Date: 830929  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 830929  
Part A Recv Date: 031007

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Part B Recv Date: 031007  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD037056132  
Trans2 EPA ID: Not reported  
TSD ID: NYD000632232  
Waste Code: F003 - UNKNOWN  
Quantity: 06074  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010266  
Manifest Status: Completed copy  
Trans1 State ID: 1A008  
Trans2 State ID: Not reported  
Generator Ship Date: 831011  
Trans1 Recv Date: 831011  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831011  
Part A Recv Date: 031021  
Part B Recv Date: 031021  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NYD990762742  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291063  
Waste Code: F003 - UNKNOWN  
Quantity: 06800  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010311  
Manifest Status: Completed copy  
Trans1 State ID: JA-071  
Trans2 State ID: Not reported  
Generator Ship Date: 831017  
Trans1 Recv Date: 831017  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831017  
Part A Recv Date: 031028  
Part B Recv Date: 031028  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD991291063  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291063  
Waste Code: F003 - UNKNOWN  
Quantity: 05500  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010455  
Manifest Status: Completed copy  
Trans1 State ID: NYJA071  
Trans2 State ID: Not reported  
Generator Ship Date: 831024  
Trans1 Recv Date: 831024  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831024  
Part A Recv Date: 031031  
Part B Recv Date: 031031  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD991291063  
Trans2 EPA ID: Not reported  
TSD ID: NJD991291063  
Waste Code: F003 - UNKNOWN  
Quantity: 06000  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: T Chemical, physical, or biological treatment.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3010932  
Manifest Status: Completed copy  
Trans1 State ID: JA148  
Trans2 State ID: Not reported  
Generator Ship Date: 831122  
Trans1 Recv Date: 831122  
Trans2 Recv Date: Not reported  
TSD Site Recv Date: 831123  
Part A Recv Date: 031212  
Part B Recv Date: 031212  
Generator EPA ID: NYD000824334  
Trans1 EPA ID: NJD099287484  
Trans2 EPA ID: Not reported  
TSD ID: VAD098443443  
Waste Code: F003 - UNKNOWN  
Quantity: 05000  
Units: G - Gallons (liquids only)\* (8.3 pounds)  
Number of Containers: 001  
Container Type: DT - Dump trucks  
Handling Method: B Incineration, heat recovery, burning.  
Specific Gravity: 100  
Year: 83

Document ID: NYO3080745  
Manifest Status: Completed copy  
Trans1 State ID: 7087AC

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**TECHTRONICS ECOLOGICAL CORP (Continued)**

**1000244308**

Trans2 State ID: Not reported  
 Generator Ship Date: 830908  
 Trans1 Recv Date: 830908  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 830908  
 Part A Recv Date: 030926  
 Part B Recv Date: 030926  
 Generator EPA ID: NYD000824334  
 Trans1 EPA ID: NYD990762742  
 Trans2 EPA ID: Not reported  
 TSD ID: NJD991291063  
 Waste Code: F003 - UNKNOWN  
 Quantity: 06800  
 Units: G - Gallons (liquids only)\* (8.3 pounds)  
 Number of Containers: 001  
 Container Type: DT - Dump trucks  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 83

Document ID: NYO3080826  
 Manifest Status: Completed copy  
 Trans1 State ID: NYJA074  
 Trans2 State ID: Not reported  
 Generator Ship Date: 830914  
 Trans1 Recv Date: 830914  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 830914  
 Part A Recv Date: 030923  
 Part B Recv Date: 030923  
 Generator EPA ID: NYD000824334  
 Trans1 EPA ID: NJD991291063  
 Trans2 EPA ID: Not reported  
 TSD ID: NJD991291063  
 Waste Code: F003 - UNKNOWN  
 Quantity: 05500  
 Units: G - Gallons (liquids only)\* (8.3 pounds)  
 Number of Containers: 001  
 Container Type: DT - Dump trucks  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 83

[Click this hyperlink](#) while viewing on your computer to access  
 565 additional NY\_MANIFEST: record(s) in the EDR Site Report.

184  
 WSW  
 1/2-1  
 0.677 mi.  
 3575 ft.

**SKILLMAN STATION**  
**SKILLMAN ST. FLUSHING AND BEDFORD AVES., AND PARK ST**  
**BROOKLYN, NY 11205**

**Manufactured Gas Plants 1008407900**  
**N/A**

**Relative:**  
**Higher**

Manufactured Gas Plants:  
 No additional information available

**Actual:**  
**15 ft.**



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BQE/ANSBACHER COLOR & DYE FACTORY (Continued)**

**S106780917**

investigation found hazardous levels of arsenic and lead in the soil and elevated levels of arsenic, lead and cyanide in the groundwater. During the reconstruction of the BQE in the early 1990s, the NYSDOT completed an IRM (soil removal) within the project's right-of way. The remaining contaminated soil is located beneath asphalt and concrete. A Preliminary Site Assessment was completed during the summer of 1999 to evaluate the areas outside the BQE footprint. The sampling results indicate that the subsurface soils within the footprint of the former Ansbacher Plant contain elevated levels of arsenic, lead, and mercury. The groundwater in this area is also contaminated with these metals, but the contaminated groundwater has not migrated significantly beyond the footprint of the former factory. Not reported

Env Problem: The primary contaminants of concern at this site are arsenic, lead, mercury and cyanide. Investigations indicate that the subsurface soils within the footprint of the former Ansbacher Plant contain elevated levels of arsenic, lead, and mercury. The groundwater in this area is also contaminated with these metals. The site does not constitute a significant threat to the environment as the contaminated soil is covered by existing layers of asphalt and concrete, and the contaminated groundwater has not migrated significantly beyond the footprint of the former factory.

Health Problem: Residual arsenic and lead contamination remain under the BQE and is covered with several layers of concrete and asphalt, thereby preventing direct contact. Contaminated soil also underlies several on-site buildings formerly used by Ansbacher. Groundwater in the area is not used, since public water is available. Off-site sampling of surface soils from residential yards adjacent to the site indicated the presence of metals (particularly arsenic and lead) at concentrations above the range of concentrations typically encountered in urban neighborhoods. However, the exact source of the metals in the soils could not be determined from the data collected. The NYSDOH gave the residents advice on how to minimize their exposure to these surface soil contaminants.

Dump: False  
Structure: False  
Lagoon: False  
Landfill: True  
Pond: False  
Disp Start: unknown  
Disp Term: unknown  
Lat/Long: 40:42:52:0 / 73:57:12:0  
Dell: False  
Record Add: 11/18/1999 12:00:00 PM  
Record Upd: 11/18/1999 12:00:00 PM  
Updated By: INITIAL  
Own Op: Disp. Owner  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: ANSBACHER COLOR & DYE FACTORY  
Owner Address: Not reported  
Owner Addr2: Not reported  
Owner City,St,Zip: ZZ  
Owner Country: United States of America  
Own Op: On-Site Operator  
Sub Type: B99  
Owner Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BQE/ANSBACHER COLOR & DYE FACTORY (Continued)**

**S106780917**

Owner Company: ANSBACHER COLOR & DYE FACTORY  
Owner Address: MEEKER AVENUE  
Owner Addr2: Not reported  
Owner City,St,Zip: BROOKLYN, NY  
Owner Country: United States of America  
Own Op: On-Site Operator  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: Ansbacher Color & Dye Factory  
Owner Address: Meeker Avenue  
Owner Addr2: Not reported  
Owner City,St,Zip: Brooklyn, NY 11211  
Owner Country: United States of America  
Own Op: Owner  
Sub Type: NNN  
Owner Name: Not reported  
Owner Company: NYS Department of Transportation  
Owner Address: State Campus - Building 5  
Owner Addr2: Not reported  
Owner City,St,Zip: Albany, NY 12232  
Owner Country: United States of America  
Own Op: Owner  
Sub Type: B99  
Owner Name: Not reported  
Owner Company: NYS Department of Transportation  
Owner Address: STATE CAMPUS, BUILDING 5  
Owner Addr2: Not reported  
Owner City,St,Zip: ALBANY, NY 12232  
Owner Country: United States of America  
HW Code: 224016  
Waste Type: LEAD  
Waste Quantity: UNKNOWN  
Waste Code: Not reported  
HW Code: 224016  
Waste Type: ARSENIC  
Waste Quantity: UNKNOWN  
Waste Code: Not reported  
Crossref ID: Not reported  
Cross Ref Type Code: Not reported  
Cross Ref Type: Not reported  
Record Added Date: Not reported  
Record Updated: Not reported  
Updated By: Not reported

189  
West  
1/2-1  
0.868 mi.  
4584 ft.

**KEAP ST. STATION**  
**KEAP ST. WYTHE AVE. HOOPER ST. AND KENT AVE**  
**BROOKLYN, NY 11211**

**Manufactured Gas Plants 1008407893**  
**N/A**

**Relative:**  
**Higher**

Manufactured Gas Plants:  
No additional information available

**Actual:**  
**15 ft.**

Count: 20 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BROOKLYN	1001113446	NYCTA - 977 BROADWAY	977 BROADWAY EMPTY LOT CLEANUP	11206	FINDS,MANIFEST,RCRA-NLR
BROOKLYN	1003863849	BKLYN UNION GAS /NASSAU WORKS	KENT AVE/CROS ST/WALLABOUT CNL	11237	CERCLIS-NFRAP
BROOKLYN	1004761888	NYSDOT CONTRACT D258425	BQE CONNECTOR RAMP TO	11211	FINDS,RCRA-NLR
BROOKLYN	1007204911	NYCDOT C/O KOCH-SKANSKA	MANHATTAN BR		RCRA-CESQG,MANIFEST
BROOKLYN	1007204921	NYCDOT PRESIDENT ST BRIDGE	PRESIDENT ST BR/FRANKLINST		RCRA-NLR,MANIFEST
NEW YORK	1007206799	CONSOLIDATED EDISON	V4617-DEKALB & THROOP	10010	RCRA-NLR,MANIFEST
BROOKLYN	1007207445	CONSOLIDATED EDISON	V3431-BROADWAY & BEDFORD		RCRA-NLR,MANIFEST
BROOKLYN	1007208397	CONSOLIDATED EDISON	MH38210-KINGS HWY & W 7TH ST		RCRA-NLR,MANIFEST
BROOKLYN	1007208567	CONSOLIDATED EDISON	MH9116-205 VARET ST		RCRA-NLR,MANIFEST
BROOKLYN	1007758478	GALANTE INC-144 NOLL ST	144 NOLL ST-BET WILSON & CENTR	11206	FINDS
BROOKLYN	1007811787	NYC DEP-WALLABOUT CHANNEL/S DIV ST	WALLABOUT CHANNEL/N KENT AVENU	11251	FINDS
BROOKLYN	S102142527	E 29TH ST & KINGS HWY	E 29TH ST & KINGS HWY		SPILLS,HIST SPILLS
BROOKLYN	S102663359	GOWANIS HWY BY 65TH ST	GOWANIS HWY BY 65TH ST		SPILLS,HIST SPILLS
BROOKLYN	S103938400	BOX 38486	KINGS HIGHWAY/ROCKAWAY PK		SPILLS,HIST SPILLS
BROOKLYN	S106737045	BETW/AVE X &	KINGS HIGHWAY AVE U		SPILLS
BROOKLYN	S107407580	KINGS HIGHWAY MOBIL	KINGS HIGHWAY		SPILLS
BROOKLYN	S109064521	BELL ATLANTIC-NY	E 94 ST/BET CLARKSON AVE KINGS		MANIFEST
	S109207895	205842; KINGS HWY	KINGS HWY		SPILLS
BROOKLYN	S111011715	ROADWAY	KINGS HIGHWAY AND OCEAN PARKWA		SPILLS
BROOKLYN	S111011885	TO ROADWAY	KINGS HWY AND EAST 16TH ST		SPILLS

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## STANDARD ENVIRONMENTAL RECORDS

### ***Federal NPL site list***

#### **NPL: National Priority List**

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 06/30/2011	Source: EPA
Date Data Arrived at EDR: 07/12/2011	Telephone: N/A
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 10/12/2011
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

#### **NPL Site Boundaries**

##### **Sources:**

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

#### **Proposed NPL: Proposed National Priority List Sites**

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 06/30/2011	Source: EPA
Date Data Arrived at EDR: 07/12/2011	Telephone: N/A
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 10/12/2011
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

#### **NPL LIENS: Federal Superfund Liens**

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***Federal Delisted NPL site list***

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 06/30/2011	Source: EPA
Date Data Arrived at EDR: 07/12/2011	Telephone: N/A
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 10/12/2011
Number of Days to Update: 79	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

## ***Federal CERCLIS list***

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/25/2011	Source: EPA
Date Data Arrived at EDR: 03/01/2011	Telephone: 703-412-9810
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 11/29/2011
Number of Days to Update: 62	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 12/10/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/11/2011	Telephone: 703-603-8704
Date Made Active in Reports: 02/16/2011	Last EDR Contact: 10/14/2011
Number of Days to Update: 36	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Varies

## ***Federal CERCLIS NFRAP site List***

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 02/25/2011	Source: EPA
Date Data Arrived at EDR: 03/01/2011	Telephone: 703-412-9810
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 11/29/2011
Number of Days to Update: 62	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Quarterly

## ***Federal RCRA CORRACTS facilities list***

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/09/2011  
Date Data Arrived at EDR: 03/15/2011  
Date Made Active in Reports: 06/14/2011  
Number of Days to Update: 91

Source: EPA  
Telephone: 800-424-9346  
Last EDR Contact: 11/14/2011  
Next Scheduled EDR Contact: 02/27/2012  
Data Release Frequency: Quarterly

## ***Federal RCRA non-CORRACTS TSD facilities list***

### **RCRA-TSDF: RCRA - Treatment, Storage and Disposal**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/15/2011  
Date Data Arrived at EDR: 07/07/2011  
Date Made Active in Reports: 08/08/2011  
Number of Days to Update: 32

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 10/05/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Quarterly

## ***Federal RCRA generators list***

### **RCRA-LQG: RCRA - Large Quantity Generators**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/15/2011  
Date Data Arrived at EDR: 07/07/2011  
Date Made Active in Reports: 08/08/2011  
Number of Days to Update: 32

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 10/05/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Quarterly

### **RCRA-SQG: RCRA - Small Quantity Generators**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/15/2011  
Date Data Arrived at EDR: 07/07/2011  
Date Made Active in Reports: 08/08/2011  
Number of Days to Update: 32

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 10/05/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Quarterly

### **RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/15/2011  
Date Data Arrived at EDR: 07/07/2011  
Date Made Active in Reports: 08/08/2011  
Number of Days to Update: 32

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 10/05/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***Federal institutional controls / engineering controls registries***

### **US ENG CONTROLS: Engineering Controls Sites List**

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 03/16/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/25/2011	Telephone: 703-603-0695
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 12/09/2011
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Varies

### **US INST CONTROL: Sites with Institutional Controls**

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 03/16/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/25/2011	Telephone: 703-603-0695
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 12/09/2011
Number of Days to Update: 81	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Varies

## ***Federal ERNS list***

### **ERNS: Emergency Response Notification System**

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 10/03/2011	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 10/04/2011	Telephone: 202-267-2180
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/04/2011
Number of Days to Update: 38	Next Scheduled EDR Contact: 01/16/2012
	Data Release Frequency: Annually

## ***State- and tribal - equivalent CERCLIS***

### **SHWS: Inactive Hazardous Waste Disposal Sites in New York State**

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 11/22/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/22/2011	Telephone: 518-402-9622
Date Made Active in Reports: 12/22/2011	Last EDR Contact: 11/22/2011
Number of Days to Update: 30	Next Scheduled EDR Contact: 03/05/2012
	Data Release Frequency: Annually

### **VAPOR REOPENED: Vapor Intrusion Legacy Site List**

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 08/01/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/26/2011	Telephone: 518-402-9814
Date Made Active in Reports: 09/16/2011	Last EDR Contact: 11/23/2011
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/05/2012
	Data Release Frequency: Varies

## ***State and tribal landfill and/or solid waste disposal site lists***

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 10/11/2011  
Date Data Arrived at EDR: 10/11/2011  
Date Made Active in Reports: 11/15/2011  
Number of Days to Update: 35

Source: Department of Environmental Conservation  
Telephone: 518-457-2051  
Last EDR Contact: 10/11/2011  
Next Scheduled EDR Contact: 01/23/2012  
Data Release Frequency: Semi-Annually

## State and tribal leaking storage tank lists

### LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 09/27/2011  
Date Data Arrived at EDR: 09/28/2011  
Date Made Active in Reports: 10/20/2011  
Number of Days to Update: 22

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 11/23/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Varies

### HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 07/08/2005  
Date Made Active in Reports: 07/14/2005  
Number of Days to Update: 6

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/07/2005  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

### INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 08/11/2011  
Date Data Arrived at EDR: 08/12/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 32

Source: EPA Region 4  
Telephone: 404-562-8677  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Semi-Annually

### INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/31/2011  
Date Data Arrived at EDR: 02/01/2011  
Date Made Active in Reports: 03/21/2011  
Number of Days to Update: 48

Source: Environmental Protection Agency  
Telephone: 415-972-3372  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Quarterly

### INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/02/2011	Source: EPA Region 10
Date Data Arrived at EDR: 11/04/2011	Telephone: 206-553-2857
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 7	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land  
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/01/2011	Source: EPA Region 1
Date Data Arrived at EDR: 11/01/2011	Telephone: 617-918-1313
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 11/01/2011
Number of Days to Update: 10	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011	Source: EPA Region 6
Date Data Arrived at EDR: 09/13/2011	Telephone: 214-665-6597
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 59	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 02/16/2011	Source: EPA Region 7
Date Data Arrived at EDR: 06/02/2011	Telephone: 913-551-7003
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 103	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/18/2011	Source: EPA Region 8
Date Data Arrived at EDR: 08/19/2011	Telephone: 303-312-6271
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 25	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Quarterly

## **State and tribal registered storage tank lists**

TANKS: Storage Tank Facility Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 10/04/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/05/2011	Telephone: 518-402-9543
Date Made Active in Reports: 10/20/2011	Last EDR Contact: 10/05/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 01/16/2012
	Data Release Frequency: Quarterly

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 10/04/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/05/2011	Telephone: 518-402-9549
Date Made Active in Reports: 10/24/2011	Last EDR Contact: 11/11/2011
Number of Days to Update: 19	Next Scheduled EDR Contact: 01/16/2012
	Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 10/24/2005  
Next Scheduled EDR Contact: 01/23/2006  
Data Release Frequency: No Update Planned

## MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2005  
Next Scheduled EDR Contact: 10/24/2005  
Data Release Frequency: Varies

## AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 10/04/2011  
Date Data Arrived at EDR: 10/05/2011  
Date Made Active in Reports: 10/24/2011  
Number of Days to Update: 19

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 11/11/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: No Update Planned

## CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2005  
Next Scheduled EDR Contact: 10/24/2005  
Data Release Frequency: No Update Planned

## MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 02/20/2002  
Date Made Active in Reports: 03/22/2002  
Number of Days to Update: 30

Source: NYSDEC  
Telephone: 518-402-9549  
Last EDR Contact: 07/25/2005  
Next Scheduled EDR Contact: 10/24/2005  
Data Release Frequency: No Update Planned

## MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 10/04/2011  
Date Data Arrived at EDR: 10/05/2011  
Date Made Active in Reports: 10/20/2011  
Number of Days to Update: 15

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 11/11/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Quarterly

## CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/04/2011  
Date Data Arrived at EDR: 10/05/2011  
Date Made Active in Reports: 10/20/2011  
Number of Days to Update: 15

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 11/11/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Quarterly

## INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011  
Date Data Arrived at EDR: 05/11/2011  
Date Made Active in Reports: 06/14/2011  
Number of Days to Update: 34

Source: EPA Region 6  
Telephone: 214-665-7591  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Semi-Annually

## INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 07/01/2011  
Date Data Arrived at EDR: 08/26/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 18

Source: EPA Region 5  
Telephone: 312-886-6136  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Varies

## INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations).

Date of Government Version: 08/11/2011  
Date Data Arrived at EDR: 08/12/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 32

Source: EPA Region 4  
Telephone: 404-562-9424  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Semi-Annually

## INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 08/04/2011  
Date Data Arrived at EDR: 08/05/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 39

Source: EPA Region 9  
Telephone: 415-972-3368  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Quarterly

## INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/18/2011  
Date Data Arrived at EDR: 08/19/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 25

Source: EPA Region 8  
Telephone: 303-312-6137  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Quarterly

## INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/01/2011	Source: EPA Region 7
Date Data Arrived at EDR: 06/01/2011	Telephone: 913-551-7003
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 13	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Varies

## INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/02/2011	Source: EPA Region 10
Date Data Arrived at EDR: 11/04/2011	Telephone: 206-553-2857
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 7	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Quarterly

## INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/01/2011	Source: EPA, Region 1
Date Data Arrived at EDR: 11/01/2011	Telephone: 617-918-1313
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 10	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Varies

## FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 10/17/2011
Number of Days to Update: 55	Next Scheduled EDR Contact: 01/30/2012
	Data Release Frequency: Varies

## **State and tribal institutional control / engineering control registries**

### ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 11/22/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/22/2011	Telephone: 518-402-9553
Date Made Active in Reports: 12/22/2011	Last EDR Contact: 11/22/2011
Number of Days to Update: 30	Next Scheduled EDR Contact: 03/05/2012
	Data Release Frequency: Quarterly

### INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 11/22/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/22/2011	Telephone: 518-402-9553
Date Made Active in Reports: 12/22/2011	Last EDR Contact: 11/22/2011
Number of Days to Update: 30	Next Scheduled EDR Contact: 03/05/2012
	Data Release Frequency: Quarterly

### RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/18/2010  
Date Data Arrived at EDR: 12/23/2010  
Date Made Active in Reports: 02/11/2011  
Number of Days to Update: 50

Source: NYC Department of City Planning  
Telephone: 212-720-3401  
Last EDR Contact: 09/30/2011  
Next Scheduled EDR Contact: 01/09/2012  
Data Release Frequency: No Update Planned

## ***State and tribal voluntary cleanup sites***

### VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 11/22/2011  
Date Data Arrived at EDR: 11/22/2011  
Date Made Active in Reports: 12/22/2011  
Number of Days to Update: 30

Source: Department of Environmental Conservation  
Telephone: 518-402-9711  
Last EDR Contact: 11/22/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Semi-Annually

### INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 08/04/2011  
Date Data Arrived at EDR: 10/04/2011  
Date Made Active in Reports: 11/11/2011  
Number of Days to Update: 38

Source: EPA, Region 1  
Telephone: 617-918-1102  
Last EDR Contact: 10/04/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Varies

### INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008  
Date Data Arrived at EDR: 04/22/2008  
Date Made Active in Reports: 05/19/2008  
Number of Days to Update: 27

Source: EPA, Region 7  
Telephone: 913-551-7365  
Last EDR Contact: 04/20/2009  
Next Scheduled EDR Contact: 07/20/2009  
Data Release Frequency: Varies

## ***State and tribal Brownfields sites***

### ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 11/22/2011  
Date Data Arrived at EDR: 11/22/2011  
Date Made Active in Reports: 12/22/2011  
Number of Days to Update: 30

Source: Department of Environmental Conservation  
Telephone: 518-402-9622  
Last EDR Contact: 11/22/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Quarterly

### BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 11/22/2011  
Date Data Arrived at EDR: 11/22/2011  
Date Made Active in Reports: 12/22/2011  
Number of Days to Update: 30

Source: Department of Environmental Conservation  
Telephone: 518-402-9764  
Last EDR Contact: 11/22/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Semi-Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ADDITIONAL ENVIRONMENTAL RECORDS

### **Local Brownfield lists**

#### US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients--States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 06/27/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/27/2011	Telephone: 202-566-2777
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 09/28/2011
Number of Days to Update: 78	Next Scheduled EDR Contact: 01/09/2012
	Data Release Frequency: Semi-Annually

### **Local Lists of Landfill / Solid Waste Disposal Sites**

#### ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

#### DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 12/21/2011
Number of Days to Update: 137	Next Scheduled EDR Contact: 04/09/2012
	Data Release Frequency: No Update Planned

#### SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 10/11/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/11/2011	Telephone: 518-402-8705
Date Made Active in Reports: 11/15/2011	Last EDR Contact: 10/11/2011
Number of Days to Update: 35	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Semi-Annually

#### SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/15/2006	Telephone: 518-402-8694
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 10/28/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 02/06/2012
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998

Date Data Arrived at EDR: 12/03/2007

Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245

Last EDR Contact: 11/07/2011

Next Scheduled EDR Contact: 02/20/2012

Data Release Frequency: Varies

## **Local Lists of Hazardous waste / Contaminated Sites**

### US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 06/08/2011

Date Data Arrived at EDR: 09/16/2011

Date Made Active in Reports: 09/29/2011

Number of Days to Update: 13

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 12/05/2011

Next Scheduled EDR Contact: 03/19/2012

Data Release Frequency: Quarterly

### DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 08/23/2011

Date Data Arrived at EDR: 08/25/2011

Date Made Active in Reports: 09/16/2011

Number of Days to Update: 22

Source: Department of Environmental Conservation

Telephone: 518-402-9622

Last EDR Contact: 11/22/2011

Next Scheduled EDR Contact: 03/05/2012

Data Release Frequency: Annually

### US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007

Date Data Arrived at EDR: 11/19/2008

Date Made Active in Reports: 03/30/2009

Number of Days to Update: 131

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009

Data Release Frequency: No Update Planned

## **Local Lists of Registered Storage Tanks**

### HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002

Date Data Arrived at EDR: 06/02/2006

Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007

Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 06/02/2006  
Date Made Active in Reports: 07/20/2006  
Number of Days to Update: 48

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 10/23/2006  
Next Scheduled EDR Contact: 01/22/2007  
Data Release Frequency: No Update Planned

## Local Land Records

### LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 09/09/2011  
Date Data Arrived at EDR: 09/16/2011  
Date Made Active in Reports: 09/29/2011  
Number of Days to Update: 13

Source: Environmental Protection Agency  
Telephone: 202-564-6023  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Varies

### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005  
Date Data Arrived at EDR: 12/11/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 31

Source: Department of the Navy  
Telephone: 843-820-7326  
Last EDR Contact: 11/22/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Varies

## Records of Emergency Release Reports

### HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 10/04/2011  
Date Data Arrived at EDR: 10/04/2011  
Date Made Active in Reports: 11/11/2011  
Number of Days to Update: 38

Source: U.S. Department of Transportation  
Telephone: 202-366-4555  
Last EDR Contact: 10/04/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Annually

### SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 09/27/2011  
Date Data Arrived at EDR: 09/28/2011  
Date Made Active in Reports: 10/20/2011  
Number of Days to Update: 22

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 11/23/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Varies

### HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002  
Date Data Arrived at EDR: 07/08/2005  
Date Made Active in Reports: 07/14/2005  
Number of Days to Update: 6

Source: Department of Environmental Conservation  
Telephone: 518-402-9549  
Last EDR Contact: 07/07/2005  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## **Other Ascertainable Records**

### **RCRA-NonGen: RCRA - Non Generators**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/15/2011  
Date Data Arrived at EDR: 07/07/2011  
Date Made Active in Reports: 08/08/2011  
Number of Days to Update: 32

Source: Environmental Protection Agency  
Telephone: (212) 637-3660  
Last EDR Contact: 10/05/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Varies

### **DOT OPS: Incident and Accident Data**

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/29/2011  
Date Data Arrived at EDR: 08/09/2011  
Date Made Active in Reports: 11/11/2011  
Number of Days to Update: 94

Source: Department of Transportation, Office of Pipeline Safety  
Telephone: 202-366-4595  
Last EDR Contact: 11/08/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Varies

### **DOD: Department of Defense Sites**

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 11/10/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 62

Source: USGS  
Telephone: 888-275-8747  
Last EDR Contact: 10/20/2011  
Next Scheduled EDR Contact: 01/30/2012  
Data Release Frequency: Semi-Annually

### **FUDS: Formerly Used Defense Sites**

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 08/12/2010  
Date Made Active in Reports: 12/02/2010  
Number of Days to Update: 112

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 12/09/2011  
Next Scheduled EDR Contact: 03/26/2012  
Data Release Frequency: Varies

### **CONSENT: Superfund (CERCLA) Consent Decrees**

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/01/2011  
Date Data Arrived at EDR: 08/19/2011  
Date Made Active in Reports: 09/29/2011  
Number of Days to Update: 41

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 10/03/2011  
Next Scheduled EDR Contact: 01/16/2012  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/31/2011	Source: EPA
Date Data Arrived at EDR: 09/14/2011	Telephone: 703-416-0223
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 12/14/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Annually

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/21/2010	Telephone: 505-845-0011
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 11/29/2011
Number of Days to Update: 99	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Varies

## MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/18/2011	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 09/08/2011	Telephone: 303-231-5959
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 12/07/2011
Number of Days to Update: 21	Next Scheduled EDR Contact: 03/19/2012
	Data Release Frequency: Semi-Annually

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/17/2010	Telephone: 202-566-0250
Date Made Active in Reports: 03/21/2011	Last EDR Contact: 12/02/2011
Number of Days to Update: 94	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Annually

## TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 09/27/2011
Number of Days to Update: 64	Next Scheduled EDR Contact: 01/09/2012
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 11/28/2011
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

**FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)**  
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 11/28/2011
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Quarterly

**HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing**

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

**HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing**

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

**SSTS: Section 7 Tracking Systems**

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 10/31/2011
Number of Days to Update: 77	Next Scheduled EDR Contact: 02/13/2012
	Data Release Frequency: Annually

**ICIS: Integrated Compliance Information System**

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/07/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/21/2011	Telephone: 202-564-5088
Date Made Active in Reports: 03/21/2011	Last EDR Contact: 12/21/2011
Number of Days to Update: 59	Next Scheduled EDR Contact: 04/09/2012
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2010	Source: EPA
Date Data Arrived at EDR: 11/10/2010	Telephone: 202-566-0500
Date Made Active in Reports: 02/16/2011	Last EDR Contact: 10/19/2011
Number of Days to Update: 98	Next Scheduled EDR Contact: 01/30/2012
	Data Release Frequency: Annually

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/21/2011	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 07/15/2011	Telephone: 301-415-7169
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 12/12/2011
Number of Days to Update: 60	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Quarterly

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/11/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/13/2011	Telephone: 202-343-9775
Date Made Active in Reports: 02/16/2011	Last EDR Contact: 10/13/2011
Number of Days to Update: 34	Next Scheduled EDR Contact: 01/23/2012
	Data Release Frequency: Quarterly

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010	Source: EPA
Date Data Arrived at EDR: 04/16/2010	Telephone: (212) 637-3000
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 12/13/2011
Number of Days to Update: 41	Next Scheduled EDR Contact: 03/26/2012
	Data Release Frequency: Quarterly

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 03/01/2011  
Date Made Active in Reports: 05/02/2011  
Number of Days to Update: 62

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 11/30/2011  
Next Scheduled EDR Contact: 03/12/2012  
Data Release Frequency: Biennially

## HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003  
Date Data Arrived at EDR: 10/20/2006  
Date Made Active in Reports: 11/30/2006  
Number of Days to Update: 41

Source: Department of Environmental Conservation  
Telephone: 518-402-9564  
Last EDR Contact: 05/26/2009  
Next Scheduled EDR Contact: 08/24/2009  
Data Release Frequency: No Update Planned

## UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 09/12/2011  
Date Data Arrived at EDR: 09/14/2011  
Date Made Active in Reports: 10/20/2011  
Number of Days to Update: 36

Source: Department of Environmental Conservation  
Telephone: 518-402-8056  
Last EDR Contact: 12/14/2011  
Next Scheduled EDR Contact: 03/26/2012  
Data Release Frequency: Quarterly

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 11/01/2011  
Date Data Arrived at EDR: 11/08/2011  
Date Made Active in Reports: 12/22/2011  
Number of Days to Update: 44

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 11/08/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Annually

## DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 06/28/2011  
Date Data Arrived at EDR: 06/29/2011  
Date Made Active in Reports: 07/05/2011  
Number of Days to Update: 6

Source: Department of Environmental Conservation  
Telephone: 518-402-8403  
Last EDR Contact: 12/20/2011  
Next Scheduled EDR Contact: 04/02/2012  
Data Release Frequency: Varies

## SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 10/18/2011  
Date Data Arrived at EDR: 10/19/2011  
Date Made Active in Reports: 11/15/2011  
Number of Days to Update: 27

Source: Department of Environmental Conservation  
Telephone: 518-402-8233  
Last EDR Contact: 10/17/2011  
Next Scheduled EDR Contact: 01/30/2012  
Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 08/24/2011  
Date Made Active in Reports: 11/03/2011  
Number of Days to Update: 71

Source: Department of Environmental Conservation  
Telephone: 518-402-8452  
Last EDR Contact: 10/31/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Annually

## E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 09/08/2011  
Date Data Arrived at EDR: 10/05/2011  
Date Made Active in Reports: 10/20/2011  
Number of Days to Update: 15

Source: New York City Department of City Planning  
Telephone: 718-595-6658  
Last EDR Contact: 09/27/2011  
Next Scheduled EDR Contact: 01/09/2012  
Data Release Frequency: Varies

## INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 12/08/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 34

Source: USGS  
Telephone: 202-208-3710  
Last EDR Contact: 10/20/2011  
Next Scheduled EDR Contact: 01/30/2012  
Data Release Frequency: Semi-Annually

## SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011  
Date Data Arrived at EDR: 03/09/2011  
Date Made Active in Reports: 05/02/2011  
Number of Days to Update: 34

Source: Environmental Protection Agency  
Telephone: 615-532-8599  
Last EDR Contact: 10/24/2011  
Next Scheduled EDR Contact: 02/06/2012  
Data Release Frequency: Varies

## FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008  
Date Data Arrived at EDR: 11/25/2008  
Date Made Active in Reports: 12/11/2008  
Number of Days to Update: 16

Source: Department of Environmental Conservation  
Telephone: 518-402-8712  
Last EDR Contact: 10/11/2011  
Next Scheduled EDR Contact: 01/23/2012  
Data Release Frequency: Varies

## COAL ASH DOE: Steam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 08/07/2009  
Date Made Active in Reports: 10/22/2009  
Number of Days to Update: 76

Source: Department of Energy  
Telephone: 202-586-8719  
Last EDR Contact: 12/08/2011  
Next Scheduled EDR Contact: 01/30/2012  
Data Release Frequency: Varies

## COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010  
Date Data Arrived at EDR: 01/03/2011  
Date Made Active in Reports: 03/21/2011  
Number of Days to Update: 77

Source: Environmental Protection Agency  
Telephone: N/A  
Last EDR Contact: 12/08/2011  
Next Scheduled EDR Contact: 03/26/2012  
Data Release Frequency: Varies

## PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008  
Date Data Arrived at EDR: 02/18/2009  
Date Made Active in Reports: 05/29/2009  
Number of Days to Update: 100

Source: Environmental Protection Agency  
Telephone: 202-566-0517  
Last EDR Contact: 11/04/2011  
Next Scheduled EDR Contact: 02/13/2012  
Data Release Frequency: Varies

## FINANCIAL ASSURANCE 1: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 10/13/2011  
Date Data Arrived at EDR: 10/14/2011  
Date Made Active in Reports: 11/15/2011  
Number of Days to Update: 32

Source: Department of Environmental Conservation  
Telephone: 518-402-8660  
Last EDR Contact: 10/11/2011  
Next Scheduled EDR Contact: 01/23/2012  
Data Release Frequency: Quarterly

## COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 10/11/2011  
Date Data Arrived at EDR: 10/11/2011  
Date Made Active in Reports: 11/15/2011  
Number of Days to Update: 35

Source: Department of Environmental Conservation  
Telephone: 518-402-8660  
Last EDR Contact: 10/11/2011  
Next Scheduled EDR Contact: 01/23/2012  
Data Release Frequency: Varies

## FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 02/06/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 339

Source: U.S. Geological Survey  
Telephone: 888-275-8747  
Last EDR Contact: 10/20/2011  
Next Scheduled EDR Contact: 01/30/2012  
Data Release Frequency: N/A

## EDR PROPRIETARY RECORDS

### *EDR Proprietary Records*

#### Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## COUNTY RECORDS

### CORTLAND COUNTY:

#### Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 09/13/2011  
Date Data Arrived at EDR: 09/14/2011  
Date Made Active in Reports: 10/21/2011  
Number of Days to Update: 37

Source: Cortland County Health Department  
Telephone: 607-753-5035  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Quarterly

#### Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 09/13/2011  
Date Data Arrived at EDR: 09/14/2011  
Date Made Active in Reports: 10/21/2011  
Number of Days to Update: 37

Source: Cortland County Health Department  
Telephone: 607-753-5035  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Quarterly

### NASSAU COUNTY:

#### Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003  
Date Data Arrived at EDR: 05/27/2003  
Date Made Active in Reports: 06/09/2003  
Number of Days to Update: 13

Source: Nassau County Health Department  
Telephone: 516-571-3314  
Last EDR Contact: 10/11/2011  
Next Scheduled EDR Contact: 01/23/2012  
Data Release Frequency: No Update Planned

#### Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011  
Date Data Arrived at EDR: 02/23/2011  
Date Made Active in Reports: 03/29/2011  
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal  
Telephone: 516-572-1000  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Varies

#### Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003  
Date Data Arrived at EDR: 05/27/2003  
Date Made Active in Reports: 06/09/2003  
Number of Days to Update: 13

Source: Nassau County Health Department  
Telephone: 516-571-3314  
Last EDR Contact: 10/11/2011  
Next Scheduled EDR Contact: 01/23/2012  
Data Release Frequency: No Update Planned

#### Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/15/2011  
Date Data Arrived at EDR: 02/23/2011  
Date Made Active in Reports: 03/29/2011  
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal  
Telephone: 516-572-1000  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Varies

## ROCKLAND COUNTY:

### Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 09/14/2011  
Date Data Arrived at EDR: 09/16/2011  
Date Made Active in Reports: 10/21/2011  
Number of Days to Update: 35

Source: Rockland County Health Department  
Telephone: 914-364-2605  
Last EDR Contact: 12/12/2011  
Next Scheduled EDR Contact: 03/26/2012  
Data Release Frequency: Quarterly

### Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 09/14/2011  
Date Data Arrived at EDR: 09/16/2011  
Date Made Active in Reports: 10/21/2011  
Number of Days to Update: 35

Source: Rockland County Health Department  
Telephone: 914-364-2605  
Last EDR Contact: 12/12/2011  
Next Scheduled EDR Contact: 03/26/2012  
Data Release Frequency: Quarterly

## SUFFOLK COUNTY:

### Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006  
Date Data Arrived at EDR: 01/11/2007  
Date Made Active in Reports: 02/07/2007  
Number of Days to Update: 27

Source: Suffolk County Department of Health Services  
Telephone: 631-854-2521  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Annually

### Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006  
Date Data Arrived at EDR: 01/11/2007  
Date Made Active in Reports: 02/07/2007  
Number of Days to Update: 27

Source: Suffolk County Department of Health Services  
Telephone: 631-854-2521  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Annually

## WESTCHESTER COUNTY:

### Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 08/22/2011  
Date Data Arrived at EDR: 08/23/2011  
Date Made Active in Reports: 09/19/2011  
Number of Days to Update: 27

Source: Westchester County Department of Health  
Telephone: 914-813-5161  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 08/22/2011  
Date Data Arrived at EDR: 08/23/2011  
Date Made Active in Reports: 09/19/2011  
Number of Days to Update: 27

Source: Westchester County Department of Health  
Telephone: 914-813-5161  
Last EDR Contact: 11/07/2011  
Next Scheduled EDR Contact: 02/20/2012  
Data Release Frequency: Varies

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

### CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/21/2011  
Date Data Arrived at EDR: 11/22/2011  
Date Made Active in Reports: 12/22/2011  
Number of Days to Update: 30

Source: Department of Environmental Protection  
Telephone: 860-424-3375  
Last EDR Contact: 11/22/2011  
Next Scheduled EDR Contact: 03/05/2012  
Data Release Frequency: Annually

### NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 07/20/2011  
Date Made Active in Reports: 08/11/2011  
Number of Days to Update: 22

Source: Department of Environmental Protection  
Telephone: N/A  
Last EDR Contact: 10/18/2011  
Next Scheduled EDR Contact: 01/30/2012  
Data Release Frequency: Annually

### PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008  
Date Data Arrived at EDR: 12/01/2009  
Date Made Active in Reports: 12/14/2009  
Number of Days to Update: 13

Source: Department of Environmental Protection  
Telephone: 717-783-8990  
Last EDR Contact: 09/26/2011  
Next Scheduled EDR Contact: 01/09/2012  
Data Release Frequency: Annually

### RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 06/24/2011  
Date Made Active in Reports: 06/30/2011  
Number of Days to Update: 6

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 11/28/2011  
Next Scheduled EDR Contact: 03/12/2012  
Data Release Frequency: Annually

### VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 08/11/2011  
Date Data Arrived at EDR: 08/26/2011  
Date Made Active in Reports: 09/14/2011  
Number of Days to Update: 19

Source: Department of Environmental Conservation  
Telephone: 802-241-3443  
Last EDR Contact: 10/24/2011  
Next Scheduled EDR Contact: 02/06/2012  
Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2010

Date Data Arrived at EDR: 08/19/2011

Date Made Active in Reports: 09/15/2011

Number of Days to Update: 27

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 12/19/2011

Next Scheduled EDR Contact: 04/02/2012

Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

## Electric Power Transmission Line Data

Source: Rextag Strategies Corp.

Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

## AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

## Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

## Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

## Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

## Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

## Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

## State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

## **STREET AND ADDRESS INFORMATION**

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

392 WALLABOUT ST  
392 WALLABOUT ST  
BROOKLYN, NY 11206

### **TARGET PROPERTY COORDINATES**

Latitude (North):	40.70310 - 40° 42' 11.2"
Longitude (West):	73.9464 - 73° 56' 47.1"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	589008.9
UTM Y (Meters):	4506121.5
Elevation:	13 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	40073-F8 BROOKLYN, NY
Most Recent Revision:	1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SSW

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

Target Property County  
KINGS, NY

FEMA Flood  
Electronic Data  
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 360497 - FEMA DFIRM Flood data

Additional Panels in search area:  
3604970048B - FEMA Q3 Flood data  
3604970055B - FEMA Q3 Flood data  
3604970056B - FEMA Q3 Flood data  
3604970063B - FEMA Q3 Flood data  
3604970064B - FEMA Q3 Flood data

## **NATIONAL WETLAND INVENTORY**

NWI Quad at Target Property  
BROOKLYN

NWI Electronic  
Data Coverage  
YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### ***Site-Specific Hydrogeological Data\*:***

Search Radius: 1.25 miles  
Status: Not found

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

## GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

### **ROCK STRATIGRAPHIC UNIT**

Era: Mesozoic  
System: Cretaceous  
Series: Upper Cretaceous  
Code: uK (decoded above as Era, System & Series)

### **GEOLOGIC AGE IDENTIFICATION**

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

## OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam  
loamy sand  
sandy loam  
fine sandy loam

Surficial Soil Types: silt loam  
loamy sand  
sandy loam  
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock  
very gravelly - loamy sand  
stratified  
sandy loam

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS2118628	0 - 1/8 Mile SSE
A2	USGS2118572	1/8 - 1/4 Mile SSW
A3	USGS2479175	1/8 - 1/4 Mile SSW
A4	USGS2118574	1/8 - 1/4 Mile SSW
A5	USGS2118573	1/8 - 1/4 Mile SSW
A6	USGS2118770	1/8 - 1/4 Mile SSW
A7	USGS2574666	1/8 - 1/4 Mile SW
A8	USGS2118771	1/8 - 1/4 Mile SSW
A9	USGS2118772	1/8 - 1/4 Mile SSW
A10	USGS2113402	1/8 - 1/4 Mile SW
A11	USGS2113403	1/8 - 1/4 Mile SW
12	USGS2118728	1/4 - 1/2 Mile SSE
13	USGS2118729	1/4 - 1/2 Mile SSW
B14	USGS2118659	1/4 - 1/2 Mile West
A15	USGS2118750	1/4 - 1/2 Mile SW
C16	USGS2118752	1/4 - 1/2 Mile SW
C17	USGS2118751	1/4 - 1/2 Mile SW
C18	USGS2118730	1/4 - 1/2 Mile SSW
B19	USGS2118660	1/4 - 1/2 Mile West
D20	USGS2118395	1/4 - 1/2 Mile NNE
E21	USGS2118598	1/4 - 1/2 Mile WSW
E22	USGS2574667	1/4 - 1/2 Mile WSW
D23	USGS2118415	1/4 - 1/2 Mile NNE
24	USGS2118249	1/4 - 1/2 Mile North
25	USGS2118444	1/4 - 1/2 Mile NNE
26	USGS2118356	1/4 - 1/2 Mile WNW
F27	USGS2118414	1/4 - 1/2 Mile NE
F28	USGS2118426	1/2 - 1 Mile NE
G29	USGS2118856	1/2 - 1 Mile SW
30	USGS2118416	1/2 - 1 Mile NW
H31	USGS2118597	1/2 - 1 Mile ESE
H32	USGS2118596	1/2 - 1 Mile ESE
I33	USGS2118387	1/2 - 1 Mile ENE
J34	USGS2118312	1/2 - 1 Mile NNE
J35	USGS2118311	1/2 - 1 Mile NNE
G36	USGS2118835	1/2 - 1 Mile SW
G37	USGS2118842	1/2 - 1 Mile SW
I38	USGS2118386	1/2 - 1 Mile ENE
K39	USGS2118627	1/2 - 1 Mile East
K40	USGS2118626	1/2 - 1 Mile East
41	USGS2118298	1/2 - 1 Mile NW
42	USGS2118862	1/2 - 1 Mile SE
43	USGS2118514	1/2 - 1 Mile West
44	USGS2118385	1/2 - 1 Mile ENE
45	USGS2118401	1/2 - 1 Mile WNW
K46	USGS2118647	1/2 - 1 Mile East
K47	USGS2118595	1/2 - 1 Mile East
48	USGS2118467	1/2 - 1 Mile West
49	USGS2118796	1/2 - 1 Mile SW
50	USGS2118960	1/2 - 1 Mile South
51	USGS2118658	1/2 - 1 Mile East
52	USGS2118289	1/2 - 1 Mile NE

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
53	USGS2118613	1/2 - 1 Mile West
L54	USGS2118183	1/2 - 1 Mile NNW
55	USGS2118400	1/2 - 1 Mile ENE
56	USGS2118491	1/2 - 1 Mile East
L57	USGS2118190	1/2 - 1 Mile NNW
M58	USGS2118769	1/2 - 1 Mile ESE
M59	USGS2118594	1/2 - 1 Mile East
60	USGS2118807	1/2 - 1 Mile SE
61	USGS2118834	1/2 - 1 Mile SE
62	USGS2118022	1/2 - 1 Mile NNE
64	USGS2118637	1/2 - 1 Mile West
65	USGS2118072	1/2 - 1 Mile North
66	USGS2118278	1/2 - 1 Mile WNW

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
63	NY0007257	1/2 - 1 Mile NNW

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

## OTHER STATE DATABASE INFORMATION

## STATE OIL/GAS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	NYOG70000000029	1/2 - 1 Mile WNW

# PHYSICAL SETTING SOURCE MAP - 3229817.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons



- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: 392 WALLABOUT ST  
 ADDRESS: 392 WALLABOUT ST  
 Brooklyn NY 11206  
 LAT/LONG: 40.7031 / 73.9464

CLIENT: Env. Business Consultants  
 CONTACT: C. Sosik  
 INQUIRY #: 3229817.2s  
 DATE: December 23, 2011 10:46 am

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**1**  
**SSE**  
**0 - 1/8 Mile**  
**Higher**

**FED USGS      USGS2118628**

Agency cd:	USGS	Site no:	404206073564601
Site name:	K 3483. 1	EDR Site id:	USGS2118628
Latitude:	404206	Dec lat:	40.70176942
Longitude:	0735646	Coor meth:	M
Dec lon:	-73.9456934	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported		
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	20001018
Date inventoried:	20001018	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Unconfined single aquifer		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	45.6	Hole depth:	45.6
Source of depth data:	owner		
Project number:	443600240		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A2**  
**SSW**  
**1/8 - 1/4 Mile**  
**Higher**

**FED USGS      USGS2118572**

Agency cd:	USGS	Site no:	404202073565501
Site name:	K 64. 5	EDR Site id:	USGS2118572
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735655	Coor meth:	M
Dec lon:	-73.94819347	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1246		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	165.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A3  
SSW  
1/8 - 1/4 Mile  
Higher**

**FED USGS      USGS2479175**

Agency cd:	USGS	Site no:	404202073565504
Site name:	K 1275. 1	EDR Site id:	USGS2479175
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735655	Coor meth:	M
Dec lon:	-73.94819347	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1246		
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	175.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**A4**  
**SSW**  
**1/8 - 1/4 Mile**  
**Higher**

**FED USGS      USGS2118574**

Agency cd:	USGS	Site no:	404202073565503
Site name:	K 1274. 1	EDR Site id:	USGS2118574
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735655	Coor meth:	M
Dec lon:	-73.94819347	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1246		
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	165.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**A5**  
**SSW**  
**1/8 - 1/4 Mile**  
**Higher**

**FED USGS      USGS2118573**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404202073565502
Site name:	K 64. 6		
Latitude:	404202	EDR Site id:	USGS2118573
Longitude:	0735655	Dec lat:	40.70065832
Dec lon:	-73.94819347	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1246	Map scale:	Not Reported
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	174.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A6**  
**SSW**  
**1/8 - 1/4 Mile**  
**Higher**

**FED USGS      USGS2118770**

Agency cd:	USGS	Site no:	404201073565401
Site name:	K 64. 2		
Latitude:	404201	EDR Site id:	USGS2118770
Longitude:	0735654	Dec lat:	40.70038055
Dec lon:	-73.94791568	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1246	Map scale:	Not Reported
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	168.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A7  
SW  
1/8 - 1/4 Mile  
Higher**

**FED USGS      USGS2574666**

Agency cd:	USGS	Site no:	404202073565701
Site name:	K 1600. 1	EDR Site id:	USGS2574666
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735657	Coor meth:	M
Dec lon:	-73.94874904	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1246		
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	157.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**A8**  
**SSW**  
**1/8 - 1/4 Mile**  
**Higher**

**FED USGS      USGS2118771**

Agency cd:	USGS	Site no:	404201073565601
Site name:	K 1160. 1		
Latitude:	404201	EDR Site id:	USGS2118771
Longitude:	0735656	Dec lat:	40.70038055
Dec lon:	-73.94847125	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1246	Map scale:	Not Reported
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	155.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A9**  
**SSW**  
**1/8 - 1/4 Mile**  
**Higher**

**FED USGS      USGS2118772**

Agency cd:	USGS	Site no:	404201073565602
Site name:	K 1629. 1		
Latitude:	404201	EDR Site id:	USGS2118772
Longitude:	0735656	Dec lat:	40.70038055
Dec lon:	-73.94847125	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1246	Map scale:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	170.	Hole depth:	170.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A10  
SW  
1/8 - 1/4 Mile  
Lower**

**FED USGS      USGS2113402**

Agency cd:	USGS	Site no:	405202073565801
Site name:	K 3123. 1	EDR Site id:	USGS2113402
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735658	Coor meth:	M
Dec lon:	-73.94902682	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1246		
Altitude:	14.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	179.	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**A11**  
**SW**  
**1/8 - 1/4 Mile**  
**Lower**

**FED USGS      USGS2113403**

Agency cd:	USGS	Site no:	405202073565802
Site name:	K 3123. 2	EDR Site id:	USGS2113403
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735658	Coor meth:	M
Dec lon:	-73.94902682	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1246		
Altitude:	14.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	JAMECO AQUIFER		
Well depth:	168.	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**12**  
**SSE**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118728**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404158073564508
Site name:	K 1237. 1	EDR Site id:	USGS2118728
Latitude:	404158	Dec lat:	40.69954724
Longitude:	0735645	Coor meth:	M
Dec lon:	-73.94541561	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1257		
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	63.	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Daily flow data count:	0	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1941-01-18	Ground water data end date:	1953-08-03
Ground water data count:	239		

Ground-water levels, Number of Measurements: 239

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1953-08-03	-10.35		1953-06-24		-10.82
1953-05-25	-11.47		1953-04-27		-11.52
1953-03-24	-11.87		1953-02-27		-12.15
1953-02-05	-12.29		1952-12-24		-12.99
1952-12-05	-13.71		1952-11-03		-14.87
1952-09-22	-15.30		1952-08-25		-15.59
1952-07-23	-16.80		1952-06-24		-17.04
1952-05-27	-17.69		1952-04-29		-18.25
1952-03-24	-18.88		1952-02-20		-19.61
1952-01-29	-20.09		1951-12-20		-21.08
1951-11-28	-21.42		1951-11-01		-22.33
1951-09-26	-23.38		1951-08-28		-23.62
1951-07-26	-23.39		1951-06-28		-23.32
1951-05-29	-23.62		1951-05-02		-24.12
1951-03-27	-24.82		1951-02-26		-25.18
1951-01-30	-25.57		1950-12-20		-26.38
1950-11-28	-26.71		1950-10-31		-26.92
1950-09-27	-26.62		1950-08-29		-26.17
1950-07-27	-25.86		1950-06-29		-26.08
1950-06-05	-25.84		1950-04-27		-25.66
1950-03-29	-25.94		1950-03-01		-25.80
1950-01-26	-26.08		1949-12-28		-26.39

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1949-11-28		-27.13	1949-10-31		-27.37
1949-09-28		-27.27	1949-08-31		-27.25
1949-07-28		-27.38	1949-06-30		-27.83
1949-06-01		-28.15	1949-04-28		-28.60
1949-04-05		-29.10	1949-02-21		-29.95
1949-01-27		-30.24	1948-12-28		-29.76
1948-12-09		-30.23	1948-11-04		-31.37
1948-10-04		-31.73	1948-08-30		-31.53
1948-07-26		-32.56	1948-06-30		-33.01
1948-06-02		-32.78	1948-04-27		-32.95
1948-03-26		-32.58	1948-03-02		-32.65
1948-02-03		-33.11	1948-01-08		-33.79
1947-12-16		-34.56	1947-11-26		-34.98
1947-11-20		-34.93	1947-10-31		-35.61
1947-10-14		-35.59	1947-10-07		-35.47
1947-09-30		-35.23	1947-09-15		-35.68
1947-08-27		-35.57	1947-08-13		-35.09
1947-07-30		-36.02	1947-07-23		-35.92
1947-07-16		-35.87	1947-07-07		-35.75
1947-07-02		-35.88	1947-07-01		-35.87
1947-06-30		-35.86	1947-06-24		-35.81
1947-05-27		-36.12	1947-05-07		-36.42
1947-04-04		-36.47	1947-03-05		-36.15
1947-01-24		-36.53	1946-12-27		-36.30
1946-11-26		-36.44	1946-10-22		-35.92
1946-09-26		-36.04	1946-08-30		-35.71
1946-07-26		-35.18	1946-07-01		-34.64
1946-06-10		-34.27	1946-05-10		-34.09
1946-04-12		-33.87	1946-03-18		-33.72
1946-02-14		-33.90	1946-01-08		-33.92
1945-12-04		-34.54	1945-11-06		-34.68
1945-09-28		-34.43	1945-09-12		-34.11
1945-08-08		-34.02	1945-07-03		-34.19
1945-06-04		-33.83	1945-04-27		-33.56
1945-04-04		-33.57	1945-03-03		-33.30
1945-01-02		-33.68	1944-12-06		-34.61
1944-10-28		-34.33	1944-10-04		-34.30
1944-09-02		-34.36	1944-07-31		-34.68
1944-07-05		-34.58	1944-05-27		-34.44
1944-05-05		-34.01	1944-03-30		-33.85
1944-02-26		-33.58	1944-01-29		-33.61
1944-01-01		-33.66	1943-11-27		-33.71
1943-10-30		-33.82	1943-09-25		-33.47
1943-08-28		-34.45	1943-06-26		-34.03
1943-05-29		-33.96	1943-05-01		-34.06
1943-03-27		-34.01	1943-02-27		-34.26
1943-01-30		-34.15	1943-01-02		-33.69
1942-12-26		-34.07	1942-12-19		-34.36
1942-12-12		-34.30	1942-12-05		-34.28
1942-11-28		-34.27	1942-11-21		-34.32
1942-11-14		-34.16	1942-11-07		-34.06
1942-10-31		-34.02	1942-10-24		-33.91
1942-10-17		-33.76	1942-10-10		-33.89
1942-10-03		-33.78	1942-09-26		-33.67
1942-09-19		-33.71	1942-09-12		-33.71

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1942-09-05		-33.72	1942-08-29		-33.53
1942-08-22		-33.37	1942-08-15		-33.21
1942-08-08		-33.04	1942-08-01		-33.59
1942-07-25		-33.73	1942-07-18		-33.69
1942-07-11		-33.83	1942-07-04		-33.98
1942-06-27		-34.08	1942-06-20		-34.11
1942-06-13		-34.16	1942-06-06		-34.12
1942-05-30		-34.16	1942-05-23		-34.18
1942-05-16		-34.16	1942-05-09		-34.18
1942-05-02		-34.13	1942-04-25		-34.25
1942-04-18		-34.34	1942-04-11		-34.28
1942-04-04		-34.30	1942-03-28		-34.36
1942-03-21		-34.09	1942-03-14		-34.13
1942-03-07		-34.18	1942-02-28		-34.39
1942-02-21		-34.35	1942-02-14		-33.62
1942-02-07		-34.51	1942-01-31		-34.14
1942-01-24		-34.38	1942-01-17		-34.15
1942-01-10		-34.03	1942-01-03		-33.96
1941-12-27		-34.26	1941-12-20		-34.27
1941-12-13		-34.29	1941-12-06		-34.55
1941-11-29		-34.36	1941-11-22		-34.17
1941-11-15		-34.31	1941-11-08		-34.20
1941-11-01		-34.30	1941-10-25		-34.17
1941-10-18		-33.81	1941-10-11		-33.98
1941-10-04		-34.06	1941-09-27		-33.79
1941-09-20		-33.78	1941-09-13		-33.66
1941-09-06		-33.65	1941-08-30		-33.27
1941-08-23		-33.50	1941-08-16		-33.40
1941-08-09		-33.15	1941-08-02		-33.25
1941-07-26		-33.19	1941-07-19		-33.28
1941-07-12		-33.13	1941-07-05		-33.08
1941-06-28		-33.15	1941-06-21		-32.72
1941-06-14		-33.08	1941-06-07		-32.90
1941-05-31		-32.71	1941-05-24		-32.81
1941-05-17		-33.01	1941-05-10		-32.87
1941-05-03		-32.64	1941-04-26		-32.83
1941-04-19		-32.68	1941-04-12		-31.56
1941-03-29		-32.67	1941-03-22		-32.67
1941-03-15		-32.24	1941-03-08		-32.64
1941-03-01		-32.46	1941-02-22		-32.41
1941-02-15		-32.10	1941-02-08		-32.81
1941-02-01		-32.29	1941-01-25		-32.44
1941-01-18		-32.90			

13  
SSW  
1/4 - 1/2 Mile  
Higher

FED USGS USGS2118729

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404158073565301
Site name:	K 2286. 1		
Latitude:	404158	EDR Site id:	USGS2118729
Longitude:	0735653	Dec lat:	40.69954724
Dec lon:	-73.9476379	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1247	Map scale:	Not Reported
Altitude:	15.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	190.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B14**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118659**

Agency cd:	USGS	Site no:	404209073570601
Site name:	K 29. 1		
Latitude:	404209	EDR Site id:	USGS2118659
Longitude:	0735706	Dec lat:	40.70260272
Dec lon:	-73.95124911	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1235	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag: N  
 Type of ground water site: Single well, other than collector or Ranney type  
 Aquifer Type: Not Reported  
 Aquifer: Not Reported  
 Well depth: 78. Hole depth: Not Reported  
 Source of depth data: Not Reported  
 Project number: Not Reported  
 Real time data flag: 0  
 Daily flow data end date: 0000-00-00  
 Daily flow data begin date: 0000-00-00  
 Daily flow data count: 0  
 Peak flow data begin date: 0000-00-00  
 Peak flow data end date: 0000-00-00  
 Peak flow data count: 0  
 Water quality data begin date: 0000-00-00  
 Water quality data end date: 0000-00-00  
 Water quality data count: 0  
 Ground water data begin date: 1937-11-08  
 Ground water data end date: 1939-03-24  
 Ground water data count: 66

Ground-water levels, Number of Measurements: 66

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1939-03-24		-24.57	1939-03-12		-24.72
1939-03-10		-24.62	1939-03-03		-24.59
1939-02-24		-24.54	1939-02-17		-24.52
1939-02-10		-24.50	1939-02-03		-24.54
1939-01-27		-24.80	1939-01-20		-24.78
1939-01-13		-24.68	1939-01-06		-24.70
1938-12-30		-24.76	1938-12-23		-24.88
1938-12-16		-24.94	1938-12-02		-25.00
1938-11-25		-24.97	1938-11-18		-24.89
1938-11-11		-24.69	1938-11-04		-24.89
1938-10-28		-24.88	1938-10-21		-24.85
1938-10-14		-24.85	1938-10-07		-24.77
1938-09-30		-24.67	1938-09-16		-25.10
1938-09-09		-24.94	1938-09-02		-24.96
1938-08-26		-24.86	1938-08-19		-24.93
1938-08-12		-24.89	1938-08-05		-24.83
1938-07-22		-24.84	1938-07-15		-24.79
1938-07-08		-24.61	1938-07-01		-24.63
1938-06-11		-24.41	1938-06-04		-24.43
1938-05-28		-24.40	1938-05-21		-24.46
1938-05-07		-24.34	1938-04-30		-24.37
1938-04-23		-24.43	1938-04-16		-24.47
1938-04-09		-23.90	1938-03-26		-24.07
1938-03-19		-24.32	1938-03-12		-24.18
1938-03-05		-24.09	1938-02-26		-24.48
1938-02-19		-24.59	1938-02-12		-24.44
1938-02-04		-24.76	1938-01-28		-24.88
1938-01-21		-24.73	1938-01-14		-24.82
1938-01-07		-24.65	1937-12-31		-24.78
1937-12-24		-24.75	1937-12-18		-24.63
1937-12-11		-24.90	1937-12-04		-24.89
1937-11-27		-24.89	1937-11-20		-24.88
1937-11-13		-24.63	1937-11-08		-24.81

**A15**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

FED USGS USGS2118750

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404200073565901
Site name:	K 2434. 1		
Latitude:	404200	EDR Site id:	USGS2118750
Longitude:	0735659	Dec lat:	40.70010278
Dec lon:	-73.94930461	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1236	Map scale:	Not Reported
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	196.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C16  
SW  
1/4 - 1/2 Mile  
Lower**

**FED USGS      USGS2118752**

Agency cd:	USGS	Site no:	404200073570102
Site name:	K 1344. 1		
Latitude:	404200	EDR Site id:	USGS2118752
Longitude:	0735701	Dec lat:	40.70010278
Dec lon:	-73.94986018	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1236	Map scale:	Not Reported
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	171.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C17**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

**FED USGS      USGS2118751**

Agency cd:	USGS	Site no:	404200073570101
Site name:	K 1305. 1	EDR Site id:	USGS2118751
Latitude:	404200	Dec lat:	40.70010278
Longitude:	0735701	Coor meth:	M
Dec lon:	-73.94986018	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1236		
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	166.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**C18**  
**SSW**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118730**

Agency cd:	USGS	Site no:	404158073565801
Site name:	K 3133. 1	EDR Site id:	USGS2118730
Latitude:	404158	Dec lat:	40.69954723
Longitude:	0735658	Coor meth:	M
Dec lon:	-73.94902682	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1247		
Altitude:	14.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Lower Hudson. Connecticut, New Jersey, New York. Area = 720 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	JAMECO AQUIFER		
Well depth:	190.	Hole depth:	202.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1971-01-23
Water quality data end date:	2003-08-20	Water quality data count:	8
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

**B19**  
**West**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118660**

Agency cd:	USGS	Site no:	404209073570908
Site name:	K 65. 1	EDR Site id:	USGS2118660
Latitude:	404209	Dec lat:	40.70260272
Longitude:	0735709	Coor meth:	M
Dec lon:	-73.95208247	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1225		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude: Not Reported  
 Altitude method: Not Reported  
 Altitude accuracy: Not Reported  
 Altitude datum: Not Reported  
 Hydrologic: Northern Long Island. New York. Area = 915 sq.mi.  
 Topographic: Not Reported  
 Site type: Ground-water other than Spring Date construction: Not Reported  
 Date inventoried: Not Reported Mean greenwich time offset: EST  
 Local standard time flag: N  
 Type of ground water site: Single well, other than collector or Ranney type  
 Aquifer Type: Not Reported  
 Aquifer: GLACIAL AQUIFER,UPPER  
 Well depth: 59. Hole depth: Not Reported  
 Source of depth data: Not Reported  
 Project number: Not Reported  
 Real time data flag: 0 Daily flow data begin date: 0000-00-00  
 Daily flow data end date: 0000-00-00 Daily flow data count: 0  
 Peak flow data begin date: 0000-00-00 Peak flow data end date: 0000-00-00  
 Peak flow data count: 0 Water quality data begin date: 0000-00-00  
 Water quality data end date: 0000-00-00 Water quality data count: 0  
 Ground water data begin date: 1937-11-08 Ground water data end date: 1968-11-06  
 Ground water data count: 468

Ground-water levels, Number of Measurements: 468

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1968-11-06		0.65	1967-10-20		0.51
1966-10-24		5.43	1966-05-03		-0.40
1965-10-27		-0.59	1965-09-14		-0.71
1965-05-03		6.73	1964-10-30		-1.63
1964-04-23		-0.90	1963-10-19		-1.07
1963-04-29		-0.68	1962-11-09		-0.71
1962-04-26		-0.70	1961-12-27		-1.75
1961-10-02		-2.95	1961-06-29		-3.94
1960-09-28		-2.66	1960-07-05		-3.44
1960-03-30		-3.13	1960-01-14		-2.56
1959-10-07		-3.82	1959-07-16		-3.40
1959-03-18		-2.75	1958-01-10		-4.35
1957-09-24		-4.66	1957-06-27		-4.47
1957-03-27		-4.08	1956-12-18		-3.97
1956-11-29		-3.93	1956-10-25		-3.90
1956-10-02		-3.73	1956-08-02		-3.44
1956-07-03		-3.89	1956-06-05		-3.79
1956-05-15		-3.39	1956-03-05		-3.44
1956-02-07		-3.93	1955-12-22		-4.25
1955-11-15		-4.60	1955-10-07		-5.48
1955-07-26		-5.49	1955-06-23		-5.20
1955-05-25		-5.22	1955-04-26		-5.09
1955-03-29		-5.63	1955-02-21		-5.60
1955-01-25		-5.77	1954-12-27		-6.03
1954-12-02		-6.27	1954-10-28		-6.53
1954-10-05		-6.63	1954-08-25		-6.82
1954-07-29		-6.99	1954-06-29		-6.85
1954-05-27		-6.78	1954-04-28		-6.56
1954-03-30		-6.57	1954-02-25		-6.36
1954-01-28		-6.33	1953-12-23		-6.26
1953-12-02		-6.25	1953-10-28		-6.58
1953-10-02		-6.93	1953-08-28		-6.51

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1953-08-03		-7.14	1953-06-24		-7.58
1953-05-25		-7.91	1953-04-27		-7.81
1953-02-27		-9.00	1953-02-05		-9.57
1952-12-18		-10.41	1952-11-03		-11.24
1952-09-22		-11.98	1952-08-25		-12.18
1952-07-23		-12.75	1952-06-24		-12.99
1952-05-27		-13.34	1952-04-29		-13.64
1952-03-24		-14.18	1952-02-20		-14.88
1952-01-29		-14.67	1951-12-20		-15.96
1951-11-28		-16.21	1951-11-02		-16.49
1951-09-26		-17.06	1951-08-28		-17.20
1951-07-26		-17.23	1951-06-28		-17.32
1951-05-29		-17.51	1951-05-02		-17.80
1951-03-27		-18.22	1951-02-26		-18.21
1951-01-30		-18.55	1950-12-20		-18.96
1950-11-28		-18.95	1950-10-31		-19.20
1950-09-27		-19.43	1950-08-29		-19.27
1950-07-27		-19.13	1950-06-29		-19.19
1950-06-05		-18.95	1950-04-27		-19.09
1950-03-29		-19.03	1950-03-01		-19.20
1950-01-26		-19.43	1949-12-28		-19.61
1949-11-28		-19.89	1949-10-31		-19.90
1949-09-28		-20.13	1949-08-31		-20.33
1949-07-28		-20.50	1949-06-30		-20.74
1949-06-01		-20.78	1949-04-28		-21.18
1949-04-05		-21.42	1949-02-21		-22.00
1949-01-27		-22.17	1948-12-28		-22.46
1948-12-09		-22.77	1948-11-04		-22.89
1948-10-04		-23.16	1948-08-30		-23.18
1948-07-23		-23.50	1948-06-30		-23.67
1948-06-02		-23.92	1948-04-27		-24.29
1948-03-26		-24.62	1948-03-02		-24.74
1948-02-03		-24.96	1948-01-07		-25.10
1947-12-16		-25.56	1947-11-26		-25.53
1947-11-20		-25.52	1947-10-31		-25.66
1947-10-14		-25.69	1947-10-07		-25.75
1947-09-30		-25.72	1947-09-15		-25.83
1947-08-27		-25.80	1947-08-13		-25.73
1947-07-30		-25.90	1947-07-23		-25.93
1947-07-16		-25.70	1947-07-07		-25.71
1947-07-02		-25.76	1947-07-01		-25.71
1947-06-30		-25.73	1947-06-24		-25.65
1947-05-27		-25.71	1947-05-07		-25.71
1947-04-04		-25.70	1947-03-05		-25.47
1947-01-24		-25.32	1946-12-27		-25.40
1946-11-26		-25.26	1946-10-22		-25.27
1946-09-26		-25.19	1946-08-30		-25.13
1946-07-26		-24.90	1946-07-01		-24.69
1946-06-10		-24.57	1946-05-10		-24.52
1946-04-12		-24.62	1946-03-18		-24.66
1946-02-15		-24.86	1946-01-08		-25.12
1945-12-04		-25.27	1945-11-06		-25.40
1945-09-28		-25.27	1945-09-12		-25.19
1945-08-08		-25.10	1945-07-03		-25.01
1945-06-04		-24.81	1945-04-27		-24.78

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1945-04-04		-24.87	1945-03-03		-24.74
1945-02-06		-24.85	1945-01-02		-25.06
1944-12-06		-25.06	1944-10-28		-25.12
1944-10-04		-25.19	1944-09-02		-25.23
1944-07-31		-25.14	1944-07-01		-24.97
1944-06-03		-24.70	1944-05-05		-24.81
1944-03-30		-24.56	1944-02-26		-24.76
1944-01-29		-24.66	1944-01-01		-24.80
1943-11-27		-25.11	1943-10-30		-25.40
1943-09-25		-25.48	1943-08-28		-25.44
1943-07-31		-25.53	1943-06-26		-25.58
1943-05-29		-25.61	1943-05-01		-25.66
1943-03-27		-25.68	1943-02-27		-25.78
1943-01-30		-25.88	1943-01-02		-25.73
1942-12-26		-25.91	1942-12-19		-26.15
1942-12-12		-26.01	1942-12-05		-26.14
1942-11-28		-26.03	1942-11-21		-26.07
1942-11-14		-26.08	1942-11-07		-26.02
1942-10-31		-25.92	1942-10-24		-26.02
1942-10-17		-25.89	1942-10-10		-25.94
1942-10-03		-25.91	1942-09-26		-25.90
1942-09-19		-25.80	1942-09-12		-25.77
1942-09-04		-25.79	1942-08-29		-25.71
1942-08-22		-25.58	1942-08-15		-25.60
1942-08-08		-25.52	1942-08-01		-25.69
1942-07-25		-25.78	1942-07-18		-25.66
1942-07-11		-25.73	1942-07-04		-25.93
1942-06-27		-25.99	1942-06-20		-26.02
1942-06-13		-26.08	1942-06-06		-26.13
1942-05-30		-26.14	1942-05-23		-26.17
1942-05-16		-26.25	1942-05-09		-26.33
1942-05-02		-26.36	1942-04-25		-26.40
1942-04-18		-26.37	1942-04-11		-26.36
1942-04-04		-26.46	1942-03-28		-26.49
1942-03-21		-26.54	1942-03-14		-26.51
1942-03-07		-26.73	1942-02-28		-26.60
1942-02-21		-26.57	1942-02-14		-26.58
1942-02-07		-26.47	1942-01-31		-26.61
1942-01-24		-26.72	1942-01-17		-26.85
1942-01-10		-26.65	1942-01-03		-26.85
1941-12-27		-26.75	1941-12-20		-26.90
1941-12-13		-26.85	1941-12-06		-26.97
1941-11-29		-27.04	1941-11-22		-26.97
1941-11-15		-27.04	1941-11-08		-27.11
1941-11-01		-26.98	1941-10-25		-27.03
1941-10-18		-27.03	1941-10-11		-27.04
1941-10-04		-26.89	1941-09-27		-26.99
1941-09-20		-26.95	1941-09-13		-26.95
1941-09-06		-26.80	1941-08-30		-26.85
1941-08-23		-26.80	1941-08-16		-26.72
1941-08-09		-26.66	1941-08-02		-26.74
1941-07-26		-26.65	1941-07-19		-26.60
1941-07-12		-26.61	1941-07-05		-26.60
1941-06-28		-26.59	1941-06-21		-26.58
1941-06-14		-26.45	1941-06-07		-26.58

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1941-05-31		-26.46	1941-05-24		-26.47
1941-05-17		-26.41	1941-05-10		-26.45
1941-05-03		-26.46	1941-04-26		-26.37
1941-04-19		-26.36	1941-04-12		-26.37
1941-04-05		-26.24	1941-03-29		-26.25
1941-03-22		-26.31	1941-03-15		-26.26
1941-03-08		-25.99	1941-03-01		-26.16
1941-02-22		-26.21	1941-02-15		-26.15
1941-02-08		-26.17	1941-02-01		-26.29
1941-01-25		-26.22	1941-01-18		-26.25
1941-01-11		-26.20	1941-01-04		-26.03
1940-12-28		-26.13	1940-12-21		-26.21
1940-12-14		-26.32	1940-12-07		-26.16
1940-11-30		-26.23	1940-11-23		-26.17
1940-11-16		-26.16	1940-11-09		-26.23
1940-11-02		-26.06	1940-10-26		-26.13
1940-10-19		-26.13	1940-10-12		-26.06
1940-10-05		-26.09	1940-09-28		-26.01
1940-09-21		-25.90	1940-09-14		-25.92
1940-09-07		-25.81	1940-08-31		-25.76
1940-08-24		-25.78	1940-08-17		-25.66
1940-08-10		-25.50	1940-08-03		-25.75
1940-07-27		-25.74	1940-07-20		-25.68
1940-07-13		-25.66	1940-07-06		-25.52
1940-06-29		-25.60	1940-06-22		-25.65
1940-06-15		-25.56	1940-06-08		-25.57
1940-05-29		-25.58	1940-05-25		-25.55
1940-05-18		-25.52	1940-05-11		-25.51
1940-05-04		-25.46	1940-04-27		-25.51
1940-04-20		-25.41	1940-04-13		-25.38
1940-04-06		-25.58	1940-03-30		-25.53
1940-03-23		-25.60	1940-03-16		-25.60
1940-03-09		-25.61	1940-03-02		-25.67
1940-02-24		-25.61	1940-02-17		-25.66
1940-02-10		-25.59	1940-02-03		-25.68
1940-01-27		-25.69	1940-01-20		-25.70
1940-01-13		-25.73	1940-01-06		-25.68
1939-12-30		-25.57	1939-12-23		-25.91
1939-12-16		-25.76	1939-12-09		-25.84
1939-12-02		-25.67	1939-11-25		-25.75
1939-11-18		-25.71	1939-11-11		-25.70
1939-11-04		-25.81	1939-10-28		-25.99
1939-10-21		-25.79	1939-10-14		-25.71
1939-10-07		-25.89	1939-09-30		-25.94
1939-09-23		-26.08	1939-09-15		-26.30
1939-09-08		-26.63	1939-09-01		-27.89
1939-08-25		-28.34	1939-08-18		-28.25
1939-08-11		-28.20	1939-08-04		-28.12
1939-07-28		-28.02	1939-07-21		-27.94
1939-07-14		-27.67	1939-07-07		-27.59
1939-06-30		-27.30	1939-06-23		-27.00
1939-06-16		-26.52	1939-06-09		-25.65
1939-06-02		-24.41	1939-05-26		-24.46
1939-05-19		-24.42	1939-05-12		-24.51
1939-05-05		-24.44	1939-04-28		-24.49

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1939-04-21		-24.52	1939-04-15		-24.35
1939-03-31		-24.41	1939-03-24		-24.40
1939-03-17		-24.51	1939-03-10		-24.49
1939-03-03		-24.49	1939-02-24		-24.36
1939-02-17		-24.45	1939-02-10		-24.43
1939-02-03		-24.44	1939-01-27		-24.64
1939-01-20		-24.68	1939-01-13		-24.65
1939-01-06		-24.55	1938-12-30		-24.63
1938-12-23		-24.81	1938-12-16		-24.86
1938-12-09		-24.78	1938-12-02		-24.91
1938-11-25		-24.86	1938-11-18		-24.86
1938-11-11		-24.76	1938-11-04		-24.86
1938-10-28		-24.86	1938-10-21		-24.76
1938-10-14		-24.70	1938-10-07		-24.75
1938-09-30		-24.45	1938-09-23		-24.66
1938-09-16		-24.93	1938-09-09		-24.85
1938-09-02		-24.84	1938-08-26		-24.81
1938-08-19		-24.81	1938-08-12		-24.78
1938-08-05		-24.60	1938-07-29		-24.64
1938-07-22		-24.70	1938-07-15		-24.64
1938-07-08		-24.60	1938-07-01		-24.59
1938-06-28		-24.52	1938-06-21		-24.46
1938-06-14		-24.51	1938-06-07		-24.36
1938-05-21		-24.44	1938-05-14		-24.42
1938-05-07		-24.40	1938-04-30		-24.39
1938-04-23		-24.48	1938-04-16		-24.52
1938-04-09		-24.01	1938-04-02		-24.39
1938-03-26		-24.23	1938-03-19		-24.41
1938-03-12		-24.31	1938-03-05		-24.20
1938-02-26		-24.48	1938-02-19		-24.52
1938-02-04		-24.61	1938-01-28		-24.74
1938-01-21		-24.66	1938-01-14		-24.71
1938-01-07		-24.48	1937-12-31		-24.66
1937-12-24		-24.76	1937-12-18		-24.65
1937-12-11		-24.86	1937-12-04		-24.84
1937-11-27		-24.88	1937-11-20		-24.89
1937-11-13		-25.12	1937-11-08		-24.94

**D20  
NNE  
1/4 - 1/2 Mile  
Higher**

**FED USGS USGS2118395**

Agency cd:	USGS	Site no:	404226073564101
Site name:	K 637. 1	EDR Site id:	USGS2118395
Latitude:	404226	Dec lat:	40.70732486
Longitude:	0735641	Coor meth:	M
Dec lon:	-73.94430447	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1263		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	35.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	212.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**E21  
WSW  
1/4 - 1/2 Mile  
Higher**

**FED USGS      USGS2118598**

Agency cd:	USGS	Site no:	404204073570801
Site name:	K 33. 1	EDR Site id:	USGS2118598
Latitude:	404204	Dec lat:	40.70121386
Longitude:	0735708	Coor meth:	M
Dec lon:	-73.95180468	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1226		
Altitude:	14.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	176.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**E22**  
**WSW**  
**1/4 - 1/2 Mile**  
**Lower**

**FED USGS      USGS2574667**

Agency cd:	USGS	Site no:	404202073571001
Site name:	K 2069. 1	EDR Site id:	USGS2574667
Latitude:	404202	Dec lat:	40.70065832
Longitude:	0735710	Coor meth:	M
Dec lon:	-73.95236025	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1226		
Altitude:	10.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	177.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**D23**  
**NNE**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118415**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404228073563901
Site name:	K 2533. 1		
Latitude:	404228	EDR Site id:	USGS2118415
Longitude:	0735639	Dec lat:	40.70788041
Dec lon:	-73.9437489	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1262	Map scale:	Not Reported
Altitude:	30.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	92.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**24**  
**North**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118249**

Agency cd:	USGS	Site no:	404233073564401
Site name:	K 715. 1		
Latitude:	404233	EDR Site id:	USGS2118249
Longitude:	0735644	Dec lat:	40.70926927
Dec lon:	-73.94513783	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1252	Map scale:	Not Reported
Altitude:	36.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	120.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**25**  
**NNE**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118444**

Agency cd:	USGS	Site no:	404231073563301
Site name:	K 426. 1	EDR Site id:	USGS2118444
Latitude:	404231	Dec lat:	40.70871373
Longitude:	0735633	Coor meth:	M
Dec lon:	-73.94208219	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1272		
Altitude:	38.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	140.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**26**  
**WNW**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118356**

Agency cd:	USGS	Site no:	404223073571601
Site name:	K 717. 1		
Latitude:	404223	EDR Site id:	USGS2118356
Longitude:	0735716	Dec lat:	40.70649153
Dec lon:	-73.95402697	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1213	Map scale:	Not Reported
Altitude:	45.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	202.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**F27**  
**NE**  
**1/4 - 1/2 Mile**  
**Higher**

**FED USGS      USGS2118414**

Agency cd:	USGS	Site no:	404228073562301
Site name:	K 37. 1		
Latitude:	404228	EDR Site id:	USGS2118414
Longitude:	0735623	Dec lat:	40.70788041
Dec lon:	-73.93930433	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1282	Map scale:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	25.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	130.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**F28  
NE  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118426**

Agency cd:	USGS	Site no:	404229073562301
Site name:	K 1490. 1	EDR Site id:	USGS2118426
Latitude:	404229	Dec lat:	40.70815819
Longitude:	0735623	Coor meth:	M
Dec lon:	-73.93930433	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1282		
Altitude:	35.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	135.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**G29  
 SW  
 1/2 - 1 Mile  
 Higher**

**FED USGS      USGS2118856**

Agency cd:	USGS	Site no:	404149073571201
Site name:	K 30. 1	EDR Site id:	USGS2118856
Latitude:	404149	Dec lat:	40.69704728
Longitude:	0735712	Coor meth:	M
Dec lon:	-73.95291582	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1219		
Altitude:	23.6		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	56.	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Daily flow data count:	0		
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0		
Water quality data end date:	0000-00-00	Water quality data begin date:	0000-00-00
Water quality data count:	0		
Ground water data begin date:	1954-07-29	Ground water data end date:	1978-04-04
Ground water data count:	218		

Ground-water levels, Number of Measurements: 218

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1978-04-04		5.70	1977-01-05		4.35
1976-07-09		5.78	1976-06-28		4.52
1976-03-23		4.54	1975-12-16		4.78
1975-10-07		4.69	1975-06-30		4.29
1975-03-26		4.05	1974-12-19		4.81
1974-09-25		4.74	1974-09-04		4.52
1974-06-26		4.51	1974-03-19		4.20
1974-01-09		1.59	1973-10-02		4.04
1973-07-09		2.58	1973-04-03		2.15
1972-12-27		2.99	1972-09-29		3.09

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1972-07-17		2.81	1972-07-11		2.63
1972-03-28		3.87	1972-01-13		3.30
1971-09-23		3.25	1971-07-28		3.57
1971-05-05		2.92	1971-03-16		2.75
1971-02-09		2.69	1970-11-02		2.89
1970-05-08		3.03	1970-03-13		2.84
1970-02-06		2.30	1969-11-10		2.38
1969-09-11		2.88	1969-09-05		2.24
1969-08-04		2.24	1969-07-02		1.55
1969-05-28		1.40	1969-04-22		1.42
1969-04-01		1.42	1969-02-20		1.17
1969-01-29		1.17	1969-01-08		0.97
1968-12-03		0.73	1968-11-06		0.80
1968-09-30		0.97	1968-08-28		1.13
1968-07-29		1.11	1968-06-26		1.06
1968-05-28		0.97	1968-04-22		0.97
1968-03-27		0.82	1968-02-29		0.68
1968-02-05		0.73	1968-01-03		0.63
1967-11-29		0.49	1967-10-20		0.65
1967-09-26		0.75	1967-09-07		0.81
1967-07-28		0.31	1967-07-06		0.30
1967-05-31		0.40	1967-05-04		0.31
1967-03-28		0.33	1967-02-24		0.09
1967-01-31		0.02	1966-12-23		-0.43
1966-12-01		-0.39	1966-10-24		-0.65
1966-09-30		-0.52	1966-08-29		-0.52
1966-07-29		-0.45	1966-06-27		-0.30
1966-05-26		-0.33	1966-05-02		-0.33
1966-03-30		-0.31	1966-03-02		-0.31
1966-01-28		-0.36	1965-12-30		-0.50
1965-12-02		-0.59	1965-10-27		-0.85
1965-10-07		-0.54	1965-09-02		-0.61
1965-07-23		-0.49	1965-06-24		-0.52
1965-05-24		-0.43	1965-05-03		-0.45
1965-03-25		-0.42	1965-02-24		-0.42
1965-01-29		-0.34	1964-12-31		-0.65
1964-11-25		-0.80	1964-10-30		-0.72
1964-10-01		-0.59	1964-09-02		-0.32
1964-07-27		-0.27	1964-07-06		-0.39
1964-05-28		-0.47	1964-04-23		-0.49
1964-03-30		-0.46	1964-02-28		-0.55
1964-01-28		-0.95	1963-12-31		-1.08
1963-12-05		-1.05	1963-10-26		-0.88
1963-09-30		-0.68	1963-09-03		-0.58
1963-07-30		-0.49	1963-07-02		-0.45
1963-06-03		-0.34	1963-04-29		-0.52
1963-03-29		-0.38	1963-02-28		-0.52
1963-01-31		-0.52	1963-01-03		-0.60
1962-12-04		-0.51	1962-10-31		-0.37
1962-10-03		-0.27	1962-08-31		0.16
1962-07-30		-0.07	1962-07-02		-0.13
1962-05-29		-0.05	1962-04-26		-0.28
1962-03-27		-0.32	1962-03-05		-0.43
1962-01-31		-0.59	1961-12-20		-0.82
1961-11-28		-0.88	1961-10-31		-0.92

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1961-10-02		-0.76	1961-08-30		-0.92
1961-08-11		-1.36	1961-06-20		-1.64
1961-05-31		-1.81	1961-04-26		-1.84
1961-03-28		-2.17	1961-03-01		-2.49
1961-01-30		-2.59	1960-12-27		-2.68
1960-12-06		-2.44	1960-11-02		-2.53
1960-09-28		-2.48	1960-08-30		-2.48
1960-08-02		-2.53	1960-06-30		-2.40
1960-06-02		-2.44	1960-05-04		-2.47
1960-03-29		-2.60	1960-03-08		-2.65
1960-01-27		-2.79	1960-01-05		-2.94
1959-12-01		-3.22	1959-11-02		-3.44
1959-10-06		-3.19	1959-09-03		-2.99
1959-08-04		-2.92	1959-07-02		-2.68
1959-06-02		-2.44	1959-05-06		-2.23
1959-04-03		-2.21	1959-03-02		-2.39
1959-01-29		-2.39	1959-01-07		-2.52
1958-12-09		-2.56	1958-10-30		-2.62
1958-10-07		-2.86	1958-08-28		-2.66
1958-07-29		-2.68	1958-06-30		-2.58
1958-05-29		-2.68	1958-05-01		-3.12
1958-04-02		-3.35	1958-03-03		-3.73
1958-01-28		-3.59	1957-12-31		-3.68
1957-11-22		-3.83	1957-10-30		-3.88
1957-09-24		-3.64	1957-08-27		-3.62
1957-07-24		-3.54	1957-06-27		-3.43
1957-05-28		-3.35	1957-04-24		-3.38
1957-03-27		-3.53	1957-02-27		-3.46
1957-01-25		-3.54	1956-12-18		-3.80
1956-11-29		-3.70	1956-10-25		-3.75
1956-09-26		-3.61	1956-09-04		-3.40
1956-08-02		-3.31	1956-07-03		-3.56
1956-06-05		-3.48	1956-05-02		-3.66
1956-03-29		-4.01	1956-03-05		-4.16
1956-02-03		-4.35	1955-12-22		-4.69
1955-12-02		-4.87	1955-11-04		-5.17
1955-10-07		-5.95	1955-09-06		-6.10
1955-08-25		-6.05	1955-07-26		-4.99
1955-06-23		-4.71	1955-05-25		-4.70
1955-04-26		-4.71	1955-03-29		-4.85
1955-02-21		-4.72	1955-01-25		-5.21
1954-12-27		-5.60	1954-12-02		-5.74
1954-10-28		-5.96	1954-10-05		-5.85
1954-08-25		-6.16	1954-07-29		-6.24

30  
NW  
1/2 - 1 Mile  
Higher

FED USGS USGS2118416

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404228073571801
Site name:	K 670. 1		
Latitude:	404228	EDR Site id:	USGS2118416
Longitude:	0735718	Dec lat:	40.70788039
Dec lon:	-73.95458255	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1212	Map scale:	Not Reported
Altitude:	30.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	165.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**H31  
ESE  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118597**

Agency cd:	USGS	Site no:	404204073561008
Site name:	K 236. 1		
Latitude:	404204	EDR Site id:	USGS2118597
Longitude:	0735610	Dec lat:	40.70121388
Dec lon:	-73.93569311	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1296	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag: N  
 Type of ground water site: Single well, other than collector or Ranney type  
 Aquifer Type: Not Reported  
 Aquifer: Not Reported  
 Well depth: 130. Hole depth: 130.  
 Source of depth data: Not Reported  
 Project number: Not Reported  
 Real time data flag: 0  
 Daily flow data end date: 0000-00-00  
 Daily flow data begin date: 0000-00-00  
 Daily flow data count: 0  
 Peak flow data begin date: 0000-00-00  
 Peak flow data end date: 0000-00-00  
 Peak flow data count: 0  
 Water quality data begin date: 0000-00-00  
 Water quality data end date: 0000-00-00  
 Water quality data count: 0  
 Ground water data begin date: 1950-03-29  
 Ground water data end date: 1954-12-17  
 Ground water data count: 52

Ground-water levels, Number of Measurements: 52

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1954-12-17	-8.30		1954-06-29	-9.31	
1954-05-27	-8.45		1954-04-28	-10.08	
1954-03-30	-9.85		1954-02-25	-9.49	
1954-01-28	-10.11		1953-12-23	-10.76	
1953-12-02	-10.78		1953-10-28	-10.03	
1953-10-02	-11.58		1953-08-28	-11.23	
1953-08-03	-11.25		1953-06-24	-10.48	
1953-05-25	-10.59		1953-04-27	-11.85	
1953-03-24	-12.38		1953-02-27	-12.18	
1953-02-05	-12.68		1952-12-24	-12.74	
1952-12-05	-12.60		1952-11-03	-13.70	
1952-09-23	-16.95		1952-08-25	-16.73	
1952-07-23	-17.79		1952-06-24	-17.05	
1952-05-27	-17.69		1952-04-29	-19.03	
1952-03-24	-19.20		1952-02-20	-20.10	
1952-01-29	-20.88		1951-12-20	-22.55	
1951-11-28	-22.59		1951-09-26	-24.85	
1951-08-28	-25.66		1951-07-26	-25.95	
1951-06-28	-25.47		1951-05-29	-26.24	
1951-05-02	-26.53		1951-03-27	-26.63	
1951-02-26	-26.78		1951-01-30	-27.90	
1950-12-20	-28.49		1950-11-28	-28.00	
1950-10-31	-27.98		1950-09-27	-29.66	
1950-08-29	-29.53		1950-07-27	-29.04	
1950-06-29	-27.59		1950-06-05	-26.28	
1950-04-27	-28.80		1950-03-29	-28.80	

**H32**  
**ESE**  
**1/2 - 1 Mile**  
**Higher**

FED USGS USGS2118596

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404204073561001
Site name:	K 2136. 1		
Latitude:	404204	EDR Site id:	USGS2118596
Longitude:	0735610	Dec lat:	40.70121388
Dec lon:	-73.93569311	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1296	Map scale:	Not Reported
Altitude:	50.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	112.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**I33  
ENE  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118387**

Agency cd:	USGS	Site no:	404225073561301
Site name:	K 1130. 1		
Latitude:	404225	EDR Site id:	USGS2118387
Longitude:	0735613	Dec lat:	40.7070471
Dec lon:	-73.93652647	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1293	Map scale:	Not Reported
Altitude:	18.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	89.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**J34**  
**NNE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118312**

Agency cd:	USGS	Site no:	404239073563301
Site name:	K 724. 1	EDR Site id:	USGS2118312
Latitude:	404239	Dec lat:	40.71093591
Longitude:	0735633	Coor meth:	M
Dec lon:	-73.94208219	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1271		
Altitude:	48.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	137.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**J35**  
**NNE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118311**

Agency cd:	USGS	Site no:	404239073563201
Site name:	K 1283. 1	EDR Site id:	USGS2118311
Latitude:	404239	Dec lat:	40.71093591
Longitude:	0735632	Coor meth:	M
Dec lon:	-73.94180441	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1271		
Altitude:	45.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	240.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**G36**  
**SW**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118835**

Agency cd:	USGS	Site no:	404146073571301
Site name:	K 2040. 1	EDR Site id:	USGS2118835
Latitude:	404146	Dec lat:	40.69621396
Longitude:	0735713	Coor meth:	M
Dec lon:	-73.95319361	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1228		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	6.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1981-04-09
Water quality data end date:	1983-06-14	Water quality data count:	2
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

**G37  
SW  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118842**

Agency cd:	USGS	Site no:	404147073571401
Site name:	K 30. 2	EDR Site id:	USGS2118842
Latitude:	404146	Dec lat:	40.69621396
Longitude:	0735714	Coor meth:	M
Dec lon:	-73.95347139	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1219		
Altitude:	21.1		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	18.	Hole depth:	18.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0  
 Water quality data end date: 0000-00-00  
 Ground water data begin date: 1978-09-27  
 Ground water data count: 28

Water quality data begin date: 0000-00-00  
 Water quality data count: 0  
 Ground water data end date: 1985-04-03

Ground-water levels, Number of Measurements: 28

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1985-04-03		3.78	1984-12-18		4.16
1984-10-05		5.26	1984-06-27		5.96
1984-03-16		5.65	1984-01-05		5.27
1983-09-28		4.82	1983-06-29		5.56
1983-03-25		5.36	1982-12-21		4.84
1982-10-06		4.86	1982-06-01		4.66
1981-12-29		4.74	1981-09-23		5.10
1981-06-24		4.47	1981-03-20		4.84
1980-12-30		5.40	1980-09-23		7.38
1980-06-19		5.06	1980-03-13		5.13
1979-12-18		5.43	1979-09-17		5.86
1979-06-28		5.89	1978-12-22		5.71
1978-11-01		5.48	1978-10-26		5.96
1978-10-02		6.54	1978-09-27		5.72

**I38**  
**ENE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS USGS2118386**

Agency cd:	USGS	Site no:	404225073561001
Site name:	K 955. 1	EDR Site id:	USGS2118386
Latitude:	404225	Dec lat:	40.7070471
Longitude:	0735610	Coor meth:	M
Dec lon:	-73.93569312	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1293		
Altitude:	18.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	72.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**K39**  
**East**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118627**

Agency cd:	USGS	Site no:	404206073560503
Site name:	K 1273. 1	EDR Site id:	USGS2118627
Latitude:	404206	Dec lat:	40.70176943
Longitude:	0735605	Coor meth:	M
Dec lon:	-73.93430418	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1205		
Altitude:	40.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	275.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**K40**  
**East**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118626**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404206073560501
Site name:	K 1153. 1		
Latitude:	404206	EDR Site id:	USGS2118626
Longitude:	0735605	Dec lat:	40.70176943
Dec lon:	-73.93430418	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KF1205	Map scale:	Not Reported
Altitude:	42.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	Not Reported	Hole depth:	103.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Daily flow data count:	0		
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0		
Water quality data begin date:	1970-08-12	Water quality data count:	1
Water quality data end date:	1970-08-12	Ground water data end date:	0000-00-00
Ground water data begin date:	0000-00-00		
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

**41  
NW  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118298**

Agency cd:	USGS	Site no:	404238073571501
Site name:	K 672. 1		
Latitude:	404238	EDR Site id:	USGS2118298
Longitude:	0735715	Dec lat:	40.71065812
Dec lon:	-73.95374919	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1221	Map scale:	Not Reported
Altitude:	20.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	170.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**42  
SE  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118862**

Agency cd:	USGS	Site no:	404150073561301
Site name:	K 255. 1	EDR Site id:	USGS2118862
Latitude:	404150	Dec lat:	40.69732507
Longitude:	0735613	Coor meth:	M
Dec lon:	-73.93652647	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1298		
Altitude:	54.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	123.	Hole depth:	123.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**43**  
**West**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118514**

Agency cd:	USGS	Site no:	404217073573301
Site name:	K 666. 1	EDR Site id:	USGS2118514
Latitude:	404217	Dec lat:	40.70482489
Longitude:	0735733	Coor meth:	M
Dec lon:	-73.95874933	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KD1294		
Altitude:	55.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	214.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**44**  
**ENE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118385**

Agency cd:	USGS	Site no:	404225073560701
Site name:	K 893. 1	EDR Site id:	USGS2118385
Latitude:	404225	Dec lat:	40.7070471
Longitude:	0735607	Coor meth:	M
Dec lon:	-73.93485976	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1203		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	20.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	118.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**45  
WNW  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118401**

Agency cd:	USGS	Site no:	404227073573001
Site name:	K 67. 1	EDR Site id:	USGS2118401
Latitude:	404227	Dec lat:	40.70760261
Longitude:	0735730	Coor meth:	M
Dec lon:	-73.95791597	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1203		
Altitude:	47.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0  
 Water quality data end date: 0000-00-00  
 Ground water data begin date: 1937-11-08  
 Ground water data count: 475

Water quality data begin date: 0000-00-00  
 Water quality data count: 0  
 Ground water data end date: 1975-10-07

Ground-water levels, Number of Measurements: 475

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1975-10-07		13.99	1975-06-30		14.09
1975-03-26		15.35	1974-12-19		9.86
1974-09-04		9.70	1974-06-26		9.64
1974-03-19		9.89	1974-01-09		8.60
1973-10-02		10.47	1973-09-25		11.70
1973-07-09		4.20	1973-04-03		4.51
1972-12-27		4.38	1972-10-02		5.00
1972-07-10		4.90	1972-03-28		4.71
1972-01-13		4.63	1971-09-23		4.81
1971-03-08		6.91	1970-11-02		7.01
1970-03-13		4.41	1969-11-12		4.06
1969-09-03		3.48	1969-04-22		3.00
1968-11-06		2.61	1968-04-22		2.52
1967-10-20		2.07	1967-03-28		1.72
1966-10-24		1.29	1966-05-03		1.12
1965-10-27		1.02	1965-09-14		0.85
1965-05-03		0.89	1964-10-02		1.10
1964-04-23		1.15	1963-10-19		0.89
1963-04-29		1.18	1962-11-23		1.03
1962-04-26		-0.25	1961-12-28		-0.96
1961-10-02		-2.51	1961-06-28		-4.80
1961-03-28		-6.02	1960-12-27		-5.64
1960-09-28		-3.96	1960-07-05		-2.45
1960-03-31		-0.96	1960-01-14		-1.24
1959-10-07		-1.05	1959-07-16		-1.34
1959-03-18		-1.14	1958-04-16		-2.07
1958-01-10		-2.02	1957-09-24		-2.67
1957-03-27		-1.90	1956-12-18		-1.57
1956-11-29		-1.52	1956-10-25		-1.45
1956-10-02		-1.15	1956-08-02		-0.67
1956-07-03		-0.34	1956-06-05		-0.35
1956-05-15		-0.44	1956-03-05		-1.05
1956-02-07		-1.17	1955-12-22		-1.36
1955-11-15		-1.89	1955-10-07		-2.36
1955-08-25		-3.01	1955-07-26		-3.37
1955-06-23		-3.46	1955-05-25		-3.49
1955-04-26		-3.64	1955-03-28		-3.89
1955-02-21		-4.20	1955-01-25		-4.29
1954-12-27		-4.60	1954-12-02		-4.73
1954-08-25		-5.63	1954-07-29		-5.70
1954-06-29		-5.50	1954-05-27		-5.26
1954-04-28		-5.10	1954-03-30		-5.00
1954-02-25		-4.83	1954-01-28		-4.82
1953-12-23		-4.80	1953-12-02		-4.80
1953-10-28		-5.00	1953-10-02		-5.39
1953-08-28		-5.82	1953-08-03		-6.07
1953-06-24		-6.31	1953-05-25		-6.51
1953-04-27		-6.88	1953-03-24		-7.38
1953-02-27		-7.71	1953-02-05		-8.10
1952-12-23		-8.77	1952-12-05		-8.99

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1952-11-03		-9.45	1952-09-22		-10.08
1952-08-25		-10.52	1952-07-23		-10.92
1952-06-24		-11.04	1952-05-27		-11.28
1952-04-29		-11.60	1952-03-24		-12.02
1952-02-20		-12.48	1952-01-29		-12.74
1951-12-20		-13.14	1951-11-28		-13.42
1951-11-02		-13.69	1951-09-26		-14.15
1951-08-28		-14.33	1951-07-26		-14.38
1951-06-28		-14.42	1951-05-29		-14.38
1951-05-02		-14.49	1951-03-27		-14.80
1951-02-26		-14.94	1951-01-30		-15.10
1950-12-20		-15.31	1950-11-28		-15.40
1950-10-31		-15.55	1950-09-27		-15.80
1950-08-29		-16.10	1950-07-27		-16.05
1950-06-29		-15.88	1950-06-05		-15.58
1950-04-27		-15.63	1950-03-29		-15.65
1950-03-01		-15.70	1950-01-26		-15.80
1949-12-28		-16.00	1949-11-28		-16.15
1949-10-31		-16.29	1949-09-28		-16.54
1949-08-31		-16.98	1949-07-28		-17.06
1949-06-30		-17.15	1949-06-01		-16.97
1949-04-28		-17.18	1949-04-05		-17.32
1949-02-21		-17.65	1949-01-27		-17.82
1948-12-28		-18.04	1948-12-09		-18.25
1948-11-04		-18.32	1948-10-04		-18.80
1948-08-30		-18.97	1948-07-26		-19.32
1948-06-30		-19.22	1948-06-01		-19.32
1948-04-27		-19.68	1947-12-16		-20.05
1947-11-26		-20.13	1947-11-20		-20.14
1947-10-31		-20.30	1947-10-14		-20.34
1947-10-07		-20.41	1947-09-30		-20.48
1947-09-15		-20.91	1947-08-27		-20.84
1947-08-13		-20.80	1947-07-30		-20.80
1947-07-23		-20.80	1947-07-16		-20.68
1947-07-07		-20.57	1947-07-02		-20.53
1947-07-01		-20.50	1947-06-24		-20.47
1947-05-27		-20.30	1947-05-07		-20.17
1947-04-04		-20.10	1947-03-05		-20.00
1947-01-24		-19.86	1946-12-27		-19.83
1946-11-26		-19.75	1946-10-22		-19.90
1946-09-26		-20.14	1946-09-16		-20.10
1946-07-26		-19.90	1946-07-01		-19.69
1946-06-10		-19.50	1946-05-10		-19.42
1946-04-12		-19.44	1946-03-18		-19.46
1946-02-15		-19.58	1946-01-08		-19.55
1945-12-04		-19.64	1945-11-06		-19.64
1945-09-28		-19.70	1945-09-12		-19.84
1945-08-08		-19.73	1945-07-03		-19.53
1945-06-04		-19.17	1945-04-27		-19.30
1945-04-04		-19.40	1945-03-03		-19.35
1945-01-02		-19.38	1944-12-06		-19.77
1944-10-28		-19.29	1944-10-04		-19.39
1944-09-02		-19.57	1944-07-31		-19.52
1944-07-05		-19.24	1944-05-27		-19.17
1944-05-05		-19.16	1944-03-30		-19.01

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1944-02-26		-18.94	1944-01-29		-18.87
1944-01-01		-18.97	1943-11-27		-18.99
1943-10-30		-18.98	1943-09-25		-19.12
1943-08-28		-19.18	1943-07-31		-19.22
1943-06-26		-19.19	1943-05-29		-19.20
1943-05-01		-19.25	1943-03-27		-19.28
1943-02-27		-19.27	1943-01-30		-19.27
1943-01-02		-19.30	1942-12-26		-19.26
1942-12-12		-19.15	1942-12-05		-19.15
1942-11-28		-19.14	1942-11-21		-19.13
1942-11-14		-19.11	1942-11-07		-19.13
1942-10-31		-19.13	1942-10-24		-19.15
1942-10-17		-19.16	1942-10-10		-19.16
1942-09-26		-19.17	1942-09-19		-19.18
1942-09-12		-19.18	1942-09-05		-19.19
1942-08-29		-19.22	1942-08-22		-19.25
1942-08-15		-19.39	1942-08-08		-19.31
1942-08-01		-19.34	1942-07-25		-19.38
1942-07-18		-19.42	1942-07-11		-19.48
1942-07-04		-19.55	1942-06-27		-19.62
1942-06-20		-19.71	1942-06-13		-19.80
1942-06-06		-19.88	1942-05-30		-19.93
1942-05-23		-19.95	1942-05-16		-19.99
1942-05-09		-20.04	1942-05-02		-20.08
1942-04-25		-20.11	1942-04-18		-20.14
1942-04-11		-20.15	1942-04-04		-20.16
1942-03-28		-20.21	1942-03-21		-20.24
1942-03-14		-20.24	1942-03-07		-20.26
1942-02-28		-20.30	1942-02-21		-20.30
1942-02-14		-20.35	1942-02-07		-20.37
1942-01-31		-20.46	1942-01-24		-20.49
1942-01-17		-20.52	1942-01-10		-20.55
1942-01-03		-20.59	1941-12-27		-20.61
1941-12-20		-20.63	1941-12-13		-20.66
1941-12-06		-20.69	1941-11-29		-20.71
1941-11-22		-20.74	1941-11-15		-20.74
1941-11-08		-20.74	1941-11-01		-20.74
1941-10-25		-20.74	1941-10-18		-20.74
1941-10-11		-20.75	1941-10-04		-20.74
1941-09-27		-20.74	1941-09-20		-20.73
1941-09-13		-20.73	1941-09-06		-20.73
1941-08-30		-20.71	1941-08-23		-20.69
1941-08-16		-20.69	1941-08-09		-20.67
1941-08-02		-20.67	1941-07-26		-20.64
1941-07-19		-20.62	1941-07-12		-20.60
1941-07-05		-20.58	1941-06-28		-20.56
1941-06-21		-20.54	1941-06-14		-20.52
1941-06-07		-20.50	1941-05-31		-20.49
1941-05-24		-20.48	1941-05-17		-20.45
1941-05-10		-20.45	1941-05-03		-20.45
1941-04-26		-20.41	1941-04-19		-20.41
1941-04-12		-20.38	1941-04-05		-20.37
1941-03-29		-20.35	1941-03-22		-20.35
1941-03-15		-20.33	1941-03-08		-20.31
1941-03-01		-20.31	1941-02-22		-20.31

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1941-02-15		-20.32	1941-02-08		-20.35
1941-02-01		-20.30	1941-01-25		-20.30
1941-01-18		-20.29	1941-01-11		-20.28
1941-01-04		-20.28	1940-12-28		-20.28
1940-12-21		-20.26	1940-12-14		-20.27
1940-12-07		-20.25	1940-11-30		-20.25
1940-11-23		-20.22	1940-11-16		-20.21
1940-11-09		-20.21	1940-11-02		-20.22
1940-10-26		-20.22	1940-10-19		-20.21
1940-10-12		-20.20	1940-10-05		-20.19
1940-09-28		-20.19	1940-09-21		-20.14
1940-09-14		-20.13	1940-09-07		-20.10
1940-08-31		-20.07	1940-08-24		-20.05
1940-08-17		-20.03	1940-08-10		-20.02
1940-08-03		-19.99	1940-07-27		-19.99
1940-07-20		-19.98	1940-07-13		-19.97
1940-07-06		-19.96	1940-06-29		-19.91
1940-06-22		-19.92	1940-06-15		-19.91
1940-06-08		-19.88	1940-06-01		-19.91
1940-05-25		-19.90	1940-05-18		-19.87
1940-05-11		-19.85	1940-05-04		-19.87
1940-04-27		-19.84	1940-04-20		-19.80
1940-04-13		-19.82	1940-04-06		-19.78
1940-03-30		-19.81	1940-03-23		-19.80
1940-03-16		-19.79	1940-03-09		-19.78
1940-03-02		-19.73	1940-02-24		-19.69
1940-02-17		-19.72	1940-02-10		-19.74
1940-02-03		-19.73	1940-01-27		-19.71
1940-01-20		-19.71	1940-01-13		-19.71
1940-01-06		-19.72	1939-12-30		-19.72
1939-12-23		-19.74	1939-12-16		-19.70
1939-12-09		-19.67	1939-12-02		-19.66
1939-11-25		-19.67	1939-11-18		-19.65
1939-11-11		-19.66	1939-11-04		-19.67
1939-10-28		-19.63	1939-10-21		-19.62
1939-10-14		-19.54	1939-10-07		-19.63
1939-09-30		-19.57	1939-09-23		-19.63
1939-09-16		-19.47	1939-09-08		-19.43
1939-09-01		-19.34	1939-08-25		-19.29
1939-08-18		-19.23	1939-08-11		-19.10
1939-08-04		-19.08	1939-07-28		-19.13
1939-07-21		-19.00	1939-07-14		-18.86
1939-07-07		-18.85	1939-06-30		-18.65
1939-06-23		-18.65	1939-06-16		-18.63
1939-06-09		-18.61	1939-06-02		-18.63
1939-05-26		-18.63	1939-05-19		-18.62
1939-05-12		-18.65	1939-05-05		-18.63
1939-04-28		-18.64	1939-04-21		-18.64
1939-04-08		-18.63	1939-03-31		-18.73
1939-03-24		-18.73	1939-03-17		-18.73
1939-03-10		-18.73	1939-02-24		-18.75
1939-02-17		-18.70	1939-02-10		-18.72
1939-02-03		-18.78	1939-01-27		-18.82
1939-01-13		-18.85	1939-01-06		-18.90
1938-12-30		-18.90	1938-12-16		-18.90

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1938-12-09		-18.89	1938-11-25		-18.93
1938-11-18		-18.89	1938-11-11		-18.90
1938-11-04		-18.89	1938-10-28		-18.88
1938-10-21		-18.85	1938-10-14		-18.86
1938-10-07		-18.86	1938-09-30		-18.85
1938-09-16		-18.91	1938-09-09		-18.87
1938-09-02		-18.90	1938-08-19		-18.83
1938-08-12		-18.83	1938-08-05		-18.78
1938-07-29		-18.76	1938-07-22		-18.75
1938-07-01		-18.71	1938-06-25		-18.69
1938-04-23		-18.57	1938-04-16		-18.55
1938-04-09		-18.51	1938-04-02		-18.51
1938-03-26		-18.49	1938-03-19		-18.55
1938-03-12		-18.58	1938-03-05		-18.60
1938-02-26		-18.65	1938-02-19		-18.64
1938-02-12		-18.67	1938-02-04		-18.65
1938-01-28		-18.66	1938-01-21		-18.64
1938-01-14		-18.67	1938-01-07		-18.66
1937-12-31		-18.68	1937-12-24		-18.66
1937-12-18		-18.56	1937-12-11		-18.63
1937-12-04		-18.62	1937-11-27		-18.61
1937-11-20		-18.56	1937-11-13		-18.60
1937-11-08		-18.60			

**K46  
East  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118647**

Agency cd:	USGS	Site no:	404208073560201
Site name:	K 36. 1	EDR Site id:	USGS2118647
Latitude:	404208	Dec lat:	40.70232498
Longitude:	0735602	Coor meth:	M
Dec lon:	-73.93347083	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1205		
Altitude:	35.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	Not Reported	Hole depth:	115.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Peak flow data begin date:	0000-00-00	Daily flow data count:	0
		Peak flow data end date:	0000-00-00

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0  
 Water quality data end date: 1970-08-12  
 Ground water data begin date: 0000-00-00  
 Ground water data count: 0

Water quality data begin date: 1970-08-12  
 Water quality data count: 1  
 Ground water data end date: 0000-00-00

Ground-water levels, Number of Measurements: 0

**K47**  
**East**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118595**

Agency cd:	USGS	Site no:	404204073560201
Site name:	K 1336. 1	EDR Site id:	USGS2118595
Latitude:	404204	Dec lat:	40.70121389
Longitude:	0735602	Coor meth:	M
Dec lon:	-73.93347083	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1206		
Altitude:	50.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	163.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data count:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**48**  
**West**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118467**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404212073573901
Site name:	K 687. 1		
Latitude:	404212	EDR Site id:	USGS2118467
Longitude:	0735739	Dec lat:	40.70343603
Dec lon:	-73.96041604	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KD1295	Map scale:	Not Reported
Altitude:	43.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	200.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**49  
SW  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118796**

Agency cd:	USGS	Site no:	404139073571701
Site name:	K 95. 1		
Latitude:	404139	EDR Site id:	USGS2118796
Longitude:	0735717	Dec lat:	40.69426955
Dec lon:	-73.95430475	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1219	Map scale:	Not Reported
Altitude:	14.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Peak flow data begin date:	0000-00-00	Daily flow data count:	0
Peak flow data count:	0	Peak flow data end date:	0000-00-00
Water quality data end date:	1970-07-23	Water quality data begin date:	1970-07-23
Ground water data begin date:	0000-00-00	Water quality data count:	1
Ground water data count:	0	Ground water data end date:	0000-00-00

Ground-water levels, Number of Measurements: 0

**50  
South  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118960**

Agency cd:	USGS	Site no:	404132073564301
Site name:	K 249. 1	EDR Site id:	USGS2118960
Latitude:	404132	Dec lat:	40.69232516
Longitude:	0735643	Coor meth:	M
Dec lon:	-73.94486003	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1350		
Altitude:	40.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	175.	Hole depth:	175.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**51**  
**East**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118658**

Agency cd:	USGS	Site no:	404209073555701
Site name:	K 87. 1		
Latitude:	404209	EDR Site id:	USGS2118658
Longitude:	0735557	Dec lat:	40.70260275
Dec lon:	-73.9320819	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KF1215	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	160.	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1937-11-08	Ground water data end date:	1941-05-31
Ground water data count:	184		

Ground-water levels, Number of Measurements: 184

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1941-05-31		-9.41	1941-05-24		-9.39
1941-05-17		-9.36	1941-05-10		-9.36
1941-05-03		-9.32	1941-04-26		-9.30
1941-04-19		-9.27	1941-04-12		-9.27
1941-04-05		-9.25	1941-03-29		-9.25
1941-03-22		-9.24	1941-03-15		-9.24
1941-03-08		-9.22	1941-03-01		-9.22
1941-02-22		-9.22	1941-02-15		-9.22
1941-02-08		-9.22	1941-02-01		-9.23
1941-01-25		-9.23	1941-01-18		-9.24
1941-01-11		-9.24	1941-01-04		-9.26
1940-12-28		-9.25	1940-12-21		-9.24
1940-12-14		-9.20	1940-12-07		-9.19
1940-11-30		-9.16	1940-11-23		-9.13
1940-11-16		-9.13	1940-11-09		-9.10

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1940-11-02		-9.05	1940-10-26		-9.03
1940-10-19		-8.98	1940-10-12		-8.92
1940-10-05		-8.91	1940-09-28		-8.88
1940-09-21		-8.82	1940-09-14		-8.74
1940-09-07		-8.67	1940-08-31		-8.51
1940-08-24		-8.55	1940-08-17		-8.44
1940-08-10		-8.50	1940-08-03		-8.34
1940-07-20		-8.86	1940-07-13		-8.70
1940-07-06		-8.72	1940-06-29		-7.98
1940-06-22		-8.45	1940-06-15		-8.10
1940-06-08		-7.91	1940-06-01		-7.83
1940-05-25		-7.79	1940-05-18		-7.78
1940-05-11		-7.77	1940-05-04		-7.75
1940-04-27		-7.73	1940-04-20		-7.72
1940-04-13		-7.69	1940-04-06		-7.60
1940-03-30		-7.69	1940-03-23		-7.71
1940-03-16		-7.69	1940-03-09		-7.71
1940-03-02		-7.68	1940-02-24		-7.71
1940-02-17		-7.69	1940-02-10		-8.44
1940-02-03		-8.47	1940-01-27		-8.37
1940-01-20		-8.43	1940-01-13		-8.51
1940-01-06		-8.73	1939-12-30		-8.58
1939-12-23		-8.73	1939-12-16		-8.77
1939-12-09		-8.56	1939-12-02		-8.70
1939-11-25		-8.92	1939-11-18		-9.02
1939-11-11		-8.91	1939-11-04		-8.93
1939-10-28		-8.98	1939-10-21		-8.92
1939-10-14		-8.98	1939-10-07		-8.82
1939-09-30		-8.87	1939-09-23		-7.99
1939-09-16		-7.92	1939-09-08		-7.87
1939-09-01		-7.82	1939-08-25		-7.76
1939-08-18		-7.70	1939-08-11		-7.63
1939-08-04		-7.60	1939-07-28		-7.53
1939-07-07		-7.33	1939-06-30		-7.33
1939-06-23		-7.33	1939-06-16		-7.36
1939-06-09		-7.38	1939-06-02		-7.39
1939-05-26		-7.41	1939-05-19		-7.45
1939-05-12		-7.48	1939-05-05		-7.46
1939-04-28		-7.48	1939-04-21		-7.48
1939-04-15		-7.50	1939-04-08		-7.52
1939-03-31		-7.61	1939-03-24		-7.69
1939-03-17		-7.69	1939-03-10		-7.63
1939-03-03		-7.92	1939-02-24		-7.70
1939-02-17		-7.72	1939-02-10		-7.74
1939-02-03		-7.79	1939-01-27		-7.85
1939-01-20		-7.86	1939-01-13		-7.89
1939-01-06		-7.93	1938-12-30		-7.95
1938-12-23		-8.00	1938-12-16		-8.03
1938-12-09		-8.07	1938-12-02		-8.13
1938-11-25		-8.13	1938-11-18		-8.17
1938-11-11		-8.16	1938-11-04		-8.21
1938-10-28		-8.22	1938-10-21		-8.24
1938-10-14		-8.27	1938-10-07		-8.29
1938-09-30		-8.33	1938-09-23		-8.36
1938-09-16		-8.38	1938-09-09		-8.36

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1938-09-02		-8.34	1938-08-26		-8.28
1938-08-19		-8.26	1938-08-12		-8.22
1938-08-05		-8.18	1938-07-29		-8.13
1938-07-22		-8.08	1938-07-15		-8.08
1938-07-08		-8.00	1938-07-01		-7.96
1938-06-25		-7.93	1938-06-18		-7.86
1938-06-11		-7.83	1938-06-04		-7.82
1938-05-28		-7.77	1938-05-21		-7.76
1938-05-14		-7.74	1938-05-07		-7.74
1938-04-30		-7.72	1938-04-23		-7.71
1938-04-16		-7.68	1938-04-09		-7.66
1938-04-02		-7.67	1938-03-26		-7.67
1938-03-19		-7.69	1938-03-12		-7.71
1938-03-05		-7.73	1938-02-26		-7.76
1938-02-19		-7.79	1938-02-12		-7.83
1938-02-04		-7.84	1938-01-28		-7.89
1938-01-21		-7.91	1938-01-14		-7.93
1938-01-07		-7.99	1937-12-31		-8.02
1937-12-24		-8.04	1937-12-18		-8.06
1937-12-11		-8.13	1937-12-04		-8.13
1937-11-27		-8.18	1937-11-20		-8.23
1937-11-13		-8.23	1937-11-08		-8.25

**52  
NE  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118289**

Agency cd:	USGS	Site no:	404237073561201
Site name:	K 889. 1	EDR Site id:	USGS2118289
Latitude:	404237	Dec lat:	40.71038037
Longitude:	0735610	Coor meth:	M
Dec lon:	-73.93569312	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1291		
Altitude:	21.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	74.	Hole depth:	74.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Daily flow data begin date:	0000-00-00	Daily flow data count:	0
		Peak flow data end date:	0000-00-00

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0  
 Water quality data end date: 0000-00-00  
 Ground water data begin date: 1945-06-04  
 Ground water data count: 265

Water quality data begin date: 0000-00-00  
 Water quality data count: 0  
 Ground water data end date: 1985-10-01

Ground-water levels, Number of Measurements: 265

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1985-10-01		3.53	1985-05-21		4.48
1984-12-18		4.95	1984-10-05		5.16
1984-06-27		5.47	1984-03-15		5.13
1984-01-05		5.76	1983-09-29		4.96
1983-06-29		4.59	1983-03-25		3.96
1982-12-21		3.69	1982-10-06		3.86
1982-06-30		3.96	1982-04-02		4.19
1981-12-29		4.01	1981-09-23		4.10
1981-06-24		4.28	1981-03-18		5.36
1980-12-30		3.96	1980-09-23		5.06
1980-06-24		5.14	1980-03-13		4.02
1979-12-18		4.92	1979-09-17		4.57
1979-06-28		4.07	1979-03-26		5.46
1978-12-22		5.11	1978-10-02		5.94
1978-06-23		3.93	1978-04-04		4.06
1978-01-03		4.29	1977-09-22		3.81
1977-07-07		3.33	1977-03-29		2.60
1976-12-22		2.81	1976-09-23		3.25
1976-07-09		3.97	1976-06-28		3.21
1976-03-23		3.02	1975-12-16		3.17
1975-10-07		3.10	1975-06-30		2.80
1975-03-26		2.67	1974-12-19		1.99
1974-09-04		2.44	1974-06-26		2.58
1974-03-19		2.36	1974-01-09		2.26
1973-09-24		1.86	1973-07-02		2.22
1973-04-03		0.97	1972-12-27		1.70
1972-10-02		1.57	1972-07-10		1.94
1972-03-28		0.27	1972-01-13		0.44
1971-09-27		0.57	1971-03-08		1.08
1970-11-02		1.02	1970-03-13		1.52
1969-11-12		0.49	1969-09-05		0.24
1969-04-23		-0.34	1968-11-06		-3.34
1968-04-22		0.46	1967-10-20		-0.01
1967-03-28		-0.64	1966-10-24		-2.53
1966-05-03		-0.64	1965-10-28		-1.85
1965-09-14		-2.21	1964-10-30		-1.79
1964-04-27		-0.19	1963-11-05		-1.31
1963-04-29		-0.13	1962-12-04		-0.88
1962-04-26		-0.54	1961-12-28		-1.92
1961-10-02		-2.45	1961-03-28		-3.06
1960-12-27		-3.44	1960-09-28		-4.38
1960-07-05		-4.23	1960-03-31		-4.56
1960-01-14		-4.97	1959-10-07		-5.06
1959-07-17		-4.44	1959-03-18		-4.96
1958-01-10		-4.06	1957-09-24		-4.44
1957-06-27		-3.61	1957-03-27		-3.58
1956-12-18		-3.19	1956-11-29		-3.09
1956-10-25		-3.01	1956-10-02		-3.06
1956-08-02		-3.00	1956-07-11		-2.95
1956-06-05		-3.05	1956-05-15		-3.26

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1956-03-05		-3.53	1956-02-03		-3.69
1955-12-22		-3.74	1955-11-15		-4.04
1955-10-07		-4.61	1955-08-25		-4.74
1955-07-27		-4.72	1955-06-23		-4.43
1955-04-26		-4.91	1955-03-29		-5.07
1955-02-25		-5.33	1955-01-25		-5.34
1954-12-27		-5.61	1954-06-29		-6.25
1954-05-27		-6.72	1954-04-28		-6.79
1954-03-30		-6.87	1954-02-25		-7.02
1954-01-28		-7.19	1953-12-23		-7.15
1953-12-02		-7.25	1953-10-02		-7.61
1953-08-03		-7.45	1953-06-23		-7.47
1953-05-25		-7.91	1953-04-27		-8.26
1953-03-24		-8.82	1953-02-27		-9.10
1953-02-05		-9.37	1952-12-24		-10.14
1952-12-05		-10.54	1952-11-03		-11.13
1952-08-25		-12.22	1952-07-25		-12.62
1952-06-24		-13.11	1952-05-27		-13.84
1952-04-29		-14.33	1952-03-24		-15.09
1952-02-20		-15.88	1952-01-29		-16.33
1951-12-20		-16.98	1951-11-28		-17.37
1951-11-02		-17.86	1951-09-26		-18.29
1951-08-28		-18.53	1951-07-26		-18.97
1951-06-28		-19.39	1951-05-29		-19.79
1951-05-02		-20.22	1951-03-27		-20.97
1951-02-26		-21.64	1951-01-30		-22.36
1950-12-20		-24.01	1950-11-28		-24.60
1950-10-31		-24.76	1950-09-27		-24.78
1950-08-29		-24.63	1950-07-27		-24.48
1950-06-29		-24.52	1950-06-05		-24.63
1950-04-27		-24.97	1950-03-29		-24.90
1950-03-01		-25.44	1950-01-26		-25.69
1949-12-28		-25.78	1949-11-28		-25.76
1949-10-31		-25.53	1949-09-28		-25.59
1949-08-31		-25.62	1949-07-28		-25.72
1949-06-30		-25.89	1949-06-01		-26.02
1949-04-28		-26.14	1949-04-05		-26.39
1949-02-23		-27.08	1949-01-27		-27.47
1948-12-28		-27.87	1948-12-14		-28.03
1948-11-04		-28.60	1948-10-06		-28.94
1948-08-30		-29.46	1948-07-26		-30.22
1948-06-30		-30.77	1948-06-02		-31.35
1948-04-27		-32.12	1948-03-26		-32.84
1948-03-02		-33.43	1948-02-03		-34.37
1948-01-07		-35.55	1947-12-17		-35.93
1947-11-26		-36.76	1947-11-20		-36.87
1947-10-31		-37.15	1947-10-14		-37.22
1947-10-07		-37.17	1947-09-30		-37.13
1947-09-16		-37.00	1947-08-27		-36.56
1947-08-13		-36.15	1947-07-30		-35.58
1947-07-23		-35.29	1947-07-16		-35.21
1947-07-07		-35.95	1947-07-02		-36.46
1947-07-01		-36.32	1947-06-30		-36.69
1947-06-24		-37.12	1947-06-20		-37.16
1947-06-13		-37.06	1947-06-06		-36.95

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1947-05-29		-36.78	1947-05-23		-36.63
1947-05-17		-36.47	1947-05-16		-36.41
1947-05-10		-35.93	1947-05-03		-35.89
1947-04-26		-35.43	1947-04-19		-35.17
1947-04-18		-35.09	1947-03-29		-33.64
1947-03-22		-33.32	1947-03-08		-34.08
1947-03-01		-35.65	1947-02-22		-36.06
1947-02-15		-36.93	1947-02-08		-37.58
1947-02-01		-38.31	1947-01-25		-39.01
1947-01-18		-37.73	1947-01-10		-37.61
1946-10-19		-31.90	1946-10-12		-27.83
1946-10-05		-20.51	1946-09-23		-36.25
1946-09-16		-37.75	1946-08-30		-38.35
1946-08-19		-38.17	1946-07-30		-37.69
1946-07-08		-37.25	1946-06-10		-36.63
1946-05-27		-36.17	1946-05-20		-35.97
1946-05-13		-35.55	1946-05-06		-35.32
1946-04-29		-35.07	1946-04-22		-35.31
1946-04-15		-35.44	1946-04-08		-35.56
1946-04-01		-35.67	1946-03-25		-35.66
1946-03-18		-35.80	1946-03-11		-35.79
1946-03-04		-35.75	1946-02-25		-35.66
1946-02-18		-35.67	1946-02-11		-35.61
1946-01-08		-35.07	1945-12-03		-34.78
1945-11-06		-34.30	1945-09-28		-33.23
1945-09-12		-32.54	1945-08-08		-30.12
1945-07-23		-30.27	1945-07-03		-30.41
1945-06-04		-30.46			

53

West  
1/2 - 1 Mile  
Higher

FED USGS

USGS2118613

Agency cd:	USGS	Site no:	404205073574001
Site name:	K 1662. 1	EDR Site id:	USGS2118613
Latitude:	404205	Dec lat:	40.70149162
Longitude:	0735740	Coord meth:	M
Dec lon:	-73.96069382	Latlong datum:	NAD27
Coord accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KD1296		
Altitude:	6.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	147.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data begin date:	Not Reported		
Daily flow data end date:	Not Reported		
Peak flow data begin date:	Not Reported		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported  
 Water quality data end date: Not Reported  
 Ground water data begin date: Not Reported  
 Ground water data count: Not Reported

Water quality data begin date: Not Reported  
 Water quality data count: Not Reported  
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**L54  
 NNW  
 1/2 - 1 Mile  
 Higher**

**FED USGS      USGS2118183**

Agency cd:	USGS	Site no:	404248073570901
Site name:	K 898. 1	EDR Site id:	USGS2118183
Latitude:	404248	Dec lat:	40.71343584
Longitude:	0735709	Coor meth:	M
Dec lon:	-73.95208248	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1220		
Altitude:	7.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	46.	Hole depth:	74.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported		
Daily flow data count:	Not Reported		
Peak flow data begin date:	Not Reported		
Peak flow data end date:	Not Reported		
Peak flow data count:	Not Reported		
Water quality data begin date:	Not Reported		
Water quality data end date:	Not Reported		
Water quality data count:	Not Reported		
Ground water data begin date:	Not Reported		
Ground water data end date:	Not Reported		
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**55  
 ENE  
 1/2 - 1 Mile  
 Higher**

**FED USGS      USGS2118400**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404227073560001
Site name:	K 3111. 1		
Latitude:	404227	EDR Site id:	USGS2118400
Longitude:	0735600	Dec lat:	40.70760265
Dec lon:	-73.93291526	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KF1213	Map scale:	Not Reported
Altitude:	18.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	Not Reported	Hole depth:	95.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0		
Daily flow data end date:	0000-00-00	Daily flow data begin date:	0000-00-00
Daily flow data count:	0		
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0		
Water quality data begin date:	1967-11-15	Water quality data count:	1
Water quality data end date:	1967-11-15	Ground water data begin date:	0000-00-00
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

**56  
East  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118491**

Agency cd:	USGS	Site no:	404215073555501
Site name:	K 894. 1		
Latitude:	404215	EDR Site id:	USGS2118491
Longitude:	0735555	Dec lat:	40.70426939
Dec lon:	-73.93152633	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KF1214	Map scale:	Not Reported
Altitude:	30.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	282.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**L57  
NNW  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118190**

Agency cd:	USGS	Site no:	404249073570801
Site name:	K 673. 1	EDR Site id:	USGS2118190
Latitude:	404249	Dec lat:	40.71371361
Longitude:	0735708	Coor meth:	M
Dec lon:	-73.95180469	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1129		
Altitude:	14.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	196.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**M58**  
**ESE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118769**

Agency cd:	USGS	Site no:	404201073555601
Site name:	K 887. 1	EDR Site id:	USGS2118769
Latitude:	404201	Dec lat:	40.70038057
Longitude:	0735556	Coor meth:	M
Dec lon:	-73.93180411	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1216		
Altitude:	49.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	125.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**M59**  
**East**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118594**

Agency cd:	USGS	Site no:	404204073555401
Site name:	K 1031. 1	EDR Site id:	USGS2118594
Latitude:	404204	Dec lat:	40.70121389
Longitude:	0735554	Coor meth:	M
Dec lon:	-73.93124854	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1216		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	49.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**60  
SE  
1/2 - 1 Mile  
Higher**

**FED USGS USGS2118807**

Agency cd:	USGS	Site no:	404142073560708
Site name:	K 92. 1	EDR Site id:	USGS2118807
Latitude:	404142	Dec lat:	40.6951029
Longitude:	0735607	Coor meth:	M
Dec lon:	-73.93485975	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1209		
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	Not Reported		
Altitude datum:	Not Reported		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	185.	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0  
 Water quality data end date: 0000-00-00  
 Ground water data begin date: 1937-12-11  
 Ground water data count: 439

Water quality data begin date: 0000-00-00  
 Water quality data count: 0  
 Ground water data end date: 1960-01-11

Ground-water levels, Number of Measurements: 439

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1960-01-11		0.40	1959-10-08		0.51
1959-07-21		0.73	1958-01-10		-0.15
1957-09-24		-0.30	1957-06-27		0.15
1957-03-27		0.53	1956-12-18		0.36
1956-11-29		0.37	1956-10-25		0.05
1956-10-02		0.05	1956-08-02		-0.13
1956-07-11		-0.01	1956-06-05		0.02
1956-05-15		-0.05	1956-03-05		-0.34
1956-02-07		-0.47	1955-12-22		-1.34
1955-11-15		-1.12	1955-10-07		-1.27
1955-08-25		-1.69	1955-07-28		-1.62
1955-06-23		-1.56	1955-05-25		-1.15
1955-04-26		-1.24	1955-03-29		-1.44
1955-02-25		-1.43	1955-01-25		-1.68
1954-12-27		-1.99	1954-06-29		-2.45
1954-04-28		-2.24	1954-03-30		-2.38
1954-02-25		-2.51	1954-01-28		-2.78
1953-12-23		-3.30	1953-12-02		-3.43
1953-10-28		-3.86	1953-10-01		-4.17
1953-08-28		-4.06	1953-08-03		-4.40
1953-06-24		-4.45	1953-05-22		-4.41
1953-04-27		-4.64	1953-03-24		-5.29
1953-02-27		-5.68	1953-02-05		-6.12
1952-12-24		-6.98	1952-12-05		-7.35
1952-11-03		-8.23	1952-09-22		-8.82
1952-08-25		-9.25	1952-07-23		-9.64
1952-06-24		-9.99	1952-05-27		-10.33
1952-04-29		-10.64	1952-03-24		-10.95
1952-02-20		-11.37	1952-01-29		-11.64
1951-12-20		-11.99	1951-11-28		-12.18
1951-11-01		-12.27	1951-09-26		-12.46
1951-08-28		-12.59	1951-07-26		-12.54
1951-06-28		-12.60	1951-05-29		-12.34
1951-05-02		-12.13	1951-03-27		-12.56
1951-02-26		-12.75	1951-01-30		-13.05
1950-12-20		-13.40	1950-11-28		-13.61
1950-10-31		-13.99	1950-09-27		-14.20
1950-08-29		-14.05	1950-07-27		-13.93
1950-06-29		-13.71	1950-06-05		-13.39
1950-04-27		-13.29	1950-03-29		-13.43
1950-03-01		-13.63	1950-01-26		-14.01
1949-12-28		-14.45	1949-11-28		-14.89
1949-10-31		-15.35	1949-09-28		-15.52
1949-08-31		-15.78	1949-07-28		-16.00
1949-06-30		-16.17	1949-06-01		-16.23
1949-04-28		-16.48	1949-04-05		-16.79
1949-02-21		-17.52	1949-01-27		-18.15
1948-12-28		-18.68	1948-12-09		-18.80
1948-11-04		-19.04	1948-10-04		-19.30
1948-08-30		-19.58	1948-07-26		-19.83

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1948-07-01		-19.90	1948-06-02		-19.95
1948-04-27		-20.19	1948-03-26		-20.17
1948-03-02		-20.33	1948-02-03		-20.77
1948-01-07		-21.16	1947-12-16		-21.55
1947-11-26		-21.73	1947-11-20		-21.85
1947-10-31		-22.23	1947-10-14		-22.47
1947-10-07		-22.57	1947-09-30		-22.65
1947-09-15		-22.75	1947-08-27		-22.81
1947-08-13		-22.83	1947-07-30		-22.81
1947-07-23		-22.82	1947-07-16		-22.77
1947-07-07		-22.71	1947-07-02		-22.70
1947-07-01		-22.69	1947-06-30		-22.71
1947-06-24		-22.69	1947-05-27		-22.67
1947-05-07		-22.66	1947-04-04		-22.61
1947-03-05		-22.57	1947-01-27		-22.51
1946-12-27		-22.43	1946-11-26		-22.34
1946-10-22		-22.60	1946-09-26		-22.22
1946-08-30		-21.95	1946-07-26		-22.04
1946-07-01		-21.95	1946-06-18		-21.85
1946-05-10		-21.78	1946-04-12		-21.67
1946-03-18		-21.50	1946-02-15		-21.41
1946-01-08		-21.55	1945-12-04		-21.91
1945-11-06		-22.12	1945-09-28		-22.38
1945-09-12		-22.38	1945-08-08		-22.28
1945-07-03		-22.04	1945-06-04		-21.84
1945-04-27		-21.65	1945-04-04		-21.54
1945-03-03		-21.26	1945-02-06		-21.62
1945-01-02		-22.09	1944-12-06		-22.17
1944-10-27		-22.68	1944-10-04		-22.98
1944-09-02		-22.98	1944-07-31		-22.84
1944-07-05		-22.64	1944-05-27		-22.29
1944-05-05		-22.12	1944-04-01		-21.71
1944-02-26		-22.94	1944-01-29		-22.89
1944-01-01		-22.93	1943-11-27		-22.90
1943-10-30		-22.82	1943-08-28		-21.70
1943-07-31		-21.68	1943-06-26		-21.65
1943-05-29		-21.61	1943-05-01		-21.72
1943-03-27		-21.88	1943-02-27		-22.08
1943-01-30		-22.20	1943-01-02		-22.41
1942-12-26		-22.48	1942-12-19		-22.52
1942-12-12		-22.56	1942-12-05		-22.64
1942-11-28		-22.68	1942-11-21		-22.75
1942-11-14		-22.81	1942-11-07		-22.90
1942-10-31		-22.98	1942-10-24		-23.10
1942-10-17		-23.19	1942-10-10		-23.30
1942-10-03		-23.41	1942-09-26		-23.40
1942-09-19		-23.35	1942-09-12		-23.34
1942-09-05		-23.31	1942-08-29		-23.29
1942-08-22		-23.25	1942-08-15		-23.20
1942-08-08		-23.15	1942-08-01		-23.04
1942-07-25		-22.98	1942-07-18		-22.86
1942-07-11		-22.78	1942-06-27		-22.53
1942-06-20		-22.38	1942-06-13		-22.24
1942-06-06		-22.10	1942-05-30		-22.04
1942-05-23		-22.03	1942-05-16		-22.06

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1942-05-09		-22.08	1942-05-02		-22.10
1942-04-25		-22.12	1942-04-18		-22.15
1942-04-11		-22.18	1942-04-04		-22.23
1942-03-28		-22.25	1942-03-21		-22.25
1942-03-14		-22.30	1942-03-07		-22.36
1942-02-28		-22.39	1942-02-21		-22.41
1942-02-14		-22.45	1942-02-07		-22.49
1942-01-31		-22.54	1942-01-24		-22.61
1942-01-17		-22.67	1942-01-10		-22.71
1942-01-03		-22.81	1941-12-27		-22.85
1941-12-20		-22.93	1941-12-13		-22.99
1941-12-06		-23.08	1941-11-29		-23.17
1941-11-22		-23.27	1941-11-15		-23.36
1941-11-08		-23.48	1941-11-01		-23.59
1941-10-25		-23.72	1941-10-18		-23.85
1941-10-11		-24.00	1941-10-04		-24.08
1941-09-27		-24.04	1941-09-20		-23.97
1941-09-13		-23.90	1941-09-06		-23.80
1941-08-30		-23.72	1941-08-23		-23.62
1941-08-16		-23.52	1941-08-09		-23.41
1941-08-02		-23.29	1941-07-26		-23.15
1941-07-19		-23.02	1941-07-12		-22.86
1941-07-05		-22.73	1941-06-28		-22.54
1941-06-21		-22.35	1941-06-14		-22.17
1941-06-07		-22.03	1941-05-31		-21.89
1941-05-24		-21.76	1941-05-17		-21.61
1941-05-10		-21.45	1941-05-03		-21.29
1941-04-26		-21.31	1941-04-19		-21.34
1941-04-12		-21.38	1941-04-05		-21.41
1941-03-29		-21.45	1941-03-22		-21.50
1941-03-15		-21.56	1941-03-08		-21.61
1941-03-01		-21.68	1941-02-22		-21.73
1941-02-15		-21.80	1941-02-08		-21.88
1941-02-01		-21.93	1941-01-25		-22.01
1941-01-18		-22.07	1941-01-11		-22.15
1941-01-04		-22.22	1940-12-28		-22.32
1940-12-21		-22.41	1940-12-14		-22.53
1940-12-07		-22.63	1940-11-30		-22.76
1940-11-23		-22.89	1940-11-16		-23.01
1940-11-09		-23.17	1940-11-02		-23.33
1940-10-26		-23.49	1940-10-19		-23.66
1940-10-12		-23.81	1940-10-05		-23.97
1940-09-28		-23.98	1940-09-21		-23.92
1940-09-14		-23.97	1940-09-07		-23.95
1940-08-31		-23.83	1940-08-24		-23.84
1940-08-17		-23.79	1940-08-10		-23.73
1940-08-03		-23.64	1940-07-27		-23.61
1940-07-20		-23.64	1940-07-13		-23.40
1940-07-06		-23.38	1940-06-29		-23.20
1940-06-22		-23.23	1940-06-15		-23.12
1940-06-08		-23.01	1940-06-01		-22.85
1940-05-25		-22.84	1940-05-18		-22.83
1940-05-11		-22.86	1940-05-04		-22.81
1940-04-27		-22.83	1940-04-20		-22.81
1940-04-13		-22.84	1940-04-06		-22.85

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1940-03-30		-22.84	1940-03-23		-22.85
1940-03-16		-22.89	1940-03-09		-22.92
1940-03-02		-22.92	1940-02-24		-22.93
1940-02-17		-23.02	1940-02-10		-22.96
1940-02-03		-23.00	1940-01-27		-23.01
1940-01-20		-23.01	1940-01-13		-23.04
1940-01-06		-23.05	1939-12-30		-23.06
1939-12-23		-23.07	1939-12-16		-23.14
1939-12-09		-23.21	1939-12-02		-23.40
1939-11-25		-23.61	1939-11-18		-23.82
1939-11-11		-24.00	1939-11-04		-24.16
1939-10-28		-24.21	1939-10-21		-24.25
1939-10-14		-24.33	1939-10-07		-24.38
1939-09-30		-24.46	1939-09-23		-24.35
1939-09-16		-24.21	1939-09-08		-24.35
1939-09-01		-24.32	1939-08-25		-24.29
1939-08-18		-24.25	1939-08-11		-24.24
1939-08-04		-24.20	1939-07-28		-23.81
1939-07-21		-24.05	1939-07-14		-23.99
1939-07-07		-23.94	1939-06-30		-23.85
1939-06-23		-23.82	1939-06-16		-23.79
1939-06-09		-23.73	1939-06-02		-23.64
1939-05-26		-23.54	1939-05-19		-23.47
1939-05-12		-23.41	1939-05-05		-23.30
1939-04-28		-23.35	1939-04-21		-23.40
1939-04-15		-23.37	1939-04-08		-23.52
1939-03-31		-23.66	1939-03-24		-23.73
1939-03-17		-23.77	1939-03-10		-23.68
1939-03-03		-23.74	1939-02-24		-23.80
1939-02-17		-23.84	1939-02-10		-23.89
1939-02-03		-23.93	1939-01-27		-24.04
1939-01-20		-24.06	1939-01-13		-24.12
1939-01-06		-24.21	1938-12-30		-24.28
1938-12-23		-24.35	1938-12-16		-24.42
1938-12-09		-24.53	1938-12-02		-24.53
1938-11-25		-24.57	1938-11-18		-24.60
1938-11-04		-24.69	1938-10-28		-24.73
1938-10-21		-24.80	1938-10-14		-24.88
1938-10-07		-24.99	1938-09-23		-25.15
1938-09-16		-25.23	1938-09-09		-25.28
1938-09-02		-25.25	1938-08-26		-25.15
1938-08-19		-25.04	1938-08-12		-24.92
1938-08-05		-24.85	1938-07-29		-24.71
1938-07-22		-24.61	1938-07-15		-24.51
1938-07-08		-24.15	1938-07-01		-24.21
1938-06-25		-24.06	1938-06-18		-23.71
1938-06-11		-23.73	1938-06-04		-23.70
1938-05-28		-23.80	1938-05-21		-23.79
1938-05-14		-23.81	1938-05-07		-23.84
1938-04-30		-23.92	1938-04-23		-23.94
1938-04-16		-24.00	1938-04-09		-24.04
1938-04-02		-24.13	1938-03-26		-24.23
1938-03-19		-24.28	1938-03-12		-24.40
1938-03-05		-24.89	1938-02-26		-26.59
1938-02-19		-26.67	1938-02-12		-28.05

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1938-02-04		-28.37	1938-01-28		-29.07
1938-01-21		-29.20	1938-01-14		-28.78
1938-01-07		-29.34	1937-12-31		-29.31
1937-12-24		-29.24	1937-12-18		-29.62
1937-12-11		-29.69			

**61**  
**SE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS USGS2118834**

Agency cd:	USGS	Site no:	404146073560201
Site name:	K 952. 1	EDR Site id:	USGS2118834
Latitude:	404146	Dec lat:	40.69621399
Longitude:	0735602	Coor meth:	M
Dec lon:	-73.93347082	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KF1208		
Altitude:	67.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	122.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**62**  
**NNE**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS USGS2118022**

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404253073563501
Site name:	K 678. 1		
Latitude:	404253	EDR Site id:	USGS2118022
Longitude:	0735635	Dec lat:	40.71482472
Dec lon:	-73.94263777	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	047
Country:	US	Land net:	Not Reported
Location map:	KE1169	Map scale:	Not Reported
Altitude:	39.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	221.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**63  
NNW  
1/2 - 1 Mile  
Higher**

**FRDS PWS NY0007257**

PWS ID: NY0007257  
 Date Initiated: Not Reported Date Deactivated: Not Reported  
 PWS Name: MANSFIELD BUNG COLONY  
 GALE ROAD, BOX 123  
 MONGAUP VALLEY, NY 12762

Addressee / Facility: System Owner/Responsible Party  
 ROSENBERG MAYER  
 C/O MAYER ROSENBURG  
 570 BEDFORD AVE  
 BROOKLYN, NY 11211

Facility Latitude: 40 42 51 Facility Longitude: 073 57 14  
 City Served: BETHEL (T)  
 Treatment Class: Not Reported Population: Not Reported

Violations information not reported.

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**64**  
**West**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118637**

Agency cd:	USGS	Site no:	404207073574801
Site name:	K 664. 1	EDR Site id:	USGS2118637
Latitude:	404207	Dec lat:	40.70204716
Longitude:	0735748	Coor meth:	M
Dec lon:	-73.96291611	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KD1285		
Altitude:	17.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	179.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**65**  
**North**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS      USGS2118072**

Agency cd:	USGS	Site no:	404258073570001
Site name:	K 691. 1	EDR Site id:	USGS2118072
Latitude:	404258	Dec lat:	40.71621357
Longitude:	0735700	Coor meth:	M
Dec lon:	-73.94958241	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KE1138		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	18.0		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	Not Reported	Hole depth:	195.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**66  
WNW  
1/2 - 1 Mile  
Higher**

**FED USGS      USGS2118278**

Agency cd:	USGS	Site no:	404236073574601
Site name:	K 1301. 1	EDR Site id:	USGS2118278
Latitude:	404235	Dec lat:	40.70982478
Longitude:	0735748	Coor meth:	M
Dec lon:	-73.96291612	Latlong datum:	NAD27
Coor accr:	S	District:	36
Dec latlong datum:	NAD83	County:	047
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	KD1272		
Altitude:	52.5		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	GLACIAL AQUIFER,UPPER		
Well depth:	92.	Hole depth:	101.
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0  
 Water quality data end date: 0000-00-00  
 Ground water data begin date: 1961-01-19  
 Ground water data count: 232

Water quality data begin date: 0000-00-00  
 Water quality data count: 0  
 Ground water data end date: 2005-02-15

Ground-water levels, Number of Measurements: 232

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-15		4.47	2004-11-23		4.03
2004-10-21		3.94	2004-09-21		2.83
2004-04-29		2.83	2003-12-18		3.89
2003-11-25		4.20	2003-10-29		4.08
2003-09-24		2.80	2003-08-25		3.00
2003-07-21		3.08	2003-05-19		3.62
2003-04-28		4.17	2003-02-27		4.37
2003-01-28		4.37	2002-12-27		4.42
2002-11-26		4.42	2002-10-21		4.21
2002-09-25		4.05	2002-08-30		3.99
2002-07-22		4.04	2002-06-18		3.93
2002-05-29		3.89	2002-03-22		4.18
2002-02-27		4.20	2002-01-28		4.20
2001-12-28		4.29	2001-10-24		4.10
2001-09-26		4.16	2001-08-29		4.09
2001-07-24		4.04	2001-05-24		4.03
2001-04-25		4.11	2001-02-22		4.19
2001-01-17		4.17	2000-11-28		4.27
2000-10-24		4.33	2000-09-27		4.09
2000-07-27		4.23	2000-06-28		4.10
2000-05-23		4.12	2000-03-22		4.07
2000-02-29		4.11	1999-12-13		4.27
1999-11-23		4.29	1999-10-19		4.24
1999-09-23		4.07	1999-08-17		3.87
1999-07-20		3.94	1999-06-24		3.92
1999-05-18		4.06	1999-04-28		4.14
1999-03-02		4.14	1999-01-27		4.08
1998-11-24		4.15	1998-07-28		4.15
1998-06-10		4.25	1998-04-29		4.48
1998-03-31		4.47	1997-11-05		4.32
1997-09-29		4.03	1997-07-23		4.01
1997-06-26		4.04	1997-05-29		3.97
1997-02-28		5.36	1997-01-24		5.42
1997-01-07		4.56	1996-09-19		4.14
1996-07-02		4.17	1996-03-13		4.40
1996-01-23		4.37	1995-11-28		3.70
1995-09-26		4.10	1995-07-19		3.99
1995-05-23		3.51	1995-03-14		4.24
1995-01-25		4.29	1994-12-13		4.31
1994-10-18		4.39	1994-09-21		4.04
1994-08-24		4.15	1994-07-27		4.17
1994-06-20		4.09	1994-05-17		4.56
1994-04-26		4.56	1994-03-25		4.57
1994-02-22		4.38	1994-02-02		4.43
1993-12-27		4.33	1993-11-18		4.40
1993-10-28		4.49	1993-09-15		4.06
1993-08-18		4.07	1993-07-15		4.08
1993-06-22		4.08	1993-05-20		4.11
1993-04-29		4.59	1993-01-26		4.46
1992-12-29		4.50	1992-11-24		4.38

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1992-10-28		4.35	1992-09-16		4.11
1992-08-25		4.06	1992-07-15		3.97
1992-06-23		3.87	1992-05-12		4.17
1992-04-14		4.16	1992-03-18		4.13
1992-02-19		4.24	1992-01-22		4.23
1991-12-18		4.35	1991-11-14		4.41
1991-10-16		4.55	1991-09-17		3.63
1991-08-15		4.34	1991-07-16		4.38
1991-06-12		3.67	1991-05-15		3.40
1991-04-15		4.39	1991-03-20		4.62
1991-02-21		4.44	1991-01-24		4.68
1990-12-10		2.99	1990-11-13		3.60
1990-10-10		3.23	1990-09-12		4.60
1990-08-14		4.61	1990-06-20		4.27
1990-05-25		4.20	1990-04-24		4.38
1990-04-04		4.45	1990-02-26		4.32
1990-01-24		4.46	1989-12-28		4.51
1989-11-21		3.87	1989-10-27		3.51
1989-09-29		2.44	1989-08-31		4.74
1989-07-25		4.68	1989-06-22		4.50
1989-05-22		4.31	1989-04-28		4.15
1989-03-29		0.54	1989-02-28		1.24
1989-01-17		2.37	1988-12-09		4.46
1988-11-16		4.39	1988-10-19		4.50
1988-09-14		4.67	1988-08-31		1.27
1988-07-22		4.21	1988-06-17		4.17
1988-06-01		4.42	1987-09-10		4.30
1987-03-10		2.95	1986-09-10		4.00
1986-06-13		2.74	1986-03-11		3.81
1985-12-03		4.38	1985-10-03		4.20
1985-05-21		4.05	1984-12-18		1.82
1984-10-05		2.37	1984-06-28		2.67
1984-03-16		4.91	1984-01-05		5.97
1983-09-29		5.09	1983-06-29		5.47
1983-03-25		5.33	1982-12-21		4.68
1982-10-06		4.37	1982-06-30		5.07
1982-04-02		4.60	1981-12-29		2.47
1981-09-23		4.72	1981-06-24		4.10
1981-03-20		4.97	1980-12-30		4.67
1980-09-23		4.59	1980-06-19		4.42
1980-03-13		4.55	1979-12-18		5.80
1979-09-17		4.09	1979-06-28		3.87
1979-03-26		4.95	1978-12-22		4.57
1978-10-02		6.08	1978-06-23		5.26
1978-04-04		5.37	1978-01-03		5.05
1977-09-23		3.77	1977-07-06		4.61
1977-03-28		4.47	1976-12-22		4.27
1976-09-23		4.48	1976-06-28		3.38
1976-03-23		4.18	1975-12-16		4.37
1975-10-07		4.60	1975-06-30		4.09
1975-03-26		4.40	1974-12-19		4.69
1974-09-04		3.20	1974-06-26		4.48
1974-03-19		4.40	1974-01-09		4.57
1973-09-24		4.09	1973-07-09		4.28
1973-04-03		4.47	1972-12-27		3.58

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1972-09-29		3.84	1972-07-10		3.58
1972-03-28		4.95	1972-01-13		4.84
1971-10-12		4.67	1969-09-03		3.29
1969-04-22		2.95	1968-11-06		2.77
1968-04-22		2.77	1967-10-20		1.64
1967-03-28		2.11	1966-10-24		1.72
1966-05-03		1.49	1965-10-28		1.65
1965-09-14		1.43	1965-05-03		1.69
1964-10-30		1.65	1964-04-23		1.61
1963-04-29		1.43	1962-04-26		0.67
1961-12-28		-0.62	1961-01-19		-7.72

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database EDR ID Number

**1**

**WNW**  
**1/2 - 1 Mile**

**OIL\_GAS NYOG7000000029**

Api wellno:	31061236030000	Cnty:	New York
Hole:	23603	Sidetck:	0
Completion:	0		
Well nm:	MPP - 5		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/28/2005	Dt spud:	03/28/2001
Dt comp:	01/18/2001	Well typ:	Stratigraphic
Dtd:	645		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.95824		
Yloc:	40.70885		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	None Specified	Elevation:	19
Dt mod:	04/26/2006	Site id:	NYOG7000000029

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

Federal EPA Radon Zone for KINGS County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level  $\geq$  2 pCi/L and  $\leq$  4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for KINGS COUNTY, NY

Number of sites tested: 51

<u>Area</u>	<u>Average Activity</u>	<u>% &lt;4 pCi/L</u>	<u>% 4-20 pCi/L</u>	<u>% &gt;20 pCi/L</u>
Living Area	0.750 pCi/L	100%	0%	0%
Basement	1.370 pCi/L	88%	10%	2%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

### Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

## HYDROLOGIC INFORMATION

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

## HYDROGEOLOGIC INFORMATION

### AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

### SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

### STATE RECORDS

#### New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

## OTHER STATE DATABASE INFORMATION

#### Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8072

These files contain records, in the database, of wells that have been drilled.

### RADON

#### State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

#### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

#### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

### OTHER

#### Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

#### Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

# APPENDIX F

## INTERNET SEARCH RESULTS

## Shmira Volunteers Patrol Corporation

[Write a Review](#) ★★★★★ 1 Reviews

398 Wallabout St, Brooklyn, NY 11206  
**(718) 963-9378**

[Like](#) [Send](#) [Sign Up to see what your friends like.](#)

---

[Improve this Listing](#) | [Business Owners Update Information](#)

### Business Details

**Categories** (Edit)  
Social & Human Services, Volunteer Services



#### Are You the Business Owner?

Claim your free business listing on Superpages.com and add important information about your business online. The more reviews and additional information you provide about your business, the easier it will be for customers to find you online.

Manage your reviews and ratings

Create coupons

Connect with customers

[Claim My Listing](#)

Data provided by one or more of the following: SuperMedia, Acxiom, Infogroup.

---



**Quality Car Rental**  
392 Wallabout Street  
Brooklyn, NY  
718-387-6666

- [Home](#)
- [Rental Center](#)
- [Vehicle Fleet](#)
- [Locations](#)
- [Rental Policies](#)
- [Specials & Deals](#)
- [About Us](#)
- [FAQ](#)

[My Reservations](#)

## About Us

### History

We have been in business serving the local neighborhood since November of 2009. We are a non-franchise business that serves you with personal service like the small companies, and quality cars like the big guys. We have recently expanded our service with another location in Spring Valley, NY to serve you better. We have a brand new fleet of late model cars, minivans, and SUVs. We accept credit card, debit card, and cash deposits. We have a royalty rewards program as well, so you can save more when renting with us.

Years in business: 1

[Real Reviews From Real Renters](#)

### Pickup / Dropoff Services

Quality Car Rental provides pickup / dropoff services.

We will pick you up, and drop you off after your rental, at no additional charge, up to a mile away surrounding our location. Give us a call about 1 hour before you would like to be picked up and we will arrange a pick up for you.

### Airport Service

No airport service.

### We serve the following markets

- Military
- Insurance Replacement Rentals
- Local Renters
- Association Members (AAA / AARP)
- Corporate Clients

### Special Services

#### Age Requirements

Minimum Age: 18

As required by the law of the state of NY. We rent to drivers over the age of 18 with a valid drivers license. There is additional fee for drivers under the age of 25. The fee varies based on your age.

#### Cash Deposit Rentals

Quality Car Rental accepts cash deposit rentals.

Cash deposits have special requirements. Please contact the local office for details.

#### Locations and Local Area

Quality Car Rental has the following locations:

- Brooklyn NY (Brooklyn, NY)
- Spring Valley NY (Spring Valley, NY)

#### Corporate Address

Quality Car Rental  
392 Wallabout Street  
Brooklyn, NY  
11206  
United States

#### We rent the following types of vehicles

- Cars
- Vans
- SUVs

- [Home](#)
- [Rental Center](#)
- [Vehicle Fleet](#)
- [Locations](#)
- [Rental Policies](#)
- [Specials & Deals](#)
- [FAQ](#)
- [My Reservations](#)



## Nelson Fabrian-Nelson Auto Service Center

Category: Auto Repair

398 Wallabout St

Brooklyn, NY 11206

Neighborhoods: East Williamsburg, South Williamsburg

(718) 302-2396

### Nearest Transit:

Lorimer St (J, M)

Flushing Av (J, M)

Flushing Av (G)



### Is this your business?


Claim your business page and access your free Yelp for Business Owners account. You'll be able to:

Monitor how many people view your business page

Immediately update business information

Privately message customers

Receive email alerts of new reviews



### Auto Repair Nearby

 Salerno Service Station  
★★★★ 68 reviews  
Neighborhood: East Williamsburg

 Harry's Auto Repair  
★★★★ 15 reviews  
Neighborhood: Greenpoint

 Manners Motors  
★★★★ 30 reviews  
Neighborhood: Astoria

 Blue Star Brothers Auto Collision  
★★★★ 22 reviews  
Neighborhood: Greenpoint

 Muffler Master  
★★★★ 7 reviews  
Neighborhood: Bedford Stuyvesant

 Gabriel's Collision Center  
★★★★ 9 reviews  
Neighborhood: Greenpoint



### Marcy Tires

★★★★ 1 review

Category: Tires

398 Wallabout St  
Brooklyn, NY 11206  
Neighborhood: South Williamsburg

(718) 486-9890

**Nearest Transit:**

Lorimer St (J, M)  
Flushing Av (G)  
Broadway (G)

**One review for Marcy Tires**


**1 review in English**



Jon L.  
Brooklyn, NY

★★★★ 10/12/2011 1 photo 1 Check-in Here

Fast service. Offering roadside assistance. Nice people.



**People Who Viewed This Also Viewed...**

Pepe's Tire Shop  
★★★★ 8 reviews  
Neighborhood: Greenpoint

G & E Auto Repair  
★★★★ 8 reviews  
Neighborhood: Williamsburg - South Side

Invite a friend!

Sign in Sign up

What?

Input field for search query, example: "pizza, plumbers, hotel"

Where?

Input field for location, example: "Beverly Hills, CA or 90210"

Find

### Espinal Auto Repair

398 Wallabout St  
Brooklyn, NY 11206

(718) 218-8247

Is this your business? Claim it now!  
Submit a correction

(0)

0 0

Share

Like

Is this your business? Claim it now!



Get Directions

#### User Photos & Videos

#### Add Photo or Video

#### Contact Us

Be the first YellowBot user to add photos or videos of Espinal Auto Repair

Toll Free (800) 243-8617

#### Reviews of this business (0)

Share a review

#### YellowBot member reviews (0)

#### YellowBot recommends

##### Rhemedy By Rhed Therapeutic Massage & Bodycare

Therapeutic Massage Remedies  
230 W 13th St New  
York, NY 10011



View Profile

##### EnCare Home Care

EnCare Homecare Provides Top Quality, Effective  
Care for any Type of Injury  
Brooklyn, NY 11236



View Profile

##### Fast Action Truck Repair

Fast Action Truck Repair is a Brooklyn truck repair  
shop that specializes in truck collision, paint  
396 Johnson Ave  
Brooklyn, NY 11206

View Profile

##### 911 TOWING, AUTO REPAIR & JUNK CAR REMOVAL

215 Willoughby Ave.  
Brooklyn, NY 11205

View Profile

##### 23HR EMERGENCY TOWING & JUNK CAR REMOVAL

273 Monroe St.  
Brooklyn, NY 11216

View Profile

#### Tags

auto repair Auto Repair auto service  
automobile Automobile - Repairs & Services  
Automotive brooklyn Brooklyn Car & Auto  
Repair, Maintenance & Service Directory &  
Services repairs services

**ATTACHMENT B**  
**SOIL BORING LOGS**

# Geologic Boring Log Details



**ENVIRONMENTAL BUSINESS CONSULTANTS**

## B1 Boring Log

Location: Performed on the south side of Lot 22.		Depth to Water (ft. from grade.)	Site Elevation Datum
Site Name: TRG1103	Address: 390-398 Wallabout Street, Brooklyn, New York	Date	DTW
Drilling Company: LVS, inc.		Groundwater depth	
Method: Geoprobe		~ 9 feet	
Date Started: 1/2/2012	Date Completed: 1/2/2012	Well Specifications	
Completion Depth: 12 feet	Geologist Kevin Waters	None	

B1 (NTS)	DEPTH (ft below grade)	SAMPLES			SOIL DESCRIPTION	
		Reco- very (in.)	Blow per 6 in.	PID (ppm)		
	0				18" - Brown silty sand (fill material) 22" - Light brown silty sand (fill material)	
	to	40		0.0	* Retained soil sample B1(0-2)	
	4					
	to	40		0.0	18" - Light brown silty sand (fill material) 12' - Dark grey silt and clay 10" - Light grey/brown silt and clay some sand	
	8					
	to	42		0.0	26" - Light grey/tan silt and clay 16" - Brown coarse sand	
	12				* Retained soil sample B1(10-12)	
						*Groundwater sample collected (GW-1)

# Geologic Boring Log Details



**ENVIRONMENTAL BUSINESS CONSULTANTS**

## B2 Boring Log

Location: Performed in the approximate center of Lot 23.		Depth to Water (ft. from grade.)	Site Elevation Datum
Site Name: TRG1103	Address: 390-398 Wallabout Street, Brooklyn, New York	Date	DTW
Drilling Company: LVS, inc.		Groundwater depth	
Date Started: 1/2/2012	Method: Geoprobe	~ 9 feet	
Completion Depth: 12 feet	Date Completed: 1/2/2012	Well Specifications	
	Geologist Kevin Waters	None	

B2 (NTS)	DEPTH (ft below grade)	SAMPLES			SOIL DESCRIPTION	
		Reco- very (in.)	Blow per 6 in.	PID (ppm)		
	0					
	to	28		0.0	10" - Dark brown silty sand (fill material) 8" - Crushed concrete and brick fragments 10" - Brown silty sand w/chunks of wood (fill) <i>* Retained soil sample B2(0-2)</i>	
	4					
	to	30		20	17" - Light brown silt and clay 9" - Brown sands and silt 4" - Grey silty sand, slight odor <i>* Retained soil sample B2(7-9)</i>	
	8					
	to	39		15	5" - Grey coarse sand with slight odor 34" - Dark tan coarse sand with some silt, slight odor <i>* Retained soil sample B2(10-12)</i>	
	12					
						<i>*Groundwater sample collected (GW-2)</i>









# Geologic Boring Log Details



**ENVIRONMENTAL BUSINESS CONSULTANTS**

## B7 Boring Log

Location: Performed in the rear of Lot 27.		Depth to Water (ft. from grade.)	Site Elevation Datum
Site Name: TRG1103	Address: 390-398 Wallabout Street, Brooklyn, New York	Date	DTW
Drilling Company: Eastern Environmental Solutions		Groundwater depth	
Method: Geoprobe		~ 9 feet	
Date Started: 2/24/2012	Date Completed: 2/24/2012	Well Specifications	
Completion Depth: 15 feet	Geologist Kevin Waters	None	

B7 (NTS)	DEPTH (ft below grade)	SAMPLES			SOIL DESCRIPTION
		Reco- very (in.)	Blow per 6 in.	PID (ppm)	
	0				30" - Brown sand with fill material
	to	30		0.0	
	5				* Retained soil sample B7(0-2)
	to	40		0.0	10" - Brown sand with fill material 30" - Wet, Brown/grey silty clay
	10				* Retained soil sample B7(8-10)
	to	35		0.0	35" - Wet, brown sand
	15				* Retained soil sample B7(10-12)



**ATTACHMENT C**  
**GROUNDWATER SAMPLING LOGS**

## GROUNDWATER PURGE / SAMPLE LOGS



**ENVIRONMENTAL BUSINESS CONSULTANTS**

Well I.D.: GW1

Date: 1/2/2012

Well Depth (from TOC): 14

Equipment: Peristaltic Pump

Static Water Level (from TOC): 9

Height of Water in Well: 5

Gallons of Water per Well Volume: 0.2

Flow Rate: 400ml/min.

Time	Pump Rate	Gal. Removed	pH	Cond. (mS/cm)	Temp. (deg. C)	DO (mg/L)	Comments
0.00	400ml/min						turbid
10.00	400ml/min	1.1					Clear

Note 400 ml = 0.11 gallons

## GROUNDWATER PURGE / SAMPLE LOGS



**ENVIRONMENTAL BUSINESS CONSULTANTS**

Well I.D.: GW2

Date: 1/2/2012

Well Depth (from TOC): 14

Equipment: Peristaltic Pump

Static Water Level (from TOC): 9

Height of Water in Well: 5

Gallons of Water per Well Volume: 0.2

Flow Rate: 400ml/min.

Time	Pump Rate	Gal. Removed	pH	Cond. (mS/cm)	Temp. (deg. C)	DO (mg/L)	Comments
0.00	400ml/min						turbid
10.00	400ml/min	1.1					Clear

Note 400 ml = 0.11 gallons

## GROUNDWATER PURGE / SAMPLE LOGS



**ENVIRONMENTAL BUSINESS CONSULTANTS**

Well I.D.: GW3

Date: 1/2/2012

Well Depth (from TOC): 14

Equipment: Peristaltic Pump

Static Water Level (from TOC): 9

Height of Water in Well: 5

Gallons of Water per Well Volume: 0.2

Flow Rate: 400ml/min.

Time	Pump Rate	Gal. Removed	pH	Cond. (mS/cm)	Temp. (deg. C)	DO (mg/L)	Comments
0.00	400ml/min						turbid
10.00	400ml/min	1.1					Clear

Note 400 ml = 0.11 gallons

## GROUNDWATER PURGE / SAMPLE LOGS



**ENVIRONMENTAL BUSINESS CONSULTANTS**

Well I.D.: GW4

Date: 2/29/2012

Well Depth (from TOC): 14

Equipment: Peristaltic Pump

Static Water Level (from TOC): 9

Height of Water in Well: 5

Gallons of Water per Well Volume: 0.2

Flow Rate: 400ml/min.

Time	Pump Rate	Gal. Removed	pH	Cond. (mS/cm)	Temp. (deg. C)	DO (mg/L)	Comments
0.00	400ml/min						turbid
10.00	400ml/min	1.1					Clear

Note 400 ml = 0.11 gallons

**ATTACHMENT D**  
**SOIL GAS SAMPLING LOGS**

NY/NJ CHAIN OF CUSTODY RECORD



587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040  
 Email: info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Data Delivery:

Fax #:  
 Email:

Email: csosik@phoenixlabs.com

Customer: EBC Project: 390 Wallabout Street Brooklyn Project P.O.:  
 Address: 1808 Middle County Road Ridge, NY Report to: Charlie Sosik Phone #: 681 509 6000  
 Invoice to: " Fax #:

Sampler's Signature		Date: <u>1-6-2012</u>	
Client Sample - Information - Identification			
Phoenix Sample #	Customer Sample Identification	Date Sampled	Time Sampled
<u>29096</u>	<u>56-1 11250</u>	<u>1-6-2012</u>	<u>09:45</u>
<u>29097</u>	<u>56-2 11291</u>	<u>1-30-12</u>	<u>10:10</u>
<u>29098</u>	<u>56-3 371</u>	<u>1-30-12</u>	<u>10:00</u>
<u>29099</u>	<u>56-4 223</u>	<u>1-30-12</u>	<u>10:25</u>

Analysis Request	Turnaround:	NJ	NY	Data Format
<u>TO-15</u>	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Days* <input type="checkbox"/> 3 Days* <input checked="" type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days <input type="checkbox"/> Other	<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil <input type="checkbox"/> Cleanup Criteria <input type="checkbox"/> GW Criteria	<input type="checkbox"/> TOGS GA GW <input type="checkbox"/> CP-51 Soil <input type="checkbox"/> NY375 Unrestricted Soil <input type="checkbox"/> NY375 Residential Soil <input type="checkbox"/> NY375 Restricted Non-Residential Soil	<input checked="" type="checkbox"/> Phoenix Std Report <input checked="" type="checkbox"/> Excel <input type="checkbox"/> PDF <input type="checkbox"/> GIS/Key <input type="checkbox"/> EQUIS <input type="checkbox"/> NJ Hazsite EDD <input type="checkbox"/> NY EZ EDD (ASP) <input type="checkbox"/> Other

Relinquished by: [Signature] Accepted by: [Signature] Date: 1-9-12 Time: 9:50 A  
[Signature] Date: 1-9-12 Time: 15:58

Comments, Special Requirements or Regulations:  
E-site Pricing

State where samples were collected: NY

Data Package:  
 NJ Reduced Deliv. \*  
 NY Enhanced (ASP B) \*  
 Other



**ATTACHMENT E**  
**LABORATORY REPORTS IN DIGITAL**  
**FORMAT**



Wednesday, January 11, 2012

Attn: Mr. Charles B. Sosik, P.G.  
Environmental Business Consultants  
1808 Middle Country Rd  
Ridge NY 11961-2406

Project ID:

Sample ID#s: BB17873 - BB17886

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller

Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #MA-CT-007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B  
NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      11:30  
 01/04/12                      17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17873

Project ID:

Client ID: WALLABOUT B1 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	0.45	0.35	mg/Kg	01/07/12		LK	6010/200.7
Aluminum	8540	53	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	9.17	0.71	mg/Kg	01/07/12		LK	6010/200.7
Barium	384	0.35	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.28	0.28	mg/Kg	01/09/12		LK	6010/200.7
Calcium	5800	5.3	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	1.17	0.35	mg/Kg	01/09/12		LK	6010/200.7
Cobalt	7.22	0.35	mg/Kg	01/07/12		LK	6010/200.7
Chromium	23.2	0.35	mg/Kg	01/07/12		LK	6010/200.7
Copper	85.5	0.35	mg/kg	01/07/12		LK	6010/200.7
Iron	17200	53	mg/Kg	01/09/12		LK	6010/200.7
Mercury	18.6	0.92	mg/Kg	01/05/12		RS	SW-7471
Potassium	672	5.3	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	1840	5.3	mg/Kg	01/07/12		LK	6010/200.7
Manganese	290	3.5	mg/Kg	01/09/12		LK	6010/200.7
Sodium	160	5.3	mg/Kg	01/07/12		LK	6010/200.7
Nickel	32.8	0.35	mg/Kg	01/07/12		LK	6010/200.7
Lead	780	3.5	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.5	3.5	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.4	1.4	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.2	3.2	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/04/12		AG	SW846 - 3050
Vanadium	28.2	0.35	mg/Kg	01/07/12		LK	6010/200.7
Zinc	210	3.5	mg/Kg	01/09/12		LK	6010/200.7
Percent Solid	87		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	68		%	01/05/12		MH	30 - 150 %
% TCMX	79		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	51	36	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	5.6	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	56	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	5.6	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	5.6	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	76		%	01/05/12		MR	30 - 150 %
% TCMX	73		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,1,1-Trichloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,1,2-Trichloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloroethene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloropropene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichlorobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichloropropane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,3-Dichlorobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,3-Dichloropropane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
1,4-Dichlorobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
2,2-Dichloropropane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
2-Chlorotoluene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
2-Hexanone	ND	29	ug/Kg	01/06/12		R/J	SW8260
2-Isopropyltoluene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
4-Chlorotoluene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
4-Methyl-2-pentanone	ND	29	ug/Kg	01/06/12		R/J	SW8260
Acetone	ND	29	ug/Kg	01/06/12		R/J	SW8260
Acrylonitrile	ND	11	ug/Kg	01/06/12		R/J	SW8260
Benzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Bromobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Bromochloromethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Bromodichloromethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Bromoform	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Bromomethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Carbon Disulfide	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Carbon tetrachloride	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Chlorobenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Chloroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Chloroform	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Chloromethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Dibromochloromethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Dibromoethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Dibromomethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Dichlorodifluoromethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Ethylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Hexachlorobutadiene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Isopropylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
m&p-Xylene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Methyl Ethyl Ketone	ND	29	ug/Kg	01/06/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	11	ug/Kg	01/06/12		R/J	SW8260
Methylene chloride	ND	29	ug/Kg	01/06/12		R/J	SW8260
Naphthalene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
n-Butylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
n-Propylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
o-Xylene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
p-Isopropyltoluene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
sec-Butylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
tert-Butylbenzene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Tetrachloroethene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	11	ug/Kg	01/06/12		R/J	SW8260
Toluene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Total Xylenes	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	11	ug/Kg	01/06/12		R/J	SW8260
Trichloroethene	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Trichlorofluoromethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Trichlorotrifluoroethane	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
Vinyl chloride	ND	5.7	ug/Kg	01/06/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	111		%	01/06/12		R/J	70 - 130 %
% Bromofluorobenzene	79		%	01/06/12		R/J	70 - 130 %
% Dibromofluoromethane	106		%	01/06/12		R/J	70 - 130 %
% Toluene-d8	100		%	01/06/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	600	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	600	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	370	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	260	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	600	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	370	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	600	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	260	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	370	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	530	260	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	450	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	520	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	780	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	310	260	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	370	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	560	ug/Kg	01/05/12		DD	SW 8270
Chrysene	600	260	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	260	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	1000	260	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	260	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	260	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	370	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	260	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	370	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	370	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	370	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	650	260	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
Pyrene	890	260	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	370	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	91		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	84		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	76		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	67		%	01/05/12		DD	15 - 130 %
% Phenol-d5	76		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	71		%	01/05/12		DD	15 - 130 %

Project ID:

Phoenix I.D.: BB17873

Client ID: WALLABOUT B1 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      11:35  
 01/04/12                      17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17874

Project ID:

Client ID: WALLABOUT B1 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.37	0.37	mg/Kg	01/09/12		LK	6010/200.7
Aluminum	3690	55	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	0.84	0.74	mg/Kg	01/09/12		LK	6010/200.7
Barium	12.3	0.37	mg/Kg	01/09/12		LK	6010/200.7
Beryllium	< 0.29	0.29	mg/Kg	01/09/12		LK	6010/200.7
Calcium	414	5.5	mg/Kg	01/09/12		LK	6010/200.7
Cadmium	< 0.37	0.37	mg/Kg	01/09/12		LK	6010/200.7
Cobalt	4.75	0.37	mg/Kg	01/09/12		LK	6010/200.7
Chromium	10.3	0.37	mg/Kg	01/09/12		LK	6010/200.7
Copper	5.89	0.37	mg/kg	01/09/12		LK	6010/200.7
Iron	6560	5.5	mg/Kg	01/09/12		LK	6010/200.7
Mercury	< 0.08	0.08	mg/Kg	01/05/12		RS	SW-7471
Potassium	583	5.5	mg/Kg	01/09/12		LK	6010/200.7
Magnesium	890	5.5	mg/Kg	01/09/12		LK	6010/200.7
Manganese	69.5	0.37	mg/Kg	01/09/12		LK	6010/200.7
Sodium	67.1	5.5	mg/Kg	01/09/12		LK	6010/200.7
Nickel	6.35	0.37	mg/Kg	01/09/12		LK	6010/200.7
Lead	3.81	0.37	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.7	3.7	mg/Kg	01/09/12		LK	6010/200.7
Selenium	< 1.5	1.5	mg/Kg	01/09/12		LK	6010/200.7
Thallium	< 3.3	3.3	mg/Kg	01/09/12		LK	6010/200.7
Total Metals Digest	Completed			01/04/12		AG	SW846 - 3050
Vanadium	15.5	0.37	mg/Kg	01/09/12		LK	6010/200.7
Zinc	18.7	0.37	mg/Kg	01/09/12		LK	6010/200.7
Percent Solid	87		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	80		%	01/05/12		MH	30 - 150 %
% TCMX	87		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	36	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	5.6	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	56	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	5.6	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	5.6	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	71		%	01/05/12		MR	30 - 150 %
% TCMX	84		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	29	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	11	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	11	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	11	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	11	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	99		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	93		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	98		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	103		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	600	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	600	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	380	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	260	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	600	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	380	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	600	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	260	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	380	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	450	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	380	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	570	ug/Kg	01/05/12		DD	SW 8270
Chrysene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	260	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	260	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	260	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	380	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	260	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	380	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	380	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	380	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
Pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	380	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	103		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	82		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	86		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	69		%	01/05/12		DD	15 - 130 %
% Phenol-d5	83		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	81		%	01/05/12		DD	15 - 130 %

Project ID:

Phoenix I.D.: BB17874

Client ID: WALLABOUT B1 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      11:45  
 01/04/12                      17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17875

Project ID:

Client ID: WALLABOUT B2 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.38	0.38	mg/Kg	01/07/12		LK	6010/200.7
Aluminum	7040	57	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	1.68	0.77	mg/Kg	01/07/12		LK	6010/200.7
Barium	706	0.38	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.31	0.31	mg/Kg	01/09/12		LK	6010/200.7
Calcium	27100	57	mg/Kg	01/09/12		LK	6010/200.7
Cadmium	2.11	0.38	mg/Kg	01/09/12		LK	6010/200.7
Cobalt	6.13	0.38	mg/Kg	01/07/12		LK	6010/200.7
Chromium	20.5	0.38	mg/Kg	01/07/12		LK	6010/200.7
Copper	69.1	0.38	mg/kg	01/07/12		LK	6010/200.7
Iron	13600	57	mg/Kg	01/09/12		LK	6010/200.7
Mercury	1.19	0.09	mg/Kg	01/05/12		RS	SW-7471
Potassium	1080	5.7	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	5080	5.7	mg/Kg	01/07/12		LK	6010/200.7
Manganese	267	3.8	mg/Kg	01/09/12		LK	6010/200.7
Sodium	278	5.7	mg/Kg	01/07/12		LK	6010/200.7
Nickel	21.9	0.38	mg/Kg	01/07/12		LK	6010/200.7
Lead	480	3.8	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.8	3.8	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.5	1.5	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.4	3.4	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/04/12		AG	SW846 - 3050
Vanadium	27.3	0.38	mg/Kg	01/07/12		LK	6010/200.7
Zinc	551	3.8	mg/Kg	01/09/12		LK	6010/200.7
Percent Solid	87		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	88		%	01/05/12		MH	30 - 150 %
% TCMX	84		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	01/06/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	01/06/12		MR	SW8081
4,4' -DDT	90	36	ug/Kg	01/06/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/06/12		MR	SW8081
Aldrin	ND	5.6	ug/Kg	01/06/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Chlordane	120	56	ug/Kg	01/06/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Dieldrin	16	5.6	ug/Kg	01/06/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/06/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	01/06/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	01/06/12		MR	SW8081
Endrin	ND	36	ug/Kg	01/06/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	01/06/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	01/06/12		MR	SW8081
g-BHC	ND	5.6	ug/Kg	01/06/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	01/06/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/06/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/06/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/06/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	80		%	01/06/12		MR	30 - 150 %
% TCMX	79		%	01/06/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,1,1-Trichloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,1,2-Trichloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloroethene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloropropene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichlorobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichloropropane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,3-Dichlorobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,3-Dichloropropane	ND	290	ug/Kg	01/06/12		R/J	SW8260
1,4-Dichlorobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
2,2-Dichloropropane	ND	290	ug/Kg	01/06/12		R/J	SW8260
2-Chlorotoluene	ND	290	ug/Kg	01/06/12		R/J	SW8260
2-Hexanone	ND	1400	ug/Kg	01/06/12		R/J	SW8260
2-Isopropyltoluene	ND	290	ug/Kg	01/06/12		R/J	SW8260
4-Chlorotoluene	ND	290	ug/Kg	01/06/12		R/J	SW8260
4-Methyl-2-pentanone	ND	1400	ug/Kg	01/06/12		R/J	SW8260
Acetone	ND	1400	ug/Kg	01/06/12		R/J	SW8260
Acrylonitrile	ND	570	ug/Kg	01/06/12		R/J	SW8260
Benzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Bromobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Bromochloromethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Bromodichloromethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Bromoform	ND	290	ug/Kg	01/06/12		R/J	SW8260
Bromomethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Carbon Disulfide	ND	290	ug/Kg	01/06/12		R/J	SW8260
Carbon tetrachloride	ND	290	ug/Kg	01/06/12		R/J	SW8260
Chlorobenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Chloroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Chloroform	ND	290	ug/Kg	01/06/12		R/J	SW8260
Chloromethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	290	ug/Kg	01/06/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Dibromochloromethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Dibromoethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Dibromomethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Dichlorodifluoromethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Ethylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Hexachlorobutadiene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Isopropylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
m&p-Xylene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Methyl Ethyl Ketone	ND	1400	ug/Kg	01/06/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	570	ug/Kg	01/06/12		R/J	SW8260
Methylene chloride	ND	290	ug/Kg	01/06/12		R/J	SW8260
Naphthalene	ND	290	ug/Kg	01/06/12		R/J	SW8260
n-Butylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
n-Propylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
o-Xylene	ND	290	ug/Kg	01/06/12		R/J	SW8260
p-Isopropyltoluene	ND	290	ug/Kg	01/06/12		R/J	SW8260
sec-Butylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	290	ug/Kg	01/06/12		R/J	SW8260
tert-Butylbenzene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Tetrachloroethene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	570	ug/Kg	01/06/12		R/J	SW8260
Toluene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Total Xylenes	ND	290	ug/Kg	01/06/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	290	ug/Kg	01/06/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	290	ug/Kg	01/06/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	570	ug/Kg	01/06/12		R/J	SW8260
Trichloroethene	ND	290	ug/Kg	01/06/12		R/J	SW8260
Trichlorofluoromethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Trichlorotrifluoroethane	ND	290	ug/Kg	01/06/12		R/J	SW8260
Vinyl chloride	ND	290	ug/Kg	01/06/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	101		%	01/06/12		R/J	70 - 130 %
% Bromofluorobenzene	95		%	01/06/12		R/J	70 - 130 %
% Dibromofluoromethane	103		%	01/06/12		R/J	70 - 130 %
% Toluene-d8	101		%	01/06/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	770	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	540	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	2200	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	770	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	540	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	540	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	540	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	770	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	1700	540	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	920	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	1600	540	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	2500	540	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	870	540	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	1100	540	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	540	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	770	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	540	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Chrysene	1900	540	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	540	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	3600	540	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	540	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	720	540	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	540	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	770	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	540	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	770	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	770	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	770	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	2600	540	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
Pyrene	3200	540	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	770	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	104		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	82		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	87		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	74		%	01/05/12		DD	15 - 130 %
% Phenol-d5	87		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	74		%	01/05/12		DD	15 - 130 %

Project ID:  
Client ID: WALLABOUT B2 0-2

Phoenix I.D.: BB17875

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

\* Due to a matrix interference and/or the presence of a large amount of non-target material in the sample, an elevated RL was reported for the semivolatile analysis.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      11:50  
 01/04/12                      17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17876

Project ID:

Client ID: WALLABOUT B2 7-9

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.38	0.38	mg/Kg	01/07/12		LK	6010/200.7
Aluminum	8970	57	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	< 0.76	0.76	mg/Kg	01/07/12		LK	6010/200.7
Barium	25.9	0.38	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.30	0.30	mg/Kg	01/09/12		LK	6010/200.7
Calcium	893	5.7	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	< 0.38	0.38	mg/Kg	01/09/12		LK	6010/200.7
Cobalt	4.84	0.38	mg/Kg	01/07/12		LK	6010/200.7
Chromium	15.0	0.38	mg/Kg	01/07/12		LK	6010/200.7
Copper	11.9	0.38	mg/kg	01/07/12		LK	6010/200.7
Iron	8960	5.7	mg/Kg	01/07/12		LK	6010/200.7
Mercury	< 0.07	0.07	mg/Kg	01/05/12		RS	SW-7471
Potassium	680	5.7	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	1640	5.7	mg/Kg	01/07/12		LK	6010/200.7
Manganese	74.1	0.38	mg/Kg	01/07/12		LK	6010/200.7
Sodium	50.2	5.7	mg/Kg	01/07/12		LK	6010/200.7
Nickel	14.6	0.38	mg/Kg	01/07/12		LK	6010/200.7
Lead	6.25	0.38	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.8	3.8	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.5	1.5	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.4	3.4	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/04/12		AG	SW846 - 3050
Vanadium	15.5	0.38	mg/Kg	01/07/12		LK	6010/200.7
Zinc	27.6	0.38	mg/Kg	01/07/12		LK	6010/200.7
Percent Solid	86		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	390	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	83		%	01/05/12		MH	30 - 150 %
% TCMX	77		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	37	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	37	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	37	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	5.8	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	58	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	5.8	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	37	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	37	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	37	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	37	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	37	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	5.8	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	76		%	01/05/12		MR	30 - 150 %
% TCMX	70		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,1,1-Trichloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,1,2-Trichloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloroethene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,1-Dichloropropene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichlorobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,2-Dichloropropane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,3-Dichlorobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,3-Dichloropropane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
1,4-Dichlorobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
2,2-Dichloropropane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
2-Chlorotoluene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
2-Hexanone	ND	29	ug/Kg	01/06/12		R/J	SW8260
2-Isopropyltoluene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
4-Chlorotoluene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
4-Methyl-2-pentanone	ND	29	ug/Kg	01/06/12		R/J	SW8260
Acetone	ND	29	ug/Kg	01/06/12		R/J	SW8260
Acrylonitrile	ND	12	ug/Kg	01/06/12		R/J	SW8260
Benzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Bromobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Bromochloromethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Bromodichloromethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Bromoform	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Bromomethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Carbon Disulfide	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Carbon tetrachloride	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Chlorobenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Chloroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Chloroform	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Chloromethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Dibromochloromethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Dibromoethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Dibromomethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Dichlorodifluoromethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Ethylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Hexachlorobutadiene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Isopropylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
m&p-Xylene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Methyl Ethyl Ketone	ND	29	ug/Kg	01/06/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	01/06/12		R/J	SW8260
Methylene chloride	ND	12	ug/Kg	01/06/12		R/J	SW8260
Naphthalene	12	5.8	ug/Kg	01/06/12		R/J	SW8260
n-Butylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
n-Propylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
o-Xylene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
p-Isopropyltoluene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
sec-Butylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
tert-Butylbenzene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Tetrachloroethene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	01/06/12		R/J	SW8260
Toluene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Total Xylenes	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	01/06/12		R/J	SW8260
Trichloroethene	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Trichlorofluoromethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Trichlorotrifluoroethane	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
Vinyl chloride	ND	5.8	ug/Kg	01/06/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	98		%	01/06/12		R/J	70 - 130 %
% Bromofluorobenzene	101		%	01/06/12		R/J	70 - 130 %
% Dibromofluoromethane	107		%	01/06/12		R/J	70 - 130 %
% Toluene-d8	99		%	01/06/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	620	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	620	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	390	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	270	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	620	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	390	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	270	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	270	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	620	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	390	270	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	270	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	390	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	460	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	270	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	390	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	270	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	580	ug/Kg	01/05/12		DD	SW 8270
Chrysene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	270	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	270	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	270	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	390	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	270	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	390	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	390	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	390	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
Pyrene	280	270	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	390	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	97		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	96		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	88		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	68		%	01/05/12		DD	15 - 130 %
% Phenol-d5	86		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	90		%	01/05/12		DD	15 - 130 %

Project ID:  
Client ID: WALLABOUT B2 7-9

Phoenix I.D.: BB17876

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      11:55  
 01/04/12                      17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17877

Project ID:

Client ID: WALLABOUT B2 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.36	0.36	mg/Kg	01/07/12		LK	6010/200.7
Aluminum	8470	54	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	< 0.72	0.72	mg/Kg	01/07/12		LK	6010/200.7
Barium	26.5	0.36	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.29	0.29	mg/Kg	01/09/12		LK	6010/200.7
Calcium	730	5.4	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	< 0.36	0.36	mg/Kg	01/09/12		LK	6010/200.7
Cobalt	8.38	0.36	mg/Kg	01/07/12		LK	6010/200.7
Chromium	10.6	0.36	mg/Kg	01/07/12		LK	6010/200.7
Copper	16.9	0.36	mg/kg	01/07/12		LK	6010/200.7
Iron	6740	5.4	mg/Kg	01/07/12		LK	6010/200.7
Mercury	< 0.08	0.08	mg/Kg	01/05/12		RS	SW-7471
Potassium	581	5.4	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	2310	5.4	mg/Kg	01/07/12		LK	6010/200.7
Manganese	206	0.36	mg/Kg	01/09/12		LK	6010/200.7
Sodium	42.7	5.4	mg/Kg	01/07/12		LK	6010/200.7
Nickel	23.4	0.36	mg/Kg	01/07/12		LK	6010/200.7
Lead	5.51	0.36	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.6	3.6	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.4	1.4	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.2	3.2	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/04/12		AG	SW846 - 3050
Vanadium	15.6	0.36	mg/Kg	01/07/12		LK	6010/200.7
Zinc	21.7	0.36	mg/Kg	01/07/12		LK	6010/200.7
Percent Solid	84		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	390	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	390	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	96		%	01/05/12		MH	30 - 150 %
% TCMX	94		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	37	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	37	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	37	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	5.8	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	58	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	5.8	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	37	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	37	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	37	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	37	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	37	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	5.8	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	83		%	01/05/12		MR	30 - 150 %
% TCMX	94		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	30	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	30	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	30	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	12	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	30	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	6.0	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	101		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	92		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	99		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	100		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	620	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	270	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	620	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	390	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	270	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	620	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	390	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	270	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	270	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	620	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	270	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	390	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	470	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	270	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	390	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	270	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	590	ug/Kg	01/05/12		DD	SW 8270
Chrysene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	270	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	270	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	270	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	270	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	270	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	390	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	270	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	390	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	390	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	390	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	270	ug/Kg	01/05/12		DD	SW 8270
Pyrene	ND	270	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	390	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	105		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	88		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	91		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	67		%	01/05/12		DD	15 - 130 %
% Phenol-d5	86		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	83		%	01/05/12		DD	15 - 130 %

Project ID:  
Client ID: WALLABOUT B2 10-12

Phoenix I.D.: BB17877

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      12:00  
 01/04/12                      17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17878

Project ID:

Client ID: WALLABOUT B3 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.39	0.39	mg/Kg	01/07/12		LK	6010/200.7
Aluminum	8500	58	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	6.09	0.78	mg/Kg	01/07/12		LK	6010/200.7
Barium	277	0.39	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.31	0.31	mg/Kg	01/09/12		LK	6010/200.7
Calcium	27900	58	mg/Kg	01/09/12		LK	6010/200.7
Cadmium	1.30	0.39	mg/Kg	01/09/12		LK	6010/200.7
Cobalt	5.26	0.39	mg/Kg	01/07/12		LK	6010/200.7
Chromium	26.6	0.39	mg/Kg	01/07/12		LK	6010/200.7
Copper	47.9	0.39	mg/kg	01/07/12		LK	6010/200.7
Iron	14900	58	mg/Kg	01/09/12		LK	6010/200.7
Mercury	< 0.07	0.07	mg/Kg	01/05/12		RS	SW-7471
Potassium	969	5.8	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	2630	5.8	mg/Kg	01/07/12		LK	6010/200.7
Manganese	259	3.9	mg/Kg	01/09/12		LK	6010/200.7
Sodium	487	5.8	mg/Kg	01/07/12		LK	6010/200.7
Nickel	18.9	0.39	mg/Kg	01/07/12		LK	6010/200.7
Lead	863	3.9	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.9	3.9	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.6	1.6	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.5	3.5	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/04/12		AG	SW846 - 3050
Vanadium	23.4	0.39	mg/Kg	01/07/12		LK	6010/200.7
Zinc	301	3.9	mg/Kg	01/09/12		LK	6010/200.7
Percent Solid	86		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	92		%	01/05/12		MH	30 - 150 %
% TCMX	90		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	37	ug/Kg	01/06/12		MR	SW8081
4,4' -DDE	ND	37	ug/Kg	01/06/12		MR	SW8081
4,4' -DDT	ND	37	ug/Kg	01/06/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/06/12		MR	SW8081
Aldrin	ND	5.8	ug/Kg	01/06/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Chlordane	91	58	ug/Kg	01/06/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Dieldrin	ND	5.8	ug/Kg	01/06/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/06/12		MR	SW8081
Endosulfan II	ND	37	ug/Kg	01/06/12		MR	SW8081
Endosulfan sulfate	ND	37	ug/Kg	01/06/12		MR	SW8081
Endrin	ND	37	ug/Kg	01/06/12		MR	SW8081
Endrin aldehyde	ND	37	ug/Kg	01/06/12		MR	SW8081
Endrin ketone	ND	37	ug/Kg	01/06/12		MR	SW8081
g-BHC	ND	5.8	ug/Kg	01/06/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	01/06/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/06/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/06/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/06/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	88		%	01/06/12		MR	30 - 150 %
% TCMX	93		%	01/06/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	29	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	12	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	5.8	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	102		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	91		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	102		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	101		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	540	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	770	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	540	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	2200	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	770	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	540	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	540	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	540	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	770	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	620	540	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	930	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	660	540	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	1100	540	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	560	540	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	540	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	770	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	540	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	1800	540	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Chrysene	710	540	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	540	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	540	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	1200	540	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	540	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	540	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	540	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	540	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	770	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	540	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	770	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	770	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	770	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	660	540	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	540	ug/Kg	01/05/12		DD	SW 8270
Pyrene	1600	540	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	770	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	77		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	85		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	79		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	71		%	01/05/12		DD	15 - 130 %
% Phenol-d5	84		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	84		%	01/05/12		DD	15 - 130 %

Project ID:  
Client ID: WALLABOUT B3 0-2

Phoenix I.D.: BB17878

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

\* Due to a matrix interference and/or the presence of a large amount of non-target material in the sample, an elevated RL was reported for the semivolatile analysis.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
January 11, 2012



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      12:05  
 01/04/12                      17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17879

Project ID:

Client ID: WALLABOUT B3 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.42	0.42	mg/Kg	01/09/12		LK	6010/200.7
Aluminum	6370	62	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	< 0.83	0.83	mg/Kg	01/07/12		LK	6010/200.7
Barium	13.6	0.42	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.33	0.33	mg/Kg	01/09/12		LK	6010/200.7
Calcium	635	6.3	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	< 0.42	0.42	mg/Kg	01/07/12		LK	6010/200.7
Cobalt	3.10	0.42	mg/Kg	01/07/12		LK	6010/200.7
Chromium	12.2	0.42	mg/Kg	01/07/12		LK	6010/200.7
Copper	9.30	0.42	mg/kg	01/09/12		LK	6010/200.7
Iron	4180	6.3	mg/Kg	01/07/12		LK	6010/200.7
Mercury	< 0.10	0.10	mg/Kg	01/05/12		RS	SW-7471
Potassium	494	6.3	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	1590	6.3	mg/Kg	01/07/12		LK	6010/200.7
Manganese	39.6	0.42	mg/Kg	01/07/12		LK	6010/200.7
Sodium	33.6	6.3	mg/Kg	01/07/12		LK	6010/200.7
Nickel	13.8	0.42	mg/Kg	01/07/12		LK	6010/200.7
Lead	4.34	0.42	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 4.2	4.2	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.7	1.7	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.8	3.8	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/05/12		AG	SW846 - 3050
Vanadium	9.11	0.42	mg/Kg	01/07/12		LK	6010/200.7
Zinc	16.3	0.42	mg/Kg	01/07/12		LK	6010/200.7
Percent Solid	80		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	410	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	77		%	01/05/12		MH	30 - 150 %
% TCMX	89		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	39	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	39	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	39	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	20	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	20	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	6.1	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	20	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	61	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	20	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	6.1	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	20	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	39	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	39	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	39	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	39	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	39	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	6.1	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	20	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	200	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	200	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	76		%	01/05/12		MR	30 - 150 %
% TCMX	92		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	31	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	31	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	31	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	13	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	31	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	13	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	13	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	13	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	6.3	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	99		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	95		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	98		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	102		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	660	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	290	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	290	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	290	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	290	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	290	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	660	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	410	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	290	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	660	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	410	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	290	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	290	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	660	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	290	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	410	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	490	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	290	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	290	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	410	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	290	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	290	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	620	ug/Kg	01/05/12		DD	SW 8270
Chrysene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	290	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	290	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	290	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	290	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	290	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	290	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	290	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	290	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	410	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	290	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	410	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	410	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	410	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	290	ug/Kg	01/05/12		DD	SW 8270
Pyrene	ND	290	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	410	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	93		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	87		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	93		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	68		%	01/05/12		DD	15 - 130 %
% Phenol-d5	89		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	80		%	01/05/12		DD	15 - 130 %

Project ID:

Phoenix I.D.: BB17879

Client ID: WALLABOUT B3 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

### Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

### Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date            Time  
 01/02/12        12:15  
 01/04/12        17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17880

Project ID:

Client ID: WALLABOUT B4 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.35	0.35	mg/Kg	01/09/12		LK	6010/200.7
Aluminum	7070	52	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	2.44	0.69	mg/Kg	01/07/12		LK	6010/200.7
Barium	1190	0.35	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.28	0.28	mg/Kg	01/09/12		LK	6010/200.7
Calcium	48900	52	mg/Kg	01/09/12		LK	6010/200.7
Cadmium	1.89	0.35	mg/Kg	01/07/12		LK	6010/200.7
Cobalt	6.40	0.35	mg/Kg	01/07/12		LK	6010/200.7
Chromium	19.9	0.35	mg/Kg	01/07/12		LK	6010/200.7
Copper	76.0	0.35	mg/kg	01/09/12		LK	6010/200.7
Iron	13000	52	mg/Kg	01/09/12		LK	6010/200.7
Mercury	0.32	0.09	mg/Kg	01/05/12		RS	SW-7471
Potassium	849	5.2	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	5430	5.2	mg/Kg	01/07/12		LK	6010/200.7
Manganese	245	3.5	mg/Kg	01/09/12		LK	6010/200.7
Sodium	565	5.2	mg/Kg	01/07/12		LK	6010/200.7
Nickel	18.4	0.35	mg/Kg	01/07/12		LK	6010/200.7
Lead	429	3.5	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.5	3.5	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.4	1.4	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.1	3.1	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/05/12		AG	SW846 - 3050
Vanadium	22.1	0.35	mg/Kg	01/07/12		LK	6010/200.7
Zinc	819	3.5	mg/Kg	01/09/12		LK	6010/200.7
Percent Solid	87		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	77		%	01/05/12		MH	30 - 150 %
% TCMX	90		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	01/06/12		MR	SW8081
4,4' -DDE	62	36	ug/Kg	01/06/12		MR	SW8081
4,4' -DDT	290	36	ug/Kg	01/06/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/06/12		MR	SW8081
Aldrin	ND	5.7	ug/Kg	01/06/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Chlordane	130	57	ug/Kg	01/06/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/06/12		MR	SW8081
Dieldrin	18	5.7	ug/Kg	01/06/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/06/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	01/06/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	01/06/12		MR	SW8081
Endrin	ND	36	ug/Kg	01/06/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	01/06/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	01/06/12		MR	SW8081
g-BHC	ND	5.7	ug/Kg	01/06/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	01/06/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/06/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/06/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/06/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	83		%	01/06/12		MR	30 - 150 %
% TCMX	81		%	01/06/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	29	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	11	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	29	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	11	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	11	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	11	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	5.7	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	100		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	83		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	98		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	96		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	520	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	520	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	520	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	520	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	520	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	750	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	520	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	2200	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	750	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	520	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	520	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	520	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	750	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	1400	520	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	900	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	1400	520	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	2000	520	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	710	520	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	810	520	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	2200	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	520	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	520	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	750	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	520	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	520	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Chrysene	1400	520	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	520	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	520	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	520	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	520	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	520	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	2500	520	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	520	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	600	520	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	520	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	520	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	520	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	750	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	520	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	750	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	750	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	750	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	1500	520	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	520	ug/Kg	01/05/12		DD	SW 8270
Pyrene	2200	520	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	750	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	101		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	91		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	91		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	73		%	01/05/12		DD	15 - 130 %
% Phenol-d5	87		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	76		%	01/05/12		DD	15 - 130 %

Project ID:  
Client ID: WALLABOUT B4 0-2

Phoenix I.D.: BB17880

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

\* Due to a matrix interference and/or the presence of a large amount of non-target material in the sample, an elevated RL was reported for the semivolatile analysis.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director  
January 11, 2012



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      12:20  
 01/04/12                      17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17881

Project ID:

Client ID: WALLABOUT B4 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.36	0.36	mg/Kg	01/07/12		LK	6010/200.7
Aluminum	9170	54	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	< 0.73	0.73	mg/Kg	01/07/12		LK	6010/200.7
Barium	31.0	0.36	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.29	0.29	mg/Kg	01/09/12		LK	6010/200.7
Calcium	841	5.4	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	< 0.36	0.36	mg/Kg	01/07/12		LK	6010/200.7
Cobalt	6.72	0.36	mg/Kg	01/07/12		LK	6010/200.7
Chromium	15.3	0.36	mg/Kg	01/07/12		LK	6010/200.7
Copper	14.8	0.36	mg/kg	01/07/12		LK	6010/200.7
Iron	8040	5.4	mg/Kg	01/07/12		LK	6010/200.7
Mercury	< 0.09	0.09	mg/Kg	01/05/12		RS	SW-7471
Potassium	767	5.4	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	1850	5.4	mg/Kg	01/07/12		LK	6010/200.7
Manganese	81.7	0.36	mg/Kg	01/07/12		LK	6010/200.7
Sodium	46.0	5.4	mg/Kg	01/09/12		LK	6010/200.7
Nickel	12.1	0.36	mg/Kg	01/07/12		LK	6010/200.7
Lead	8.36	0.36	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.6	3.6	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.5	1.5	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.3	3.3	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/05/12		AG	SW846 - 3050
Vanadium	21.9	0.36	mg/Kg	01/07/12		LK	6010/200.7
Zinc	30.6	0.36	mg/Kg	01/07/12		LK	6010/200.7
Percent Solid	82		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	400	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	400	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	91		%	01/05/12		MH	30 - 150 %
% TCMX	96		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	38	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	38	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	38	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	19	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	19	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	6.0	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	19	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	60	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	19	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	6.0	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	19	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	38	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	38	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	38	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	38	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	38	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	6.0	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	19	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	190	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	190	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	83		%	01/05/12		MR	30 - 150 %
% TCMX	92		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	30	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	30	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	30	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	12	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	30	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	6.1	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	99		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	94		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	95		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	99		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
1,2-Dichlorobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
1,3-Dichlorobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
1,4-Dichlorobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
2,4-Dichlorophenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
2,4-Dimethylphenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
2,4-Dinitrophenol	ND	630	ug/Kg	01/06/12		DD	SW 8270
2,4-Dinitrotoluene	ND	280	ug/Kg	01/06/12		DD	SW 8270
2,6-Dinitrotoluene	ND	280	ug/Kg	01/06/12		DD	SW 8270
2-Chloronaphthalene	ND	280	ug/Kg	01/06/12		DD	SW 8270
2-Chlorophenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
2-Methylnaphthalene	ND	280	ug/Kg	01/06/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	280	ug/Kg	01/06/12		DD	SW 8270
2-Nitroaniline	ND	630	ug/Kg	01/06/12		DD	SW 8270
2-Nitrophenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	400	ug/Kg	01/06/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	280	ug/Kg	01/06/12		DD	SW 8270
3-Nitroaniline	ND	630	ug/Kg	01/06/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1100	ug/Kg	01/06/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	400	ug/Kg	01/06/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
4-Chloroaniline	ND	280	ug/Kg	01/06/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	280	ug/Kg	01/06/12		DD	SW 8270
4-Nitroaniline	ND	630	ug/Kg	01/06/12		DD	SW 8270
4-Nitrophenol	ND	1100	ug/Kg	01/06/12		DD	SW 8270
Acenaphthene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Acenaphthylene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Acetophenone	ND	280	ug/Kg	01/06/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1100	ug/Kg	01/06/12		DD	SW 8270
Anthracene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Azobenzene	ND	400	ug/Kg	01/06/12		DD	SW 8270
Benz(a)anthracene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Benzdine	ND	470	ug/Kg	01/06/12		DD	SW 8270
Benzo(a)pyrene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Benzo(b)fluoranthene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Benzo(ghi)perylene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Benzo(k)fluoranthene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Benzoic acid	ND	1100	ug/Kg	01/06/12		DD	SW 8270
Benzyl butyl phthalate	ND	280	ug/Kg	01/06/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	280	ug/Kg	01/06/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	400	ug/Kg	01/06/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	280	ug/Kg	01/06/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	280	ug/Kg	01/06/12		DD	SW 8270
Carbazole	ND	590	ug/Kg	01/06/12		DD	SW 8270
Chrysene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Dibenzofuran	ND	280	ug/Kg	01/06/12		DD	SW 8270
Diethyl phthalate	ND	280	ug/Kg	01/06/12		DD	SW 8270
Dimethylphthalate	ND	280	ug/Kg	01/06/12		DD	SW 8270
Di-n-butylphthalate	ND	280	ug/Kg	01/06/12		DD	SW 8270
Di-n-octylphthalate	ND	280	ug/Kg	01/06/12		DD	SW 8270
Fluoranthene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Fluorene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Hexachlorobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Hexachlorobutadiene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Hexachloroethane	ND	280	ug/Kg	01/06/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Isophorone	ND	280	ug/Kg	01/06/12		DD	SW 8270
Naphthalene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Nitrobenzene	ND	280	ug/Kg	01/06/12		DD	SW 8270
N-Nitrosodimethylamine	ND	400	ug/Kg	01/06/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	280	ug/Kg	01/06/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	400	ug/Kg	01/06/12		DD	SW 8270
Pentachloronitrobenzene	ND	400	ug/Kg	01/06/12		DD	SW 8270
Pentachlorophenol	ND	400	ug/Kg	01/06/12		DD	SW 8270
Phenanthrene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Phenol	ND	280	ug/Kg	01/06/12		DD	SW 8270
Pyrene	ND	280	ug/Kg	01/06/12		DD	SW 8270
Pyridine	ND	400	ug/Kg	01/06/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	93		%	01/06/12		DD	15 - 130 %
% 2-Fluorobiphenyl	89		%	01/06/12		DD	15 - 130 %
% 2-Fluorophenol	92		%	01/06/12		DD	15 - 130 %
% Nitrobenzene-d5	67		%	01/06/12		DD	15 - 130 %
% Phenol-d5	87		%	01/06/12		DD	15 - 130 %
% Terphenyl-d14	76		%	01/06/12		DD	15 - 130 %

Project ID:

Phoenix I.D.: BB17881

Client ID: WALLABOUT B4 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/02/12                      12:35  
 01/04/12                      17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17882

Project ID:

Client ID: WALLABOUT B5 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.36	0.36	mg/Kg	01/09/12		LK	6010/200.7
Aluminum	11100	55	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	1.76	0.73	mg/Kg	01/07/12		LK	6010/200.7
Barium	72.5	0.36	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.29	0.29	mg/Kg	01/09/12		LK	6010/200.7
Calcium	9110	5.5	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	0.69	0.36	mg/Kg	01/07/12		LK	6010/200.7
Cobalt	7.52	0.36	mg/Kg	01/07/12		LK	6010/200.7
Chromium	17.5	0.36	mg/Kg	01/07/12		LK	6010/200.7
Copper	23.0	0.36	mg/kg	01/09/12		LK	6010/200.7
Iron	20700	55	mg/Kg	01/09/12		LK	6010/200.7
Mercury	0.48	0.08	mg/Kg	01/05/12		RS	SW-7471
Potassium	865	5.5	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	2700	5.5	mg/Kg	01/07/12		LK	6010/200.7
Manganese	433	3.6	mg/Kg	01/09/12		LK	6010/200.7
Sodium	207	5.5	mg/Kg	01/07/12		LK	6010/200.7
Nickel	13.6	0.36	mg/Kg	01/07/12		LK	6010/200.7
Lead	100	0.36	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 3.6	3.6	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.5	1.5	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.3	3.3	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/05/12		AG	SW846 - 3050
Vanadium	24.9	0.36	mg/Kg	01/07/12		LK	6010/200.7
Zinc	70.1	0.36	mg/Kg	01/07/12		LK	6010/200.7
Percent Solid	89		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	370	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	370	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	67		%	01/05/12		MH	30 - 150 %
% TCMX	74		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	36	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	18	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	5.6	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	56	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	18	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	5.6	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	5.6	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	62		%	01/05/12		MR	30 - 150 %
% TCMX	69		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	28	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	28	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	28	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	11	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	28	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	11	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	11	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	11	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	5.6	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	112		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	81		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	96		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	99		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	590	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	260	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	590	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	370	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	260	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	590	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	370	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	260	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	590	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	260	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	370	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzdine	ND	440	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1100	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	370	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	260	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	560	ug/Kg	01/05/12		DD	SW 8270
Chrysene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	260	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	260	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	260	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	260	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	260	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	370	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	260	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	370	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	370	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	370	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	260	ug/Kg	01/05/12		DD	SW 8270
Pyrene	ND	260	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	370	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	79		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	69		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	62		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	61		%	01/05/12		DD	15 - 130 %
% Phenol-d5	62		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	58		%	01/05/12		DD	15 - 130 %

Project ID:

Phoenix I.D.: BB17882

Client ID: WALLABOUT B5 0-2

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

## Date

01/02/12  
 01/04/12

## Time

12:40  
 17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17883

Project ID:

Client ID: WALLABOUT B5 10-12

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.42	0.42	mg/Kg	01/09/12		LK	6010/200.7
Aluminum	4260	63	mg/Kg	01/09/12		LK	6010/200.7
Arsenic	< 0.83	0.83	mg/Kg	01/07/12		LK	6010/200.7
Barium	14.2	0.42	mg/Kg	01/07/12		LK	6010/200.7
Beryllium	< 0.33	0.33	mg/Kg	01/09/12		LK	6010/200.7
Calcium	736	6.3	mg/Kg	01/07/12		LK	6010/200.7
Cadmium	< 0.42	0.42	mg/Kg	01/07/12		LK	6010/200.7
Cobalt	2.88	0.42	mg/Kg	01/07/12		LK	6010/200.7
Chromium	10.9	0.42	mg/Kg	01/07/12		LK	6010/200.7
Copper	6.11	0.42	mg/kg	01/09/12		LK	6010/200.7
Iron	5260	6.3	mg/Kg	01/07/12		LK	6010/200.7
Mercury	< 0.10	0.10	mg/Kg	01/05/12		RS	SW-7471
Potassium	367	6.3	mg/Kg	01/07/12		LK	6010/200.7
Magnesium	1240	6.3	mg/Kg	01/07/12		LK	6010/200.7
Manganese	39.5	0.42	mg/Kg	01/07/12		LK	6010/200.7
Sodium	36.4	6.3	mg/Kg	01/07/12		LK	6010/200.7
Nickel	10.9	0.42	mg/Kg	01/07/12		LK	6010/200.7
Lead	2.69	0.42	mg/Kg	01/09/12		LK	6010/200.7
Antimony	< 4.2	4.2	mg/Kg	01/07/12		LK	6010/200.7
Selenium	< 1.7	1.7	mg/Kg	01/07/12		LK	6010/200.7
Thallium	< 3.8	3.8	mg/Kg	01/07/12		LK	6010/200.7
Total Metals Digest	Completed			01/05/12		AG	SW846 - 3050
Vanadium	7.39	0.42	mg/Kg	01/07/12		LK	6010/200.7
Zinc	15.2	0.42	mg/Kg	01/07/12		LK	6010/200.7
Percent Solid	81		%	01/05/12		JL	E160.3
Soil Extraction for PCB	Completed			01/04/12		QB	SW3545
Soil Extraction for Pesticide	Completed			01/04/12		QB/F	SW3545
Soil Extraction for SVOA	Completed			01/04/12		BS/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			01/05/12			SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1221	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1232	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1242	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1248	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1254	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1260	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1262	ND	410	ug/Kg	01/05/12		MH	SW 8082
PCB-1268	ND	410	ug/Kg	01/05/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	78		%	01/05/12		MH	30 - 150 %
% TCMX	94		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	39	ug/Kg	01/05/12		MR	SW8081
4,4' -DDE	ND	39	ug/Kg	01/05/12		MR	SW8081
4,4' -DDT	ND	39	ug/Kg	01/05/12		MR	SW8081
a-BHC	ND	20	ug/Kg	01/05/12		MR	SW8081
Alachlor	ND	20	ug/Kg	01/05/12		MR	SW8081
Aldrin	ND	6.1	ug/Kg	01/05/12		MR	SW8081
b-BHC	ND	20	ug/Kg	01/05/12		MR	SW8081
Chlordane	ND	61	ug/Kg	01/05/12		MR	SW8081
d-BHC	ND	20	ug/Kg	01/05/12		MR	SW8081
Dieldrin	ND	6.1	ug/Kg	01/05/12		MR	SW8081
Endosulfan I	ND	20	ug/Kg	01/05/12		MR	SW8081
Endosulfan II	ND	39	ug/Kg	01/05/12		MR	SW8081
Endosulfan sulfate	ND	39	ug/Kg	01/05/12		MR	SW8081
Endrin	ND	39	ug/Kg	01/05/12		MR	SW8081
Endrin aldehyde	ND	39	ug/Kg	01/05/12		MR	SW8081
Endrin ketone	ND	39	ug/Kg	01/05/12		MR	SW8081
g-BHC	ND	6.1	ug/Kg	01/05/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	01/05/12		MR	SW8081
Heptachlor epoxide	ND	20	ug/Kg	01/05/12		MR	SW8081
Methoxychlor	ND	200	ug/Kg	01/05/12		MR	SW8081
Toxaphene	ND	200	ug/Kg	01/05/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	70		%	01/05/12		MR	30 - 150 %
% TCMX	86		%	01/05/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,1,1-Trichloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,1,2-Trichloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloroethene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,1-Dichloropropene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2,3-Trichlorobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trichlorobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2,4-Trimethylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichlorobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,2-Dichloropropane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,3,5-Trimethylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichlorobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,3-Dichloropropane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
1,4-Dichlorobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
2,2-Dichloropropane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
2-Chlorotoluene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
2-Hexanone	ND	31	ug/Kg	01/05/12		R/J	SW8260
2-Isopropyltoluene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
4-Chlorotoluene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
4-Methyl-2-pentanone	ND	31	ug/Kg	01/05/12		R/J	SW8260
Acetone	ND	31	ug/Kg	01/05/12		R/J	SW8260
Acrylonitrile	ND	12	ug/Kg	01/05/12		R/J	SW8260
Benzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Bromobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Bromochloromethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Bromodichloromethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Bromoform	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Bromomethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Carbon Disulfide	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Carbon tetrachloride	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Chlorobenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Chloroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Chloroform	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Chloromethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
cis-1,2-Dichloroethene	ND	12	ug/Kg	01/05/12		R/J	SW8260
cis-1,3-Dichloropropene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Dibromochloromethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Dibromoethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Dibromomethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Dichlorodifluoromethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Ethylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Hexachlorobutadiene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Isopropylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
m&p-Xylene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Methyl Ethyl Ketone	ND	31	ug/Kg	01/05/12		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Methylene chloride	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Naphthalene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
n-Butylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
n-Propylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
o-Xylene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
p-Isopropyltoluene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
sec-Butylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
tert-Butylbenzene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Tetrachloroethene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	01/05/12		R/J	SW8260
Toluene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Total Xylenes	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
trans-1,2-Dichloroethene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
trans-1,3-Dichloropropene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	01/05/12		R/J	SW8260
Trichloroethene	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Trichlorofluoromethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Trichlorotrifluoroethane	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
Vinyl chloride	ND	6.2	ug/Kg	01/05/12		R/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	99		%	01/05/12		R/J	70 - 130 %
% Bromofluorobenzene	92		%	01/05/12		R/J	70 - 130 %
% Dibromofluoromethane	93		%	01/05/12		R/J	70 - 130 %
% Toluene-d8	100		%	01/05/12		R/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
1,2,4-Trichlorobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
1,2-Dichlorobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
1,3-Dichlorobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
1,4-Dichlorobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
2,4,5-Trichlorophenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
2,4,6-Trichlorophenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
2,4-Dichlorophenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
2,4-Dimethylphenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrophenol	ND	640	ug/Kg	01/05/12		DD	SW 8270
2,4-Dinitrotoluene	ND	280	ug/Kg	01/05/12		DD	SW 8270
2,6-Dinitrotoluene	ND	280	ug/Kg	01/05/12		DD	SW 8270
2-Chloronaphthalene	ND	280	ug/Kg	01/05/12		DD	SW 8270
2-Chlorophenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
2-Methylnaphthalene	ND	280	ug/Kg	01/05/12		DD	SW 8270
2-Methylphenol (o-cresol)	ND	280	ug/Kg	01/05/12		DD	SW 8270
2-Nitroaniline	ND	640	ug/Kg	01/05/12		DD	SW 8270
2-Nitrophenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
3&4-Methylphenol (m&p-cresol)	ND	400	ug/Kg	01/05/12		DD	SW 8270
3,3'-Dichlorobenzidine	ND	280	ug/Kg	01/05/12		DD	SW 8270
3-Nitroaniline	ND	640	ug/Kg	01/05/12		DD	SW 8270
4,6-Dinitro-2-methylphenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
4-Bromophenyl phenyl ether	ND	400	ug/Kg	01/05/12		DD	SW 8270
4-Chloro-3-methylphenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
4-Chloroaniline	ND	280	ug/Kg	01/05/12		DD	SW 8270
4-Chlorophenyl phenyl ether	ND	280	ug/Kg	01/05/12		DD	SW 8270
4-Nitroaniline	ND	640	ug/Kg	01/05/12		DD	SW 8270
4-Nitrophenol	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Acenaphthene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Acenaphthylene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Acetophenone	ND	280	ug/Kg	01/05/12		DD	SW 8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Aniline	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Anthracene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Azobenzene	ND	400	ug/Kg	01/05/12		DD	SW 8270
Benz(a)anthracene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Benzydine	ND	480	ug/Kg	01/05/12		DD	SW 8270
Benzo(a)pyrene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Benzo(b)fluoranthene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Benzo(ghi)perylene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Benzo(k)fluoranthene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Benzoic acid	ND	1200	ug/Kg	01/05/12		DD	SW 8270
Benzyl butyl phthalate	ND	280	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethoxy)methane	ND	280	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroethyl)ether	ND	400	ug/Kg	01/05/12		DD	SW 8270
Bis(2-chloroisopropyl)ether	ND	280	ug/Kg	01/05/12		DD	SW 8270
Bis(2-ethylhexyl)phthalate	ND	280	ug/Kg	01/05/12		DD	SW 8270
Carbazole	ND	600	ug/Kg	01/05/12		DD	SW 8270
Chrysene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Dibenz(a,h)anthracene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Dibenzofuran	ND	280	ug/Kg	01/05/12		DD	SW 8270
Diethyl phthalate	ND	280	ug/Kg	01/05/12		DD	SW 8270
Dimethylphthalate	ND	280	ug/Kg	01/05/12		DD	SW 8270
Di-n-butylphthalate	ND	280	ug/Kg	01/05/12		DD	SW 8270
Di-n-octylphthalate	ND	280	ug/Kg	01/05/12		DD	SW 8270
Fluoranthene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Fluorene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Hexachlorobutadiene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Hexachlorocyclopentadiene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Hexachloroethane	ND	280	ug/Kg	01/05/12		DD	SW 8270
Indeno(1,2,3-cd)pyrene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Isophorone	ND	280	ug/Kg	01/05/12		DD	SW 8270
Naphthalene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Nitrobenzene	ND	280	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodimethylamine	ND	400	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodi-n-propylamine	ND	280	ug/Kg	01/05/12		DD	SW 8270
N-Nitrosodiphenylamine	ND	400	ug/Kg	01/05/12		DD	SW 8270
Pentachloronitrobenzene	ND	400	ug/Kg	01/05/12		DD	SW 8270
Pentachlorophenol	ND	400	ug/Kg	01/05/12		DD	SW 8270
Phenanthrene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Phenol	ND	280	ug/Kg	01/05/12		DD	SW 8270
Pyrene	ND	280	ug/Kg	01/05/12		DD	SW 8270
Pyridine	ND	400	ug/Kg	01/05/12		DD	SW 8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	100		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	86		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	82		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	75		%	01/05/12		DD	15 - 130 %
% Phenol-d5	81		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	80		%	01/05/12		DD	15 - 130 %

Project ID:  
Client ID: WALLABOUT B5 10-12

Phoenix I.D.: BB17883

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

---


---

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: GROUND WATER  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

## Date

01/02/12  
 01/04/12

## Time

11:40  
 17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17884

Project ID:

Client ID: WALLABOUT GW1

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	01/09/12		LK	6010/200.7
Aluminum	3.24	0.010	mg/L	01/09/12		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	01/09/12		LK	6010/200.7
Barium	0.047	0.002	mg/L	01/09/12		LK	6010/200.7
Beryllium	< 0.001	0.001	mg/L	01/09/12		LK	6010/200.7
Calcium	217	0.10	mg/L	01/09/12		LK	6010/200.7
Cadmium	< 0.001	0.001	mg/L	01/09/12		LK	6010/200.7
Cobalt	0.006	0.002	mg/L	01/09/12		LK	6010/200.7
Chromium	0.005	0.001	mg/L	01/09/12		LK	6010/200.7
Copper	0.004	0.001	mg/L	01/09/12		LK	6010/200.7
Iron	4.21	0.010	mg/L	01/09/12		LK	6010/200.7
Mercury	< 0.0002	0.0002	mg/L	01/05/12		RS	7470/E245.1
Potassium	19.2	0.1	mg/L	01/09/12		LK	6010/200.7
Magnesium	18.5	0.01	mg/L	01/09/12		LK	6010/200.7
Manganese	1.31	0.001	mg/L	01/09/12		LK	6010/200.7
Sodium	27.9	0.1	mg/L	01/09/12		LK	6010/200.7
Nickel	0.005	0.001	mg/L	01/09/12		LK	6010/200.7
Lead	0.003	0.002	mg/L	01/09/12		LK	6010/200.7
Antimony	< 0.005	0.005	mg/L	01/09/12		LK	6010/200.7
Selenium	< 0.010	0.010	mg/L	01/09/12		LK	6010/200.7
Thallium	< 0.002	0.002	mg/L	01/05/12		RS	SW7010/200.9
Total Metals Digestion	Completed			01/04/12		AG	
Vanadium	0.015	0.002	mg/L	01/09/12		LK	6010/200.7
Zinc	0.017	0.002	mg/L	01/09/12		LK	6010/200.7
Mercury Digestion	Completed			01/05/12			7471/245.1
PCB Extraction	Completed			01/05/12		E	SW3510C
Extraction for Pest (2 Liter)	Completed			01/05/12		E	SW3510
Semi-Volatile Extraction	Completed			01/04/12		F/E	SW3520

Parameter	Result	RL	Units	Date	Time	By	Reference
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1221	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1232	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1242	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1248	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1254	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1260	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1262	ND	0.11	ug/L	01/05/12		MH	608/ 8082
PCB-1268	ND	0.11	ug/L	01/05/12		MH	608/ 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	124		%	01/05/12		MH	30 - 150 %
% TCMX	126		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	0.1	ug/L	01/06/12		MR	SW8081
4,4' -DDE	ND	0.1	ug/L	01/06/12		MR	SW8081
4,4' -DDT	ND	0.1	ug/L	01/06/12		MR	SW8081
a-BHC	ND	0.05	ug/L	01/06/12		MR	SW8081
Alachlor	ND	0.1	ug/L	01/06/12		MR	SW8081
Aldrin	ND	0.01	ug/L	01/06/12		MR	SW8081
b-BHC	ND	0.05	ug/L	01/06/12		MR	SW8081
Chlordane	ND	0.3	ug/L	01/06/12		MR	SW8081
d-BHC	ND	0.05	ug/L	01/06/12		MR	SW8081
Dieldrin	ND	0.01	ug/L	01/06/12		MR	SW8081
Endosulfan I	ND	0.1	ug/L	01/06/12		MR	SW8081
Endosulfan II	ND	0.1	ug/L	01/06/12		MR	SW8081
Endosulfan Sulfate	ND	0.1	ug/L	01/06/12		MR	SW8081
Endrin	ND	0.1	ug/L	01/06/12		MR	SW8081
Endrin Aldehyde	ND	0.1	ug/L	01/06/12		MR	SW8081
Endrin ketone	ND	0.1	ug/L	01/06/12		MR	SW8081
g-BHC (Lindane)	ND	0.05	ug/L	01/06/12		MR	SW8081
Heptachlor	ND	0.05	ug/L	01/06/12		MR	SW8081
Heptachlor epoxide	ND	0.05	ug/L	01/06/12		MR	SW8081
Methoxychlor	ND	0.2	ug/L	01/06/12		MR	SW8081
Toxaphene	ND	1.5	ug/L	01/06/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
%DCBP (Surrogate Rec)	71		%	01/06/12		MR	30 - 150 %
%TCMX (Surrogate Rec)	79		%	01/06/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	01/06/12		H/T	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1-Dichloroethene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,4-Trichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
2-Chlorotoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
2-Hexanone	ND	5.0	ug/L	01/06/12		H/T	SW8260
2-Isopropyltoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
4-Chlorotoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
4-Methyl-2-pentanone	ND	5.0	ug/L	01/06/12		H/T	SW8260
Acetone	ND	25	ug/L	01/06/12		H/T	SW8260
Acrylonitrile	ND	5.0	ug/L	01/06/12		H/T	SW8260
Benzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromochloromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromodichloromethane	ND	0.50	ug/L	01/06/12		H/T	SW8260
Bromoform	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromomethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/06/12		H/T	SW8260
Carbon tetrachloride	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chloroform	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chloromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
cis-1,2-Dichloroethene	14	1.0	ug/L	01/06/12		H/T	SW8260
cis-1,3-Dichloropropene	ND	0.50	ug/L	01/06/12		H/T	SW8260
Dibromochloromethane	ND	0.50	ug/L	01/06/12		H/T	SW8260
Dibromoethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Dibromomethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Ethylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Hexachlorobutadiene	ND	0.40	ug/L	01/06/12		H/T	SW8260
Isopropylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
m&p-Xylene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	01/06/12		H/T	SW8260
Methyl t-butyl ether (MTBE)	ND	1.0	ug/L	01/06/12		H/T	SW8260
Methylene chloride	ND	1.0	ug/L	01/06/12		H/T	SW8260
Naphthalene	ND	1.0	ug/L	01/06/12		H/T	SW8260
n-Butylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
n-Propylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
o-Xylene	ND	1.0	ug/L	01/06/12		H/T	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
sec-Butylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Styrene	ND	1.0	ug/L	01/06/12		H/T	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Tetrachloroethene	1.8	1.0	ug/L	01/06/12		H/T	SW8260
Tetrahydrofuran (THF)	ND	5.0	ug/L	01/06/12		H/T	SW8260
Toluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Total Xylenes	ND	1.0	ug/L	01/06/12		H/T	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	01/06/12		H/T	SW8260
trans-1,3-Dichloropropene	ND	0.50	ug/L	01/06/12		H/T	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	01/06/12		H/T	SW8260
Trichloroethene	2.0	1.0	ug/L	01/06/12		H/T	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Trichlorotrifluoroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Vinyl chloride	ND	1.0	ug/L	01/06/12		H/T	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	102		%	01/06/12		H/T	70 - 130 %
% Bromofluorobenzene	83		%	01/06/12		H/T	70 - 130 %
% Dibromofluoromethane	89		%	01/06/12		H/T	70 - 130 %
% Toluene-d8	98		%	01/06/12		H/T	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,2-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,3-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,4-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
2,4,5-Trichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4,6-Trichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dimethylphenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dinitrophenol	ND	50	ug/L	01/06/12		DD	SW8270
2,4-Dinitrotoluene	ND	5.0	ug/L	01/06/12		DD	SW8270
2,6-Dinitrotoluene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Chloronaphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Chlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2-Methylnaphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Methylphenol (o-cresol)	ND	10	ug/L	01/06/12		DD	SW8270
2-Nitroaniline	ND	50	ug/L	01/06/12		DD	SW8270
2-Nitrophenol	ND	10	ug/L	01/06/12		DD	SW8270
3&4-Methylphenol (m&p-cresol)	ND	10	ug/L	01/06/12		DD	SW8270
3,3'-Dichlorobenzidine	ND	50	ug/L	01/06/12		DD	SW8270
3-Nitroaniline	ND	50	ug/L	01/06/12		DD	SW8270
4,6-Dinitro-2-methylphenol	ND	50	ug/L	01/06/12		DD	SW8270
4-Bromophenyl phenyl ether	ND	5.0	ug/L	01/06/12		DD	SW8270
4-Chloro-3-methylphenol	ND	20	ug/L	01/06/12		DD	SW8270
4-Chloroaniline	ND	20	ug/L	01/06/12		DD	SW8270
4-Chlorophenyl phenyl ether	ND	5.0	ug/L	01/06/12		DD	SW8270
4-Nitroaniline	ND	20	ug/L	01/06/12		DD	SW8270
4-Nitrophenol	ND	50	ug/L	01/06/12		DD	SW8270
Acetophenone	ND	5.0	ug/L	01/06/12		DD	SW8270
Aniline	ND	10	ug/L	01/06/12		DD	SW8270
Anthracene	ND	5.0	ug/L	01/06/12		DD	SW8270
Azobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
Benzidine	ND	50	ug/L	01/06/12		DD	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzoic acid	ND	50	ug/L	01/06/12		DD	SW8270
Benzyl butyl phthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroethoxy)methane	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroethyl)ether	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroisopropyl)ether	ND	5.0	ug/L	01/06/12		DD	SW8270
Carbazole	ND	5.0	ug/L	01/06/12		DD	SW8270
Dibenzofuran	ND	5.0	ug/L	01/06/12		DD	SW8270
Diethyl phthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Dimethylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Di-n-butylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Di-n-octylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Fluoranthene	ND	5.0	ug/L	01/06/12		DD	SW8270
Fluorene	ND	5.0	ug/L	01/06/12		DD	SW8270
Hexachlorobutadiene	ND	5.0	ug/L	01/06/12		DD	SW8270
Hexachlorocyclopentadiene	ND	5.0	ug/L	01/06/12		DD	SW8270
Isophorone	ND	5.0	ug/L	01/06/12		DD	SW8270
Naphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
Nitrobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodimethylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodi-n-propylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodiphenylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
Phenol	ND	10	ug/L	01/06/12		DD	SW8270
Pyrene	ND	5.0	ug/L	01/06/12		DD	SW8270
Pyridine	ND	5.0	ug/L	01/06/12		DD	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	100		%	01/06/12		DD	15 - 130 %
% 2-Fluorobiphenyl	67		%	01/06/12		DD	15 - 130 %
% 2-Fluorophenol	65		%	01/06/12		DD	15 - 130 %
% Nitrobenzene-d5	87		%	01/06/12		DD	15 - 130 %
% Phenol-d5	64		%	01/06/12		DD	15 - 130 %
% Terphenyl-d14	76		%	01/06/12		DD	15 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	1.6	ug/L	01/05/12		DD	SW8270 (SIM)
Acenaphthene	0.16	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Acenaphthylene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benz(a)anthracene	ND	0.040	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(a)pyrene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(b)fluoranthene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(ghi)perylene	ND	3.0	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(k)fluoranthene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Bis(2-ethylhexyl)phthalate	ND	1.6	ug/L	01/05/12		DD	SW8270 (SIM)
Chrysene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Dibenz(a,h)anthracene	ND	0.010	ug/L	01/05/12		DD	SW8270 (SIM)
Hexachlorobenzene	ND	0.060	ug/L	01/05/12		DD	SW8270 (SIM)
Hexachloroethane	ND	2.4	ug/L	01/05/12		DD	SW8270 (SIM)
Indeno(1,2,3-cd)pyrene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Pentachloronitrobenzene	ND	0.10	ug/L	01/05/12		DD	SW8270 (SIM)
Pentachlorophenol	ND	0.80	ug/L	01/05/12		DD	SW8270 (SIM)
Phenanthrene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
<b><u>QA/QC Surrogates</u></b>							


Parameter	Result	RL	Units	Date	Time	By	Reference
% 2,4,6-Tribromophenol	100		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	67		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	65		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	87		%	01/05/12		DD	15 - 130 %
% Phenol-d5	64		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	76		%	01/05/12		DD	15 - 130 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

Sample Information

Matrix: GROUND WATER  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date            Time  
 01/02/12        12:10  
 01/04/12        17:50

Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17885

Project ID:

Client ID: WALLABOUT GW2

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	01/09/12		LK	6010/200.7
Aluminum	8.86	0.010	mg/L	01/08/12		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	01/08/12		LK	6010/200.7
Barium	0.065	0.002	mg/L	01/08/12		LK	6010/200.7
Beryllium	< 0.001	0.001	mg/L	01/08/12		LK	6010/200.7
Calcium	256	0.10	mg/L	01/09/12		LK	6010/200.7
Cadmium	< 0.001	0.001	mg/L	01/08/12		LK	6010/200.7
Cobalt	0.004	0.002	mg/L	01/08/12		LK	6010/200.7
Chromium	0.010	0.001	mg/L	01/08/12		LK	6010/200.7
Copper	0.011	0.001	mg/L	01/09/12		LK	6010/200.7
Iron	30.1	0.010	mg/L	01/08/12		LK	6010/200.7
Mercury	< 0.0002	0.0002	mg/L	01/05/12		RS	7470/E245.1
Potassium	11.0	0.1	mg/L	01/09/12		LK	6010/200.7
Magnesium	15.0	0.01	mg/L	01/09/12		LK	6010/200.7
Manganese	0.291	0.001	mg/L	01/08/12		LK	6010/200.7
Sodium	14.6	0.1	mg/L	01/08/12		LK	6010/200.7
Nickel	0.003	0.001	mg/L	01/09/12		LK	6010/200.7
Lead	0.071	0.002	mg/L	01/08/12		LK	6010/200.7
Antimony	< 0.005	0.005	mg/L	01/08/12		LK	6010/200.7
Selenium	< 0.010	0.010	mg/L	01/08/12		LK	6010/200.7
Thallium	< 0.002	0.002	mg/L	01/05/12		RS	SW7010/200.9
Total Metals Digestion	Completed			01/04/12		AG	
Vanadium	0.007	0.002	mg/L	01/08/12		LK	6010/200.7
Zinc	0.040	0.002	mg/L	01/08/12		LK	6010/200.7
Mercury Digestion	Completed			01/05/12			7471/245.1
PCB Extraction	Completed			01/05/12		E	SW3510C
Extraction for Pest (2 Liter)	Completed			01/05/12		E	SW3510
Semi-Volatile Extraction	Completed			01/04/12		F/E	SW3520

Parameter	Result	RL	Units	Date	Time	By	Reference
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1221	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1232	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1242	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1248	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1254	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1260	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1262	ND	0.10	ug/L	01/05/12		MH	608/ 8082
PCB-1268	ND	0.10	ug/L	01/05/12		MH	608/ 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	114		%	01/05/12		MH	30 - 150 %
% TCMX	134		%	01/05/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	0.1	ug/L	01/06/12		MR	SW8081
4,4' -DDE	ND	0.1	ug/L	01/06/12		MR	SW8081
4,4' -DDT	0.16	0.1	ug/L	01/06/12		MR	SW8081
a-BHC	ND	0.05	ug/L	01/06/12		MR	SW8081
Alachlor	ND	0.1	ug/L	01/06/12		MR	SW8081
Aldrin	ND	0.01	ug/L	01/06/12		MR	SW8081
b-BHC	ND	0.05	ug/L	01/06/12		MR	SW8081
Chlordane	ND	0.3	ug/L	01/06/12		MR	SW8081
d-BHC	ND	0.05	ug/L	01/06/12		MR	SW8081
Dieldrin	ND*	0.02	ug/L	01/06/12		MR	SW8081
Endosulfan I	ND	0.1	ug/L	01/06/12		MR	SW8081
Endosulfan II	ND	0.1	ug/L	01/06/12		MR	SW8081
Endosulfan Sulfate	ND	0.1	ug/L	01/06/12		MR	SW8081
Endrin	ND	0.1	ug/L	01/06/12		MR	SW8081
Endrin Aldehyde	ND	0.1	ug/L	01/06/12		MR	SW8081
Endrin ketone	ND	0.1	ug/L	01/06/12		MR	SW8081
g-BHC (Lindane)	ND	0.05	ug/L	01/06/12		MR	SW8081
Heptachlor	ND	0.05	ug/L	01/06/12		MR	SW8081
Heptachlor epoxide	ND	0.05	ug/L	01/06/12		MR	SW8081
Methoxychlor	ND	0.2	ug/L	01/06/12		MR	SW8081
Toxaphene	ND	1.5	ug/L	01/06/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
%DCBP (Surrogate Rec)	60		%	01/06/12		MR	30 - 150 %
%TCMX (Surrogate Rec)	81		%	01/06/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	01/06/12		H/P	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,1-Dichloroethene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	01/06/12		H/P	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,4-Trichlorobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	01/06/12		H/P	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	01/06/12		H/P	SW8260
2-Chlorotoluene	ND	1.0	ug/L	01/06/12		H/P	SW8260
2-Hexanone	ND	5.0	ug/L	01/06/12		H/P	SW8260
2-Isopropyltoluene	ND	1.0	ug/L	01/06/12		H/P	SW8260
4-Chlorotoluene	ND	1.0	ug/L	01/06/12		H/P	SW8260
4-Methyl-2-pentanone	ND	5.0	ug/L	01/06/12		H/P	SW8260
Acetone	ND	25	ug/L	01/06/12		H/P	SW8260
Acrylonitrile	ND	5.0	ug/L	01/06/12		H/P	SW8260
Benzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Bromobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Bromochloromethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Bromodichloromethane	ND	0.50	ug/L	01/06/12		H/P	SW8260
Bromoform	ND	1.0	ug/L	01/06/12		H/P	SW8260
Bromomethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/06/12		H/P	SW8260
Carbon tetrachloride	ND	1.0	ug/L	01/06/12		H/P	SW8260
Chlorobenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Chloroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Chloroform	ND	1.0	ug/L	01/06/12		H/P	SW8260
Chloromethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
cis-1,2-Dichloroethene	ND	1.0	ug/L	01/06/12		H/P	SW8260
cis-1,3-Dichloropropene	ND	0.50	ug/L	01/06/12		H/P	SW8260
Dibromochloromethane	ND	0.50	ug/L	01/06/12		H/P	SW8260
Dibromoethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Dibromomethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Ethylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Hexachlorobutadiene	ND	0.40	ug/L	01/06/12		H/P	SW8260
Isopropylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
m&p-Xylene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	01/06/12		H/P	SW8260
Methyl t-butyl ether (MTBE)	ND	1.0	ug/L	01/06/12		H/P	SW8260
Methylene chloride	ND	1.0	ug/L	01/06/12		H/P	SW8260
Naphthalene	ND	1.0	ug/L	01/06/12		H/P	SW8260
n-Butylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
n-Propylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
o-Xylene	ND	1.0	ug/L	01/06/12		H/P	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	01/06/12		H/P	SW8260
sec-Butylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Styrene	ND	1.0	ug/L	01/06/12		H/P	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Tetrachloroethene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Tetrahydrofuran (THF)	ND	5.0	ug/L	01/06/12		H/P	SW8260
Toluene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Total Xylenes	ND	1.0	ug/L	01/06/12		H/P	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	01/06/12		H/P	SW8260
trans-1,3-Dichloropropene	ND	0.50	ug/L	01/06/12		H/P	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	01/06/12		H/P	SW8260
Trichloroethene	ND	1.0	ug/L	01/06/12		H/P	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Trichlorotrifluoroethane	ND	1.0	ug/L	01/06/12		H/P	SW8260
Vinyl chloride	ND	1.0	ug/L	01/06/12		H/P	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	114		%	01/06/12		H/P	70 - 130 %
% Bromofluorobenzene	91		%	01/06/12		H/P	70 - 130 %
% Dibromofluoromethane	100		%	01/06/12		H/P	70 - 130 %
% Toluene-d8	96		%	01/06/12		H/P	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,2-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,3-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,4-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
2,4,5-Trichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4,6-Trichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dimethylphenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dinitrophenol	ND	50	ug/L	01/06/12		DD	SW8270
2,4-Dinitrotoluene	ND	5.0	ug/L	01/06/12		DD	SW8270
2,6-Dinitrotoluene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Chloronaphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Chlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2-Methylnaphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Methylphenol (o-cresol)	ND	10	ug/L	01/06/12		DD	SW8270
2-Nitroaniline	ND	50	ug/L	01/06/12		DD	SW8270
2-Nitrophenol	ND	10	ug/L	01/06/12		DD	SW8270
3&4-Methylphenol (m&p-cresol)	ND	10	ug/L	01/06/12		DD	SW8270
3,3'-Dichlorobenzidine	ND	50	ug/L	01/06/12		DD	SW8270
3-Nitroaniline	ND	50	ug/L	01/06/12		DD	SW8270
4,6-Dinitro-2-methylphenol	ND	50	ug/L	01/06/12		DD	SW8270
4-Bromophenyl phenyl ether	ND	5.0	ug/L	01/06/12		DD	SW8270
4-Chloro-3-methylphenol	ND	20	ug/L	01/06/12		DD	SW8270
4-Chloroaniline	ND	20	ug/L	01/06/12		DD	SW8270
4-Chlorophenyl phenyl ether	ND	5.0	ug/L	01/06/12		DD	SW8270
4-Nitroaniline	ND	20	ug/L	01/06/12		DD	SW8270
4-Nitrophenol	ND	50	ug/L	01/06/12		DD	SW8270
Acetophenone	ND	5.0	ug/L	01/06/12		DD	SW8270
Aniline	ND	10	ug/L	01/06/12		DD	SW8270
Anthracene	ND	5.0	ug/L	01/06/12		DD	SW8270
Azobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
Benzidine	ND	50	ug/L	01/06/12		DD	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzoic acid	ND	50	ug/L	01/06/12		DD	SW8270
Benzyl butyl phthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroethoxy)methane	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroethyl)ether	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroisopropyl)ether	ND	5.0	ug/L	01/06/12		DD	SW8270
Carbazole	ND	5.0	ug/L	01/06/12		DD	SW8270
Dibenzofuran	ND	5.0	ug/L	01/06/12		DD	SW8270
Diethyl phthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Dimethylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Di-n-butylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Di-n-octylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Fluoranthene	ND	5.0	ug/L	01/06/12		DD	SW8270
Fluorene	ND	5.0	ug/L	01/06/12		DD	SW8270
Hexachlorobutadiene	ND	5.0	ug/L	01/06/12		DD	SW8270
Hexachlorocyclopentadiene	ND	5.0	ug/L	01/06/12		DD	SW8270
Isophorone	ND	5.0	ug/L	01/06/12		DD	SW8270
Naphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
Nitrobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodimethylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodi-n-propylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodiphenylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
Phenol	ND	10	ug/L	01/06/12		DD	SW8270
Pyrene	ND	5.0	ug/L	01/06/12		DD	SW8270
Pyridine	ND	5.0	ug/L	01/06/12		DD	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	105		%	01/06/12		DD	15 - 130 %
% 2-Fluorobiphenyl	72		%	01/06/12		DD	15 - 130 %
% 2-Fluorophenol	71		%	01/06/12		DD	15 - 130 %
% Nitrobenzene-d5	86		%	01/06/12		DD	15 - 130 %
% Phenol-d5	73		%	01/06/12		DD	15 - 130 %
% Terphenyl-d14	63		%	01/06/12		DD	15 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	1.6	ug/L	01/05/12		DD	SW8270 (SIM)
Acenaphthene	0.07	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Acenaphthylene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benz(a)anthracene	0.15	0.040	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(a)pyrene	0.15	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(b)fluoranthene	0.25	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(ghi)perylene	ND	3.0	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(k)fluoranthene	0.06	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Bis(2-ethylhexyl)phthalate	ND	1.6	ug/L	01/05/12		DD	SW8270 (SIM)
Chrysene	0.16	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Dibenz(a,h)anthracene	0.02	0.010	ug/L	01/05/12		DD	SW8270 (SIM)
Hexachlorobenzene	ND	0.060	ug/L	01/05/12		DD	SW8270 (SIM)
Hexachloroethane	ND	2.4	ug/L	01/05/12		DD	SW8270 (SIM)
Indeno(1,2,3-cd)pyrene	0.09	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Pentachloronitrobenzene	ND	0.10	ug/L	01/05/12		DD	SW8270 (SIM)
Pentachlorophenol	ND	0.80	ug/L	01/05/12		DD	SW8270 (SIM)
Phenanthrene	0.24	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
<b><u>QA/QC Surrogates</u></b>							

Parameter	Result	RL	Units	Date	Time	By	Reference
% 2,4,6-Tribromophenol	105		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	72		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	71		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	86		%	01/05/12		DD	15 - 130 %
% Phenol-d5	73		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	63		%	01/05/12		DD	15 - 130 %


Comments:

\* For Pesticides, due to matrix interference from non target compounds in the sample, an elevated RL was reported.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

January 11, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

### Sample Information

Matrix: GROUND WATER  
 Location Code: EBC  
 Rush Request: RUSH24  
 P.O.#:

### Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date            Time  
 01/02/12        12:30  
 01/04/12        17:50

## Laboratory Data

SDG ID: GBB17873  
 Phoenix ID: BB17886

Project ID:

Client ID: WALLABOUT SW3

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	01/09/12		LK	6010/200.7
Aluminum	76.5	0.10	mg/L	01/09/12		LK	6010/200.7
Arsenic	0.040	0.004	mg/L	01/08/12		LK	6010/200.7
Barium	0.687	0.002	mg/L	01/08/12		LK	6010/200.7
Beryllium	0.005	0.001	mg/L	01/08/12		LK	6010/200.7
Calcium	201	0.10	mg/L	01/09/12		LK	6010/200.7
Cadmium	< 0.001	0.001	mg/L	01/08/12		LK	6010/200.7
Cobalt	0.034	0.002	mg/L	01/08/12		LK	6010/200.7
Chromium	0.174	0.001	mg/L	01/08/12		LK	6010/200.7
Copper	0.119	0.001	mg/L	01/08/12		LK	6010/200.7
Iron	49.0	0.010	mg/L	01/09/12		LK	6010/200.7
Mercury	0.0004	0.0002	mg/L	01/05/12		RS	7470/E245.1
Potassium	16.6	0.1	mg/L	01/09/12		LK	6010/200.7
Magnesium	17.6	0.01	mg/L	01/09/12		LK	6010/200.7
Manganese	0.523	0.001	mg/L	01/08/12		LK	6010/200.7
Sodium	13.3	0.1	mg/L	01/08/12		LK	6010/200.7
Nickel	0.145	0.001	mg/L	01/08/12		LK	6010/200.7
Lead	0.951	0.002	mg/L	01/08/12		LK	6010/200.7
Antimony	0.007	0.005	mg/L	01/08/12		LK	6010/200.7
Selenium	< 0.010	0.010	mg/L	01/08/12		LK	6010/200.7
Thallium	< 0.002	0.002	mg/L	01/05/12		RS	SW7010/200.9
Total Metals Digestion	Completed			01/04/12		AG	
Vanadium	0.153	0.002	mg/L	01/08/12		LK	6010/200.7
Zinc	0.356	0.002	mg/L	01/08/12		LK	6010/200.7
Mercury Digestion	Completed			01/05/12			7471/245.1
PCB Extraction	Completed			01/05/12		E	SW3510C
Extraction for Pest (2 Liter)	Completed			01/05/12		E	SW3510
Semi-Volatile Extraction	Completed			01/04/12		F/E	SW3520

Parameter	Result	RL	Units	Date	Time	By	Reference
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1221	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1232	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1242	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1248	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1254	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1260	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1262	ND	0.22	ug/L	01/09/12		MH	608/ 8082
PCB-1268	ND	0.22	ug/L	01/09/12		MH	608/ 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	NR		%	01/09/12		MH	30 - 150 %
% TCMX	NR		%	01/09/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	0.1	ug/L	01/09/12		MR	SW8081
4,4' -DDE	ND	0.1	ug/L	01/09/12		MR	SW8081
4,4' -DDT	ND	0.1	ug/L	01/09/12		MR	SW8081
a-BHC	ND	0.05	ug/L	01/09/12		MR	SW8081
Alachlor	ND	0.1	ug/L	01/09/12		MR	SW8081
Aldrin	ND	0.01	ug/L	01/09/12		MR	SW8081
b-BHC	ND	0.05	ug/L	01/09/12		MR	SW8081
Chlordane	ND	0.3	ug/L	01/09/12		MR	SW8081
d-BHC	ND	0.05	ug/L	01/09/12		MR	SW8081
Dieldrin	ND	0.01	ug/L	01/09/12		MR	SW8081
Endosulfan I	ND	0.1	ug/L	01/09/12		MR	SW8081
Endosulfan II	ND	0.1	ug/L	01/09/12		MR	SW8081
Endosulfan Sulfate	ND	0.1	ug/L	01/09/12		MR	SW8081
Endrin	ND	0.1	ug/L	01/09/12		MR	SW8081
Endrin Aldehyde	ND	0.1	ug/L	01/09/12		MR	SW8081
Endrin ketone	ND	0.1	ug/L	01/09/12		MR	SW8081
g-BHC (Lindane)	ND	0.06	ug/L	01/09/12		MR	SW8081
Heptachlor	ND	0.05	ug/L	01/09/12		MR	SW8081
Heptachlor epoxide	ND	0.05	ug/L	01/09/12		MR	SW8081
Methoxychlor	ND	0.2	ug/L	01/09/12		MR	SW8081
Toxaphene	ND	1.5	ug/L	01/09/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
%DCBP (Surrogate Rec)	NR		%	01/09/12		MR	30 - 150 %
%TCMX (Surrogate Rec)	NR		%	01/09/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1,1-Trichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	01/06/12		H/T	SW8260
1,1,2-Trichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1-Dichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1-Dichloroethene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,1-Dichloropropene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2,3-Trichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2,3-Trichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,4-Trichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2,4-Trimethylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dichloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,2-Dichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,3,5-Trimethylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,3-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,3-Dichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
1,4-Dichlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
2,2-Dichloropropane	ND	1.0	ug/L	01/06/12		H/T	SW8260
2-Chlorotoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
2-Hexanone	ND	5.0	ug/L	01/06/12		H/T	SW8260
2-Isopropyltoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
4-Chlorotoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
4-Methyl-2-pentanone	ND	5.0	ug/L	01/06/12		H/T	SW8260
Acetone	ND	25	ug/L	01/06/12		H/T	SW8260
Acrylonitrile	ND	5.0	ug/L	01/06/12		H/T	SW8260
Benzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromochloromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromodichloromethane	ND	0.50	ug/L	01/06/12		H/T	SW8260
Bromoform	ND	1.0	ug/L	01/06/12		H/T	SW8260
Bromomethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/06/12		H/T	SW8260
Carbon tetrachloride	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chlorobenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chloroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chloroform	ND	1.0	ug/L	01/06/12		H/T	SW8260
Chloromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
cis-1,2-Dichloroethene	5.7	1.0	ug/L	01/06/12		H/T	SW8260
cis-1,3-Dichloropropene	ND	0.50	ug/L	01/06/12		H/T	SW8260
Dibromochloromethane	ND	0.50	ug/L	01/06/12		H/T	SW8260
Dibromoethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Dibromomethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Dichlorodifluoromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Ethylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Hexachlorobutadiene	ND	0.40	ug/L	01/06/12		H/T	SW8260
Isopropylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
m&p-Xylene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Methyl ethyl ketone	ND	5.0	ug/L	01/06/12		H/T	SW8260
Methyl t-butyl ether (MTBE)	ND	1.0	ug/L	01/06/12		H/T	SW8260
Methylene chloride	ND	1.0	ug/L	01/06/12		H/T	SW8260
Naphthalene	ND	1.0	ug/L	01/06/12		H/T	SW8260
n-Butylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
n-Propylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
o-Xylene	ND	1.0	ug/L	01/06/12		H/T	SW8260
p-Isopropyltoluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
sec-Butylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Styrene	ND	1.0	ug/L	01/06/12		H/T	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
tert-Butylbenzene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Tetrachloroethene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Tetrahydrofuran (THF)	ND	5.0	ug/L	01/06/12		H/T	SW8260
Toluene	ND	1.0	ug/L	01/06/12		H/T	SW8260
Total Xylenes	ND	1.0	ug/L	01/06/12		H/T	SW8260
trans-1,2-Dichloroethene	ND	1.0	ug/L	01/06/12		H/T	SW8260
trans-1,3-Dichloropropene	ND	0.50	ug/L	01/06/12		H/T	SW8260
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	01/06/12		H/T	SW8260
Trichloroethene	1.2	1.0	ug/L	01/06/12		H/T	SW8260
Trichlorofluoromethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Trichlorotrifluoroethane	ND	1.0	ug/L	01/06/12		H/T	SW8260
Vinyl chloride	ND	1.0	ug/L	01/06/12		H/T	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	114		%	01/06/12		H/T	70 - 130 %
% Bromofluorobenzene	87		%	01/06/12		H/T	70 - 130 %
% Dibromofluoromethane	86		%	01/06/12		H/T	70 - 130 %
% Toluene-d8	94		%	01/06/12		H/T	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,2-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,3-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
1,4-Dichlorobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
2,4,5-Trichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4,6-Trichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dichlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dimethylphenol	ND	10	ug/L	01/06/12		DD	SW8270
2,4-Dinitrophenol	ND	50	ug/L	01/06/12		DD	SW8270
2,4-Dinitrotoluene	ND	5.0	ug/L	01/06/12		DD	SW8270
2,6-Dinitrotoluene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Chloronaphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Chlorophenol	ND	10	ug/L	01/06/12		DD	SW8270
2-Methylnaphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
2-Methylphenol (o-cresol)	ND	10	ug/L	01/06/12		DD	SW8270
2-Nitroaniline	ND	50	ug/L	01/06/12		DD	SW8270
2-Nitrophenol	ND	10	ug/L	01/06/12		DD	SW8270
3&4-Methylphenol (m&p-cresol)	ND	10	ug/L	01/06/12		DD	SW8270
3,3'-Dichlorobenzidine	ND	50	ug/L	01/06/12		DD	SW8270
3-Nitroaniline	ND	50	ug/L	01/06/12		DD	SW8270
4,6-Dinitro-2-methylphenol	ND	50	ug/L	01/06/12		DD	SW8270
4-Bromophenyl phenyl ether	ND	5.0	ug/L	01/06/12		DD	SW8270
4-Chloro-3-methylphenol	ND	20	ug/L	01/06/12		DD	SW8270
4-Chloroaniline	ND	20	ug/L	01/06/12		DD	SW8270
4-Chlorophenyl phenyl ether	ND	5.0	ug/L	01/06/12		DD	SW8270
4-Nitroaniline	ND	20	ug/L	01/06/12		DD	SW8270
4-Nitrophenol	ND	50	ug/L	01/06/12		DD	SW8270
Acetophenone	ND	5.0	ug/L	01/06/12		DD	SW8270
Aniline	ND	10	ug/L	01/06/12		DD	SW8270
Anthracene	ND	5.0	ug/L	01/06/12		DD	SW8270
Azobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
Benzidine	ND	50	ug/L	01/06/12		DD	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzoic acid	ND	50	ug/L	01/06/12		DD	SW8270
Benzyl butyl phthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroethoxy)methane	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroethyl)ether	ND	5.0	ug/L	01/06/12		DD	SW8270
Bis(2-chloroisopropyl)ether	ND	5.0	ug/L	01/06/12		DD	SW8270
Carbazole	ND	5.0	ug/L	01/06/12		DD	SW8270
Dibenzofuran	ND	5.0	ug/L	01/06/12		DD	SW8270
Diethyl phthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Dimethylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Di-n-butylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Di-n-octylphthalate	ND	5.0	ug/L	01/06/12		DD	SW8270
Fluoranthene	ND	5.0	ug/L	01/06/12		DD	SW8270
Fluorene	ND	5.0	ug/L	01/06/12		DD	SW8270
Hexachlorobutadiene	ND	5.0	ug/L	01/06/12		DD	SW8270
Hexachlorocyclopentadiene	ND	5.0	ug/L	01/06/12		DD	SW8270
Isophorone	ND	5.0	ug/L	01/06/12		DD	SW8270
Naphthalene	ND	5.0	ug/L	01/06/12		DD	SW8270
Nitrobenzene	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodimethylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodi-n-propylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
N-Nitrosodiphenylamine	ND	5.0	ug/L	01/06/12		DD	SW8270
Phenol	ND	10	ug/L	01/06/12		DD	SW8270
Pyrene	ND	5.0	ug/L	01/06/12		DD	SW8270
Pyridine	ND	5.0	ug/L	01/06/12		DD	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	101		%	01/06/12		DD	15 - 130 %
% 2-Fluorobiphenyl	68		%	01/06/12		DD	15 - 130 %
% 2-Fluorophenol	70		%	01/06/12		DD	15 - 130 %
% Nitrobenzene-d5	87		%	01/06/12		DD	15 - 130 %
% Phenol-d5	72		%	01/06/12		DD	15 - 130 %
% Terphenyl-d14	63		%	01/06/12		DD	15 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4,5-Tetrachlorobenzene	ND	1.6	ug/L	01/05/12		DD	SW8270 (SIM)
Acenaphthene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Acenaphthylene	ND	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benz(a)anthracene	0.66	0.040	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(a)pyrene	0.6	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(b)fluoranthene	0.94	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(ghi)perylene	ND	3.0	ug/L	01/05/12		DD	SW8270 (SIM)
Benzo(k)fluoranthene	0.32	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Bis(2-ethylhexyl)phthalate	ND	1.6	ug/L	01/05/12		DD	SW8270 (SIM)
Chrysene	0.54	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Dibenz(a,h)anthracene	0.07	0.010	ug/L	01/05/12		DD	SW8270 (SIM)
Hexachlorobenzene	ND	0.060	ug/L	01/05/12		DD	SW8270 (SIM)
Hexachloroethane	ND	2.4	ug/L	01/05/12		DD	SW8270 (SIM)
Indeno(1,2,3-cd)pyrene	0.32	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
Pentachloronitrobenzene	ND	0.10	ug/L	01/05/12		DD	SW8270 (SIM)
Pentachlorophenol	ND	0.80	ug/L	01/05/12		DD	SW8270 (SIM)
Phenanthrene	0.43	0.050	ug/L	01/05/12		DD	SW8270 (SIM)
<b><u>QA/QC Surrogates</u></b>							

Parameter	Result	RL	Units	Date	Time	By	Reference
% 2,4,6-Tribromophenol	101		%	01/05/12		DD	15 - 130 %
% 2-Fluorobiphenyl	68		%	01/05/12		DD	15 - 130 %
% 2-Fluorophenol	70		%	01/05/12		DD	15 - 130 %
% Nitrobenzene-d5	87		%	01/05/12		DD	15 - 130 %
% Phenol-d5	72		%	01/05/12		DD	15 - 130 %
% Terphenyl-d14	63		%	01/05/12		DD	15 - 130 %


Comments:

NR - not reported. Pesticide/PCB surrogates were not added, because the SVOA extraction was exchanged into the Pesticide/PCB solvent. Please refer to the SVOA surrogate recoveries for extraction efficiency.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
**January 11, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

January 11, 2012

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
-----------	-------	---------------	------------	---------	-------	--------	---------	------	-------	--------	--------------	--------------

QA/QC Batch 191857, QC Sample No: BB16362 (BB17873, BB17874, BB17875, BB17876, BB17877, BB17878)

### ICP Metals - Soil

Aluminum	BDL	18100	17900	1.10	113	108	4.5	NC	NC	NC	75 - 125	30
Antimony	BDL	<3.6	<3.6	NC	103	102	1.0	76.4	78.3	2.5	75 - 125	30
Arsenic	BDL	3.63	3.5	3.60	94.5	90.7	4.1	85.1	86.9	2.1	75 - 125	30
Barium	BDL	66.5	64.9	2.40	101	96.7	4.4	105	111	5.6	75 - 125	30
Beryllium	BDL	0.71	0.66	NC	101	97.7	3.3	90.6	92.0	1.5	75 - 125	30
Cadmium	BDL	1.34	1.19	NC	94.8	91.4	3.7	82.4	83.6	1.4	75 - 125	30
Calcium	BDL	35100	32200	8.60	98.6	98.6	0.0	NC	NC	NC	75 - 125	30
Chromium	BDL	20.7	20.6	0.50	106	101	4.8	91.8	93.4	1.7	75 - 125	30
Cobalt	BDL	11.8	10.9	7.90	100	102	2.0	86.6	86.9	0.3	75 - 125	30
Copper	BDL	33.7	34.7	2.90	105	102	2.9	101	105	3.9	75 - 125	30
Iron	BDL	27000	25700	4.90	113	109	3.6	NC	NC	NC	75 - 125	30
Lead	BDL	22.6	21.6	4.50	99.1	95.2	4.0	82.2	84.6	2.9	75 - 125	30
Magnesium	BDL	6350	6160	3.00	104	100	3.9	NC	NC	NC	75 - 125	30
Manganese	BDL	889	844	5.20	103	107	3.8	NC	NC	NC	75 - 125	30
Nickel	BDL	26.9	25.7	4.60	99.0	96.8	2.2	85.2	85.5	0.4	75 - 125	30
Potassium	BDL	3280	3160	3.70	116	125	7.5	>130	>130	NC	75 - 125	30
Selenium	BDL	1.28	<1.4	NC	90.0	86.4	4.1	81.4	83.0	1.9	75 - 125	30
Silver	BDL	<0.36	<0.36	NC	94.8	91.8	3.2	101	105	3.9	75 - 125	30
Sodium	BDL	555	525	5.60	115	119	3.4	>130	>130	NC	75 - 125	30
Thallium	BDL	<3.2	<3.2	NC	97.5	92.7	5.0	83.1	84.3	1.4	75 - 125	30
Vanadium	BDL	32.6	30.9	5.40	112	107	4.6	98.8	100	1.2	75 - 125	30
Zinc	BDL	70.6	72.4	2.50	80.2	84.4	5.1	84.4	86.0	1.9	75 - 125	30

QA/QC Batch 191970, QC Sample No: BB16362 (BB17879, BB17880, BB17881, BB17882, BB17883)

### ICP Metals - Soil

Aluminum	BDL	18100	17900	1.10	113	108	4.5	NC	NC	NC	75 - 125	30
Antimony	BDL	<3.6	<3.6	NC	103	102	1.0	76.4	78.3	2.5	75 - 125	30
Arsenic	BDL	3.63	3.5	3.60	94.5	90.7	4.1	85.1	86.9	2.1	75 - 125	30
Barium	BDL	66.5	64.9	2.40	101	96.7	4.4	105	111	5.6	75 - 125	30
Beryllium	BDL	0.71	0.66	NC	101	97.7	3.3	90.6	92.0	1.5	75 - 125	30
Cadmium	BDL	1.34	1.19	NC	94.8	91.4	3.7	82.4	83.6	1.4	75 - 125	30
Calcium	BDL	35100	32200	8.60	98.6	98.6	0.0	NC	NC	NC	75 - 125	30
Chromium	BDL	20.7	20.6	0.50	106	101	4.8	91.8	93.4	1.7	75 - 125	30
Cobalt	BDL	11.8	10.9	7.90	100	102	2.0	86.6	86.9	0.3	75 - 125	30
Copper	BDL	33.7	34.7	2.90	105	102	2.9	101	105	3.9	75 - 125	30
Iron	BDL	27000	25700	4.90	113	109	3.6	NC	NC	NC	75 - 125	30
Lead	BDL	22.6	21.6	4.50	99.1	95.2	4.0	82.2	84.6	2.9	75 - 125	30
Magnesium	BDL	6350	6160	3.00	104	100	3.9	NC	NC	NC	75 - 125	30
Manganese	BDL	889	844	5.20	103	107	3.8	NC	NC	NC	75 - 125	30
Nickel	BDL	26.9	25.7	4.60	99.0	96.8	2.2	85.2	85.5	0.4	75 - 125	30
Potassium	BDL	3280	3160	3.70	116	125	7.5	>130	>130	NC	75 - 125	30
Selenium	BDL	1.28	<1.4	NC	90.0	86.4	4.1	81.4	83.0	1.9	75 - 125	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Silver	BDL	<0.36	<0.36	NC	94.8	91.8	3.2	101	105	3.9	75 - 125	30
Sodium	BDL	555	525	5.60	115	119	3.4	>130	>130	NC	75 - 125	30
Thallium	BDL	<3.2	<3.2	NC	97.5	92.7	5.0	83.1	84.3	1.4	75 - 125	30
Vanadium	BDL	32.6	30.9	5.40	112	107	4.6	98.8	100	1.2	75 - 125	30
Zinc	BDL	70.6	72.4	2.50	80.2	84.4	5.1	84.4	86.0	1.9	75 - 125	30
QA/QC Batch 191778, QC Sample No: BB17157 (BB17884, BB17885, BB17886)												
Thallium - Water	BDL	<0.001	<0.001	NC	112	112	0.0	97.7	94.7	3.1	75 - 125	20
QA/QC Batch 191894, QC Sample No: BB17473 (BB17884, BB17885, BB17886)												
Mercury - Water	BDL	<0.0002	<0.0002	NC	94.4	92.2	2.4	84.6	84.8	0.2	70 - 130	20
QA/QC Batch 191883, QC Sample No: BB17666 (BB17884)												
<u>ICP Metals - Aqueous</u>												
Aluminum	BDL	0.022	0.065	NC	92.1	89.9	2.4	94.2	79.4	17.1	75 - 125	20
Antimony	BDL	<0.005	<0.005	NC	93.1	92.2	1.0	97.6	82.9	16.3	75 - 125	20
Arsenic	BDL	<0.004	<0.004	NC	94.0	92.8	1.3	98.7	83.8	16.3	75 - 125	20
Barium	BDL	0.138	0.139	0.70	97.7	96.2	1.5	101	83.7	18.7	75 - 125	20
Beryllium	BDL	<0.001	<0.001	NC	99.5	97.4	2.1	104	87.8	16.9	75 - 125	20
Cadmium	BDL	<0.001	<0.001	NC	101	98.6	2.4	104	87.9	16.8	75 - 125	20
Calcium	BDL	39.1	39.4	0.80	95.9	93.6	2.4	NC	NC	NC	75 - 125	20
Chromium	BDL	<0.001	<0.001	NC	96.1	93.6	2.6	99.4	83.8	17.0	75 - 125	20
Cobalt	BDL	<0.002	<0.002	NC	94.7	92.4	2.5	97.9	82.6	17.0	75 - 125	20
Copper	0.002	0.004	0.003	NC	96.0	93.7	2.4	99.5	84.2	16.7	75 - 125	20
Iron	0.013	0.745	0.747	0.30	96.7	93.8	3.0	100	74.1	29.8	75 - 125	20
Lead	BDL	<0.002	<0.002	NC	97.1	95.6	1.6	101	85.4	16.7	75 - 125	20
Magnesium	BDL	7.61	7.70	1.20	92.7	90.5	2.4	NC	NC	NC	75 - 125	20
Manganese	BDL	0.217	0.219	0.90	95.3	93.8	1.6	98.5	80.5	20.1	75 - 125	20
Nickel	BDL	<0.001	<0.001	NC	97.8	95.7	2.2	101	85.0	17.2	75 - 125	20
Potassium	BDL	1.1	1.1	0	103	101	2.0	109	91.9	17.0	75 - 125	20
Selenium	BDL	<0.010	<0.010	NC	87.1	86.6	0.6	91.4	78.2	15.6	75 - 125	20
Silver	0.005		0.005		92.1	90.3	2.0	93.9	80.4	15.5	75 - 125	20
Sodium	BDL	16.8	16.9	0.60	101	96.4	4.7	NC	NC	NC	75 - 125	20
Vanadium	BDL	0.005	0.005	NC	93.1	90.9	2.4	96.3	81.5	16.6	75 - 125	20
Zinc	BDL	<0.01	<0.002	NC	94.4	92.1	2.5	98.7	83.4	16.8	75 - 125	20
QA/QC Batch 191934, QC Sample No: BB17683 (BB17873, BB17874, BB17875, BB17876, BB17877, BB17878, BB17879, BB17880, BB17881, BB17882, BB17883)												
Mercury - Soil	BDL	0.24	0.38	NC	93.9	90.2	4.0	79.8	82.9	3.8	70 - 130	30
QA/QC Batch 191884, QC Sample No: BB17916 (BB17885, BB17886)												
<u>ICP Metals - Aqueous</u>												
Aluminum	0.083	0.093	0.092	1.10	97.2	98.9	1.7	83.3	84.1	1.0	75 - 125	20
Antimony	BDL	<0.005	<0.005	NC	95.1	97.7	2.7	89.7	89.3	0.4	75 - 125	20
Arsenic	BDL	<0.004	<0.004	NC	95.5	97.7	2.3	89.8	89.4	0.4	75 - 125	20
Barium	BDL	0.007	0.006	NC	99.2	102	2.8	89.7	89.7	0.0	75 - 125	20
Beryllium	BDL	0.001	<0.001	NC	98.3	99.7	1.4	89.8	90.0	0.2	75 - 125	20
Cadmium	BDL	<0.001	<0.001	NC	99.6	102	2.4	90.0	90.7	0.8	75 - 125	20
Calcium	BDL	348	328	5.90	98.4	101	2.6	NC	NC	NC	75 - 125	20
Chromium	BDL	0.001	<0.001	NC	97.4	99.8	2.4	88.5	89.2	0.8	75 - 125	20
Cobalt	BDL	<0.002	<0.002	NC	97.3	100	2.7	88.9	89.4	0.6	75 - 125	20
Copper	0.012	0.023	0.021	9.10	99.6	102	2.4	92.3	93.1	0.9	75 - 125	20
Iron	BDL	0.094	0.063	39.5	98.1	101	2.9	85.1	85.6	0.6	75 - 125	20
Lead	BDL	<0.002	<0.002	NC	97.4	99.8	2.4	89.7	90.0	0.3	75 - 125	20
Magnesium	BDL	103	96.6	6.40	97.0	98.9	1.9	NC	NC	NC	75 - 125	20
Manganese	BDL	0.013	0.012	8.00	97.7	100	2.3	89.2	89.0	0.2	75 - 125	20

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Nickel	0.002	0.005	0.004	NC	97.9	100	2.1	88.4	89.0	0.7	75 - 125	20
Potassium	BDL	8.1	7.7	5.10	80.5	82.8	2.8	65.7	67.3	2.4	75 - 125	20
Selenium	0.012	0.012	<0.010	NC	90.8	93.3	2.7	83.8	84.1	0.4	75 - 125	20
Silver	0.045	0.044	0.044	0	110	112	1.8	87.1	87.7	0.7	75 - 125	20
Sodium	BDL	83.8	80.0	4.60	99.2	103	3.8	NC	NC	NC	75 - 125	20
Vanadium	BDL	0.002	0.002	NC	96.4	99.1	2.8	88.3	88.8	0.6	75 - 125	20
Zinc	BDL	0.03	0.024	NC	96.7	99.3	2.7	89.0	89.8	0.9	75 - 125	20

m = This parameter is outside laboratory ms/msd specified recovery limits.

r = This parameter is outside laboratory rpd specified recovery limits.



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

January 11, 2012

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 192022, QC Sample No: BB16904 (BB17873, BB17875)									
<u>Volatiles - Soil</u>									
1,1,1,2-Tetrachloroethane	ND	126	122	3.2	114	112	1.8	70 - 130	30
1,1,1-Trichloroethane	ND	121	115	5.1	120	118	1.7	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	89	98	9.6	95	87	8.8	70 - 130	30
1,1,2-Trichloroethane	ND	100	111	10.4	105	96	9.0	70 - 130	30
1,1-Dichloroethane	ND	98	110	11.5	116	97	17.8	70 - 130	30
1,1-Dichloroethene	ND	113	97	15.2	106	125	16.5	70 - 130	30
1,1-Dichloropropene	ND	109	101	7.6	106	109	2.8	70 - 130	30
1,2,3-Trichlorobenzene	ND	102	102	0.0	104	93	11.2	70 - 130	30
1,2,3-Trichloropropane	ND	93	101	8.2	98	89	9.6	70 - 130	30
1,2,4-Trichlorobenzene	ND	98	95	3.1	102	98	4.0	70 - 130	30
1,2,4-Trimethylbenzene	ND	108	99	8.7	101	103	2.0	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	109	129	16.8	109	96	12.7	70 - 130	30
1,2-Dichlorobenzene	ND	101	97	4.0	101	99	2.0	70 - 130	30
1,2-Dichloroethane	ND	101	107	5.8	113	98	14.2	70 - 130	30
1,2-Dichloropropane	ND	107	106	0.9	106	101	4.8	70 - 130	30
1,3,5-Trimethylbenzene	ND	111	100	10.4	101	104	2.9	70 - 130	30
1,3-Dichlorobenzene	ND	103	97	6.0	100	99	1.0	70 - 130	30
1,3-Dichloropropane	ND	99	102	3.0	101	93	8.2	70 - 130	30
1,4-Dichlorobenzene	ND	100	93	7.3	100	99	1.0	70 - 130	30
2,2-Dichloropropane	ND	147	143	2.8	144	141	2.1	70 - 130	30 l,m
2-Chlorotoluene	ND	109	98	10.6	99	103	4.0	70 - 130	30
2-Hexanone	ND	70	82	15.8	72	66	8.7	70 - 130	30 m
2-Isopropyltoluene	ND	110	99	10.5	107	111	3.7	70 - 130	30
4-Chlorotoluene	ND	101	93	8.2	98	100	2.0	70 - 130	30
4-Methyl-2-pentanone	ND	89	108	19.3	121	96	23.0	70 - 130	30
Acetone	ND	83	91	9.2	49	56	13.3	70 - 130	30 m
Acrylonitrile	ND	87	112	25.1	120	94	24.3	70 - 130	30
Benzene	ND	108	104	3.8	106	103	2.9	70 - 130	30
Bromobenzene	ND	108	102	5.7	98	98	0.0	70 - 130	30
Bromochloromethane	ND	103	110	6.6	108	98	9.7	70 - 130	30
Bromodichloromethane	ND	112	113	0.9	109	102	6.6	70 - 130	30
Bromoform	ND	122	136	10.9	119	104	13.5	70 - 130	30 l
Bromomethane	ND	108	93	14.9	72	90	22.2	70 - 130	30
Carbon Disulfide	ND	119	102	15.4	122	133	8.6	70 - 130	30 m
Carbon tetrachloride	ND	136	125	8.4	120	120	0.0	70 - 130	30 l
Chlorobenzene	ND	105	100	4.9	105	103	1.9	70 - 130	30
Chloroethane	ND	110	104	5.6	52	58	10.9	70 - 130	30 m
Chloroform	ND	102	108	5.7	109	101	7.6	70 - 130	30
Chloromethane	ND	104	93	11.2	137	119	14.1	70 - 130	30 m
cis-1,2-Dichloroethene	ND	110	104	5.6	104	105	1.0	70 - 130	30
cis-1,3-Dichloropropene	ND	115	115	0.0	114	106	7.3	70 - 130	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
Dibromochloromethane	ND	116	119	2.6	107	101	5.8	70 - 130	30	
Dibromoethane	ND	100	113	12.2	111	95	15.5	70 - 130	30	
Dibromomethane	ND	100	109	8.6	106	95	10.9	70 - 130	30	
Dichlorodifluoromethane	ND	89	87	2.3	134	121	10.2	70 - 130	30	m
Ethylbenzene	ND	109	101	7.6	106	106	0.0	70 - 130	30	
Hexachlorobutadiene	ND	106	95	10.9	109	108	0.9	70 - 130	30	
Isopropylbenzene	ND	112	100	11.3	100	105	4.9	70 - 130	30	
m&p-Xylene	ND	110	103	6.6	110	110	0.0	70 - 130	30	
Methyl ethyl ketone	ND	73	89	19.8	74	69	7.0	70 - 130	30	m
Methyl t-butyl ether (MTBE)	ND	106	107	0.9	120	107	11.5	70 - 130	30	
Methylene chloride	ND	114	99	14.1	126	134	6.2	70 - 130	30	m
Naphthalene	ND	103	107	3.8	102	97	5.0	70 - 130	30	
n-Butylbenzene	ND	110	96	13.6	99	107	7.8	70 - 130	30	
n-Propylbenzene	ND	103	93	10.2	100	103	3.0	70 - 130	30	
o-Xylene	ND	110	105	4.7	117	114	2.6	70 - 130	30	
p-Isopropyltoluene	ND	115	103	11.0	101	107	5.8	70 - 130	30	
sec-Butylbenzene	ND	108	97	10.7	102	107	4.8	70 - 130	30	
Styrene	ND	108	104	3.8	117	111	5.3	70 - 130	30	
tert-Butylbenzene	ND	110	99	10.5	101	105	3.9	70 - 130	30	
Tetrachloroethene	ND	111	99	11.4	107	110	2.8	70 - 130	30	
Tetrahydrofuran (THF)	ND	81	107	27.7	120	87	31.9	70 - 130	30	r
Toluene	ND	109	105	3.7	110	106	3.7	70 - 130	30	
trans-1,2-Dichloroethene	ND	118	84	33.7	93	128	31.7	70 - 130	30	r
trans-1,3-Dichloropropene	ND	122	127	4.0	127	114	10.8	70 - 130	30	
trans-1,4-dichloro-2-butene	ND	122	133	8.6	123	113	8.5	70 - 130	30	l
Trichloroethene	ND	115	109	5.4	108	107	0.9	70 - 130	30	
Trichlorofluoromethane	ND	127	126	0.8	<40	<40	NC	70 - 130	30	m
Trichlorotrifluoroethane	ND	123	104	16.7	126	135	6.9	70 - 130	30	m
Vinyl chloride	ND	107	99	7.8	>150	140	NC	70 - 130	30	m
% 1,2-dichlorobenzene-d4	103	99	101	2.0	101	99	2.0	70 - 130	30	
% Bromofluorobenzene	96	97	98	1.0	101	98	3.0	70 - 130	30	
% Dibromofluoromethane	109	102	109	6.6	105	101	3.9	70 - 130	30	
% Toluene-d8	99	100	100	0.0	101	99	2.0	70 - 130	30	

QA/QC Batch 191806, QC Sample No: BB16983 (BB17884, BB17885, BB17886)

Pesticides - Ground Water

4,4' -DDD	ND	111	120	7.8				40 - 140	20	
4,4' -DDE	ND	106	116	9.0				40 - 140	20	
4,4' -DDT	ND	99	110	10.5				40 - 140	20	
a-BHC	ND	96	102	6.1				40 - 140	20	
Alachlor	ND	N/A	N/A	NC				40 - 140	20	
Aldrin	ND	95	101	6.1				40 - 140	20	
b-BHC	ND	92	97	5.3				40 - 140	20	
Chlordane	ND	N/A	N/A	NC				40 - 140	20	
d-BHC	ND	105	111	5.6				40 - 140	20	
Dieldrin	ND	107	114	6.3				40 - 140	20	
Endosulfan I	ND	95	100	5.1				40 - 140	20	
Endosulfan II	ND	100	106	5.8				40 - 140	20	
Endosulfan sulfate	ND	98	105	6.9				40 - 140	20	
Endrin	ND	104	112	7.4				40 - 140	20	
Endrin aldehyde	ND	116	125	7.5				40 - 140	20	
Endrin ketone	ND	104	111	6.5				40 - 140	20	
g-BHC	ND	95	101	6.1				40 - 140	20	

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Heptachlor	ND	95	101	6.1				40 - 140	20
Heptachlor epoxide	ND	92	96	4.3				40 - 140	20
Methoxychlor	ND	98	104	5.9				40 - 140	20
Toxaphene	ND	N/A	N/A	NC				40 - 140	20
% DCBP	85	100	105	4.9				30 - 150	20
% TCMX	92	90	93	3.3				30 - 150	20

QA/QC Batch 191855, QC Sample No: BB17529 (BB17884, BB17885, BB17886)

### Semivolatiles - Ground Water

1,2,4,5-Tetrachlorobenzene	ND	69	67	2.9				30 - 130	20
1,2,4-Trichlorobenzene	ND	67	64	4.6				30 - 130	20
1,2-Dichlorobenzene	ND	70	67	4.4				30 - 130	20
1,3-Dichlorobenzene	ND	68	66	3.0				30 - 130	20
1,4-Dichlorobenzene	ND	71	69	2.9				30 - 130	20
2,4,5-Trichlorophenol	ND	86	81	6.0				30 - 130	20
2,4,6-Trichlorophenol	ND	84	80	4.9				30 - 130	20
2,4-Dichlorophenol	ND	79	76	3.9				30 - 130	20
2,4-Dimethylphenol	ND	42	40	4.9				30 - 130	20
2,4-Dinitrophenol	ND	45	40	11.8				30 - 130	20
2,4-Dinitrotoluene	ND	84	79	6.1				30 - 130	20
2,6-Dinitrotoluene	ND	82	79	3.7				30 - 130	20
2-Chloronaphthalene	ND	78	75	3.9				30 - 130	20
2-Chlorophenol	ND	73	69	5.6				30 - 130	20
2-Methylnaphthalene	ND	76	72	5.4				30 - 130	20
2-Methylphenol (o-cresol)	ND	68	73	7.1				30 - 130	20
2-Nitroaniline	ND	>150	>150	NC				30 - 130	20
2-Nitrophenol	ND	71	69	2.9				30 - 130	20
3&4-Methylphenol (m&p-cresol)	ND	75	69	8.3				30 - 130	20
3,3'-Dichlorobenzidine	ND	N/A	N/A	NC				30 - 130	20
3-Nitroaniline	ND	137	129	6.0				30 - 130	20
4,6-Dinitro-2-methylphenol	ND	67	61	9.4				30 - 130	20
4-Bromophenyl phenyl ether	ND	80	78	2.5				30 - 130	20
4-Chloro-3-methylphenol	ND	81	78	3.8				30 - 130	20
4-Chloroaniline	ND	38	34	11.1				30 - 130	20
4-Chlorophenyl phenyl ether	ND	80	79	1.3				30 - 130	20
4-Nitroaniline	ND	84	81	3.6				30 - 130	20
4-Nitrophenol	ND	79	73	7.9				30 - 130	20
Acenaphthene	ND	76	72	5.4				30 - 130	20
Acenaphthylene	ND	75	71	5.5				30 - 130	20
Acetophenone	ND	74	71	4.1				30 - 130	20
Aniline	ND	N/A	N/A	NC				30 - 130	20
Anthracene	ND	80	77	3.8				30 - 130	20
Azobenzene	ND	77	75	2.6				30 - 130	20
Benz(a)anthracene	ND	90	87	3.4				30 - 130	20
Benzidine	ND	N/A	N/A	NC				30 - 130	20
Benzo(a)pyrene	ND	79	76	3.9				30 - 130	20
Benzo(b)fluoranthene	ND	82	80	2.5				30 - 130	20
Benzo(ghi)perylene	ND	92	87	5.6				30 - 130	20
Benzo(k)fluoranthene	ND	82	79	3.7				30 - 130	20
Benzoic acid	ND	N/A	N/A	NC				30 - 130	20
Benzyl butyl phthalate	ND	52	53	1.9				30 - 130	20
Bis(2-chloroethoxy)methane	ND	75	72	4.1				30 - 130	20
Bis(2-chloroethyl)ether	ND	73	71	2.8				30 - 130	20

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Bis(2-chloroisopropyl)ether	ND	74	71	4.1				30 - 130	20
Bis(2-ethylhexyl)phthalate	ND	94	96	2.1				30 - 130	20
Carbazole	ND	115	111	3.5				30 - 130	20
Chrysene	ND	86	84	2.4				30 - 130	20
Dibenz(a,h)anthracene	ND	89	83	7.0				30 - 130	20
Dibenzofuran	ND	78	75	3.9				30 - 130	20
Diethyl phthalate	ND	31	31	0.0				30 - 130	20
Dimethylphthalate	ND	19	18	5.4				30 - 130	20
Di-n-butylphthalate	ND	58	57	1.7				30 - 130	20
Di-n-octylphthalate	ND	96	99	3.1				30 - 130	20
Fluoranthene	ND	79	77	2.6				30 - 130	20
Fluorene	ND	80	78	2.5				30 - 130	20
Hexachlorobenzene	ND	78	75	3.9				30 - 130	20
Hexachlorobutadiene	ND	66	64	3.1				30 - 130	20
Hexachlorocyclopentadiene	ND	32	31	3.2				30 - 130	20
Hexachloroethane	ND	64	62	3.2				30 - 130	20
Indeno(1,2,3-cd)pyrene	ND	89	82	8.2				30 - 130	20
Isophorone	ND	56	54	3.6				30 - 130	20
Naphthalene	ND	70	67	4.4				30 - 130	20
Nitrobenzene	ND	72	69	4.3				30 - 130	20
N-Nitrosodimethylamine	ND	58	51	12.8				30 - 130	20
N-Nitrosodi-n-propylamine	ND	74	67	9.9				30 - 130	20
N-Nitrosodiphenylamine	ND	85	81	4.8				30 - 130	20
Pentachloronitrobenzene	ND	77	76	1.3				30 - 130	20
Pentachlorophenol	ND	72	73	1.4				30 - 130	20
Phenanthrene	ND	82	80	2.5				30 - 130	20
Phenol	ND	64	61	4.8				30 - 130	20
Pyrene	ND	84	81	3.6				30 - 130	20
Pyridine	ND	<5	<5	NC				30 - 130	20
% 2,4,6-Tribromophenol	89	84	81	3.6				15 - 130	20
% 2-Fluorobiphenyl	64	63	61	3.2				30 - 130	20
% 2-Fluorophenol	67	58	56	3.5				15 - 130	20
% Nitrobenzene-d5	85	59	72	19.8				30 - 130	20
% Phenol-d5	66	57	55	3.6				15 - 130	20
% Terphenyl-d14	65	65	64	1.6				30 - 130	20

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch 191843, QC Sample No: BB17580 (BB17873, BB17874, BB17875, BB17876, BB17877, BB17878)

Polychlorinated Biphenyls - Soil

PCB-1016	ND	102	97	5.0	94	107	12.9	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	100	105	4.9	92	100	8.3	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	86	85	84	1.2	68	74	8.5	30 - 150	30
% TCMX (Surrogate Rec)	90	84	85	1.2	83	89	7.0	30 - 150	30

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 191853, QC Sample No: BB17580 (BB17873, BB17874)									
<b>Semivolatiles - Soil</b>									
1,2,4,5-Tetrachlorobenzene	ND	71	70	1.4	80	79	1.3	30 - 130	30
1,2,4-Trichlorobenzene	ND	67	67	0.0	76	76	0.0	30 - 130	30
1,2-Dichlorobenzene	ND	70	70	0.0	78	79	1.3	30 - 130	30
1,3-Dichlorobenzene	ND	66	66	0.0	76	74	2.7	30 - 130	30
1,4-Dichlorobenzene	ND	67	67	0.0	75	74	1.3	30 - 130	30
2,4,5-Trichlorophenol	ND	83	84	1.2	94	97	3.1	30 - 130	30
2,4,6-Trichlorophenol	ND	82	82	0.0	95	96	1.0	30 - 130	30
2,4-Dichlorophenol	ND	78	79	1.3	89	90	1.1	30 - 130	30
2,4-Dimethylphenol	ND	42	41	2.4	53	52	1.9	30 - 130	30
2,4-Dinitrophenol	ND	31	36	14.9	51	65	24.1	30 - 130	30
2,4-Dinitrotoluene	ND	76	82	7.6	90	90	0.0	30 - 130	30
2,6-Dinitrotoluene	ND	79	81	2.5	90	90	0.0	30 - 130	30
2-Chloronaphthalene	ND	77	77	0.0	86	85	1.2	30 - 130	30
2-Chlorophenol	ND	70	71	1.4	83	81	2.4	30 - 130	30
2-Methylnaphthalene	ND	86	85	1.2	85	86	1.2	30 - 130	30
2-Methylphenol (o-cresol)	ND	71	72	1.4	79	80	1.3	30 - 130	30
2-Nitroaniline	ND	>150	>150	NC	NC	NC	NC	30 - 130	30
2-Nitrophenol	ND	61	65	6.3	82	81	1.2	30 - 130	30
3&4-Methylphenol (m&p-cresol)	ND	69	70	1.4	84	81	3.6	30 - 130	30
3,3'-Dichlorobenzidine	ND	58	60	3.4	121	108	11.4	30 - 130	30
3-Nitroaniline	ND	125	129	3.1	NC	141	NC	30 - 130	30
4,6-Dinitro-2-methylphenol	ND	68	78	13.7	111	126	12.7	30 - 130	30
4-Bromophenyl phenyl ether	ND	82	80	2.5	88	87	1.1	30 - 130	30
4-Chloro-3-methylphenol	ND	79	79	0.0	90	90	0.0	30 - 130	30
4-Chloroaniline	ND	73	72	1.4	85	79	7.3	30 - 130	30
4-Chlorophenyl phenyl ether	ND	81	80	1.2	90	89	1.1	30 - 130	30
4-Nitroaniline	ND	80	83	3.7	93	92	1.1	30 - 130	30
4-Nitrophenol	ND	74	79	6.5	96	101	5.1	30 - 130	30
Acenaphthene	ND	97	95	2.1	87	89	2.3	30 - 130	30
Acenaphthylene	ND	76	76	0.0	84	82	2.4	30 - 130	30
Acetophenone	ND	67	67	0.0	81	77	5.1	30 - 130	30
Aniline	ND	N/A	N/A	NC	N/A	N/A	NC	30 - 130	30
Anthracene	ND	96	96	0.0	90	90	0.0	30 - 130	30
Azobenzene	ND	74	73	1.4	89	84	5.8	30 - 130	30
Benz(a)anthracene	ND	88	88	0.0	88	88	0.0	30 - 130	30
Benzidine	ND	60	65	8.0	NC	NC	NC	30 - 130	30
Benzo(a)pyrene	ND	84	83	1.2	87	88	1.1	30 - 130	30
Benzo(b)fluoranthene	ND	86	87	1.2	87	88	1.1	30 - 130	30
Benzo(ghi)perylene	ND	87	87	0.0	97	96	1.0	30 - 130	30
Benzo(k)fluoranthene	ND	81	82	1.2	85	88	3.5	30 - 130	30
Benzoic acid	ND	N/A	N/A	NC	N/A	N/A	NC	30 - 130	30
Benzyl butyl phthalate	ND	89	85	4.6	93	89	4.4	30 - 130	30
Bis(2-chloroethoxy)methane	ND	71	71	0.0	83	81	2.4	30 - 130	30
Bis(2-chloroethyl)ether	ND	67	68	1.5	80	78	2.5	30 - 130	30
Bis(2-chloroisopropyl)ether	ND	66	66	0.0	85	79	7.3	30 - 130	30
Bis(2-ethylhexyl)phthalate	ND	97	92	5.3	99	97	2.0	30 - 130	30
Carbazole	ND	125	129	3.1	126	128	1.6	30 - 130	30
Chrysene	ND	89	88	1.1	91	88	3.4	30 - 130	30
Dibenz(a,h)anthracene	ND	89	89	0.0	96	99	3.1	30 - 130	30
Dibenzofuran	ND	90	89	1.1	87	86	1.2	30 - 130	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Diethyl phthalate	ND	81	80	1.2	93	90	3.3	30 - 130	30
Dimethylphthalate	ND	79	79	0.0	91	88	3.4	30 - 130	30
Di-n-butylphthalate	ND	82	79	3.7	91	88	3.4	30 - 130	30
Di-n-octylphthalate	ND	98	93	5.2	100	100	0.0	30 - 130	30
Fluoranthene	ND	111	111	0.0	88	89	1.1	30 - 130	30
Fluorene	ND	101	100	1.0	90	93	3.3	30 - 130	30
Hexachlorobenzene	ND	76	74	2.7	85	82	3.6	30 - 130	30
Hexachlorobutadiene	ND	69	67	2.9	80	78	2.5	30 - 130	30
Hexachlorocyclopentadiene	ND	68	76	11.1	42	41	2.4	30 - 130	30
Hexachloroethane	ND	62	62	0.0	75	70	6.9	30 - 130	30
Indeno(1,2,3-cd)pyrene	ND	89	88	1.1	96	99	3.1	30 - 130	30
Isophorone	ND	54	53	1.9	63	61	3.2	30 - 130	30
Naphthalene	ND	77	77	0.0	80	80	0.0	30 - 130	30
Nitrobenzene	ND	65	65	0.0	80	77	3.8	30 - 130	30
N-Nitrosodimethylamine	ND	64	65	1.6	66	69	4.4	30 - 130	30
N-Nitrosodi-n-propylamine	ND	70	70	0.0	72	70	2.8	30 - 130	30
N-Nitrosodiphenylamine	ND	86	87	1.2	95	94	1.1	30 - 130	30
Pentachloronitrobenzene	ND	77	76	1.3	87	84	3.5	30 - 130	30
Pentachlorophenol	ND	79	88	10.8	118	125	5.8	30 - 130	30
Phenanthrene	ND	138	135	2.2	75	75	0.0	30 - 130	30
Phenol	ND	81	82	1.2	84	87	3.5	30 - 130	30
Pyrene	ND	105	105	0.0	92	93	1.1	30 - 130	30
Pyridine	ND	55	54	1.8	29	46	45.3	30 - 130	30
% 2,4,6-Tribromophenol	58	84	85	1.2	103	99	4.0	15 - 130	30
% 2-Fluorobiphenyl	76	74	74	0.0	81	78	3.8	30 - 130	30
% 2-Fluorophenol	74	76	77	1.3	81	82	1.2	15 - 130	30
% Nitrobenzene-d5	75	63	64	1.6	78	74	5.3	30 - 130	30
% Phenol-d5	72	78	79	1.3	80	82	2.5	15 - 130	30
% Terphenyl-d14	86	83	84	1.2	75	76	1.3	30 - 130	30

QA/QC Batch 192021, QC Sample No: BB17874 (BB17874, BB17877, BB17878, BB17879)

Volatiles - Soil

1,1,1,2-Tetrachloroethane	ND	123	131	6.3	118	109	7.9	70 - 130	30
1,1,1-Trichloroethane	ND	126	129	2.4	123	117	5.0	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	91	106	15.2	100	85	16.2	70 - 130	30
1,1,2-Trichloroethane	ND	103	118	13.6	110	91	18.9	70 - 130	30
1,1-Dichloroethane	ND	99	126	24.0	120	95	23.3	70 - 130	30
1,1-Dichloroethene	ND	126	114	10.0	112	118	5.2	70 - 130	30
1,1-Dichloropropene	ND	107	109	1.9	108	105	2.8	70 - 130	30
1,2,3-Trichlorobenzene	ND	94	104	10.1	84	80	4.9	70 - 130	30
1,2,3-Trichloropropane	ND	97	116	17.8	107	89	18.4	70 - 130	30
1,2,4-Trichlorobenzene	ND	84	89	5.8	78	78	0.0	70 - 130	30
1,2,4-Trimethylbenzene	ND	101	102	1.0	95	94	1.1	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	110	140	24.0	113	89	23.8	70 - 130	30
1,2-Dichlorobenzene	ND	96	103	7.0	97	89	8.6	70 - 130	30
1,2-Dichloroethane	ND	109	119	8.8	109	93	15.8	70 - 130	30
1,2-Dichloropropane	ND	108	116	7.1	108	98	9.7	70 - 130	30
1,3,5-Trimethylbenzene	ND	105	106	0.9	99	98	1.0	70 - 130	30
1,3-Dichlorobenzene	ND	94	98	4.2	91	88	3.4	70 - 130	30
1,3-Dichloropropane	ND	102	114	11.1	104	89	15.5	70 - 130	30
1,4-Dichlorobenzene	ND	92	96	4.3	91	85	6.8	70 - 130	30
2,2-Dichloropropane	ND	146	>150	NC	138	131	5.2	70 - 130	30
2-Chlorotoluene	ND	101	102	1.0	98	97	1.0	70 - 130	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
2-Hexanone	ND	81	105	25.8	68	51	28.6	70 - 130	30	m
2-Isopropyltoluene	ND	107	106	0.9	103	101	2.0	70 - 130	30	
4-Chlorotoluene	ND	92	94	2.2	92	91	1.1	70 - 130	30	
4-Methyl-2-pentanone	ND	100	127	23.8	108	80	29.8	70 - 130	30	
Acetone	ND	87	99	12.9	51	<40	NC	70 - 130	30	m
Acrylonitrile	ND	101	128	23.6	112	80	33.3	70 - 130	30	r
Benzene	ND	108	111	2.7	108	100	7.7	70 - 130	30	
Bromobenzene	ND	103	106	2.9	99	94	5.2	70 - 130	30	
Bromochloromethane	ND	102	116	12.8	112	92	19.6	70 - 130	30	
Bromodichloromethane	ND	114	122	6.8	112	101	10.3	70 - 130	30	
Bromoform	ND	128	150	15.8	123	105	15.8	70 - 130	30	l
Bromomethane	ND	108	101	6.7	123	103	17.7	70 - 130	30	
Carbon Disulfide	ND	129	118	8.9	114	113	0.9	70 - 130	30	
Carbon tetrachloride	ND	141	137	2.9	118	128	8.1	70 - 130	30	l
Chlorobenzene	ND	103	108	4.7	104	97	7.0	70 - 130	30	
Chloroethane	ND	115	117	1.7	120	109	9.6	70 - 130	30	
Chloroform	ND	106	121	13.2	112	98	13.3	70 - 130	30	
Chloromethane	ND	110	113	2.7	107	99	7.8	70 - 130	30	
cis-1,2-Dichloroethene	ND	109	111	1.8	108	101	6.7	70 - 130	30	
cis-1,3-Dichloropropene	ND	112	121	7.7	110	101	8.5	70 - 130	30	
Dibromochloromethane	ND	116	129	10.6	113	102	10.2	70 - 130	30	
Dibromoethane	ND	102	118	14.5	109	91	18.0	70 - 130	30	
Dibromomethane	ND	104	117	11.8	108	90	18.2	70 - 130	30	
Dichlorodifluoromethane	ND	104	107	2.8	100	91	9.4	70 - 130	30	
Ethylbenzene	ND	107	109	1.9	105	100	4.9	70 - 130	30	
Hexachlorobutadiene	ND	102	99	3.0	96	99	3.1	70 - 130	30	
Isopropylbenzene	ND	105	105	0.0	103	104	1.0	70 - 130	30	
m&p-Xylene	ND	108	112	3.6	107	101	5.8	70 - 130	30	
Methyl ethyl ketone	ND	85	104	20.1	68	50	30.5	70 - 130	30	m
Methyl t-butyl ether (MTBE)	ND	111	126	12.7	106	96	9.9	70 - 130	30	
Methylene chloride	ND	126	114	10.0	108	105	2.8	70 - 130	30	
Naphthalene	ND	103	112	8.4	91	86	5.6	70 - 130	30	
n-Butylbenzene	ND	100	96	4.1	89	94	5.5	70 - 130	30	
n-Propylbenzene	ND	96	96	0.0	98	98	0.0	70 - 130	30	
o-Xylene	ND	110	116	5.3	109	101	7.6	70 - 130	30	
p-Isopropyltoluene	ND	107	105	1.9	97	98	1.0	70 - 130	30	
sec-Butylbenzene	ND	104	103	1.0	102	102	0.0	70 - 130	30	
Styrene	ND	108	115	6.3	108	98	9.7	70 - 130	30	
tert-Butylbenzene	ND	108	106	1.9	104	104	0.0	70 - 130	30	
Tetrachloroethene	ND	105	107	1.9	106	101	4.8	70 - 130	30	
Tetrahydrofuran (THF)	ND	90	131	37.1	108	74	37.4	70 - 130	30	l,r
Toluene	ND	107	112	4.6	109	101	7.6	70 - 130	30	
trans-1,2-Dichloroethene	ND	137	94	37.2	92	130	34.2	70 - 130	30	l,r
trans-1,3-Dichloropropene	ND	123	135	9.3	119	105	12.5	70 - 130	30	l
trans-1,4-dichloro-2-butene	ND	123	143	15.0	100	87	13.9	70 - 130	30	l
Trichloroethene	ND	111	114	2.7	110	105	4.7	70 - 130	30	
Trichlorofluoromethane	ND	142	>150	NC	120	108	10.5	70 - 130	30	l
Trichlorotrifluoroethane	ND	132	120	9.5	116	119	2.6	70 - 130	30	l
Vinyl chloride	ND	117	118	0.9	114	106	7.3	70 - 130	30	
% 1,2-dichlorobenzene-d4	102	100	102	2.0	102	100	2.0	70 - 130	30	
% Bromofluorobenzene	96	99	101	2.0	100	97	3.0	70 - 130	30	
% Dibromofluoromethane	103	99	109	9.6	106	103	2.9	70 - 130	30	
% Toluene-d8	100	99	99	0.0	100	100	0.0	70 - 130	30	

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 191952, QC Sample No: BB17881 (BB17881)									
<u>Volatiles - Soil</u>									
1,1,1,2-Tetrachloroethane	ND	97	103	6.0	88	89	1.1	70 - 130	30
1,1,1-Trichloroethane	ND	97	110	12.6	99	95	4.1	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	85	94	10.1	78	79	1.3	70 - 130	30
1,1,2-Trichloroethane	ND	95	102	7.1	85	83	2.4	70 - 130	30
1,1-Dichloroethane	ND	100	103	3.0	99	82	18.8	70 - 130	30
1,1-Dichloroethene	ND	87	97	10.9	90	88	2.2	70 - 130	30
1,1-Dichloropropene	ND	98	106	7.8	96	94	2.1	70 - 130	30
1,2,3-Trichlorobenzene	ND	97	104	7.0	75	83	10.1	70 - 130	30
1,2,3-Trichloropropane	ND	91	103	12.4	82	81	1.2	70 - 130	30
1,2,4-Trichlorobenzene	ND	94	95	1.1	71	79	10.7	70 - 130	30
1,2,4-Trimethylbenzene	ND	94	99	5.2	83	86	3.6	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	88	103	15.7	76	75	1.3	70 - 130	30
1,2-Dichlorobenzene	ND	89	92	3.3	81	81	0.0	70 - 130	30
1,2-Dichloroethane	ND	86	92	6.7	80	78	2.5	70 - 130	30
1,2-Dichloropropane	ND	95	101	6.1	89	87	2.3	70 - 130	30
1,3,5-Trimethylbenzene	ND	96	101	5.1	85	87	2.3	70 - 130	30
1,3-Dichlorobenzene	ND	90	93	3.3	79	81	2.5	70 - 130	30
1,3-Dichloropropane	ND	92	98	6.3	81	84	3.6	70 - 130	30
1,4-Dichlorobenzene	ND	89	91	2.2	78	79	1.3	70 - 130	30
2,2-Dichloropropane	ND	100	112	11.3	98	82	17.8	70 - 130	30
2-Chlorotoluene	ND	94	98	4.2	87	87	0.0	70 - 130	30
2-Hexanone	ND	82	95	14.7	57	58	1.7	70 - 130	30 m
2-Isopropyltoluene	ND	97	100	3.0	88	90	2.2	70 - 130	30
4-Chlorotoluene	ND	90	92	2.2	83	85	2.4	70 - 130	30
4-Methyl-2-pentanone	ND	87	95	8.8	73	74	1.4	70 - 130	30
Acetone	ND	58	75	25.6	41	42	2.4	70 - 130	30 l,m
Acrylonitrile	ND	89	100	11.6	83	71	15.6	70 - 130	30
Benzene	ND	96	103	7.0	91	91	0.0	70 - 130	30
Bromobenzene	ND	94	98	4.2	85	85	0.0	70 - 130	30
Bromochloromethane	ND	98	107	8.8	91	81	11.6	70 - 130	30
Bromodichloromethane	ND	97	99	2.0	89	85	4.6	70 - 130	30
Bromoform	ND	95	100	5.1	79	81	2.5	70 - 130	30
Bromomethane	ND	77	86	11.0	84	81	3.6	70 - 130	30
Carbon Disulfide	ND	88	99	11.8	86	84	2.4	70 - 130	30
Carbon tetrachloride	ND	98	107	8.8	95	91	4.3	70 - 130	30
Chlorobenzene	ND	92	97	5.3	85	87	2.3	70 - 130	30
Chloroethane	ND	85	93	9.0	86	84	2.4	70 - 130	30
Chloroform	ND	97	106	8.9	94	79	17.3	70 - 130	30
Chloromethane	ND	84	94	11.2	80	77	3.8	70 - 130	30
cis-1,2-Dichloroethene	ND	98	107	8.8	94	82	13.6	70 - 130	30
cis-1,3-Dichloropropene	ND	99	105	5.9	88	87	1.1	70 - 130	30
Dibromochloromethane	ND	95	103	8.1	84	86	2.4	70 - 130	30
Dibromoethane	ND	93	100	7.3	84	81	3.6	70 - 130	30
Dibromomethane	ND	91	97	6.4	82	80	2.5	70 - 130	30
Dichlorodifluoromethane	ND	73	83	12.8	68	67	1.5	70 - 130	30 m
Ethylbenzene	ND	94	100	6.2	87	88	1.1	70 - 130	30
Hexachlorobutadiene	ND	95	102	7.1	79	91	14.1	70 - 130	30
Isopropylbenzene	ND	96	103	7.0	91	93	2.2	70 - 130	30
m&p-Xylene	ND	94	99	5.2	86	88	2.3	70 - 130	30
Methyl ethyl ketone	ND	65	81	21.9	51	54	5.7	70 - 130	30 l,m

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Methyl t-butyl ether (MTBE)	ND	90	97	7.5	80	81	1.2	70 - 130	30
Methylene chloride	ND	84	90	6.9	82	78	5.0	70 - 130	30
Naphthalene	ND	96	110	13.6	80	86	7.2	70 - 130	30
n-Butylbenzene	ND	95	99	4.1	83	85	2.4	70 - 130	30
n-Propylbenzene	ND	91	96	5.3	87	89	2.3	70 - 130	30
o-Xylene	ND	97	101	4.0	87	90	3.4	70 - 130	30
p-Isopropyltoluene	ND	102	106	3.8	88	89	1.1	70 - 130	30
sec-Butylbenzene	ND	95	99	4.1	90	90	0.0	70 - 130	30
Styrene	ND	95	98	3.1	84	86	2.4	70 - 130	30
tert-Butylbenzene	ND	98	103	5.0	93	93	0.0	70 - 130	30
Tetrachloroethene	ND	95	103	8.1	88	93	5.5	70 - 130	30
Tetrahydrofuran (THF)	ND	82	96	15.7	75	74	1.3	70 - 130	30
Toluene	ND	97	101	4.0	91	87	4.5	70 - 130	30
trans-1,2-Dichloroethene	ND	88	99	11.8	88	86	2.3	70 - 130	30
trans-1,3-Dichloropropene	ND	98	103	5.0	87	85	2.3	70 - 130	30
trans-1,4-dichloro-2-butene	ND	91	101	10.4	77	76	1.3	70 - 130	30
Trichloroethene	ND	98	105	6.9	92	92	0.0	70 - 130	30
Trichlorofluoromethane	ND	98	109	10.6	85	83	2.4	70 - 130	30
Trichlorotrifluoroethane	ND	90	101	11.5	88	89	1.1	70 - 130	30
Vinyl chloride	ND	87	95	8.8	83	80	3.7	70 - 130	30
% 1,2-dichlorobenzene-d4	100	99	100	1.0	100	99	1.0	70 - 130	30
% Bromofluorobenzene	96	100	99	1.0	98	99	1.0	70 - 130	30
% Dibromofluoromethane	96	96	105	9.0	99	99	0.0	70 - 130	30
% Toluene-d8	100	101	100	1.0	101	98	3.0	70 - 130	30

QA/QC Batch 191868, QC Sample No: BB17882 (BB17873, BB17874, BB17875, BB17876, BB17877, BB17878, BB17879, BB17880, BB17881, BB17882, BB17883)

Pesticides - Soil

4,4' -DDD	ND	86	87	1.2	89	79	11.9	40 - 140	30
4,4' -DDE	ND	87	87	0.0	90	81	10.5	40 - 140	30
4,4' -DDT	ND	87	87	0.0	91	82	10.4	40 - 140	30
a-BHC	ND	89	88	1.1	89	80	10.7	40 - 140	30
Alachlor	ND	N/A	N/A	NC	N/A	N/A	NC	40 - 140	30
Aldrin	ND	90	89	1.1	89	80	10.7	40 - 140	30
b-BHC	ND	85	85	0.0	88	79	10.8	40 - 140	30
Chlordane	ND	N/A	N/A	NC	N/A	N/A	NC	40 - 140	30
d-BHC	ND	89	89	0.0	91	83	9.2	40 - 140	30
Dieldrin	ND	89	88	1.1	89	80	10.7	40 - 140	30
Endosulfan I	ND	87	87	0.0	89	81	9.4	40 - 140	30
Endosulfan II	ND	77	80	3.8	90	81	10.5	40 - 140	30
Endosulfan sulfate	ND	81	83	2.4	92	82	11.5	40 - 140	30
Endrin	ND	87	85	2.3	94	85	10.1	40 - 140	30
Endrin aldehyde	ND	71	90	23.6	109	98	10.6	40 - 140	30
Endrin ketone	ND	94	94	0.0	98	88	10.8	40 - 140	30
g-BHC	ND	90	89	1.1	93	84	10.2	40 - 140	30
Heptachlor	ND	88	87	1.1	87	79	9.6	40 - 140	30
Heptachlor epoxide	ND	88	87	1.1	88	79	10.8	40 - 140	30
Methoxychlor	ND	88	86	2.3	98	88	10.8	40 - 140	30
Toxaphene	ND	N/A	N/A	NC	N/A	N/A	NC	40 - 140	30
% DCBP	78	76	80	5.1	84	76	10.0	30 - 150	30
% TCMX	87	86	86	0.0	85	77	9.9	30 - 150	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 191867, QC Sample No: BB17882 (BB17879, BB17880, BB17881, BB17882, BB17883)									
<u>Polychlorinated Biphenyls - Soil</u>									
PCB-1016	ND	85	85	0.0	94	101	7.2	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	91	85	6.8	83	92	10.3	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	96	78	81	3.8	63	66	4.7	30 - 150	30
% TCMX (Surrogate Rec)	83	79	76	3.9	70	72	2.8	30 - 150	30
QA/QC Batch 191865, QC Sample No: BB17882 (BB17875, BB17876, BB17877, BB17878, BB17879, BB17880, BB17881, BB17882, BB17883)									
<u>Semivolatiles - Soil</u>									
1,2,4,5-Tetrachlorobenzene	ND	73	73	0.0	85	84	1.2	30 - 130	30
1,2,4-Trichlorobenzene	ND	68	68	0.0	81	80	1.2	30 - 130	30
1,2-Dichlorobenzene	ND	71	70	1.4	83	81	2.4	30 - 130	30
1,3-Dichlorobenzene	ND	67	67	0.0	79	77	2.6	30 - 130	30
1,4-Dichlorobenzene	ND	68	68	0.0	80	78	2.5	30 - 130	30
2,4,5-Trichlorophenol	ND	83	83	0.0	103	101	2.0	30 - 130	30
2,4,6-Trichlorophenol	ND	82	82	0.0	99	95	4.1	30 - 130	30
2,4-Dichlorophenol	ND	79	79	0.0	94	93	1.1	30 - 130	30
2,4-Dimethylphenol	ND	44	44	0.0	43	42	2.4	30 - 130	30
2,4-Dinitrophenol	ND	9.2	8.5	7.9	NC	NC	NC	30 - 130	30
2,4-Dinitrotoluene	ND	83	84	1.2	99	101	2.0	30 - 130	30
2,6-Dinitrotoluene	ND	83	84	1.2	98	98	0.0	30 - 130	30
2-Chloronaphthalene	ND	77	78	1.3	94	93	1.1	30 - 130	30
2-Chlorophenol	ND	73	73	0.0	83	82	1.2	30 - 130	30
2-Methylnaphthalene	ND	78	78	0.0	93	93	0.0	30 - 130	30
2-Methylphenol (o-cresol)	ND	72	72	0.0	77	75	2.6	30 - 130	30
2-Nitroaniline	ND	>150	>150	NC	NC	NC	NC	30 - 130	30
2-Nitrophenol	ND	66	67	1.5	79	79	0.0	30 - 130	30
3&4-Methylphenol (m&p-cresol)	ND	74	73	1.4	75	73	2.7	30 - 130	30
3,3'-Dichlorobenzidine	ND	124	122	1.6	78	81	3.8	30 - 130	30
3-Nitroaniline	ND	149	>150	NC	NC	NC	NC	30 - 130	30
4,6-Dinitro-2-methylphenol	ND	56	56	0.0	54	77	35.1	30 - 130	30
4-Bromophenyl phenyl ether	ND	80	80	0.0	98	96	2.1	30 - 130	30
4-Chloro-3-methylphenol	ND	82	82	0.0	94	93	1.1	30 - 130	30
4-Chloroaniline	ND	84	84	0.0	86	85	1.2	30 - 130	30
4-Chlorophenyl phenyl ether	ND	82	82	0.0	99	98	1.0	30 - 130	30
4-Nitroaniline	ND	85	86	1.2	101	103	2.0	30 - 130	30
4-Nitrophenol	ND	81	81	0.0	74	80	7.8	30 - 130	30
Acenaphthene	ND	77	78	1.3	96	99	3.1	30 - 130	30
Acenaphthylene	ND	75	75	0.0	92	91	1.1	30 - 130	30
Acetophenone	ND	72	72	0.0	80	80	0.0	30 - 130	30
Aniline	ND	N/A	N/A	NC	N/A	N/A	NC	30 - 130	30
Anthracene	ND	83	84	1.2	101	111	9.4	30 - 130	30
Azobenzene	ND	77	78	1.3	90	90	0.0	30 - 130	30
Benz(a)anthracene	ND	81	81	0.0	99	110	10.5	30 - 130	30
Benzidine	ND	42	43	2.4	34	49	36.1	30 - 130	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
Benzo(a)pyrene	ND	81	81	0.0	99	106	6.8	30 - 130	30	
Benzo(b)fluoranthene	ND	80	80	0.0	101	109	7.6	30 - 130	30	
Benzo(ghi)perylene	ND	93	92	1.1	103	109	5.7	30 - 130	30	
Benzo(k)fluoranthene	ND	80	81	1.2	96	98	2.1	30 - 130	30	
Benzoic acid	ND	N/A	N/A	NC	N/A	N/A	NC	30 - 130	30	
Benzyl butyl phthalate	ND	82	82	0.0	103	99	4.0	30 - 130	30	
Bis(2-chloroethoxy)methane	ND	74	75	1.3	84	84	0.0	30 - 130	30	
Bis(2-chloroethyl)ether	ND	72	71	1.4	81	80	1.2	30 - 130	30	
Bis(2-chloroisopropyl)ether	ND	72	74	2.7	79	78	1.3	30 - 130	30	
Bis(2-ethylhexyl)phthalate	ND	89	89	0.0	114	108	5.4	30 - 130	30	
Carbazole	ND	112	115	2.6	140	NC	NC	30 - 130	30	m
Chrysene	ND	83	82	1.2	101	109	7.6	30 - 130	30	
Dibenz(a,h)anthracene	ND	95	93	2.1	106	112	5.5	30 - 130	30	
Dibenzofuran	ND	79	79	0.0	96	100	4.1	30 - 130	30	
Diethyl phthalate	ND	83	84	1.2	98	97	1.0	30 - 130	30	
Dimethylphthalate	ND	82	82	0.0	96	96	0.0	30 - 130	30	
Di-n-butylphthalate	ND	82	83	1.2	98	97	1.0	30 - 130	30	
Di-n-octylphthalate	ND	90	90	0.0	116	111	4.4	30 - 130	30	
Fluoranthene	ND	82	82	0.0	102	131	24.9	30 - 130	30	m
Fluorene	ND	84	84	0.0	105	108	2.8	30 - 130	30	
Hexachlorobenzene	ND	78	77	1.3	91	89	2.2	30 - 130	30	
Hexachlorobutadiene	ND	71	70	1.4	82	80	2.5	30 - 130	30	
Hexachlorocyclopentadiene	ND	74	73	1.4	86	87	1.2	30 - 130	30	
Hexachloroethane	ND	67	67	0.0	74	74	0.0	30 - 130	30	
Indeno(1,2,3-cd)pyrene	ND	94	93	1.1	105	113	7.3	30 - 130	30	
Isophorone	ND	56	57	1.8	63	63	0.0	30 - 130	30	
Naphthalene	ND	73	72	1.4	88	88	0.0	30 - 130	30	
Nitrobenzene	ND	72	73	1.4	78	79	1.3	30 - 130	30	
N-Nitrosodimethylamine	ND	60	61	1.7	79	79	0.0	30 - 130	30	
N-Nitrosodi-n-propylamine	ND	67	65	3.0	83	82	1.2	30 - 130	30	
N-Nitrosodiphenylamine	ND	87	88	1.1	105	105	0.0	30 - 130	30	
Pentachloronitrobenzene	ND	78	80	2.5	93	92	1.1	30 - 130	30	
Pentachlorophenol	ND	84	84	0.0	93	92	1.1	30 - 130	30	
Phenanthrene	ND	83	83	0.0	105	143	30.6	30 - 130	30	m,r
Phenol	ND	79	77	2.6	92	89	3.3	30 - 130	30	
Pyrene	ND	86	86	0.0	106	130	20.3	30 - 130	30	
Pyridine	ND	54	55	1.8	66	60	9.5	30 - 130	30	
% 2,4,6-Tribromophenol	89	87	89	2.3	91	95	4.3	15 - 130	30	
% 2-Fluorobiphenyl	74	72	72	0.0	88	86	2.3	30 - 130	30	
% 2-Fluorophenol	77	70	70	0.0	82	79	3.7	15 - 130	30	
% Nitrobenzene-d5	65	69	70	1.4	75	76	1.3	30 - 130	30	
% Phenol-d5	76	74	73	1.4	87	86	1.2	15 - 130	30	
% Terphenyl-d14	89	71	72	1.4	82	85	3.6	30 - 130	30	

QA/QC Batch 191892, QC Sample No: BB17884 (BB17884, BB17885, BB17886)

Polychlorinated Biphenyls - Ground Water

PCB-1016	ND	100	108	7.7				40 - 140	20	
PCB-1221	ND							40 - 140	20	
PCB-1232	ND							40 - 140	20	
PCB-1242	ND							40 - 140	20	
PCB-1248	ND							40 - 140	20	
PCB-1254	ND							40 - 140	20	
PCB-1260	ND	88	86	2.3				40 - 140	20	

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
PCB-1262	ND							40 - 140	20
PCB-1268	ND							40 - 140	20
% DCBP (Surrogate Rec)	70	70	72	2.8				30 - 150	20
% TCMX (Surrogate Rec)	84	86	83	3.6				30 - 150	20
QA/QC Batch 192024, QC Sample No: BB17927 (BB17876)									
<b>Volatiles - Soil</b>									
1,1,1,2-Tetrachloroethane	ND	104	98	5.9	91	95	4.3	70 - 130	30
1,1,1-Trichloroethane	ND	122	101	18.8	104	105	1.0	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	97	90	7.5	90	89	1.1	70 - 130	30
1,1,2-Trichloroethane	ND	106	98	7.8	97	94	3.1	70 - 130	30
1,1-Dichloroethane	ND	119	104	13.5	106	92	14.1	70 - 130	30
1,1-Dichloroethene	ND	121	102	17.0	91	95	4.3	70 - 130	30
1,1-Dichloropropene	ND	109	101	7.6	100	101	1.0	70 - 130	30
1,2,3-Trichlorobenzene	ND	97	96	1.0	88	93	5.5	70 - 130	30
1,2,3-Trichloropropane	ND	108	97	10.7	94	95	1.1	70 - 130	30
1,2,4-Trichlorobenzene	ND	90	86	4.5	87	88	1.1	70 - 130	30
1,2,4-Trimethylbenzene	ND	101	94	7.2	91	91	0.0	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	104	99	4.9	83	87	4.7	70 - 130	30
1,2-Dichlorobenzene	ND	95	89	6.5	90	89	1.1	70 - 130	30
1,2-Dichloroethane	ND	101	92	9.3	92	90	2.2	70 - 130	30
1,2-Dichloropropane	ND	108	100	7.7	97	98	1.0	70 - 130	30
1,3,5-Trimethylbenzene	ND	104	96	8.0	92	93	1.1	70 - 130	30
1,3-Dichlorobenzene	ND	96	88	8.7	90	89	1.1	70 - 130	30
1,3-Dichloropropane	ND	99	94	5.2	89	92	3.3	70 - 130	30
1,4-Dichlorobenzene	ND	93	86	7.8	90	88	2.2	70 - 130	30
2,2-Dichloropropane	ND	121	102	17.0	100	92	8.3	70 - 130	30
2-Chlorotoluene	ND	101	94	7.2	94	93	1.1	70 - 130	30
2-Hexanone	ND	76	76	0.0	55	58	5.3	70 - 130	30
2-Isopropyltoluene	ND	105	96	9.0	100	100	0.0	70 - 130	30
4-Chlorotoluene	ND	96	87	9.8	94	92	2.2	70 - 130	30
4-Methyl-2-pentanone	ND	96	89	7.6	92	92	0.0	70 - 130	30
Acetone	ND	82	84	2.4	<40	<40	NC	70 - 130	30
Acrylonitrile	ND	112	89	22.9	106	92	14.1	70 - 130	30
Benzene	ND	108	98	9.7	98	99	1.0	70 - 130	30
Bromobenzene	ND	98	93	5.2	93	91	2.2	70 - 130	30
Bromochloromethane	ND	111	98	12.4	101	92	9.3	70 - 130	30
Bromodichloromethane	ND	108	98	9.7	94	93	1.1	70 - 130	30
Bromoform	ND	103	94	9.1	87	89	2.3	70 - 130	30
Bromomethane	ND	118	97	19.5	55	64	15.1	70 - 130	30
Carbon Disulfide	ND	124	107	14.7	95	100	5.1	70 - 130	30
Carbon tetrachloride	ND	116	102	12.8	101	101	0.0	70 - 130	30
Chlorobenzene	ND	100	92	8.3	92	93	1.1	70 - 130	30
Chloroethane	ND	120	103	15.2	<40	<40	NC	70 - 130	30
Chloroform	ND	116	102	12.8	102	91	11.4	70 - 130	30
Chloromethane	ND	109	96	12.7	100	100	0.0	70 - 130	30
cis-1,2-Dichloroethene	ND	113	100	12.2	100	92	8.3	70 - 130	30
cis-1,3-Dichloropropene	ND	106	96	9.9	95	96	1.0	70 - 130	30
Dibromochloromethane	ND	101	93	8.2	89	90	1.1	70 - 130	30
Dibromoethane	ND	106	93	13.1	93	92	1.1	70 - 130	30
Dibromomethane	ND	104	94	10.1	92	92	0.0	70 - 130	30
Dichlorodifluoromethane	ND	91	79	14.1	104	104	0.0	70 - 130	30
Ethylbenzene	ND	106	96	9.9	94	95	1.1	70 - 130	30

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Hexachlorobutadiene	ND	99	92	7.3	96	100	4.1	70 - 130	30
Isopropylbenzene	ND	105	95	10.0	96	97	1.0	70 - 130	30
m&p-Xylene	ND	104	95	9.0	94	95	1.1	70 - 130	30
Methyl ethyl ketone	ND	77	69	11.0	55	59	7.0	70 - 130	30
Methyl t-butyl ether (MTBE)	ND	107	107	0.0	96	100	4.1	70 - 130	30
Methylene chloride	ND	112	101	10.3	98	97	1.0	70 - 130	30
Naphthalene	ND	104	102	1.9	89	97	8.6	70 - 130	30
n-Butylbenzene	ND	105	95	10.0	93	92	1.1	70 - 130	30
n-Propylbenzene	ND	97	90	7.5	96	94	2.1	70 - 130	30
o-Xylene	ND	105	97	7.9	99	100	1.0	70 - 130	30
p-Isopropyltoluene	ND	109	99	9.6	96	96	0.0	70 - 130	30
sec-Butylbenzene	ND	105	95	10.0	97	96	1.0	70 - 130	30
Styrene	ND	104	95	9.0	98	97	1.0	70 - 130	30
tert-Butylbenzene	ND	105	98	6.9	97	97	0.0	70 - 130	30
Tetrachloroethene	ND	103	92	11.3	94	99	5.2	70 - 130	30
Tetrahydrofuran (THF)	ND	106	85	22.0	97	100	3.0	70 - 130	30
Toluene	ND	110	100	9.5	100	97	3.0	70 - 130	30
trans-1,2-Dichloroethene	ND	115	104	10.0	95	97	2.1	70 - 130	30
trans-1,3-Dichloropropene	ND	110	100	9.5	96	94	2.1	70 - 130	30
trans-1,4-dichloro-2-butene	ND	102	92	10.3	89	90	1.1	70 - 130	30
Trichloroethene	ND	110	100	9.5	98	101	3.0	70 - 130	30
Trichlorofluoromethane	ND	145	124	15.6	59	59	0.0	70 - 130	30
Trichlorotrifluoroethane	ND	127	107	17.1	97	102	5.0	70 - 130	30
Vinyl chloride	ND	115	102	12.0	106	107	0.9	70 - 130	30
% 1,2-dichlorobenzene-d4	102	102	102	0.0	99	100	1.0	70 - 130	30
% Bromofluorobenzene	93	101	100	1.0	99	98	1.0	70 - 130	30
% Dibromofluoromethane	97	102	102	0.0	97	96	1.0	70 - 130	30
% Toluene-d8	99	102	100	2.0	103	100	3.0	70 - 130	30

QA/QC Batch 191961, QC Sample No: BB17981 (BB17880, BB17882, BB17883)

Volatiles - Soil

1,1,1,2-Tetrachloroethane	ND	93	95	2.1	89	94	5.5	70 - 130	30
1,1,1-Trichloroethane	ND	102	100	2.0	103	100	3.0	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	81	84	3.6	108	112	3.6	70 - 130	30
1,1,2-Trichloroethane	ND	92	92	0.0	82	87	5.9	70 - 130	30
1,1-Dichloroethane	ND	105	90	15.4	103	93	10.2	70 - 130	30
1,1-Dichloroethene	ND	91	92	1.1	95	94	1.1	70 - 130	30
1,1-Dichloropropene	ND	95	99	4.1	90	87	3.4	70 - 130	30
1,2,3-Trichlorobenzene	ND	83	95	13.5	<40	<40	NC	70 - 130	30
1,2,3-Trichloropropane	ND	90	96	6.5	115	123	6.7	70 - 130	30
1,2,4-Trichlorobenzene	ND	74	86	15.0	<40	<40	NC	70 - 130	30
1,2,4-Trimethylbenzene	ND	85	94	10.1	83	84	1.2	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	83	90	8.1	82	98	17.8	70 - 130	30
1,2-Dichlorobenzene	ND	82	88	7.1	69	71	2.9	70 - 130	30
1,2-Dichloroethane	ND	89	86	3.4	80	82	2.5	70 - 130	30
1,2-Dichloropropane	ND	98	97	1.0	90	90	0.0	70 - 130	30
1,3,5-Trimethylbenzene	ND	88	96	8.7	95	96	1.0	70 - 130	30
1,3-Dichlorobenzene	ND	80	88	9.5	70	69	1.4	70 - 130	30
1,3-Dichloropropane	ND	91	92	1.1	84	86	2.4	70 - 130	30
1,4-Dichlorobenzene	ND	78	85	8.6	65	65	0.0	70 - 130	30
2,2-Dichloropropane	ND	100	89	11.6	96	91	5.3	70 - 130	30
2-Chlorotoluene	ND	88	93	5.5	97	95	2.1	70 - 130	30
2-Hexanone	ND	72	75	4.1	41	40	2.5	70 - 130	30

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
2-Isopropyltoluene	ND	90	96	6.5	82	89	8.2	70 - 130	30	
4-Chlorotoluene	ND	80	88	9.5	83	83	0.0	70 - 130	30	
4-Methyl-2-pentanone	ND	84	84	0.0	60	68	12.5	70 - 130	30	m
Acetone	ND	56	62	10.2	48	50	4.1	70 - 130	30	l,m
Acrylonitrile	ND	95	80	17.1	65	61	6.3	70 - 130	30	m
Benzene	ND	97	97	0.0	91	89	2.2	70 - 130	30	
Bromobenzene	ND	89	92	3.3	89	84	5.8	70 - 130	30	
Bromochloromethane	ND	100	98	2.0	86	84	2.4	70 - 130	30	
Bromodichloromethane	ND	93	92	1.1	88	88	0.0	70 - 130	30	
Bromoform	ND	86	89	3.4	74	78	5.3	70 - 130	30	
Bromomethane	ND	80	86	7.2	70	68	2.9	70 - 130	30	m
Carbon Disulfide	ND	90	93	3.3	79	75	5.2	70 - 130	30	
Carbon tetrachloride	ND	100	97	3.0	100	93	7.3	70 - 130	30	
Chlorobenzene	ND	89	91	2.2	75	76	1.3	70 - 130	30	
Chloroethane	ND	91	91	0.0	92	90	2.2	70 - 130	30	
Chloroform	ND	100	100	0.0	99	89	10.6	70 - 130	30	
Chloromethane	ND	92	91	1.1	83	80	3.7	70 - 130	30	
cis-1,2-Dichloroethene	ND	101	92	9.3	85	79	7.3	70 - 130	30	
cis-1,3-Dichloropropene	ND	95	95	0.0	66	68	3.0	70 - 130	30	m
Dibromochloromethane	ND	89	92	3.3	83	86	3.6	70 - 130	30	
Dibromoethane	ND	93	94	1.1	68	71	4.3	70 - 130	30	m
Dibromomethane	ND	92	91	1.1	76	76	0.0	70 - 130	30	
Dichlorodifluoromethane	ND	77	78	1.3	71	69	2.9	70 - 130	30	m
Ethylbenzene	ND	90	93	3.3	85	83	2.4	70 - 130	30	
Hexachlorobutadiene	ND	82	94	13.6	<40	42	NC	70 - 130	30	m
Isopropylbenzene	ND	92	97	5.3	111	106	4.6	70 - 130	30	
m&p-Xylene	ND	89	93	4.4	77	78	1.3	70 - 130	30	
Methyl ethyl ketone	ND	62	68	9.2	50	54	7.7	70 - 130	30	l,m
Methyl t-butyl ether (MTBE)	ND	93	94	1.1	91	99	8.4	70 - 130	30	
Methylene chloride	ND	90	88	2.2	85	85	0.0	70 - 130	30	
Naphthalene	ND	93	101	8.2	<40	<40	NC	70 - 130	30	m
n-Butylbenzene	ND	81	91	11.6	64	67	4.6	70 - 130	30	m
n-Propylbenzene	ND	83	89	7.0	96	94	2.1	70 - 130	30	
o-Xylene	ND	93	94	1.1	83	84	1.2	70 - 130	30	
p-Isopropyltoluene	ND	91	99	8.4	78	82	5.0	70 - 130	30	
sec-Butylbenzene	ND	88	94	6.6	85	86	1.2	70 - 130	30	
Styrene	ND	90	91	1.1	66	66	0.0	70 - 130	30	m
tert-Butylbenzene	ND	93	97	4.2	98	100	2.0	70 - 130	30	
Tetrachloroethene	ND	87	95	8.8	86	84	2.4	70 - 130	30	
Tetrahydrofuran (THF)	ND	89	89	0.0	86	100	15.1	70 - 130	30	
Toluene	ND	95	95	0.0	86	83	3.6	70 - 130	30	
trans-1,2-Dichloroethene	ND	91	94	3.2	83	81	2.4	70 - 130	30	
trans-1,3-Dichloropropene	ND	95	93	2.1	61	62	1.6	70 - 130	30	m
trans-1,4-dichloro-2-butene	ND	84	87	3.5	71	71	0.0	70 - 130	30	
Trichloroethene	ND	97	101	4.0	86	82	4.8	70 - 130	30	
Trichlorofluoromethane	ND	103	103	0.0	96	96	0.0	70 - 130	30	
Trichlorotrifluoroethane	ND	93	95	2.1	95	95	0.0	70 - 130	30	
Vinyl chloride	ND	95	92	3.2	88	83	5.8	70 - 130	30	
% 1,2-dichlorobenzene-d4	100	99	101	2.0	100	102	2.0	70 - 130	30	
% Bromofluorobenzene	94	101	98	3.0	86	89	3.4	70 - 130	30	
% Dibromofluoromethane	94	101	99	2.0	101	105	3.9	70 - 130	30	
% Toluene-d8	97	101	98	3.0	99	99	0.0	70 - 130	30	

## QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 192147, QC Sample No: BB28294 (BB17884, BB17885, BB17886)									
<u>Volatiles - Ground Water</u>									
1,1,1,2-Tetrachloroethane	ND	98	88	10.8	96	97	1.0	70 - 130	30
1,1,1-Trichloroethane	ND	92	80	14.0	83	88	5.8	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	87	86	1.2	93	90	3.3	70 - 130	30
1,1,2-Trichloroethane	ND	112	103	8.4	118	114	3.4	70 - 130	30
1,1-Dichloroethane	ND	109	100	8.6	105	106	0.9	70 - 130	30
1,1-Dichloroethene	ND	99	91	8.4	94	102	8.2	70 - 130	30
1,1-Dichloropropene	ND	101	89	12.6	94	101	7.2	70 - 130	30
1,2,3-Trichlorobenzene	ND	93	93	0.0	95	94	1.1	70 - 130	30
1,2,3-Trichloropropane	ND	91	89	2.2	97	95	2.1	70 - 130	30
1,2,4-Trichlorobenzene	ND	85	81	4.8	80	81	1.2	70 - 130	30
1,2,4-Trimethylbenzene	ND	92	87	5.6	88	92	4.4	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	78	73	6.6	73	76	4.0	70 - 130	30
1,2-Dichlorobenzene	ND	83	84	1.2	86	87	1.2	70 - 130	30
1,2-Dichloroethane	ND	112	98	13.3	115	116	0.9	70 - 130	30
1,2-Dichloropropane	ND	107	98	8.8	103	105	1.9	70 - 130	30
1,3,5-Trimethylbenzene	ND	94	86	8.9	88	90	2.2	70 - 130	30
1,3-Dichlorobenzene	ND	88	81	8.3	86	85	1.2	70 - 130	30
1,3-Dichloropropane	ND	97	87	10.9	100	103	3.0	70 - 130	30
1,4-Dichlorobenzene	ND	87	83	4.7	89	86	3.4	70 - 130	30
2,2-Dichloropropane	ND	79	53	39.4	66	49	29.6	70 - 130	30
2-Chlorotoluene	ND	81	76	6.4	77	78	1.3	70 - 130	30
2-Hexanone	ND	94	88	6.6	108	106	1.9	70 - 130	30
2-Isopropyltoluene	ND	88	81	8.3	85	84	1.2	70 - 130	30
4-Chlorotoluene	ND	80	81	1.2	84	82	2.4	70 - 130	30
4-Methyl-2-pentanone	ND	106	99	6.8	117	115	1.7	70 - 130	30
Acetone	ND	101	97	4.0	125	121	3.3	70 - 130	30
Acrylonitrile	ND	108	102	5.7	117	110	6.2	70 - 130	30
Benzene	ND	104	90	14.4	99	105	5.9	70 - 130	30
Bromobenzene	ND	84	81	3.6	87	83	4.7	70 - 130	30
Bromochloromethane	ND	73	64	13.1	71	68	4.3	70 - 130	30
Bromodichloromethane	ND	113	104	8.3	110	115	4.4	70 - 130	30
Bromoform	ND	105	94	11.1	114	105	8.2	70 - 130	30
Bromomethane	ND	86	77	11.0	56	70	22.2	70 - 130	30
Carbon Disulfide	ND	105	90	15.4	93	98	5.2	70 - 130	30
Carbon tetrachloride	ND	92	78	16.5	88	88	0.0	70 - 130	30
Chlorobenzene	ND	96	85	12.2	97	96	1.0	70 - 130	30
Chloroethane	ND	105	104	1.0	91	93	2.2	70 - 130	30
Chloroform	ND	89	77	14.5	82	84	2.4	70 - 130	30
Chloromethane	ND	91	85	6.8	120	121	0.8	70 - 130	30
cis-1,2-Dichloroethene	ND	115	98	16.0	108	106	1.9	70 - 130	30
cis-1,3-Dichloropropene	ND	96	87	9.8	90	92	2.2	70 - 130	30
Dibromochloromethane	ND	98	93	5.2	105	97	7.9	70 - 130	30
Dibromoethane	ND	108	101	6.7	113	121	6.8	70 - 130	30
Dibromomethane	ND	109	102	6.6	111	113	1.8	70 - 130	30
Dichlorodifluoromethane	ND	53	45	16.3	58	58	0.0	70 - 130	30
Ethylbenzene	ND	105	86	19.9	95	102	7.1	70 - 130	30
Hexachlorobutadiene	ND	79	72	9.3	77	75	2.6	70 - 130	30
Isopropylbenzene	ND	87	78	10.9	79	82	3.7	70 - 130	30
m&p-Xylene	ND	100	91	9.4	99	102	3.0	70 - 130	30
Methyl ethyl ketone	ND	80	77	3.8	90	93	3.3	70 - 130	30

I,m,r

I,m

m

I,m

QA/QC Data

SDG I.D.: GBB17873

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
Methyl t-butyl ether (MTBE)	ND	128	127	0.8	133	135	1.5	70 - 130	30	m
Methylene chloride	ND	96	94	2.1	97	97	0.0	70 - 130	30	
Naphthalene	ND	87	87	0.0	89	84	5.8	70 - 130	30	
n-Butylbenzene	ND	90	84	6.9	83	85	2.4	70 - 130	30	
n-Propylbenzene	ND	84	81	3.6	83	83	0.0	70 - 130	30	
o-Xylene	ND	100	89	11.6	99	102	3.0	70 - 130	30	
p-Isopropyltoluene	ND	94	88	6.6	86	86	0.0	70 - 130	30	
sec-Butylbenzene	ND	89	82	8.2	85	88	3.5	70 - 130	30	
Styrene	ND	103	89	14.6	106	105	0.9	70 - 130	30	
tert-Butylbenzene	ND	85	79	7.3	80	85	6.1	70 - 130	30	
Tetrachloroethene	ND	96	81	16.9	92	91	1.1	70 - 130	30	
Tetrahydrofuran (THF)	ND	88	80	9.5	92	89	3.3	70 - 130	30	
Toluene	ND	106	97	8.9	101	103	2.0	70 - 130	30	
trans-1,2-Dichloroethene	ND	106	100	5.8	104	107	2.8	70 - 130	30	
trans-1,3-Dichloropropene	ND	110	102	7.5	107	103	3.8	70 - 130	30	
trans-1,4-dichloro-2-butene	ND	82	76	7.6	<40	<40	NC	70 - 130	30	m
Trichloroethene	ND	101	91	10.4	96	99	3.1	70 - 130	30	
Trichlorofluoromethane	ND	113	97	15.2	94	96	2.1	70 - 130	30	
Trichlorotrifluoroethane	ND	103	86	18.0	93	93	0.0	70 - 130	30	
Vinyl chloride	ND	87	77	12.2	87	90	3.4	70 - 130	30	
% 1,2-dichlorobenzene-d4	114	97	100	3.0	95	96	1.0	70 - 130	30	
% Bromofluorobenzene	87	107	100	6.8	102	109	6.6	70 - 130	30	
% Dibromofluoromethane	101	90	86	4.5	84	77	8.7	70 - 130	30	
% Toluene-d8	96	104	103	1.0	96	100	4.1	70 - 130	30	


Comment:

A blank MS/MSD was analyzed with this batch.

l = This parameter is outside laboratory lcs/lcsd specified recovery limits.  
 m = This parameter is outside laboratory ms/msd specified recovery limits.  
 r = This parameter is outside laboratory rpd specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

- RPD - Relative Percent Difference
- LCS - Laboratory Control Sample
- LCSD - Laboratory Control Sample Duplicate
- MS - Matrix Spike
- MS Dup - Matrix Spike Duplicate
- NC - No Criteria

  
 Phyllis Shiller, Laboratory Director  
 January 11, 2012



**Environmental Laboratories, Inc.**  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



# NY Temperature Narration

January 11, 2012

SDG I.D.: GBB17873

---

The samples in this delivery group were received at 4C.  
(Note acceptance criteria is above freezing up to 6C)







Tuesday, March 06, 2012

Attn: Mr. Charles B. Sosik, P.G.  
Environmental Business Consultants  
1808 Middle Country Rd  
Ridge NY 11961-2406

Project ID: 390-398 WALLABOT ST  
Sample ID#s: BB47600 - BB47605

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller  
Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #MA-CT-007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B  
NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

March 06, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

Date Time  
 02/24/12 11:00  
 02/27/12 16:41

## Laboratory Data

SDG ID: GBB47600  
 Phoenix ID: BB47600

Project ID: 390-398 WALLABOT ST

Client ID: B6 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.40	0.40	mg/Kg	02/29/12		LK	6010/200.7
Aluminum	7900	60	mg/Kg	02/29/12		EK	6010/200.7
Arsenic	7.68	0.80	mg/Kg	02/29/12		LK	6010/200.7
Barium	261	0.40	mg/Kg	02/29/12		LK	6010/200.7
Beryllium	0.37	0.32	mg/Kg	02/29/12		LK	6010/200.7
Calcium	39900	60	mg/Kg	02/29/12		EK	6010/200.7
Cadmium	< 0.40	0.40	mg/Kg	02/29/12		LK	6010/200.7
Cobalt	3.83	0.40	mg/Kg	02/29/12		LK	6010/200.7
Chromium	24.5	0.40	mg/Kg	02/29/12		LK	6010/200.7
Copper	52.5	0.40	mg/kg	02/28/12		LK	6010/200.7
Iron	17100	60	mg/Kg	02/29/12		EK	6010/200.7
Mercury	0.74	0.07	mg/Kg	02/28/12		RS	SW-7471
Potassium	1020	6.0	mg/Kg	02/29/12		LK	6010/200.7
Magnesium	5580	6.0	mg/Kg	02/29/12		LK	6010/200.7
Manganese	343	4.0	mg/Kg	02/29/12		EK	6010/200.7
Sodium	666	6.0	mg/Kg	02/28/12		LK	6010/200.7
Nickel	21.5	0.40	mg/Kg	02/29/12		LK	6010/200.7
Lead	326	4.0	mg/Kg	02/29/12		EK	6010/200.7
Antimony	< 4.0	4.0	mg/Kg	02/29/12		LK	6010/200.7
Selenium	< 1.6	1.6	mg/Kg	02/29/12		LK	6010/200.7
Thallium	< 3.6	3.6	mg/Kg	02/29/12		LK	6010/200.7
Total Metals Digest	Completed			02/27/12		AG	SW846 - 3050
Vanadium	26.3	0.40	mg/Kg	02/29/12		LK	6010/200.7
Zinc	254	4.0	mg/Kg	02/29/12		EK	6010/200.7
Percent Solid	84		%	02/27/12		JL	E160.3
Soil Extraction for PCB	Completed			02/27/12		BB	SW3545
Soil Extraction for Pesticide	Completed			02/27/12		BB/F	SW3545
Soil Extraction for SVOA	Completed			02/27/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			02/28/12		D	SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1221	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1232	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1242	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1248	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1254	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1260	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1262	ND	400	ug/Kg	02/28/12		MH	SW 8082
PCB-1268	ND	400	ug/Kg	02/28/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	107		%	02/28/12		MH	30 - 150 %
% TCMX	71		%	02/28/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND*	51	ug/Kg	02/28/12		MR	SW8081
4,4' -DDE	ND	38	ug/Kg	02/28/12		MR	SW8081
4,4' -DDT	ND	38	ug/Kg	02/28/12		MR	SW8081
a-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Alachlor	ND	19	ug/Kg	02/28/12		MR	SW8081
Aldrin	ND	5.9	ug/Kg	02/28/12		MR	SW8081
b-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Chlordane	ND	59	ug/Kg	02/28/12		MR	SW8081
d-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Dieldrin	ND	5.9	ug/Kg	02/28/12		MR	SW8081
Endosulfan I	ND	19	ug/Kg	02/28/12		MR	SW8081
Endosulfan II	ND	38	ug/Kg	02/28/12		MR	SW8081
Endosulfan sulfate	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin aldehyde	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin ketone	ND	38	ug/Kg	02/28/12		MR	SW8081
g-BHC	ND	5.9	ug/Kg	02/28/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	02/28/12		MR	SW8081
Heptachlor epoxide	ND	19	ug/Kg	02/28/12		MR	SW8081
Methoxychlor	ND	190	ug/Kg	02/28/12		MR	SW8081
Toxaphene	ND	190	ug/Kg	02/28/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	103		%	02/28/12		MR	30 - 150 %
% TCMX	78		%	02/28/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,1,1-Trichloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,1,2,2-Tetrachloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,1,2-Trichloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,1-Dichloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,1-Dichloroethene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,1-Dichloropropene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,2,3-Trichlorobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,2,4-Trichlorobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,2,4-Trimethylbenzene	11	6.0	ug/Kg	03/01/12		HM	SW8260
1,2-Dibromo-3-chloropropane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,2-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,2-Dichloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,2-Dichloropropane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,3,5-Trimethylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,3-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,3-Dichloropropane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
1,4-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
2,2-Dichloropropane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
2-Chlorotoluene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
2-Hexanone	ND	30	ug/Kg	03/01/12		HM	SW8260
2-Isopropyltoluene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
4-Chlorotoluene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
4-Methyl-2-pentanone	ND	30	ug/Kg	03/01/12		HM	SW8260
Acetone	ND	30	ug/Kg	03/01/12		HM	SW8260
Acrylonitrile	ND	12	ug/Kg	03/01/12		HM	SW8260
Benzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Bromobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Bromochloromethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Bromodichloromethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Bromoform	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Bromomethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Carbon Disulfide	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Carbon tetrachloride	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Chlorobenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Chloroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Chloroform	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Chloromethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
cis-1,2-Dichloroethene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
cis-1,3-Dichloropropene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Dibromochloromethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Dibromoethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Dibromomethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Dichlorodifluoromethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Ethylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Hexachlorobutadiene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Isopropylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
m&p-Xylene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Methyl Ethyl Ketone	ND	30	ug/Kg	03/01/12		HM	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	03/01/12		HM	SW8260
Methylene chloride	ND	50	ug/Kg	03/01/12		HM	SW8260
Naphthalene	1600	600	ug/Kg	03/01/12		HM	SW8260
n-Butylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
n-Propylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
o-Xylene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
p-Isopropyltoluene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
sec-Butylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260


Client ID: B6 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
tert-Butylbenzene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Tetrachloroethene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	03/01/12		HM	SW8260
Toluene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Total Xylenes	ND	6.0	ug/Kg	03/01/12		HM	SW8260
trans-1,2-Dichloroethene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
trans-1,3-Dichloropropene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	03/01/12		HM	SW8260
Trichloroethene	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Trichlorofluoromethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Trichlorotrifluoroethane	ND	6.0	ug/Kg	03/01/12		HM	SW8260
Vinyl chloride	ND	6.0	ug/Kg	03/01/12		HM	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	99		%	03/01/12		HM	70 - 130 %
% Bromofluorobenzene	84		%	03/01/12		HM	70 - 130 %
% Dibromofluoromethane	89		%	03/01/12		HM	70 - 130 %
% Toluene-d8	97		%	03/01/12		HM	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2-Dichlorobenzene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
1,3-Dichlorobenzene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
1,4-Dichlorobenzene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
2,4-Dinitrotoluene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
2,6-Dinitrotoluene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
2-Chloronaphthalene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
2-Methylnaphthalene	14000	2800	ug/Kg	02/28/12		KCA	SW8270
2-Nitroaniline	ND	12000	ug/Kg	02/28/12		KCA	SW8270
3,3'-Dichlorobenzidine	ND	16000	ug/Kg	02/28/12		KCA	SW8270
3-Nitroaniline	ND	12000	ug/Kg	02/28/12		KCA	SW8270
4-Bromophenyl phenyl ether	ND	2800	ug/Kg	02/28/12		KCA	SW8270
4-Chloroaniline	ND	2800	ug/Kg	02/28/12		KCA	SW8270
4-Chlorophenyl phenyl ether	ND	2800	ug/Kg	02/28/12		KCA	SW8270
4-Nitroaniline	ND	12000	ug/Kg	02/28/12		KCA	SW8270
Acenaphthene	17000	2800	ug/Kg	02/28/12		KCA	SW8270
Acenaphthylene	4400	2800	ug/Kg	02/28/12		KCA	SW8270
Anthracene	40000	2800	ug/Kg	02/28/12		KCA	SW8270
Azobenzene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Benz(a)anthracene	71000	2800	ug/Kg	02/28/12		KCA	SW8270
Benzidine	ND	16000	ug/Kg	02/28/12		KCA	SW8270
Benzo(a)pyrene	59000	2800	ug/Kg	02/28/12		KCA	SW8270
Benzo(b)fluoranthene	79000	2800	ug/Kg	02/28/12		KCA	SW8270
Benzo(ghi)perylene	28000	2800	ug/Kg	02/28/12		KCA	SW8270
Benzo(k)fluoranthene	28000	2800	ug/Kg	02/28/12		KCA	SW8270
Benzoic acid	ND	4000	ug/Kg	02/28/12		KCA	SW8270
Benzyl alcohol	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Benzyl butyl phthalate	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethoxy)methane	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethyl)ether	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroisopropyl)ether	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Bis(2-ethylhexyl)phthalate	ND	2800	ug/Kg	02/28/12		KCA	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Chrysene	64000	2800	ug/Kg	02/28/12		KCA	SW8270
Dibenz(a,h)anthracene	7200	2800	ug/Kg	02/28/12		KCA	SW8270
Dibenzofuran	22000	2800	ug/Kg	02/28/12		KCA	SW8270
Diethyl phthalate	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Dimethylphthalate	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Di-n-butylphthalate	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Di-n-octylphthalate	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Fluoranthene	180000	2800	ug/Kg	02/28/12		KCA	SW8270
Fluorene	25000	2800	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobenzene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobutadiene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Hexachlorocyclopentadiene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Hexachloroethane	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Indeno(1,2,3-cd)pyrene	26000	2800	ug/Kg	02/28/12		KCA	SW8270
Isophorone	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Naphthalene	42000	2800	ug/Kg	02/28/12		KCA	SW8270
Nitrobenzene	ND	2800	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodimethylamine	ND	2800	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodi-n-propylamine	ND	2800	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodiphenylamine	ND	2800	ug/Kg	02/28/12		KCA	SW8270
Phenanthrene	220000	2800	ug/Kg	02/28/12		KCA	SW8270
Pyrene	150000	2800	ug/Kg	02/28/12		KCA	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	*Diluted Out		%	02/28/12		KCA	30 - 130 %
% Nitrobenzene-d5	*Diluted Out		%	02/28/12		KCA	30 - 130 %
% Terphenyl-d14	*Diluted Out		%	02/28/12		KCA	30 - 130 %

Comments:

\* For Pesticides, due to matrix interference from non target compounds in the sample, an elevated RL was reported.  
 If there are any questions regarding this data, please call Phoenix Client Services at extension 200.  
 ND=Not detected BDL=Below Detection Level RL=Reporting Level  
 This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
**March 06, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

March 06, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

Date            Time  
 02/24/12        11:20  
 02/27/12        16:41

## Laboratory Data

SDG ID: GBB47600  
 Phoenix ID: BB47601

Project ID: 390-398 WALLABOT ST

Client ID: B6 8-10 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.35	0.35	mg/Kg	02/29/12		LK	6010/200.7
Aluminum	8530	52	mg/Kg	02/29/12		EK	6010/200.7
Arsenic	0.85	0.69	mg/Kg	02/29/12		LK	6010/200.7
Barium	29.9	0.35	mg/Kg	02/29/12		LK	6010/200.7
Beryllium	0.32	0.28	mg/Kg	02/29/12		LK	6010/200.7
Calcium	856	5.2	mg/Kg	02/29/12		LK	6010/200.7
Cadmium	< 0.35	0.35	mg/Kg	02/29/12		LK	6010/200.7
Cobalt	3.79	0.35	mg/Kg	02/29/12		LK	6010/200.7
Chromium	13.3	0.35	mg/Kg	02/29/12		LK	6010/200.7
Copper	14.7	0.35	mg/kg	02/28/12		LK	6010/200.7
Iron	7490	5.2	mg/Kg	02/29/12		LK	6010/200.7
Mercury	< 0.08	0.08	mg/Kg	02/28/12		RS	SW-7471
Potassium	647	5.2	mg/Kg	02/29/12		LK	6010/200.7
Magnesium	1480	5.2	mg/Kg	02/29/12		LK	6010/200.7
Manganese	60.2	0.35	mg/Kg	02/29/12		LK	6010/200.7
Sodium	48.8	5.2	mg/Kg	02/28/12		LK	6010/200.7
Nickel	12.3	0.35	mg/Kg	02/29/12		LK	6010/200.7
Lead	3.86	0.35	mg/Kg	02/29/12		LK	6010/200.7
Antimony	< 3.5	3.5	mg/Kg	02/29/12		LK	6010/200.7
Selenium	< 1.4	1.4	mg/Kg	02/29/12		LK	6010/200.7
Thallium	< 3.1	3.1	mg/Kg	02/29/12		LK	6010/200.7
Total Metals Digest	Completed			02/27/12		AG	SW846 - 3050
Vanadium	13.7	0.35	mg/Kg	02/29/12		LK	6010/200.7
Zinc	19.6	0.35	mg/Kg	02/29/12		LK	6010/200.7
Percent Solid	86		%	02/27/12		JL	E160.3
Soil Extraction for PCB	Completed			02/27/12		BB	SW3545
Soil Extraction for Pesticide	Completed			02/27/12		BB/F	SW3545
Soil Extraction for SVOA	Completed			02/27/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			02/28/12		D	SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	02/28/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	89		%	02/28/12		MH	30 - 150 %
% TCMX	101		%	02/28/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	02/28/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	02/28/12		MR	SW8081
4,4' -DDT	ND	36	ug/Kg	02/28/12		MR	SW8081
a-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Alachlor	ND	18	ug/Kg	02/28/12		MR	SW8081
Aldrin	ND	5.6	ug/Kg	02/28/12		MR	SW8081
b-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Chlordane	ND	56	ug/Kg	02/28/12		MR	SW8081
d-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Dieldrin	ND	5.6	ug/Kg	02/28/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	02/28/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	02/28/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	02/28/12		MR	SW8081
g-BHC	ND	5.6	ug/Kg	02/28/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	02/28/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	02/28/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	02/28/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	02/28/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	74		%	02/28/12		MR	30 - 150 %
% TCMX	89		%	02/28/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,1,1-Trichloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,1,2-Trichloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloropropene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2,3-Trichlorobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260

Client ID: B6 8-10 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trichlorobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trimethylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichlorobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloropropane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,3,5-Trimethylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichlorobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichloropropane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
1,4-Dichlorobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
2,2-Dichloropropane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
2-Chlorotoluene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
2-Hexanone	ND	29	ug/Kg	03/01/12		H/J	SW8260
2-Isopropyltoluene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
4-Chlorotoluene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
4-Methyl-2-pentanone	ND	29	ug/Kg	03/01/12		H/J	SW8260
Acetone	ND	29	ug/Kg	03/01/12		H/J	SW8260
Acrylonitrile	ND	12	ug/Kg	03/01/12		H/J	SW8260
Benzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Bromobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Bromochloromethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Bromodichloromethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Bromoform	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Bromomethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Carbon Disulfide	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Carbon tetrachloride	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Chlorobenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Chloroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Chloroform	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Chloromethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
cis-1,2-Dichloroethene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
cis-1,3-Dichloropropene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Dibromochloromethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Dibromoethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Dibromomethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Dichlorodifluoromethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Ethylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Hexachlorobutadiene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Isopropylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
m&p-Xylene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Methyl Ethyl Ketone	ND	29	ug/Kg	03/01/12		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	03/01/12		H/J	SW8260
Methylene chloride	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Naphthalene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
n-Butylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
n-Propylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
o-Xylene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
p-Isopropyltoluene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
sec-Butylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
tert-Butylbenzene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Tetrachloroethene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	03/01/12		H/J	SW8260
Toluene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Total Xylenes	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
trans-1,2-Dichloroethene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
trans-1,3-Dichloropropene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	03/01/12		H/J	SW8260
Trichloroethene	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Trichlorofluoromethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Trichlorotrifluoroethane	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
Vinyl chloride	ND	5.8	ug/Kg	03/01/12		H/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	104		%	03/01/12		H/J	70 - 130 %
% Bromofluorobenzene	97		%	03/01/12		H/J	70 - 130 %
% Dibromofluoromethane	104		%	03/01/12		H/J	70 - 130 %
% Toluene-d8	100		%	03/01/12		H/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2-Dichlorobenzene	ND	260	ug/Kg	02/28/12		KCA	SW8270
1,3-Dichlorobenzene	ND	260	ug/Kg	02/28/12		KCA	SW8270
1,4-Dichlorobenzene	ND	260	ug/Kg	02/28/12		KCA	SW8270
2,4-Dinitrotoluene	ND	260	ug/Kg	02/28/12		KCA	SW8270
2,6-Dinitrotoluene	ND	260	ug/Kg	02/28/12		KCA	SW8270
2-Chloronaphthalene	ND	260	ug/Kg	02/28/12		KCA	SW8270
2-Methylnaphthalene	ND	260	ug/Kg	02/28/12		KCA	SW8270
2-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
3,3'-Dichlorobenzidine	ND	1500	ug/Kg	02/28/12		KCA	SW8270
3-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
4-Bromophenyl phenyl ether	ND	260	ug/Kg	02/28/12		KCA	SW8270
4-Chloroaniline	ND	260	ug/Kg	02/28/12		KCA	SW8270
4-Chlorophenyl phenyl ether	ND	260	ug/Kg	02/28/12		KCA	SW8270
4-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
Acenaphthene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Acenaphthylene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Anthracene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Azobenzene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benz(a)anthracene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benzidine	ND	1500	ug/Kg	02/28/12		KCA	SW8270
Benzo(a)pyrene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benzo(b)fluoranthene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benzo(ghi)perylene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benzo(k)fluoranthene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benzoic acid	ND	380	ug/Kg	02/28/12		KCA	SW8270
Benzyl alcohol	ND	260	ug/Kg	02/28/12		KCA	SW8270
Benzyl butyl phthalate	ND	260	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethoxy)methane	ND	260	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethyl)ether	ND	260	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroisopropyl)ether	ND	260	ug/Kg	02/28/12		KCA	SW8270
Bis(2-ethylhexyl)phthalate	ND	260	ug/Kg	02/28/12		KCA	SW8270


Parameter	Result	RL	Units	Date	Time	By	Reference
Chrysene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Dibenz(a,h)anthracene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Dibenzofuran	ND	260	ug/Kg	02/28/12		KCA	SW8270
Diethyl phthalate	ND	260	ug/Kg	02/28/12		KCA	SW8270
Dimethylphthalate	ND	260	ug/Kg	02/28/12		KCA	SW8270
Di-n-butylphthalate	ND	260	ug/Kg	02/28/12		KCA	SW8270
Di-n-octylphthalate	ND	260	ug/Kg	02/28/12		KCA	SW8270
Fluoranthene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Fluorene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobenzene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobutadiene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Hexachlorocyclopentadiene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Hexachloroethane	ND	260	ug/Kg	02/28/12		KCA	SW8270
Indeno(1,2,3-cd)pyrene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Isophorone	ND	260	ug/Kg	02/28/12		KCA	SW8270
Naphthalene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Nitrobenzene	ND	260	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodimethylamine	ND	260	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodi-n-propylamine	ND	260	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodiphenylamine	ND	260	ug/Kg	02/28/12		KCA	SW8270
Phenanthrene	ND	260	ug/Kg	02/28/12		KCA	SW8270
Pyrene	ND	260	ug/Kg	02/28/12		KCA	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	66		%	02/28/12		KCA	30 - 130 %
% Nitrobenzene-d5	69		%	02/28/12		KCA	30 - 130 %
% Terphenyl-d14	51		%	02/28/12		KCA	30 - 130 %

**Comments:**

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**March 06, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

March 06, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

Date Time  
 02/24/12 12:00  
 02/27/12 16:41

## Laboratory Data

SDG ID: GBB47600  
 Phoenix ID: BB47602

Project ID: 390-398 WALLABOT ST

Client ID: B7 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.41	0.41	mg/Kg	02/29/12		LK	6010/200.7
Aluminum	9520	61	mg/Kg	02/29/12		EK	6010/200.7
Arsenic	7.14	0.82	mg/Kg	02/29/12		LK	6010/200.7
Barium	462	0.41	mg/Kg	02/29/12		LK	6010/200.7
Beryllium	0.47	0.33	mg/Kg	02/29/12		LK	6010/200.7
Calcium	25100	61	mg/Kg	02/29/12		EK	6010/200.7
Cadmium	0.83	0.41	mg/Kg	02/29/12		LK	6010/200.7
Cobalt	6.17	0.41	mg/Kg	02/29/12		LK	6010/200.7
Chromium	21.3	0.41	mg/Kg	02/29/12		LK	6010/200.7
Copper	64.4	0.41	mg/kg	02/28/12		LK	6010/200.7
Iron	20700	61	mg/Kg	02/29/12		EK	6010/200.7
Mercury	0.31	0.07	mg/Kg	02/28/12		RS	SW-7471
Potassium	1380	6.1	mg/Kg	02/29/12		LK	6010/200.7
Magnesium	4110	6.1	mg/Kg	02/29/12		LK	6010/200.7
Manganese	279	4.1	mg/Kg	02/29/12		EK	6010/200.7
Sodium	374	6.1	mg/Kg	02/28/12		LK	6010/200.7
Nickel	32.9	0.41	mg/Kg	02/29/12		LK	6010/200.7
Lead	645	4.1	mg/Kg	02/29/12		EK	6010/200.7
Antimony	< 4.1	4.1	mg/Kg	02/29/12		LK	6010/200.7
Selenium	< 1.6	1.6	mg/Kg	02/29/12		LK	6010/200.7
Thallium	< 3.7	3.7	mg/Kg	02/29/12		LK	6010/200.7
Total Metals Digest	Completed			02/27/12		AG	SW846 - 3050
Vanadium	41.1	0.41	mg/Kg	02/29/12		LK	6010/200.7
Zinc	435	4.1	mg/Kg	02/29/12		EK	6010/200.7
Percent Solid	84		%	02/27/12		JL	E160.3
Soil Extraction for PCB	Completed			02/27/12		BB	SW3545
Soil Extraction for Pesticide	Completed			02/27/12		BB/F	SW3545
Soil Extraction for SVOA	Completed			02/27/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			02/28/12		D	SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1221	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1232	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1242	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1248	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1254	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1260	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1262	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1268	ND	390	ug/Kg	02/28/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	97		%	02/28/12		MH	30 - 150 %
% TCMX	102		%	02/28/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	38	ug/Kg	02/28/12		MR	SW8081
4,4' -DDE	ND	38	ug/Kg	02/28/12		MR	SW8081
4,4' -DDT	49	38	ug/Kg	02/28/12		MR	SW8081
a-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Alachlor	ND	19	ug/Kg	02/28/12		MR	SW8081
Aldrin	ND	5.9	ug/Kg	02/28/12		MR	SW8081
b-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Chlordane	ND*	98	ug/Kg	02/28/12		MR	SW8081
d-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Dieldrin	ND	5.9	ug/Kg	02/28/12		MR	SW8081
Endosulfan I	ND	19	ug/Kg	02/28/12		MR	SW8081
Endosulfan II	ND	38	ug/Kg	02/28/12		MR	SW8081
Endosulfan sulfate	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin aldehyde	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin ketone	ND	38	ug/Kg	02/28/12		MR	SW8081
g-BHC	ND	5.9	ug/Kg	02/28/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	02/28/12		MR	SW8081
Heptachlor epoxide	ND	19	ug/Kg	02/28/12		MR	SW8081
Methoxychlor	ND	190	ug/Kg	02/28/12		MR	SW8081
Toxaphene	ND	190	ug/Kg	02/28/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	94		%	02/28/12		MR	30 - 150 %
% TCMX	78		%	02/28/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1,1-Trichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1,2-Trichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloropropene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2,3-Trichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260

Client ID: B7 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trimethylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,3,5-Trimethylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,4-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
2,2-Dichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
2-Chlorotoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
2-Hexanone	ND	30	ug/Kg	03/01/12		H/J	SW8260
2-Isopropyltoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
4-Chlorotoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
4-Methyl-2-pentanone	ND	30	ug/Kg	03/01/12		H/J	SW8260
Acetone	ND	30	ug/Kg	03/01/12		H/J	SW8260
Acrylonitrile	ND	12	ug/Kg	03/01/12		H/J	SW8260
Benzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromochloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromodichloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromoform	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromomethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Carbon Disulfide	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Carbon tetrachloride	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chloroform	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
cis-1,2-Dichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
cis-1,3-Dichloropropene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dibromochloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dibromoethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dibromomethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dichlorodifluoromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Ethylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Hexachlorobutadiene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Isopropylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
m&p-Xylene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Methyl Ethyl Ketone	ND	30	ug/Kg	03/01/12		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	03/01/12		H/J	SW8260
Methylene chloride	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Naphthalene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
n-Butylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
n-Propylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
o-Xylene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
p-Isopropyltoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
sec-Butylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260

Client ID: B7 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
tert-Butylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Tetrachloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	03/01/12		H/J	SW8260
Toluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Total Xylenes	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
trans-1,2-Dichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
trans-1,3-Dichloropropene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	03/01/12		H/J	SW8260
Trichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Trichlorofluoromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Trichlorotrifluoroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Vinyl chloride	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	100		%	03/01/12		H/J	70 - 130 %
% Bromofluorobenzene	93		%	03/01/12		H/J	70 - 130 %
% Dibromofluoromethane	99		%	03/01/12		H/J	70 - 130 %
% Toluene-d8	101		%	03/01/12		H/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2-Dichlorobenzene	ND	280	ug/Kg	02/28/12		KCA	SW8270
1,3-Dichlorobenzene	ND	280	ug/Kg	02/28/12		KCA	SW8270
1,4-Dichlorobenzene	ND	280	ug/Kg	02/28/12		KCA	SW8270
2,4-Dinitrotoluene	ND	280	ug/Kg	02/28/12		KCA	SW8270
2,6-Dinitrotoluene	ND	280	ug/Kg	02/28/12		KCA	SW8270
2-Chloronaphthalene	ND	280	ug/Kg	02/28/12		KCA	SW8270
2-Methylnaphthalene	ND	280	ug/Kg	02/28/12		KCA	SW8270
2-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
3,3'-Dichlorobenzidine	ND	1600	ug/Kg	02/28/12		KCA	SW8270
3-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
4-Bromophenyl phenyl ether	ND	280	ug/Kg	02/28/12		KCA	SW8270
4-Chloroaniline	ND	280	ug/Kg	02/28/12		KCA	SW8270
4-Chlorophenyl phenyl ether	ND	280	ug/Kg	02/28/12		KCA	SW8270
4-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
Acenaphthene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Acenaphthylene	610	280	ug/Kg	02/28/12		KCA	SW8270
Anthracene	1400	280	ug/Kg	02/28/12		KCA	SW8270
Azobenzene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Benz(a)anthracene	8000	280	ug/Kg	02/28/12		KCA	SW8270
Benzidine	ND	1600	ug/Kg	02/28/12		KCA	SW8270
Benzo(a)pyrene	5900	280	ug/Kg	02/28/12		KCA	SW8270
Benzo(b)fluoranthene	10000	280	ug/Kg	02/28/12		KCA	SW8270
Benzo(ghi)perylene	2300	280	ug/Kg	02/28/12		KCA	SW8270
Benzo(k)fluoranthene	3100	280	ug/Kg	02/28/12		KCA	SW8270
Benzoic acid	ND	400	ug/Kg	02/28/12		KCA	SW8270
Benzyl alcohol	ND	280	ug/Kg	02/28/12		KCA	SW8270
Benzyl butyl phthalate	ND	280	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethoxy)methane	ND	280	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethyl)ether	ND	280	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroisopropyl)ether	ND	280	ug/Kg	02/28/12		KCA	SW8270
Bis(2-ethylhexyl)phthalate	620	280	ug/Kg	02/28/12		KCA	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Chrysene	7500	280	ug/Kg	02/28/12		KCA	SW8270
Dibenz(a,h)anthracene	830	280	ug/Kg	02/28/12		KCA	SW8270
Dibenzofuran	ND	280	ug/Kg	02/28/12		KCA	SW8270
Diethyl phthalate	ND	280	ug/Kg	02/28/12		KCA	SW8270
Dimethylphthalate	ND	280	ug/Kg	02/28/12		KCA	SW8270
Di-n-butylphthalate	ND	280	ug/Kg	02/28/12		KCA	SW8270
Di-n-octylphthalate	ND	280	ug/Kg	02/28/12		KCA	SW8270
Fluoranthene	15000	280	ug/Kg	02/28/12		KCA	SW8270
Fluorene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobenzene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobutadiene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Hexachlorocyclopentadiene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Hexachloroethane	ND	280	ug/Kg	02/28/12		KCA	SW8270
Indeno(1,2,3-cd)pyrene	2300	280	ug/Kg	02/28/12		KCA	SW8270
Isophorone	ND	280	ug/Kg	02/28/12		KCA	SW8270
Naphthalene	ND	280	ug/Kg	02/28/12		KCA	SW8270
Nitrobenzene	ND	280	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodimethylamine	ND	280	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodi-n-propylamine	ND	280	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodiphenylamine	ND	280	ug/Kg	02/28/12		KCA	SW8270
Phenanthrene	6000	280	ug/Kg	02/28/12		KCA	SW8270
Pyrene	13000	280	ug/Kg	02/28/12		KCA	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	74		%	02/28/12		KCA	30 - 130 %
% Nitrobenzene-d5	78		%	02/28/12		KCA	30 - 130 %
% Terphenyl-d14	57		%	02/28/12		KCA	30 - 130 %


Comments:

\* For Pesticides, due to matrix interference from non target compounds in the sample, an elevated RL was reported.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**March 06, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

March 06, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

Date            Time  
 02/24/12        12:20  
 02/27/12        16:41

## Laboratory Data

SDG ID: GBB47600  
 Phoenix ID: BB47603

Project ID: 390-398 WALLABOT ST

Client ID: B7 8-10 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.43	0.43	mg/Kg	02/29/12		LK	6010/200.7
Aluminum	16600	64	mg/Kg	02/29/12		EK	6010/200.7
Arsenic	2.80	0.85	mg/Kg	02/29/12		LK	6010/200.7
Barium	33.2	0.43	mg/Kg	02/29/12		LK	6010/200.7
Beryllium	0.38	0.34	mg/Kg	02/29/12		LK	6010/200.7
Calcium	1080	6.4	mg/Kg	02/29/12		LK	6010/200.7
Cadmium	< 0.43	0.43	mg/Kg	02/29/12		LK	6010/200.7
Cobalt	2.82	0.43	mg/Kg	02/29/12		LK	6010/200.7
Chromium	22.6	0.43	mg/Kg	02/29/12		LK	6010/200.7
Copper	10.4	0.43	mg/kg	02/28/12		LK	6010/200.7
Iron	15600	64	mg/Kg	02/29/12		EK	6010/200.7
Mercury	0.15	0.07	mg/Kg	02/28/12		RS	SW-7471
Potassium	704	6.4	mg/Kg	02/29/12		LK	6010/200.7
Magnesium	1680	6.4	mg/Kg	02/29/12		LK	6010/200.7
Manganese	45.3	0.43	mg/Kg	02/29/12		LK	6010/200.7
Sodium	50.4	6.4	mg/Kg	02/28/12		LK	6010/200.7
Nickel	9.02	0.43	mg/Kg	02/29/12		LK	6010/200.7
Lead	9.42	0.43	mg/Kg	02/29/12		LK	6010/200.7
Antimony	< 4.3	4.3	mg/Kg	02/29/12		LK	6010/200.7
Selenium	< 1.7	1.7	mg/Kg	02/29/12		LK	6010/200.7
Thallium	< 3.8	3.8	mg/Kg	02/29/12		LK	6010/200.7
Total Metals Digest	Completed			02/27/12		AG	SW846 - 3050
Vanadium	47.0	0.43	mg/Kg	02/29/12		LK	6010/200.7
Zinc	41.7	0.43	mg/Kg	02/29/12		LK	6010/200.7
Percent Solid	84		%	02/27/12		JL	E160.3
Soil Extraction for PCB	Completed			02/27/12		BB	SW3545
Soil Extraction for Pesticide	Completed			02/27/12		BB/F	SW3545
Soil Extraction for SVOA	Completed			02/27/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			02/28/12		D	SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1221	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1232	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1242	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1248	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1254	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1260	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1262	ND	390	ug/Kg	02/28/12		MH	SW 8082
PCB-1268	ND	390	ug/Kg	02/28/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	92		%	02/28/12		MH	30 - 150 %
% TCMX	94		%	02/28/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	38	ug/Kg	02/28/12		MR	SW8081
4,4' -DDE	ND	38	ug/Kg	02/28/12		MR	SW8081
4,4' -DDT	ND	38	ug/Kg	02/28/12		MR	SW8081
a-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Alachlor	ND	19	ug/Kg	02/28/12		MR	SW8081
Aldrin	ND	5.9	ug/Kg	02/28/12		MR	SW8081
b-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Chlordane	ND	59	ug/Kg	02/28/12		MR	SW8081
d-BHC	ND	19	ug/Kg	02/28/12		MR	SW8081
Dieldrin	ND	5.9	ug/Kg	02/28/12		MR	SW8081
Endosulfan I	ND	19	ug/Kg	02/28/12		MR	SW8081
Endosulfan II	ND	38	ug/Kg	02/28/12		MR	SW8081
Endosulfan sulfate	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin aldehyde	ND	38	ug/Kg	02/28/12		MR	SW8081
Endrin ketone	ND	38	ug/Kg	02/28/12		MR	SW8081
g-BHC	ND	5.9	ug/Kg	02/28/12		MR	SW8081
Heptachlor	ND	12	ug/Kg	02/28/12		MR	SW8081
Heptachlor epoxide	ND	19	ug/Kg	02/28/12		MR	SW8081
Methoxychlor	ND	190	ug/Kg	02/28/12		MR	SW8081
Toxaphene	ND	190	ug/Kg	02/28/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	76		%	02/28/12		MR	30 - 150 %
% TCMX	83		%	02/28/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1,1-Trichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1,2-Trichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloropropene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2,3-Trichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trimethylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,3,5-Trimethylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
1,4-Dichlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
2,2-Dichloropropane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
2-Chlorotoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
2-Hexanone	ND	30	ug/Kg	03/01/12		H/J	SW8260
2-Isopropyltoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
4-Chlorotoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
4-Methyl-2-pentanone	ND	30	ug/Kg	03/01/12		H/J	SW8260
Acetone	ND	30	ug/Kg	03/01/12		H/J	SW8260
Acrylonitrile	ND	12	ug/Kg	03/01/12		H/J	SW8260
Benzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromochloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromodichloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromoform	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Bromomethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Carbon Disulfide	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Carbon tetrachloride	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chlorobenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chloroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chloroform	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Chloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
cis-1,2-Dichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
cis-1,3-Dichloropropene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dibromochloromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dibromoethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dibromomethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Dichlorodifluoromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Ethylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Hexachlorobutadiene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Isopropylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
m&p-Xylene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Methyl Ethyl Ketone	ND	30	ug/Kg	03/01/12		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	12	ug/Kg	03/01/12		H/J	SW8260
Methylene chloride	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Naphthalene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
n-Butylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
n-Propylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
o-Xylene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
p-Isopropyltoluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
sec-Butylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
tert-Butylbenzene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Tetrachloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Tetrahydrofuran (THF)	ND	12	ug/Kg	03/01/12		H/J	SW8260
Toluene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Total Xylenes	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
trans-1,2-Dichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
trans-1,3-Dichloropropene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	12	ug/Kg	03/01/12		H/J	SW8260
Trichloroethene	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Trichlorofluoromethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Trichlorotrifluoroethane	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
Vinyl chloride	ND	6.0	ug/Kg	03/01/12		H/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	103		%	03/01/12		H/J	70 - 130 %
% Bromofluorobenzene	96		%	03/01/12		H/J	70 - 130 %
% Dibromofluoromethane	108		%	03/01/12		H/J	70 - 130 %
% Toluene-d8	101		%	03/01/12		H/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2-Dichlorobenzene	ND	270	ug/Kg	02/28/12		KCA	SW8270
1,3-Dichlorobenzene	ND	270	ug/Kg	02/28/12		KCA	SW8270
1,4-Dichlorobenzene	ND	270	ug/Kg	02/28/12		KCA	SW8270
2,4-Dinitrotoluene	ND	270	ug/Kg	02/28/12		KCA	SW8270
2,6-Dinitrotoluene	ND	270	ug/Kg	02/28/12		KCA	SW8270
2-Chloronaphthalene	ND	270	ug/Kg	02/28/12		KCA	SW8270
2-Methylnaphthalene	ND	270	ug/Kg	02/28/12		KCA	SW8270
2-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
3,3'-Dichlorobenzidine	ND	1500	ug/Kg	02/28/12		KCA	SW8270
3-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
4-Bromophenyl phenyl ether	ND	270	ug/Kg	02/28/12		KCA	SW8270
4-Chloroaniline	ND	270	ug/Kg	02/28/12		KCA	SW8270
4-Chlorophenyl phenyl ether	ND	270	ug/Kg	02/28/12		KCA	SW8270
4-Nitroaniline	ND	1100	ug/Kg	02/28/12		KCA	SW8270
Acenaphthene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Acenaphthylene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Anthracene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Azobenzene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Benz(a)anthracene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Benzidine	ND	1500	ug/Kg	02/28/12		KCA	SW8270
Benzo(a)pyrene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Benzo(b)fluoranthene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Benzo(ghi)perylene	290	270	ug/Kg	02/28/12		KCA	SW8270
Benzo(k)fluoranthene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Benzoic acid	ND	390	ug/Kg	02/28/12		KCA	SW8270
Benzyl alcohol	ND	270	ug/Kg	02/28/12		KCA	SW8270
Benzyl butyl phthalate	ND	270	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethoxy)methane	ND	270	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroethyl)ether	ND	270	ug/Kg	02/28/12		KCA	SW8270
Bis(2-chloroisopropyl)ether	ND	270	ug/Kg	02/28/12		KCA	SW8270
Bis(2-ethylhexyl)phthalate	ND	270	ug/Kg	02/28/12		KCA	SW8270


Parameter	Result	RL	Units	Date	Time	By	Reference
Chrysene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Dibenz(a,h)anthracene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Dibenzofuran	ND	270	ug/Kg	02/28/12		KCA	SW8270
Diethyl phthalate	ND	270	ug/Kg	02/28/12		KCA	SW8270
Dimethylphthalate	ND	270	ug/Kg	02/28/12		KCA	SW8270
Di-n-butylphthalate	ND	270	ug/Kg	02/28/12		KCA	SW8270
Di-n-octylphthalate	ND	270	ug/Kg	02/28/12		KCA	SW8270
Fluoranthene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Fluorene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobenzene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Hexachlorobutadiene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Hexachlorocyclopentadiene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Hexachloroethane	ND	270	ug/Kg	02/28/12		KCA	SW8270
Indeno(1,2,3-cd)pyrene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Isophorone	ND	270	ug/Kg	02/28/12		KCA	SW8270
Naphthalene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Nitrobenzene	ND	270	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodimethylamine	ND	270	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodi-n-propylamine	ND	270	ug/Kg	02/28/12		KCA	SW8270
N-Nitrosodiphenylamine	ND	270	ug/Kg	02/28/12		KCA	SW8270
Phenanthrene	ND	270	ug/Kg	02/28/12		KCA	SW8270
Pyrene	ND	270	ug/Kg	02/28/12		KCA	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	67		%	02/28/12		KCA	30 - 130 %
% Nitrobenzene-d5	71		%	02/28/12		KCA	30 - 130 %
% Terphenyl-d14	56		%	02/28/12		KCA	30 - 130 %

**Comments:**

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**March 06, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

# Analysis Report

March 06, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

Date Time  
 02/24/12 13:00  
 02/27/12 16:41

## Laboratory Data

SDG ID: GBB47600  
 Phoenix ID: BB47604

Project ID: 390-398 WALLABOT ST

Client ID: B8 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.35	0.35	mg/Kg	02/29/12		LK	6010/200.7
Aluminum	8350	52	mg/Kg	02/29/12		EK	6010/200.7
Arsenic	5.00	0.69	mg/Kg	02/29/12		LK	6010/200.7
Barium	935	0.35	mg/Kg	02/29/12		LK	6010/200.7
Beryllium	0.34	0.28	mg/Kg	02/29/12		LK	6010/200.7
Calcium	44100	52	mg/Kg	02/29/12		EK	6010/200.7
Cadmium	1.15	0.35	mg/Kg	02/29/12		LK	6010/200.7
Cobalt	5.26	0.35	mg/Kg	02/29/12		LK	6010/200.7
Chromium	22.7	0.35	mg/Kg	02/29/12		LK	6010/200.7
Copper	88.6	0.35	mg/kg	02/28/12		LK	6010/200.7
Iron	17900	52	mg/Kg	02/29/12		EK	6010/200.7
Mercury	0.77	0.08	mg/Kg	02/28/12		RS	SW-7471
Potassium	1800	5.2	mg/Kg	02/29/12		LK	6010/200.7
Magnesium	4170	5.2	mg/Kg	02/29/12		LK	6010/200.7
Manganese	313	3.5	mg/Kg	02/29/12		EK	6010/200.7
Sodium	364	5.2	mg/Kg	02/28/12		LK	6010/200.7
Nickel	18.2	0.35	mg/Kg	02/29/12		LK	6010/200.7
Lead	800	3.5	mg/Kg	02/29/12		EK	6010/200.7
Antimony	< 3.5	3.5	mg/Kg	02/29/12		LK	6010/200.7
Selenium	< 1.4	1.4	mg/Kg	02/29/12		LK	6010/200.7
Thallium	< 3.1	3.1	mg/Kg	02/29/12		LK	6010/200.7
Total Metals Digest	Completed			02/27/12		AG	SW846 - 3050
Vanadium	31.5	0.35	mg/Kg	02/29/12		LK	6010/200.7
Zinc	655	3.5	mg/Kg	02/29/12		EK	6010/200.7
Percent Solid	88		%	02/27/12		JL	E160.3
Soil Extraction for PCB	Completed			02/27/12		BB	SW3545
Soil Extraction for Pesticide	Completed			02/27/12		BB/F	SW3545
Soil Extraction for SVOA	Completed			02/27/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			02/28/12		D	SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	02/28/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	82		%	02/28/12		MH	30 - 150 %
% TCMX	86		%	02/28/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	02/28/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	02/28/12		MR	SW8081
4,4' -DDT	85	36	ug/Kg	02/28/12		MR	SW8081
a-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Alachlor	ND	18	ug/Kg	02/28/12		MR	SW8081
Aldrin	ND	5.6	ug/Kg	02/28/12		MR	SW8081
b-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Chlordane	180	56	ug/Kg	02/28/12		MR	SW8081
d-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Dieldrin	ND	5.6	ug/Kg	02/28/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	02/28/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	02/28/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	02/28/12		MR	SW8081
g-BHC	ND	5.6	ug/Kg	02/28/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	02/28/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	02/28/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	02/28/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	02/28/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	67		%	02/28/12		MR	30 - 150 %
% TCMX	77		%	02/28/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,1,1-Trichloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,1,2,2-Tetrachloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,1,2-Trichloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,1-Dichloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,1-Dichloroethene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,1-Dichloropropene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2,3-Trichlorobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260

Client ID: B8 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2,4-Trichlorobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2,4-Trimethylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2-Dibromo-3-chloropropane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2-Dichlorobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2-Dichloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,2-Dichloropropane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,3,5-Trimethylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,3-Dichlorobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,3-Dichloropropane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
1,4-Dichlorobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
2,2-Dichloropropane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
2-Chlorotoluene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
2-Hexanone	ND	28	ug/Kg	03/01/12		HM	SW8260
2-Isopropyltoluene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
4-Chlorotoluene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
4-Methyl-2-pentanone	ND	28	ug/Kg	03/01/12		HM	SW8260
Acetone	ND	28	ug/Kg	03/01/12		HM	SW8260
Acrylonitrile	ND	11	ug/Kg	03/01/12		HM	SW8260
Benzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Bromobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Bromochloromethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Bromodichloromethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Bromoform	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Bromomethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Carbon Disulfide	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Carbon tetrachloride	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Chlorobenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Chloroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Chloroform	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Chloromethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
cis-1,2-Dichloroethene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
cis-1,3-Dichloropropene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Dibromochloromethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Dibromoethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Dibromomethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Dichlorodifluoromethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Ethylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Hexachlorobutadiene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Isopropylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
m&p-Xylene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Methyl Ethyl Ketone	ND	28	ug/Kg	03/01/12		HM	SW8260
Methyl t-butyl ether (MTBE)	ND	11	ug/Kg	03/01/12		HM	SW8260
Methylene chloride	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Naphthalene	6.9	5.7	ug/Kg	03/01/12		HM	SW8260
n-Butylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
n-Propylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
o-Xylene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
p-Isopropyltoluene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
sec-Butylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260

Client ID: B8 0-2 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
tert-Butylbenzene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Tetrachloroethene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Tetrahydrofuran (THF)	ND	11	ug/Kg	03/01/12		HM	SW8260
Toluene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Total Xylenes	ND	5.7	ug/Kg	03/01/12		HM	SW8260
trans-1,2-Dichloroethene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
trans-1,3-Dichloropropene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
trans-1,4-dichloro-2-butene	ND	11	ug/Kg	03/01/12		HM	SW8260
Trichloroethene	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Trichlorofluoromethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Trichlorotrifluoroethane	ND	5.7	ug/Kg	03/01/12		HM	SW8260
Vinyl chloride	ND	5.7	ug/Kg	03/01/12		HM	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	100		%	03/01/12		HM	70 - 130 %
% Bromofluorobenzene	75		%	03/01/12		HM	70 - 130 %
% Dibromofluoromethane	106		%	03/01/12		HM	70 - 130 %
% Toluene-d8	94		%	03/01/12		HM	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2-Dichlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
1,3-Dichlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
1,4-Dichlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
2,4-Dinitrotoluene	ND	260	ug/Kg	02/28/12		DD	SW8270
2,6-Dinitrotoluene	ND	260	ug/Kg	02/28/12		DD	SW8270
2-Chloronaphthalene	ND	260	ug/Kg	02/28/12		DD	SW8270
2-Methylnaphthalene	260	260	ug/Kg	02/28/12		DD	SW8270
2-Nitroaniline	ND	1100	ug/Kg	02/28/12		DD	SW8270
3,3'-Dichlorobenzidine	ND	1500	ug/Kg	02/28/12		DD	SW8270
3-Nitroaniline	ND	1100	ug/Kg	02/28/12		DD	SW8270
4-Bromophenyl phenyl ether	ND	260	ug/Kg	02/28/12		DD	SW8270
4-Chloroaniline	ND	260	ug/Kg	02/28/12		DD	SW8270
4-Chlorophenyl phenyl ether	ND	260	ug/Kg	02/28/12		DD	SW8270
4-Nitroaniline	ND	1100	ug/Kg	02/28/12		DD	SW8270
Acenaphthene	770	260	ug/Kg	02/28/12		DD	SW8270
Acenaphthylene	ND	260	ug/Kg	02/28/12		DD	SW8270
Anthracene	1700	260	ug/Kg	02/28/12		DD	SW8270
Azobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benz(a)anthracene	4900	260	ug/Kg	02/28/12		DD	SW8270
Benzidine	ND	1500	ug/Kg	02/28/12		DD	SW8270
Benzo(a)pyrene	5100	260	ug/Kg	02/28/12		DD	SW8270
Benzo(b)fluoranthene	7000	260	ug/Kg	02/28/12		DD	SW8270
Benzo(ghi)perylene	1500	260	ug/Kg	02/28/12		DD	SW8270
Benzo(k)fluoranthene	2900	260	ug/Kg	02/28/12		DD	SW8270
Benzoic acid	ND	380	ug/Kg	02/28/12		DD	SW8270
Benzyl alcohol	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzyl butyl phthalate	7700	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-chloroethoxy)methane	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-chloroethyl)ether	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-chloroisopropyl)ether	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-ethylhexyl)phthalate	53000	260	ug/Kg	02/28/12		DD	SW8270

Parameter	Result	RL	Units	Date	Time	By	Reference
Chrysene	3500	260	ug/Kg	02/28/12		DD	SW8270
Dibenz(a,h)anthracene	380	260	ug/Kg	02/28/12		DD	SW8270
Dibenzofuran	520	260	ug/Kg	02/28/12		DD	SW8270
Diethyl phthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Dimethylphthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Di-n-butylphthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Di-n-octylphthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Fluoranthene	12000	260	ug/Kg	02/28/12		DD	SW8270
Fluorene	750	260	ug/Kg	02/28/12		DD	SW8270
Hexachlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachlorobutadiene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachlorocyclopentadiene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachloroethane	ND	260	ug/Kg	02/28/12		DD	SW8270
Indeno(1,2,3-cd)pyrene	1300	260	ug/Kg	02/28/12		DD	SW8270
Isophorone	ND	260	ug/Kg	02/28/12		DD	SW8270
Naphthalene	500	260	ug/Kg	02/28/12		DD	SW8270
Nitrobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
N-Nitrosodimethylamine	ND	260	ug/Kg	02/28/12		DD	SW8270
N-Nitrosodi-n-propylamine	ND	260	ug/Kg	02/28/12		DD	SW8270
N-Nitrosodiphenylamine	ND	260	ug/Kg	02/28/12		DD	SW8270
Phenanthrene	9000	260	ug/Kg	02/28/12		DD	SW8270
Pyrene	9200	260	ug/Kg	02/28/12		DD	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	78		%	02/28/12		DD	30 - 130 %
% Nitrobenzene-d5	83		%	02/28/12		DD	30 - 130 %
% Terphenyl-d14	71		%	02/28/12		DD	30 - 130 %


**Comments:**

\*\*Poor surrogate recovery was observed for volatiles due to matrix interference. Sample was analyzed twice with similar results.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
**March 06, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

March 06, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: SOIL  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

Date            Time  
 02/24/12        13:20  
 02/27/12        16:41

## Laboratory Data

SDG ID: GBB47600  
 Phoenix ID: BB47605

Project ID: 390-398 WALLABOT ST  
 Client ID: B8 8-10 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.38	0.38	mg/Kg	02/29/12		LK	6010/200.7
Aluminum	8000	58	mg/Kg	02/29/12		EK	6010/200.7
Arsenic	1.58	0.77	mg/Kg	02/29/12		LK	6010/200.7
Barium	43.3	0.38	mg/Kg	02/29/12		LK	6010/200.7
Beryllium	0.48	0.31	mg/Kg	02/29/12		LK	6010/200.7
Calcium	739	5.8	mg/Kg	02/29/12		LK	6010/200.7
Cadmium	< 0.38	0.38	mg/Kg	02/29/12		LK	6010/200.7
Cobalt	7.34	0.38	mg/Kg	02/29/12		LK	6010/200.7
Chromium	16.5	0.38	mg/Kg	02/29/12		LK	6010/200.7
Copper	12.1	0.38	mg/kg	02/28/12		LK	6010/200.7
Iron	11500	5.8	mg/Kg	02/29/12		LK	6010/200.7
Mercury	< 0.08	0.08	mg/Kg	02/28/12		RS	SW-7471
Potassium	798	5.8	mg/Kg	02/29/12		LK	6010/200.7
Magnesium	1720	5.8	mg/Kg	02/29/12		LK	6010/200.7
Manganese	51.5	0.38	mg/Kg	02/29/12		LK	6010/200.7
Sodium	44.3	5.8	mg/Kg	02/28/12		LK	6010/200.7
Nickel	12.3	0.38	mg/Kg	02/29/12		LK	6010/200.7
Lead	5.77	0.38	mg/Kg	02/29/12		LK	6010/200.7
Antimony	< 3.8	3.8	mg/Kg	02/29/12		LK	6010/200.7
Selenium	< 1.5	1.5	mg/Kg	02/29/12		LK	6010/200.7
Thallium	< 3.5	3.5	mg/Kg	02/29/12		LK	6010/200.7
Total Metals Digest	Completed			02/27/12		AG	SW846 - 3050
Vanadium	17.2	0.38	mg/Kg	02/29/12		LK	6010/200.7
Zinc	38.3	0.38	mg/Kg	02/29/12		LK	6010/200.7
Percent Solid	88		%	02/27/12		JL	E160.3
Soil Extraction for PCB	Completed			02/27/12		BB	SW3545
Soil Extraction for Pesticide	Completed			02/27/12		BB/F	SW3545
Soil Extraction for SVOA	Completed			02/27/12		BB/R	SW3545

Parameter	Result	RL	Units	Date	Time	By	Reference
Mercury Digestion	Completed			02/28/12		D	SW7471
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1221	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1232	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1242	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1248	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1254	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1260	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1262	ND	380	ug/Kg	02/28/12		MH	SW 8082
PCB-1268	ND	380	ug/Kg	02/28/12		MH	SW 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	73		%	02/28/12		MH	30 - 150 %
% TCMX	77		%	02/28/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	36	ug/Kg	02/28/12		MR	SW8081
4,4' -DDE	ND	36	ug/Kg	02/28/12		MR	SW8081
4,4' -DDT	ND	36	ug/Kg	02/28/12		MR	SW8081
a-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Alachlor	ND	18	ug/Kg	02/28/12		MR	SW8081
Aldrin	ND	5.7	ug/Kg	02/28/12		MR	SW8081
b-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Chlordane	ND	57	ug/Kg	02/28/12		MR	SW8081
d-BHC	ND	18	ug/Kg	02/28/12		MR	SW8081
Dieldrin	ND	5.7	ug/Kg	02/28/12		MR	SW8081
Endosulfan I	ND	18	ug/Kg	02/28/12		MR	SW8081
Endosulfan II	ND	36	ug/Kg	02/28/12		MR	SW8081
Endosulfan sulfate	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin aldehyde	ND	36	ug/Kg	02/28/12		MR	SW8081
Endrin ketone	ND	36	ug/Kg	02/28/12		MR	SW8081
g-BHC	ND	5.7	ug/Kg	02/28/12		MR	SW8081
Heptachlor	ND	11	ug/Kg	02/28/12		MR	SW8081
Heptachlor epoxide	ND	18	ug/Kg	02/28/12		MR	SW8081
Methoxychlor	ND	180	ug/Kg	02/28/12		MR	SW8081
Toxaphene	ND	180	ug/Kg	02/28/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
% DCBP	64		%	02/28/12		MR	30 - 150 %
% TCMX	72		%	02/28/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,1,1-Trichloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,1,2-Trichloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloroethene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,1-Dichloropropene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2,3-Trichlorobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260

Client ID: B8 8-10 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
1,2,3-Trichloropropane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trichlorobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2,4-Trimethylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichlorobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,2-Dichloropropane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,3,5-Trimethylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichlorobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,3-Dichloropropane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
1,4-Dichlorobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
2,2-Dichloropropane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
2-Chlorotoluene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
2-Hexanone	ND	28	ug/Kg	03/01/12		H/J	SW8260
2-Isopropyltoluene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
4-Chlorotoluene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
4-Methyl-2-pentanone	ND	28	ug/Kg	03/01/12		H/J	SW8260
Acetone	ND	28	ug/Kg	03/01/12		H/J	SW8260
Acrylonitrile	ND	11	ug/Kg	03/01/12		H/J	SW8260
Benzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Bromobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Bromochloromethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Bromodichloromethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Bromoform	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Bromomethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Carbon Disulfide	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Carbon tetrachloride	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Chlorobenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Chloroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Chloroform	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Chloromethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
cis-1,2-Dichloroethene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
cis-1,3-Dichloropropene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Dibromochloromethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Dibromoethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Dibromomethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Dichlorodifluoromethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Ethylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Hexachlorobutadiene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Isopropylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
m&p-Xylene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Methyl Ethyl Ketone	ND	28	ug/Kg	03/01/12		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	11	ug/Kg	03/01/12		H/J	SW8260
Methylene chloride	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Naphthalene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
n-Butylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
n-Propylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
o-Xylene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
p-Isopropyltoluene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
sec-Butylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260

Client ID: B8 8-10 FT

Parameter	Result	RL	Units	Date	Time	By	Reference
Styrene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
tert-Butylbenzene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Tetrachloroethene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Tetrahydrofuran (THF)	ND	11	ug/Kg	03/01/12		H/J	SW8260
Toluene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Total Xylenes	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
trans-1,2-Dichloroethene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
trans-1,3-Dichloropropene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	11	ug/Kg	03/01/12		H/J	SW8260
Trichloroethene	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Trichlorofluoromethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Trichlorotrifluoroethane	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
Vinyl chloride	ND	5.7	ug/Kg	03/01/12		H/J	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	103		%	03/01/12		H/J	70 - 130 %
% Bromofluorobenzene	95		%	03/01/12		H/J	70 - 130 %
% Dibromofluoromethane	105		%	03/01/12		H/J	70 - 130 %
% Toluene-d8	101		%	03/01/12		H/J	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2-Dichlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
1,3-Dichlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
1,4-Dichlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
2,4-Dinitrotoluene	ND	260	ug/Kg	02/28/12		DD	SW8270
2,6-Dinitrotoluene	ND	260	ug/Kg	02/28/12		DD	SW8270
2-Chloronaphthalene	ND	260	ug/Kg	02/28/12		DD	SW8270
2-Methylnaphthalene	ND	260	ug/Kg	02/28/12		DD	SW8270
2-Nitroaniline	ND	1100	ug/Kg	02/28/12		DD	SW8270
3,3'-Dichlorobenzidine	ND	1500	ug/Kg	02/28/12		DD	SW8270
3-Nitroaniline	ND	1100	ug/Kg	02/28/12		DD	SW8270
4-Bromophenyl phenyl ether	ND	260	ug/Kg	02/28/12		DD	SW8270
4-Chloroaniline	ND	260	ug/Kg	02/28/12		DD	SW8270
4-Chlorophenyl phenyl ether	ND	260	ug/Kg	02/28/12		DD	SW8270
4-Nitroaniline	ND	1100	ug/Kg	02/28/12		DD	SW8270
Acenaphthene	ND	260	ug/Kg	02/28/12		DD	SW8270
Acenaphthylene	ND	260	ug/Kg	02/28/12		DD	SW8270
Anthracene	ND	260	ug/Kg	02/28/12		DD	SW8270
Azobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benz(a)anthracene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzidine	ND	1500	ug/Kg	02/28/12		DD	SW8270
Benzo(a)pyrene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzo(b)fluoranthene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzo(ghi)perylene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzo(k)fluoranthene	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzoic acid	ND	370	ug/Kg	02/28/12		DD	SW8270
Benzyl alcohol	ND	260	ug/Kg	02/28/12		DD	SW8270
Benzyl butyl phthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-chloroethoxy)methane	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-chloroethyl)ether	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-chloroisopropyl)ether	ND	260	ug/Kg	02/28/12		DD	SW8270
Bis(2-ethylhexyl)phthalate	ND	260	ug/Kg	02/28/12		DD	SW8270


Parameter	Result	RL	Units	Date	Time	By	Reference
Chrysene	ND	260	ug/Kg	02/28/12		DD	SW8270
Dibenz(a,h)anthracene	ND	260	ug/Kg	02/28/12		DD	SW8270
Dibenzofuran	ND	260	ug/Kg	02/28/12		DD	SW8270
Diethyl phthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Dimethylphthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Di-n-butylphthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Di-n-octylphthalate	ND	260	ug/Kg	02/28/12		DD	SW8270
Fluoranthene	ND	260	ug/Kg	02/28/12		DD	SW8270
Fluorene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachlorobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachlorobutadiene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachlorocyclopentadiene	ND	260	ug/Kg	02/28/12		DD	SW8270
Hexachloroethane	ND	260	ug/Kg	02/28/12		DD	SW8270
Indeno(1,2,3-cd)pyrene	ND	260	ug/Kg	02/28/12		DD	SW8270
Isophorone	ND	260	ug/Kg	02/28/12		DD	SW8270
Naphthalene	ND	260	ug/Kg	02/28/12		DD	SW8270
Nitrobenzene	ND	260	ug/Kg	02/28/12		DD	SW8270
N-Nitrosodimethylamine	ND	260	ug/Kg	02/28/12		DD	SW8270
N-Nitrosodi-n-propylamine	ND	260	ug/Kg	02/28/12		DD	SW8270
N-Nitrosodiphenylamine	ND	260	ug/Kg	02/28/12		DD	SW8270
Phenanthrene	ND	260	ug/Kg	02/28/12		DD	SW8270
Pyrene	ND	260	ug/Kg	02/28/12		DD	SW8270
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	74		%	02/28/12		DD	30 - 130 %
% Nitrobenzene-d5	74		%	02/28/12		DD	30 - 130 %
% Terphenyl-d14	78		%	02/28/12		DD	30 - 130 %

**Comments:**

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**March 06, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

March 06, 2012

## QA/QC Data

SDG I.D.: GBB47600

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 195116, QC Sample No: BB47272 (BB47600, BB47601, BB47602, BB47603, BB47604, BB47605)												
Mercury - Soil	BDL	0.11	0.10	NC	102	95.0	7.1	109	119	8.8	70 - 130	30
QA/QC Batch 195100, QC Sample No: BB47586 (BB47600, BB47601, BB47602, BB47603, BB47604, BB47605)												
<u>ICP Metals - Soil</u>												
Aluminum	BDL	4480	4170	7.20	119	128	7.3	NC	NC	NC	75 - 125	30
Antimony	BDL	1.43	<4.0	NC	110	113	2.7	85.7	87.9	2.5	75 - 125	30
Arsenic	BDL	2.23	4.22	NC	102	107	4.8	101	98.8	2.2	75 - 125	30
Barium	BDL	24.9	23.7	4.90	106	110	3.7	102	101	1.0	75 - 125	30
Beryllium	BDL	4.17	0.41	NC	104	106	1.9	90.9	94.1	3.5	75 - 125	30
Cadmium	BDL	<0.34	<0.40	NC	103	106	2.9	92.7	96.6	4.1	75 - 125	30
Calcium	BDL	1190	1340	11.9	103	106	2.9	NC	NC	NC	75 - 125	30
Chromium	BDL	22.2	19.7	11.9	108	111	2.7	120	114	5.1	75 - 125	30
Cobalt	BDL	4.91	4.19	15.8	102	106	3.8	93.3	96.1	3.0	75 - 125	30
Copper	BDL	19.0	19.0	0	108	110	1.8	104	103	1.0	75 - 125	30
Iron	BDL	46600	50800	8.60	117	123	5.0	NC	NC	NC	75 - 125	30
Lead	BDL	4.78	5.18	8.00	101	106	4.8	102	100	2.0	75 - 125	30
Magnesium	BDL	1360	1290	5.30	108	116	7.1	NC	NC	NC	75 - 125	30
Manganese	BDL	289	336	15.0	104	107	2.8	>130	88.9	NC	75 - 125	30
Nickel	BDL	8.24	7.70	6.80	104	106	1.9	101	99.2	1.8	75 - 125	30
Potassium	6.7	697	566	20.7	110	116	5.3	122	127	4.0	75 - 125	30
Selenium	BDL	<1.4	<1.6	NC	95.2	99.7	4.6	86.3	88.1	2.1	75 - 125	30
Silver	BDL	<0.34	<0.40	NC	99.9	108	7.8	92.5	94.0	1.6	75 - 125	30
Sodium	BDL	200	171	15.6	111	115	3.5	78.6	76.8	2.3	75 - 125	30
Thallium	BDL	<1.4	<3.6	NC	101	107	5.8	97.0	96.2	0.8	75 - 125	30
Vanadium	BDL	49.5	53.2	7.20	109	111	1.8	100	112	11.3	75 - 125	30
Zinc	1.92	33.2	33.6	1.20	102	106	3.8	97.9	97.1	0.8	75 - 125	30

l = This parameter is outside laboratory lcs/lcsd specified recovery limits.  
 m = This parameter is outside laboratory ms/msd specified recovery limits.



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

March 06, 2012

## QA/QC Data

SDG I.D.: GBB47600

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 194997, QC Sample No: BB47269 (BB47600, BB47601, BB47602, BB47603, BB47604, BB47605)									
<b>Pesticides - Soil</b>									
4,4' -DDD	ND	75	79	5.2	85	87	2.3	40 - 140	30
4,4' -DDE	ND	81	84	3.6	85	86	1.2	40 - 140	30
4,4' -DDT	ND	74	77	4.0	83	84	1.2	40 - 140	30
a-BHC	ND	87	89	2.3	82	88	7.1	40 - 140	30
Alachlor	ND	N/A	N/A	NC	N/A	N/A	NC	40 - 140	30
Aldrin	ND	84	87	3.5	82	85	3.6	40 - 140	30
b-BHC	ND	84	82	2.4	79	89	11.9	40 - 140	30
Chlordane	ND	N/A	N/A	NC	N/A	N/A	NC	40 - 140	30
d-BHC	ND	83	87	4.7	85	88	3.5	40 - 140	30
Dieldrin	ND	82	85	3.6	81	83	2.4	40 - 140	30
Endosulfan I	ND	80	83	3.7	71	74	4.1	40 - 140	30
Endosulfan II	ND	71	75	5.5	80	82	2.5	40 - 140	30
Endosulfan sulfate	ND	74	77	4.0	80	82	2.5	40 - 140	30
Endrin	ND	69	72	4.3	83	85	2.4	40 - 140	30
Endrin aldehyde	ND	77	85	9.9	99	101	2.0	40 - 140	30
Endrin ketone	ND	83	88	5.8	84	86	2.4	40 - 140	30
g-BHC	ND	86	88	2.3	88	93	5.5	40 - 140	30
Heptachlor	ND	78	82	5.0	76	78	2.6	40 - 140	30
Heptachlor epoxide	ND	81	84	3.6	79	82	3.7	40 - 140	30
Methoxychlor	ND	61	65	6.3	90	92	2.2	40 - 140	30
Toxaphene	ND	N/A	N/A	NC	N/A	N/A	NC	40 - 140	30
% DCBP	82	73	71	2.8	83	84	1.2	30 - 150	30
% TCMX	84	87	88	1.1	88	92	4.4	30 - 150	30
QA/QC Batch 195007, QC Sample No: BB47269 (BB47600, BB47601, BB47602, BB47603, BB47604, BB47605)									
<b>Semivolatiles - Soil</b>									
1,2-Dichlorobenzene	ND	71	61	15.2	81	79	2.5	30 - 130	30
1,3-Dichlorobenzene	ND	69	58	17.3	78	75	3.9	30 - 130	30
1,4-Dichlorobenzene	ND	71	60	16.8	80	77	3.8	30 - 130	30
2,4-Dinitrotoluene	ND	92	73	23.0	96	97	1.0	30 - 130	30
2,6-Dinitrotoluene	ND	92	73	23.0	96	97	1.0	30 - 130	30
2-Chloronaphthalene	ND	82	67	20.1	92	91	1.1	30 - 130	30
2-Methylnaphthalene	ND	78	64	19.7	88	84	4.7	30 - 130	30
2-Nitroaniline	ND	>150	>150	NC	>150	>150	NC	30 - 130	30
3,3'-Dichlorobenzidine	ND	>150	149	NC	>150	>150	NC	30 - 130	30
3-Nitroaniline	ND	89	73	19.8	97	100	3.0	30 - 130	30
4-Bromophenyl phenyl ether	ND	88	70	22.8	96	93	3.2	30 - 130	30
4-Chloroaniline	ND	39	33	16.7	41	44	7.1	30 - 130	30
4-Chlorophenyl phenyl ether	ND	88	70	22.8	95	94	1.1	30 - 130	30
4-Nitroaniline	ND	89	73	19.8	97	100	3.0	30 - 130	30
Acenaphthene	ND	86	70	20.5	99	95	4.1	30 - 130	30
Acenaphthylene	ND	82	67	20.1	94	93	1.1	30 - 130	30

## QA/QC Data

SDG I.D.: GBB47600

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Anthracene	ND	85	69	20.8	100	95	5.1	30 - 130	30
Benz(a)anthracene	ND	89	72	21.1	102	85	18.2	30 - 130	30
Benzidine	ND	62	57	8.4	47	57	19.2	30 - 130	30
Benzo(a)pyrene	ND	86	69	21.9	92	81	12.7	30 - 130	30
Benzo(b)fluoranthene	ND	90	73	20.9	104	87	17.8	30 - 130	30
Benzo(ghi)perylene	ND	98	74	27.9	109	98	10.6	30 - 130	30
Benzo(k)fluoranthene	ND	88	72	20.0	99	94	5.2	30 - 130	30
Benzyl butyl phthalate	ND	87	69	23.1	91	89	2.2	30 - 130	30
Bis(2-chloroethoxy)methane	ND	78	65	18.2	87	85	2.3	30 - 130	30
Bis(2-chloroethyl)ether	ND	72	61	16.5	81	79	2.5	30 - 130	30
Bis(2-chloroisopropyl)ether	ND	72	64	11.8	85	84	1.2	30 - 130	30
Bis(2-ethylhexyl)phthalate	ND	86	69	21.9	94	90	4.3	30 - 130	30
Chrysene	ND	87	72	18.9	94	83	12.4	30 - 130	30
Dibenz(a,h)anthracene	ND	100	76	27.3	102	94	8.2	30 - 130	30
Dibenzofuran	ND	86	69	21.9	95	93	2.1	30 - 130	30
Diethyl phthalate	ND	87	71	20.3	96	95	1.0	30 - 130	30
Dimethylphthalate	ND	88	71	21.4	96	94	2.1	30 - 130	30
Di-n-butylphthalate	ND	86	70	20.5	97	93	4.2	30 - 130	30
Di-n-octylphthalate	ND	91	73	22.0	102	96	6.1	30 - 130	30
Fluoranthene	ND	92	74	21.7	110	87	23.4	30 - 130	30
Fluorene	ND	90	72	22.2	100	97	3.0	30 - 130	30
Hexachlorobenzene	ND	81	66	20.4	91	88	3.4	30 - 130	30
Hexachlorobutadiene	ND	73	61	17.9	83	79	4.9	30 - 130	30
Hexachlorocyclopentadiene	ND	71	56	23.6	39	34	13.7	30 - 130	30
Hexachloroethane	ND	68	59	14.2	78	75	3.9	30 - 130	30
Indeno(1,2,3-cd)pyrene	ND	99	75	27.6	111	99	11.4	30 - 130	30
Isophorone	ND	62	51	19.5	69	67	2.9	30 - 130	30
Naphthalene	ND	75	62	19.0	86	82	4.8	30 - 130	30
Nitrobenzene	ND	73	63	14.7	82	82	0.0	30 - 130	30
N-Nitrosodimethylamine	ND	67	51	27.1	71	68	4.3	30 - 130	30
N-Nitrosodi-n-propylamine	ND	74	58	24.2	81	77	5.1	30 - 130	30
N-Nitrosodiphenylamine	ND	92	76	19.0	100	101	1.0	30 - 130	30
Phenanthrene	ND	90	73	20.9	97	78	21.7	30 - 130	30
Pyrene	ND	93	76	20.1	105	86	19.9	30 - 130	30
% 2-Fluorobiphenyl	67	78	62	22.9	86	85	1.2	30 - 130	30
% Nitrobenzene-d5	69	70	59	17.1	79	79	0.0	30 - 130	30
% Terphenyl-d14	66	76	61	21.9	79	82	3.7	30 - 130	30

QA/QC Batch 195438, QC Sample No: BB47593 (BB47601, BB47602, BB47603, BB47604, BB47605)

Volatiles - Soil

1,1,1,2-Tetrachloroethane	ND	114	112	1.8	102	106	3.8	70 - 130	30
1,1,1-Trichloroethane	ND	116	112	3.5	111	111	0.0	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	103	107	3.8	101	113	11.2	70 - 130	30
1,1,2-Trichloroethane	ND	113	122	7.7	98	112	13.3	70 - 130	30
1,1-Dichloroethane	ND	112	108	3.6	106	107	0.9	70 - 130	30
1,1-Dichloroethene	ND	117	95	20.8	118	100	16.5	70 - 130	30
1,1-Dichloropropene	ND	112	105	6.5	103	102	1.0	70 - 130	30
1,2,3-Trichlorobenzene	ND	105	107	1.9	88	90	2.2	70 - 130	30
1,2,3-Trichloropropane	ND	113	117	3.5	94	108	13.9	70 - 130	30
1,2,4-Trichlorobenzene	ND	100	96	4.1	87	86	1.2	70 - 130	30
1,2,4-Trimethylbenzene	ND	116	107	8.1	78	73	6.6	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	111	130	15.8	93	109	15.8	70 - 130	30
1,2-Dichlorobenzene	ND	107	103	3.8	96	96	0.0	70 - 130	30

## QA/QC Data

SDG I.D.: GBB47600

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
1,2-Dichloroethane	ND	109	113	3.6	96	103	7.0	70 - 130	30
1,2-Dichloropropane	ND	110	110	0.0	100	103	3.0	70 - 130	30
1,3,5-Trimethylbenzene	ND	120	110	8.7	103	95	8.1	70 - 130	30
1,3-Dichlorobenzene	ND	108	100	7.7	98	95	3.1	70 - 130	30
1,3-Dichloropropane	ND	112	117	4.4	96	108	11.8	70 - 130	30
1,4-Dichlorobenzene	ND	104	98	5.9	95	93	2.1	70 - 130	30
2,2-Dichloropropane	ND	107	102	4.8	98	97	1.0	70 - 130	30
2-Chlorotoluene	ND	115	106	8.1	106	99	6.8	70 - 130	30
2-Hexanone	ND	77	85	9.9	44	55	22.2	70 - 130	30
2-Isopropyltoluene	ND	116	107	8.1	113	104	8.3	70 - 130	30
4-Chlorotoluene	ND	109	99	9.6	102	98	4.0	70 - 130	30
4-Methyl-2-pentanone	ND	96	111	14.5	79	102	25.4	70 - 130	30
Acetone	ND	96	102	6.1	<40	40	NC	70 - 130	30
Acrylonitrile	ND	104	125	18.3	90	117	26.1	70 - 130	30
Benzene	ND	113	109	3.6	99	99	0.0	70 - 130	30
Bromobenzene	ND	113	106	6.4	100	97	3.0	70 - 130	30
Bromochloromethane	ND	110	120	8.7	101	115	13.0	70 - 130	30
Bromodichloromethane	ND	115	117	1.7	102	107	4.8	70 - 130	30
Bromoform	ND	116	128	9.8	97	112	14.4	70 - 130	30
Bromomethane	ND	127	126	0.8	127	116	9.1	70 - 130	30
Carbon Disulfide	ND	112	93	18.5	106	93	13.1	70 - 130	30
Carbon tetrachloride	ND	115	106	8.1	105	101	3.9	70 - 130	30
Chlorobenzene	ND	107	104	2.8	101	102	1.0	70 - 130	30
Chloroethane	ND	109	94	14.8	102	95	7.1	70 - 130	30
Chloroform	ND	118	117	0.9	109	113	3.6	70 - 130	30
Chloromethane	ND	103	94	9.1	93	88	5.5	70 - 130	30
cis-1,2-Dichloroethene	ND	115	113	1.8	108	110	1.8	70 - 130	30
cis-1,3-Dichloropropene	ND	107	108	0.9	95	99	4.1	70 - 130	30
Dibromochloromethane	ND	116	121	4.2	100	108	7.7	70 - 130	30
Dibromoethane	ND	112	121	7.7	97	112	14.4	70 - 130	30
Dibromomethane	ND	113	121	6.8	99	110	10.5	70 - 130	30
Dichlorodifluoromethane	ND	116	112	3.5	87	86	1.2	70 - 130	30
Ethylbenzene	ND	111	106	4.6	86	84	2.4	70 - 130	30
Hexachlorobutadiene	ND	111	104	6.5	112	103	8.4	70 - 130	30
Isopropylbenzene	ND	117	105	10.8	112	103	8.4	70 - 130	30
m&p-Xylene	ND	112	106	5.5	88	87	1.1	70 - 130	30
Methyl ethyl ketone	ND	79	93	16.3	41	53	25.5	70 - 130	30
Methyl t-butyl ether (MTBE)	ND	106	108	1.9	92	102	10.3	70 - 130	30
Methylene chloride	ND	115	98	16.0	107	94	12.9	70 - 130	30
Naphthalene	ND	113	122	7.7	83	92	10.3	70 - 130	30
n-Butylbenzene	ND	119	105	12.5	111	99	11.4	70 - 130	30
n-Propylbenzene	ND	110	99	10.5	105	98	6.9	70 - 130	30
o-Xylene	ND	111	107	3.7	106	106	0.0	70 - 130	30
p-Isopropyltoluene	ND	122	110	10.3	111	103	7.5	70 - 130	30
sec-Butylbenzene	ND	117	106	9.9	94	85	10.1	70 - 130	30
Styrene	ND	109	109	0.0	102	104	1.9	70 - 130	30
tert-Butylbenzene	ND	119	108	9.7	115	106	8.1	70 - 130	30
Tetrachloroethene	ND	108	98	9.7	103	100	3.0	70 - 130	30
Tetrahydrofuran (THF)	ND	102	123	18.7	90	114	23.5	70 - 130	30
Toluene	ND	113	110	2.7	106	106	0.0	70 - 130	30
trans-1,2-Dichloroethene	ND	125	93	29.4	125	96	26.2	70 - 130	30
trans-1,3-Dichloropropene	ND	108	112	3.6	93	100	7.3	70 - 130	30
trans-1,4-dichloro-2-butene	ND	112	116	3.5	86	97	12.0	70 - 130	30

## QA/QC Data

SDG I.D.: GBB47600

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Trichloroethene	ND	117	111	5.3	102	101	1.0	70 - 130	30
Trichlorofluoromethane	ND	>150	128	NC	128	114	11.6	70 - 130	30
Trichlorotrifluoroethane	ND	122	101	18.8	119	106	11.6	70 - 130	30
Vinyl chloride	ND	102	94	8.2	89	87	2.3	70 - 130	30
% 1,2-dichlorobenzene-d4	105	101	102	1.0	101	102	1.0	70 - 130	30
% Bromofluorobenzene	97	100	103	3.0	97	100	3.0	70 - 130	30
% Dibromofluoromethane	100	98	101	3.0	105	102	2.9	70 - 130	30
% Toluene-d8	100	101	103	2.0	101	102	1.0	70 - 130	30

QA/QC Batch 195097, QC Sample No: BB47604 (BB47600, BB47601, BB47602, BB47603, BB47604, BB47605)

### Polychlorinated Biphenyls - Soil

PCB-1016	ND	82	88	7.1	114	121	6.0	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	80	89	10.7	115	118	2.6	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	88	68	75	9.8	84	94	11.2	30 - 150	30
% TCMX (Surrogate Rec)	90	72	75	4.1	82	92	11.5	30 - 150	30

QA/QC Batch 195365, QC Sample No: BB48411 (BB47600)

### Volatiles - Soil

1,1,1,2-Tetrachloroethane	ND	112	114	1.8	105	108	2.8	70 - 130	30
1,1,1-Trichloroethane	ND	112	114	1.8	110	110	0.0	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	115	102	12.0	92	104	12.2	70 - 130	30
1,1,2-Trichloroethane	ND	120	110	8.7	113	119	5.2	70 - 130	30
1,1-Dichloroethane	ND	108	108	0.0	105	105	0.0	70 - 130	30
1,1-Dichloroethene	ND	95	113	17.3	112	101	10.3	70 - 130	30
1,1-Dichloropropene	ND	110	116	5.3	111	108	2.7	70 - 130	30
1,2,3-Trichlorobenzene	ND	130	124	4.7	98	107	8.8	70 - 130	30
1,2,3-Trichloropropane	ND	116	104	10.9	108	119	9.7	70 - 130	30
1,2,4-Trichlorobenzene	ND	128	127	0.8	97	102	5.0	70 - 130	30
1,2,4-Trimethylbenzene	ND	121	126	4.0	110	109	0.9	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	126	103	20.1	98	126	25.0	70 - 130	30
1,2-Dichlorobenzene	ND	115	113	1.8	103	106	2.9	70 - 130	30
1,2-Dichloroethane	ND	112	105	6.5	107	112	4.6	70 - 130	30
1,2-Dichloropropane	ND	110	108	1.8	108	108	0.0	70 - 130	30
1,3,5-Trimethylbenzene	ND	121	128	5.6	111	107	3.7	70 - 130	30
1,3-Dichlorobenzene	ND	116	118	1.7	103	104	1.0	70 - 130	30
1,3-Dichloropropane	ND	117	108	8.0	111	117	5.3	70 - 130	30
1,4-Dichlorobenzene	ND	116	116	0.0	102	102	0.0	70 - 130	30
2,2-Dichloropropane	ND	111	113	1.8	101	101	0.0	70 - 130	30
2-Chlorotoluene	ND	113	120	6.0	108	105	2.8	70 - 130	30
2-Hexanone	ND	106	91	15.2	96	99	3.1	70 - 130	30
2-Isopropyltoluene	ND	116	123	5.9	113	111	1.8	70 - 130	30
4-Chlorotoluene	ND	114	118	3.4	106	104	1.9	70 - 130	30
4-Methyl-2-pentanone	ND	120	100	18.2	102	112	9.3	70 - 130	30
Acetone	ND	119	103	14.4	109	110	0.9	70 - 130	30
Acrylonitrile	ND	121	95	24.1	103	123	17.7	70 - 130	30
Benzene	ND	110	114	3.6	110	108	1.8	70 - 130	30
Bromobenzene	ND	114	115	0.9	107	106	0.9	70 - 130	30

QA/QC Data

SDG I.D.: GBB47600

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Bromochloromethane	ND	119	107	10.6	110	120	8.7	70 - 130	30
Bromodichloromethane	ND	118	115	2.6	109	113	3.6	70 - 130	30
Bromoform	ND	123	114	7.6	97	118	19.5	70 - 130	30
Bromomethane	ND	125	128	2.4	123	129	4.8	70 - 130	30
Carbon Disulfide	ND	92	104	12.2	100	93	7.3	70 - 130	30
Carbon tetrachloride	ND	105	115	9.1	100	103	3.0	70 - 130	30
Chlorobenzene	ND	109	111	1.8	106	105	0.9	70 - 130	30
Chloroethane	ND	95	103	8.1	99	98	1.0	70 - 130	30
Chloroform	ND	116	115	0.9	113	113	0.0	70 - 130	30
Chloromethane	ND	86	102	17.0	87	86	1.2	70 - 130	30
cis-1,2-Dichloroethene	ND	114	113	0.9	115	111	3.5	70 - 130	30
cis-1,3-Dichloropropene	ND	113	111	1.8	107	109	1.9	70 - 130	30
Dibromochloromethane	ND	119	113	5.2	105	115	9.1	70 - 130	30
Dibromoethane	ND	120	109	9.6	113	124	9.3	70 - 130	30
Dibromomethane	ND	120	110	8.7	111	120	7.8	70 - 130	30
Dichlorodifluoromethane	ND	101	103	2.0	104	99	4.9	70 - 130	30
Ethylbenzene	ND	112	115	2.6	108	106	1.9	70 - 130	30
Hexachlorobutadiene	ND	121	130	7.2	112	110	1.8	70 - 130	30
Isopropylbenzene	ND	112	120	6.9	111	105	5.6	70 - 130	30
m&p-Xylene	ND	113	118	4.3	105	105	0.0	70 - 130	30
Methyl ethyl ketone	ND	105	84	22.2	93	100	7.3	70 - 130	30
Methyl t-butyl ether (MTBE)	ND	102	100	2.0	103	103	0.0	70 - 130	30
Methylene chloride	ND	97	112	14.4	108	95	12.8	70 - 130	30
n-Butylbenzene	ND	126	137	8.4	108	107	0.9	70 - 130	30
n-Propylbenzene	ND	110	118	7.0	107	104	2.8	70 - 130	30
o-Xylene	ND	113	115	1.8	106	107	0.9	70 - 130	30
p-Isopropyltoluene	ND	125	135	7.7	110	108	1.8	70 - 130	30
sec-Butylbenzene	ND	116	124	6.7	113	108	4.5	70 - 130	30
Styrene	ND	116	116	0.0	106	107	0.9	70 - 130	30
tert-Butylbenzene	ND	115	122	5.9	115	110	4.4	70 - 130	30
Tetrachloroethene	ND	107	114	6.3	105	101	3.9	70 - 130	30
Tetrahydrofuran (THF)	ND	115	92	22.2	97	117	18.7	70 - 130	30
Toluene	ND	114	116	1.7	111	110	0.9	70 - 130	30
trans-1,2-Dichloroethene	ND	88	118	29.1	>150	94	NC	70 - 130	30
trans-1,3-Dichloropropene	ND	117	111	5.3	105	110	4.7	70 - 130	30
trans-1,4-dichloro-2-butene	ND	127	115	9.9	96	107	10.8	70 - 130	30
Trichloroethene	ND	111	116	4.4	118	114	3.4	70 - 130	30
Trichlorofluoromethane	ND	131	148	12.2	120	112	6.9	70 - 130	30
Trichlorotrifluoroethane	ND	102	120	16.2	116	102	12.8	70 - 130	30
Vinyl chloride	ND	88	93	5.5	88	87	1.1	70 - 130	30
% 1,2-dichlorobenzene-d4	98	102	100	2.0	100	102	2.0	70 - 130	30
% Bromofluorobenzene	94	101	100	1.0	102	105	2.9	70 - 130	30
% Dibromofluoromethane	98	103	99	4.0	98	101	3.0	70 - 130	30
% Toluene-d8	98	101	102	1.0	103	103	0.0	70 - 130	30

Comment:

A blank MS/MSD was analyzed with this batch.

l = This parameter is outside laboratory lcs/lcsd specified recovery limits.  
m = This parameter is outside laboratory ms/msd specified recovery limits.

QA/QC Data


SDG I.D.: GBB47600

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
-----------	-------	----------	-----------	------------	---------	----------	-----------	--------------------	--------------------

---

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

- RPD - Relative Percent Difference
- LCS - Laboratory Control Sample
- LCSD - Laboratory Control Sample Duplicate
- MS - Matrix Spike
- MS Dup - Matrix Spike Duplicate
- NC - No Criteria



Phyllis Shiller, Laboratory Director  
March 06, 2012





Thursday, March 08, 2012

Attn: Mr. Charles B. Sosik, P.G.  
Environmental Business Consultants  
1808 Middle Country Rd  
Ridge NY 11961-2406

Project ID: 390-358 WALLABOUT ST.  
Sample ID#s: BB48832

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller  
Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #MA-CT-007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B  
NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

March 08, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: GROUND WATER  
 Location Code: EBC  
 Rush Request: 72 Hour  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

## Date

02/29/12  
 03/01/12

## Time

0:00  
 15:34

## Laboratory Data

SDG ID: GBB48832  
 Phoenix ID: BB48832

Project ID: 390-358 WALLABOUT ST.

Client ID: GW4

Parameter	Result	RL	Units	Date	Time	By	Reference
Silver	< 0.001	0.001	mg/L	03/02/12		LK	6010/200.7
Aluminum	12.3	0.010	mg/L	03/02/12		LK	6010/200.7
Arsenic	< 0.004	0.004	mg/L	03/02/12		LK	6010/200.7
Barium	0.161	0.002	mg/L	03/02/12		LK	6010/200.7
Beryllium	< 0.001	0.001	mg/L	03/02/12		LK	6010/200.7
Calcium	180	0.10	mg/L	03/06/12		LK	6010/200.7
Cadmium	< 0.001	0.001	mg/L	03/02/12		LK	6010/200.7
Cobalt	0.016	0.002	mg/L	03/02/12		LK	6010/200.7
Chromium	0.043	0.001	mg/L	03/02/12		LK	6010/200.7
Copper	0.046	0.005	mg/L	03/02/12		LK	6010/200.7
Silver (Dissolved)	< 0.001	0.001	mg/L	03/05/12		LK	6010/200.7
Aluminum (Dissolved)	0.21	0.01	mg/L	03/05/12		LK	6010/200.7
Arsenic (Dissolved)	< 0.004	0.004	mg/L	03/05/12		LK	6010/200.7
Barium (Dissolved)	0.067	0.002	mg/L	03/05/12		LK	6010/200.7
Beryllium (Dissolved)	< 0.001	0.001	mg/L	03/05/12		LK	6010/200.7
Calcium (Dissolved)	186	0.11	mg/L	03/06/12		LK	6010/200.7
Cadmium (Dissolved)	< 0.001	0.001	mg/L	03/05/12		LK	6010/200.7
Cobalt (Dissolved)	0.007	0.001	mg/L	03/05/12		LK	6010/200.7
Chromium (Dissolved)	< 0.001	0.001	mg/L	03/05/12		LK	6010/200.7
Copper (Dissolved)	0.019	0.005	mg/L	03/05/12		LK	6010/200.7
Iron (Dissolved)	0.376	0.011	mg/L	03/05/12		LK	6010/200.7
Mercury (Dissolved)	< 0.0002	0.0002	mg/L	03/05/12		RS	7470/E245.1
Potassium (Dissolved)	36.2	0.1	mg/L	03/05/12		LK	6010/200.7
Magnesium (Dissolved)	54.8	0.01	mg/L	03/05/12		LK	6010/200.7
Manganese (Dissolved)	1.64	0.001	mg/L	03/05/12		LK	6010/200.7
Sodium (Dissolved)	26.1	0.11	mg/L	03/05/12		LK	6010/200.7
Nickel (Dissolved)	0.008	0.001	mg/L	03/05/12		LK	6010/200.7
Lead (Dissolved)	< 0.002	0.002	mg/L	03/05/12		LK	6010/200.7

Client ID: GW4

Parameter	Result	RL	Units	Date	Time	By	Reference
Antimony (Dissolved)	< 0.005	0.005	mg/L	03/05/12		LK	6010/200.7
Selenium (Dissolved)	< 0.011	0.011	mg/L	03/05/12		LK	6010/200.7
Thallium (Dissolved)	< 0.002	0.002	mg/L	03/02/12		RS	7010/279.2
Vanadium (Dissolved)	0.003	0.002	mg/L	03/05/12		LK	6010/200.7
Zinc (Dissolved)	0.020	0.002	mg/L	03/05/12		LK	6010/200.7
Iron	16.7	0.010	mg/L	03/02/12		LK	6010/200.7
Mercury	< 0.0002	0.0002	mg/L	03/05/12		RS	7470/E245.1
Potassium	36.6	0.1	mg/L	03/02/12		LK	6010/200.7
Magnesium	56.8	0.01	mg/L	03/02/12		LK	6010/200.7
Manganese	1.80	0.001	mg/L	03/02/12		LK	6010/200.7
Sodium	28.7	0.1	mg/L	03/02/12		LK	6010/200.7
Nickel	0.039	0.001	mg/L	03/02/12		LK	6010/200.7
Lead	0.080	0.002	mg/L	03/02/12		LK	6010/200.7
Antimony	< 0.005	0.005	mg/L	03/02/12		LK	6010/200.7
Selenium	< 0.010	0.010	mg/L	03/02/12		LK	6010/200.7
Thallium	< 0.002	0.002	mg/L	03/02/12		RS	SW7010/200.9
Dissolved Metals Preparation	Completed			03/01/12		AG	SW846-3005
Total Metals Digestion	Completed			03/01/12		AG	
Vanadium	0.048	0.002	mg/L	03/02/12		LK	6010/200.7
Zinc	0.139	0.002	mg/L	03/02/12		LK	6010/200.7
Filtration	Completed			03/01/12		AG	0.45um Filter
Dissolved Mercury Digestion	Completed			03/05/12		D	SW7470
Mercury Digestion	Completed			03/05/12		D	7471/245.1
PCB Extraction	Completed			03/01/12		L/L	SW3510C
Extraction for Pest (2 Liter)	Completed			03/01/12		L	SW3510
Semi-Volatile Extraction	Completed			03/01/12		F/K	SW3520
<b><u>Polychlorinated Biphenyls</u></b>							
PCB-1016	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1221	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1232	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1242	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1248	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1254	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1260	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1262	ND	0.10	ug/L	03/02/12		MH	608/ 8082
PCB-1268	ND	0.10	ug/L	03/02/12		MH	608/ 8082
<b><u>QA/QC Surrogates</u></b>							
% DCBP	51		%	03/02/12		MH	30 - 150 %
% TCMX	60		%	03/02/12		MH	30 - 150 %
<b><u>Pesticides</u></b>							
4,4' -DDD	ND	0.1	ug/L	03/02/12		MR	SW8081
4,4' -DDE	ND	0.1	ug/L	03/02/12		MR	SW8081
4,4' -DDT	ND	0.1	ug/L	03/02/12		MR	SW8081
a-BHC	ND	0.05	ug/L	03/02/12		MR	SW8081
Alachlor	ND	0.1	ug/L	03/02/12		MR	SW8081
Aldrin	ND	0.01	ug/L	03/02/12		MR	SW8081
b-BHC	ND	0.05	ug/L	03/02/12		MR	SW8081
Chlordane	ND	0.3	ug/L	03/02/12		MR	SW8081
d-BHC	ND	0.05	ug/L	03/02/12		MR	SW8081

Client ID: GW4

Parameter	Result	RL	Units	Date	Time	By	Reference
Dieldrin	ND	0.01	ug/L	03/02/12		MR	SW8081
Endosulfan I	ND	0.1	ug/L	03/02/12		MR	SW8081
Endosulfan II	ND	0.1	ug/L	03/02/12		MR	SW8081
Endosulfan Sulfate	ND	0.1	ug/L	03/02/12		MR	SW8081
Endrin	ND	0.1	ug/L	03/02/12		MR	SW8081
Endrin Aldehyde	ND	0.1	ug/L	03/02/12		MR	SW8081
Endrin ketone	ND	0.1	ug/L	03/02/12		MR	SW8081
g-BHC (Lindane)	ND	0.05	ug/L	03/02/12		MR	SW8081
Heptachlor	ND	0.05	ug/L	03/02/12		MR	SW8081
Heptachlor epoxide	ND	0.05	ug/L	03/02/12		MR	SW8081
Methoxychlor	ND	0.2	ug/L	03/02/12		MR	SW8081
Toxaphene	ND	1.5	ug/L	03/02/12		MR	SW8081
<b><u>QA/QC Surrogates</u></b>							
%DCBP (Surrogate Rec)	53		%	03/02/12		MR	30 - 150 %
%TCMX (Surrogate Rec)	63		%	03/02/12		MR	30 - 150 %
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,1,2,2-Tetrachloroethane	ND	2.5	ug/L	03/06/12		R/T	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,2-Dichloroethane	ND	3.0	ug/L	03/06/12		R/T	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	03/06/12		R/T	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	03/06/12		R/T	SW8260
2-Chlorotoluene	ND	5.0	ug/L	03/06/12		R/T	SW8260
2-Hexanone	ND	25	ug/L	03/06/12		R/T	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	03/06/12		R/T	SW8260
4-Chlorotoluene	ND	5.0	ug/L	03/06/12		R/T	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	03/06/12		R/T	SW8260
Acetone	ND	130	ug/L	03/06/12		R/T	SW8260
Acrylonitrile	ND	25	ug/L	03/06/12		R/T	SW8260
Benzene	ND	3.5	ug/L	03/06/12		R/T	SW8260
Bromobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Bromochloromethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Bromodichloromethane	ND	2.5	ug/L	03/06/12		R/T	SW8260
Bromoform	ND	5.0	ug/L	03/06/12		R/T	SW8260
Bromomethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Carbon Disulfide	ND	25	ug/L	03/06/12		R/T	SW8260

Client ID: GW4

Parameter	Result	RL	Units	Date	Time	By	Reference
Carbon tetrachloride	ND	5.0	ug/L	03/06/12		R/T	SW8260
Chlorobenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Chloroethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Chloroform	ND	5.0	ug/L	03/06/12		R/T	SW8260
Chloromethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
cis-1,2-Dichloroethene	41	5.0	ug/L	03/06/12		R/T	SW8260
cis-1,3-Dichloropropene	ND	2.5	ug/L	03/06/12		R/T	SW8260
Dibromochloromethane	ND	2.5	ug/L	03/06/12		R/T	SW8260
Dibromoethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Dibromomethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Ethylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Hexachlorobutadiene	ND	2.0	ug/L	03/06/12		R/T	SW8260
Isopropylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
m&p-Xylene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Methyl ethyl ketone	ND	25	ug/L	03/06/12		R/T	SW8260
Methyl t-butyl ether (MTBE)	ND	5.0	ug/L	03/06/12		R/T	SW8260
Methylene chloride	ND	5.0	ug/L	03/06/12		R/T	SW8260
Naphthalene	ND	5.0	ug/L	03/06/12		R/T	SW8260
n-Butylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
n-Propylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
o-Xylene	ND	5.0	ug/L	03/06/12		R/T	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	03/06/12		R/T	SW8260
sec-Butylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Styrene	ND	5.0	ug/L	03/06/12		R/T	SW8260
tert-Butylbenzene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Tetrachloroethene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Tetrahydrofuran (THF)	ND	25	ug/L	03/06/12		R/T	SW8260
Toluene	ND	5.0	ug/L	03/06/12		R/T	SW8260
Total Xylenes	ND	5.0	ug/L	03/06/12		R/T	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	03/06/12		R/T	SW8260
trans-1,3-Dichloropropene	ND	2.5	ug/L	03/06/12		R/T	SW8260
trans-1,4-dichloro-2-butene	ND	25	ug/L	03/06/12		R/T	SW8260
Trichloroethene	18	5.0	ug/L	03/06/12		R/T	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	03/06/12		R/T	SW8260
Vinyl chloride	ND	5.0	ug/L	03/06/12		R/T	SW8260
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	101		%	03/06/12		R/T	70 - 130 %
% Bromofluorobenzene	104		%	03/06/12		R/T	70 - 130 %
% Dibromofluoromethane	99		%	03/06/12		R/T	70 - 130 %
% Toluene-d8	107		%	03/06/12		R/T	70 - 130 %
<b><u>Semivolatiles</u></b>							
1,2,4-Trichlorobenzene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
1,2-Dichlorobenzene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
1,2-Diphenylhydrazine	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
1,3-Dichlorobenzene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
1,4-Dichlorobenzene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
2,4-Dinitrotoluene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
2,6-Dinitrotoluene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625

Client ID: GW4

Parameter	Result	RL	Units	Date	Time	By	Reference
2-Chloronaphthalene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
2-Methylnaphthalene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
2-Nitroaniline	ND	56	ug/L	03/02/12		KCA	SW8270/E625
3,3'-Dichlorobenzidine	ND	22	ug/L	03/02/12		KCA	SW8270/E625
3-Nitroaniline	ND	56	ug/L	03/02/12		KCA	SW8270/E625
4-Bromophenyl phenyl ether	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
4-Chloroaniline	ND	22	ug/L	03/02/12		KCA	SW8270/E625
4-Chlorophenyl phenyl ether	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
4-Nitroaniline	ND	56	ug/L	03/02/12		KCA	SW8270/E625
Acenaphthene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Anthracene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Benzidine	ND	22	ug/L	03/02/12		KCA	SW8270/E625
Benzo(ghi)perylene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Benzoic acid	ND	56	ug/L	03/02/12		KCA	SW8270/E625
Benzyl Alcohol	ND	22	ug/L	03/02/12		KCA	SW8270/E625
Benzyl butyl phthalate	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Bis(2-chloroethoxy)methane	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Bis(2-chloroethyl)ether	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Bis(2-chloroisopropyl)ether	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Bis(2-ethylhexyl)phthalate	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Dibenz(a,h)anthracene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Dibenzofuran	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Diethyl phthalate	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Dimethylphthalate	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Di-n-butylphthalate	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Di-n-octylphthalate	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Fluoranthene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Fluorene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Hexachlorobutadiene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Hexachlorocyclopentadiene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Hexachloroethane	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Isophorone	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Naphthalene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Nitrobenzene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
N-Nitrosodimethylamine	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
N-Nitrosodi-n-propylamine	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
N-Nitrosodiphenylamine	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
Pyrene	ND	5.6	ug/L	03/02/12		KCA	SW8270/E625
<b>QA/QC Surrogates</b>							
% 2-Fluorobiphenyl	49		%	03/02/12		KCA	30 - 130 %
% Nitrobenzene-d5	51		%	03/02/12		KCA	30 - 130 %
% Terphenyl-d14	87		%	03/02/12		KCA	30 - 130 %
<b>Semivolatiles</b>							
Acenaphthylene	0.033	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Benz(a)anthracene	0.3	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Benzo(a)pyrene	0.17	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Benzo(b)fluoranthene	0.28	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Benzo(k)fluoranthene	0.11	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Chrysene	0.27	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Dibenz(a,h)anthracene	0.022	0.011	ug/L	03/02/12		KCA	SW8270 (SIM)

Client ID: GW4

Parameter	Result	RL	Units	Date	Time	By	Reference
Hexachlorobenzene	ND	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Indeno(1,2,3-cd)pyrene	0.089	0.022	ug/L	03/02/12		KCA	SW8270 (SIM)
Phenanthrene	0.61	0.056	ug/L	03/02/12		KCA	SW8270 (SIM)
<b><u>QA/QC Surrogates</u></b>							
% 2-Fluorobiphenyl	49		%	03/02/12		KCA	30 - 130 %
% Nitrobenzene-d5	51		%	03/02/12		KCA	30 - 130 %
% Terphenyl-d14	87		%	03/02/12		KCA	30 - 130 %


**Comments:**

TRIP BLANK INCLUDED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**March 08, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

March 08, 2012

## QA/QC Data

SDG I.D.: GBB48832

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 192961, QC Sample No: BB33551 (BB48832)												
<u>Dissolved Metals</u>												
Thallium	BDL	<0.001	<0.001	NC	93.2	127	30.7				75 - 125	30
QA/QC Batch 194565, QC Sample No: BB44622 (BB48832)												
Thallium - Water	BDL	<0.001	<0.001	NC	121	121	0.0	120	116	3.4	75 - 125	20
QA/QC Batch 195240, QC Sample No: BB48307 (BB48832)												
<u>ICP Metals - Dissolved</u>												
Aluminum	BDL	0.03	0.03	NC	81.2	84.0	3.4	86.7	88.4	1.9	75 - 125	20
Antimony	BDL	<0.005	<0.005	NC	81.6	84.1	3.0	86.8	88.9	2.4	75 - 125	20
Arsenic	BDL	<0.004	<0.004	NC	81.7	83.7	2.4	87.3	89.1	2.0	75 - 125	20
Barium	BDL	0.005	0.005	NC	82.2	82.3	0.1	87.9	89.9	2.2	75 - 125	20
Beryllium	BDL	<0.004	<0.001	NC	81.7	81.7	0.0	88.0	89.0	1.1	75 - 125	20
Cadmium	BDL	<0.001	<0.001	NC	84.2	86.4	2.6	90.2	92.0	2.0	75 - 125	20
Calcium	BDL	4.77	4.89	2.50	82.7	84.6	2.3	88.2	94.0	6.4	75 - 125	20
Chromium	BDL	<0.001	<0.001	NC	81.5	84.4	3.5	88.0	89.6	1.8	75 - 125	20
Cobalt	BDL	<0.004	<0.001	NC	82.2	84.4	2.6	88.3	90.2	2.1	75 - 125	20
Copper	BDL	<0.005	<0.005	NC	82.0	84.3	2.8	88.5	90.7	2.5	75 - 125	20
Iron	BDL	0.113	0.115	1.80	81.3	83.7	2.9	86.9	88.8	2.2	75 - 125	20
Lead	BDL	<0.0005	<0.002	NC	83.5	85.7	2.6	87.6	89.7	2.4	75 - 125	20
Magnesium	BDL	1.11	1.10	0.90	84.0	83.7	0.4	83.1	84.3	1.4	75 - 125	20
Manganese	BDL	0.013	0.013	0	82.5	82.4	0.1	88.1	89.8	1.9	75 - 125	20
Nickel	BDL	0.001	<0.001	NC	81.2	83.3	2.6	87.1	89.0	2.2	75 - 125	20
Potassium	BDL	2.0	2.0	0	108	113	4.5	117	118	0.9	75 - 125	20
Selenium	BDL	<0.011	<0.011	NC	77.8	79.5	2.2	82.6	84.5	2.3	75 - 125	20
Silver	BDL	0.001	0.001	NC	79.7	81.1	1.7	85.0	87.8	3.2	75 - 125	20
Sodium	BDL	5.89	5.94	0.80	84.2	88.3	4.8	NC	NC	NC	75 - 125	20
Vanadium	BDL	0.002	<0.002	NC	80.6	82.9	2.8	86.7	88.6	2.2	75 - 125	20
Zinc	BDL	0.012	0.011	8.70	82.6	84.5	2.3	88.4	90.5	2.3	75 - 125	20
QA/QC Batch 195326, QC Sample No: BB48669 (BB48832)												
<u>ICP Metals - Aqueous</u>												
Aluminum	BDL	0.133	0.133	0	100	99.1	0.9	107	108	0.9	75 - 125	20
Antimony	BDL	<0.005	<0.005	NC	103	102	1.0	106	108	1.9	75 - 125	20
Arsenic	BDL	<0.004	<0.004	NC	105	103	1.9	108	109	0.9	75 - 125	20
Barium	BDL	0.003	0.003	NC	105	104	1.0	108	109	0.9	75 - 125	20
Beryllium	BDL	<0.001	<0.001	NC	105	104	1.0	109	110	0.9	75 - 125	20
Cadmium	BDL	<0.001	<0.001	NC	110	108	1.8	113	114	0.9	75 - 125	20
Calcium	BDL	1.63	1.64	0.60	107	105	1.9	105	113	7.3	75 - 125	20
Chromium	BDL	0.001	0.001	NC	106	105	0.9	111	112	0.9	75 - 125	20
Cobalt	BDL	<0.002	<0.002	NC	106	104	1.9	109	110	0.9	75 - 125	20
Copper	BDL	0.020	0.020	NC	105	104	1.0	111	112	0.9	75 - 125	20
Iron	BDL	0.160	0.162	1.20	104	103	1.0	109	110	0.9	75 - 125	20
Lead	BDL	0.002	0.002	NC	109	108	0.9	113	114	0.9	75 - 125	20

QA/QC Data

SDG I.D.: GBB48832

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Magnesium	BDL	0.25	0.25	0	104	103	1.0	108	110	1.8	75 - 125	20
Manganese	BDL	0.009	0.009	0	109	107	1.9	112	113	0.9	75 - 125	20
Nickel	BDL	0.012	0.012	0	105	103	1.9	108	110	1.8	75 - 125	20
Potassium	BDL	0.1	0.1	NC	116	110	5.3	115	118	2.6	75 - 125	20
Selenium	BDL	<0.010	<0.010	NC	100	98.5	1.5	103	103	0.0	75 - 125	20
Silver	BDL	<0.001	<0.001	NC	101	99.3	1.7	105	105	0.0	75 - 125	20
Sodium	BDL	3.3	3.2	3.10	110	105	4.7	115	128	10.7	75 - 125	20
Vanadium	BDL	<0.002	<0.002	NC	106	105	0.9	110	111	0.9	75 - 125	20
Zinc	BDL	0.067	0.067	0	106	105	0.9	111	112	0.9	75 - 125	20
QA/QC Batch 195430, QC Sample No: BB49074 (BB48832)												
Mercury - Water	BDL	<0.0002	<0.0002	NC	103	103	0.0	111	111	0.0	70 - 130	20

m

l = This parameter is outside laboratory lcs/lcsd specified recovery limits.  
 m = This parameter is outside laboratory ms/msd specified recovery limits.  
 r = This parameter is outside laboratory rpd specified recovery limits.



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

March 08, 2012

## QA/QC Data

SDG I.D.: GBB48832

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 195321, QC Sample No: BB48616 (BB48832)									
<u>Polychlorinated Biphenyls - Ground Water</u>									
PCB-1016	ND	93	91	2.2				40 - 140	20
PCB-1221	ND							40 - 140	20
PCB-1232	ND							40 - 140	20
PCB-1242	ND							40 - 140	20
PCB-1248	ND							40 - 140	20
PCB-1254	ND							40 - 140	20
PCB-1260	ND	95	92	3.2				40 - 140	20
PCB-1262	ND							40 - 140	20
PCB-1268	ND							40 - 140	20
% DCBP (Surrogate Rec)	89	90	91	1.1				30 - 150	20
% TCMX (Surrogate Rec)	76	82	76	7.6				30 - 150	20

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch 195322, QC Sample No: BB48832 (BB48832)

## Pesticides - Ground Water

4,4' -DDD	ND	100	99	1.0				40 - 140	20
4,4' -DDE	ND	101	103	2.0				40 - 140	20
4,4' -DDT	ND	95	97	2.1				40 - 140	20
a-BHC	ND	93	95	2.1				40 - 140	20
Alachlor	ND	N/A	N/A	NC				40 - 140	20
Aldrin	ND	91	95	4.3				40 - 140	20
b-BHC	ND	87	90	3.4				40 - 140	20
Chlordane	ND	N/A	N/A	NC				40 - 140	20
d-BHC	ND	95	99	4.1				40 - 140	20
Dieldrin	ND	95	95	0.0				40 - 140	20
Endosulfan I	ND	93	95	2.1				40 - 140	20
Endosulfan II	ND	93	96	3.2				40 - 140	20
Endosulfan sulfate	ND	92	94	2.2				40 - 140	20
Endrin	ND	98	101	3.0				40 - 140	20
Endrin aldehyde	ND	100	103	3.0				40 - 140	20
Endrin ketone	ND	96	98	2.1				40 - 140	20
g-BHC	ND	93	95	2.1				40 - 140	20
Heptachlor	ND	84	86	2.4				40 - 140	20
Heptachlor epoxide	ND	91	93	2.2				40 - 140	20
Methoxychlor	ND	98	105	6.9				40 - 140	20
Toxaphene	ND	N/A	N/A	NC				40 - 140	20
% DCBP	89	93	95	2.1				30 - 150	20
% TCMX	77	80	80	0.0				30 - 150	20

## QA/QC Data

SDG I.D.: GBB48832

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 195602, QC Sample No: BB48832 (BB48832)									
<u>Volatiles - Ground Water</u>									
1,1,1,2-Tetrachloroethane	ND	93	92	1.1	89	96	7.6	70 - 130	30
1,1,1-Trichloroethane	ND	88	92	4.4	88	99	11.8	70 - 130	30
1,1,2,2-Tetrachloroethane	ND	88	90	2.2	92	95	3.2	70 - 130	30
1,1,2-Trichloroethane	ND	105	108	2.8	104	113	8.3	70 - 130	30
1,1-Dichloroethane	ND	88	94	6.6	95	99	4.1	70 - 130	30
1,1-Dichloroethene	ND	76	73	4.0	86	85	1.2	70 - 130	30
1,1-Dichloropropene	ND	90	91	1.1	86	95	9.9	70 - 130	30
1,2,3-Trichlorobenzene	ND	112	115	2.6	96	113	16.3	70 - 130	30
1,2,3-Trichloropropane	ND	91	96	5.3	91	98	7.4	70 - 130	30
1,2,4-Trichlorobenzene	ND	109	109	0.0	97	113	15.2	70 - 130	30
1,2,4-Trimethylbenzene	ND	101	102	1.0	94	101	7.2	70 - 130	30
1,2-Dibromo-3-chloropropane	ND	89	96	7.6	94	97	3.1	70 - 130	30
1,2-Dichlorobenzene	ND	92	92	0.0	90	97	7.5	70 - 130	30
1,2-Dichloroethane	ND	96	103	7.0	103	111	7.5	70 - 130	30
1,2-Dichloropropane	ND	95	101	6.1	100	104	3.9	70 - 130	30
1,3,5-Trimethylbenzene	ND	102	102	0.0	92	99	7.3	70 - 130	30
1,3-Dichlorobenzene	ND	99	99	0.0	94	101	7.2	70 - 130	30
1,3-Dichloropropane	ND	96	100	4.1	99	107	7.8	70 - 130	30
1,4-Dichlorobenzene	ND	96	96	0.0	93	100	7.3	70 - 130	30
2,2-Dichloropropane	ND	97	99	2.0	88	99	11.8	70 - 130	30
2-Chlorotoluene	ND	94	94	0.0	89	95	6.5	70 - 130	30
2-Hexanone	ND	88	100	12.8	94	105	11.1	70 - 130	30
2-Isopropyltoluene	ND	100	99	1.0	93	100	7.3	70 - 130	30
4-Chlorotoluene	ND	95	94	1.1	91	98	7.4	70 - 130	30
4-Methyl-2-pentanone	ND	104	113	8.3	116	126	8.3	70 - 130	30
Acetone	ND	87	100	13.9	104	92	12.2	70 - 130	30
Acrylonitrile	ND	72	77	6.7	105	97	7.9	70 - 130	30
Benzene	ND	95	98	3.1	92	103	11.3	70 - 130	30
Bromobenzene	ND	94	96	2.1	88	96	8.7	70 - 130	30
Bromochloromethane	ND	89	94	5.5	95	103	8.1	70 - 130	30
Bromodichloromethane	ND	94	98	4.2	96	104	8.0	70 - 130	30
Bromoform	ND	90	88	2.2	90	92	2.2	70 - 130	30
Bromomethane	ND	92	63	37.4	86	91	5.6	70 - 130	30
Carbon Disulfide	ND	69	68	1.5	74	75	1.3	70 - 130	30
Carbon tetrachloride	ND	90	85	5.7	84	95	12.3	70 - 130	30
Chlorobenzene	ND	90	90	0.0	87	94	7.7	70 - 130	30
Chloroethane	ND	89	127	35.2	78	88	12.0	70 - 130	30
Chloroform	ND	96	96	0.0	95	105	10.0	70 - 130	30
Chloromethane	ND	93	98	5.2	86	94	8.9	70 - 130	30
cis-1,2-Dichloroethene	ND	92	92	0.0	93	102	9.2	70 - 130	30
cis-1,3-Dichloropropene	ND	93	108	14.9	99	111	11.4	70 - 130	30
Dibromochloromethane	ND	97	103	6.0	94	111	16.6	70 - 130	30
Dibromoethane	ND	95	100	5.1	106	107	0.9	70 - 130	30
Dibromomethane	ND	93	99	6.3	102	104	1.9	70 - 130	30
Dichlorodifluoromethane	ND	85	61	32.9	77	74	4.0	70 - 130	30
Ethylbenzene	ND	91	87	4.5	84	88	4.7	70 - 130	30
Hexachlorobutadiene	ND	98	99	1.0	100	111	10.4	70 - 130	30
Isopropylbenzene	ND	99	96	3.1	88	96	8.7	70 - 130	30
m&p-Xylene	ND	95	93	2.1	89	96	7.6	70 - 130	30
Methyl ethyl ketone	ND	87	96	9.8	109	110	0.9	70 - 130	30

## QA/QC Data

SDG I.D.: GBB48832

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Methyl t-butyl ether (MTBE)	ND	80	91	12.9	94	97	3.1	70 - 130	30
Methylene chloride	ND	83	88	5.8	94	93	1.1	70 - 130	30
Naphthalene	ND	141	132	6.6	110	132	18.2	70 - 130	30
n-Butylbenzene	ND	110	113	2.7	99	110	10.5	70 - 130	30
n-Propylbenzene	ND	93	91	2.2	89	95	6.5	70 - 130	30
o-Xylene	ND	99	98	1.0	92	100	8.3	70 - 130	30
p-Isopropyltoluene	ND	106	107	0.9	92	102	10.3	70 - 130	30
sec-Butylbenzene	ND	99	98	1.0	93	102	9.2	70 - 130	30
Styrene	ND	99	92	7.3	90	94	4.3	70 - 130	30
tert-Butylbenzene	ND	97	96	1.0	90	97	7.5	70 - 130	30
Tetrachloroethene	ND	99	101	2.0	86	101	16.0	70 - 130	30
Tetrahydrofuran (THF)	ND	93	104	11.2	107	118	9.8	70 - 130	30
Toluene	ND	98	107	8.8	96	114	17.1	70 - 130	30
trans-1,2-Dichloroethene	ND	83	89	7.0	88	90	2.2	70 - 130	30
trans-1,3-Dichloropropene	ND	100	107	6.8	102	112	9.3	70 - 130	30
trans-1,4-dichloro-2-butene	ND	114	120	5.1	113	119	5.2	70 - 130	30
Trichloroethene	ND	93	93	0.0	88	98	10.8	70 - 130	30
Trichlorofluoromethane	ND	98	93	5.2	86	93	7.8	70 - 130	30
Trichlorotrifluoroethane	ND	77	74	4.0	82	82	0.0	70 - 130	30
Vinyl chloride	ND	92	97	5.3	87	94	7.7	70 - 130	30
% 1,2-dichlorobenzene-d4	101	100	102	2.0	101	101	0.0	70 - 130	30
% Bromofluorobenzene	102	105	110	4.7	109	113	3.6	70 - 130	30
% Dibromofluoromethane	101	97	95	2.1	99	103	4.0	70 - 130	30
% Toluene-d8	109	101	112	10.3	106	115	8.1	70 - 130	30

l,m

Comment:

A blank MS/MSD was analyzed with this batch.

QA/QC Batch 195315, QC Sample No: BB48832 (BB48832)

### Semivolatiles - Ground Water

1,2,4-Trichlorobenzene	ND	86	76	12.3				30 - 130	20
1,2-Dichlorobenzene	ND	83	72	14.2				30 - 130	20
1,3-Dichlorobenzene	ND	80	69	14.8				30 - 130	20
1,4-Dichlorobenzene	ND	82	70	15.8				30 - 130	20
2,4-Dinitrotoluene	ND	90	79	13.0				30 - 130	20
2,6-Dinitrotoluene	ND	92	81	12.7				30 - 130	20
2-Chloronaphthalene	ND	88	75	16.0				30 - 130	20
2-Methylnaphthalene	ND	88	77	13.3				30 - 130	20
2-Nitroaniline	ND	87	124	35.1				30 - 130	20
3,3'-Dichlorobenzidine	ND	N/A	N/A	NC				30 - 130	20
3-Nitroaniline	ND	<5	<5	NC				30 - 130	20
4-Bromophenyl phenyl ether	ND	89	78	13.2				30 - 130	20
4-Chloroaniline	ND	<5	<5	NC				30 - 130	20
4-Chlorophenyl phenyl ether	ND	90	77	15.6				30 - 130	20
4-Nitroaniline	ND	92	81	12.7				30 - 130	20
Acenaphthene	ND	88	75	16.0				30 - 130	20
Acenaphthylene	ND	86	73	16.4				30 - 130	20
Anthracene	ND	87	78	10.9				30 - 130	20
Azobenzene	ND	78	66	16.7				30 - 130	20
Benz(a)anthracene	ND	92	89	3.3				30 - 130	20
Benzidine	ND	N/A	N/A	NC				10 - 130	20
Benzo(a)pyrene	ND	81	75	7.7				30 - 130	20
Benzo(b)fluoranthene	ND	85	83	2.4				30 - 130	20
Benzo(ghi)perylene	ND	83	85	2.4				30 - 130	20

r

j

j

QA/QC Data

SDG I.D.: GBB48832

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Benzo(k)fluoranthene	ND	91	85	6.8				30 - 130	20
Benzoic acid	ND	N/A	N/A	NC				30 - 130	20
Benzyl butyl phthalate	ND	80	86	7.2				30 - 130	20
Bis(2-chloroethoxy)methane	ND	79	59	29.0				30 - 130	20
Bis(2-chloroethyl)ether	ND	76	66	14.1				30 - 130	20
Bis(2-chloroisopropyl)ether	ND	85	74	13.8				30 - 130	20
Bis(2-ethylhexyl)phthalate	ND	95	94	1.1				30 - 130	20
Chrysene	ND	95	90	5.4				30 - 130	20
Dibenz(a,h)anthracene	ND	80	80	0.0				30 - 130	20
Dibenzofuran	ND	88	75	16.0				30 - 130	20
Diethyl phthalate	ND	76	75	1.3				30 - 130	20
Dimethylphthalate	ND	67	67	0.0				30 - 130	20
Di-n-butylphthalate	ND	87	87	0.0				30 - 130	20
Di-n-octylphthalate	ND	106	98	7.8				30 - 130	20
Fluoranthene	ND	93	85	9.0				30 - 130	20
Fluorene	ND	90	78	14.3				30 - 130	20
Hexachlorobenzene	ND	93	85	9.0				30 - 130	20
Hexachlorobutadiene	ND	89	78	13.2				30 - 130	20
Hexachlorocyclopentadiene	ND	52	47	10.1				30 - 130	20
Hexachloroethane	ND	81	72	11.8				30 - 130	20
Indeno(1,2,3-cd)pyrene	ND	82	82	0.0				30 - 130	20
Isophorone	ND	77	68	12.4				30 - 130	20
Naphthalene	ND	91	80	12.9				30 - 130	20
Nitrobenzene	ND	86	74	15.0				30 - 130	20
N-Nitrosodimethylamine	ND	60	59	1.7				30 - 130	20
N-Nitrosodi-n-propylamine	ND	87	78	10.9				30 - 130	20
N-Nitrosodiphenylamine	ND	80	82	2.5				30 - 130	20
Phenanthrene	ND	94	84	11.2				30 - 130	20
Pyrene	ND	94	87	7.7				30 - 130	20
% 2-Fluorobiphenyl	69	80	66	19.2				30 - 130	20
% Nitrobenzene-d5	72	80	69	14.8				30 - 130	20
% Terphenyl-d14	84	83	77	7.5				30 - 130	20


Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

l = This parameter is outside laboratory lcs/lcsd specified recovery limits.  
 m = This parameter is outside laboratory ms/msd specified recovery limits.  
 r = This parameter is outside laboratory rpd specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference  
 LCS - Laboratory Control Sample  
 LCSD - Laboratory Control Sample Duplicate  
 MS - Matrix Spike  
 MS Dup - Matrix Spike Duplicate  
 NC - No Criteria

  
 Phyllis Shiller, Laboratory Director  
 March 08, 2012





Monday, January 16, 2012

Attn: Mr. Charles B. Sosik, P.G.  
Environmental Business Consultants  
1808 Middle Country Rd  
Ridge NY 11961-2406

Project ID: 390 WALABOUT ST., BROOKLYN  
Sample ID#s: BB29096 - BB29099

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller  
Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #MA-CT-007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B  
NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 16, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: AIR  
 Location Code: EBC  
 Rush Request: RUSH##  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/06/12                      9:45  
 01/09/12                      15:58

## Laboratory Data

SDG ID: GBB29096  
 Phoenix ID: BB29096

Project ID: 390 WALABOUT ST., BROOKLYN

Client ID: SG-1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,1-Trichloroethane	ND	0.183	ND	1.0	01/12/12	KCA	TO15
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,2-Trichloroethane	ND	0.183	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trichlorobenzene	0.16	0.135	1.19	1.0	01/12/12	KCA	TO15
1,2,4-Trimethylbenzene	1.66	0.204	8.16	1.0	01/12/12	KCA	TO15
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,2-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,2-dichloropropane	ND	0.216	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.0	01/12/12	KCA	TO15
1,3,5-Trimethylbenzene	0.36	0.204	1.77	1.0	01/12/12	KCA	TO15
1,3-Butadiene	ND	0.452	ND	1.0	01/12/12	KCA	TO15
1,3-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dioxane	ND	0.278	ND	1.0	01/12/12	KCA	TO15
2-Hexanone(MBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
4-Ethyltoluene	0.3	0.204	1.47	1.0	01/12/12	KCA	TO15
4-Isopropyltoluene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
Acetone	65.4	0.421	155	1.0	01/12/12	KCA	TO15
Acrylonitrile	ND	0.461	ND	1.0	01/12/12	KCA	TO15
Benzene	ND	0.313	ND	1.0	01/12/12	KCA	TO15
Benzyl chloride	ND	0.193	ND	1.0	01/12/12	KCA	TO15

Client ID: SG-1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
Bromodichloromethane	ND	0.149	ND	1.0	01/12/12	KCA	TO15
Bromoform	ND	0.097	ND	1.0	01/12/12	KCA	TO15
Bromomethane	ND	0.258	ND	1.0	01/12/12	KCA	TO15
Carbon Disulfide	ND	0.321	ND	1.0	01/12/12	KCA	TO15
Carbon Tetrachloride	ND	0.040	ND	0.25	01/12/12	KCA	TO15
Chlorobenzene	ND	0.217	ND	1.0	01/12/12	KCA	TO15
Chloroethane	ND	0.379	ND	1.0	01/12/12	KCA	TO15
Chloroform	0.5	0.205	2.44	1.0	01/12/12	KCA	TO15
Chloromethane	ND	0.484	ND	1.0	01/12/12	KCA	TO15
Cis-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
cis-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Cyclohexane	ND	0.291	ND	1.0	01/12/12	KCA	TO15
Dibromochloromethane	ND	0.117	ND	1.0	01/12/12	KCA	TO15
Dichlorodifluoromethane	1.05	0.202	5.19	1.0	01/12/12	KCA	TO15
Ethanol	6.45	0.531	12.1	1.0	01/12/12	KCA	TO15
Ethyl acetate	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Ethylbenzene	0.66	0.230	2.86	1.0	01/12/12	KCA	TO15
Heptane	0.39	0.244	1.60	1.0	01/12/12	KCA	TO15
Hexachlorobutadiene	ND	0.094	ND	1.0	01/12/12	KCA	TO15
Hexane	0.29	0.284	1.02	1.0	01/12/12	KCA	TO15
Isopropylalcohol	ND	0.407	ND	1.0	01/12/12	KCA	TO15
Isopropylbenzene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
m,p-Xylene	2.6	0.230	11.3	1.0	01/12/12	KCA	TO15
Methyl Ethyl Ketone	0.57	0.339	1.68	1.0	01/12/12	KCA	TO15
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Methylene Chloride	ND	0.288	ND	1.0	01/12/12	KCA	TO15
n-Butylbenzene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
o-Xylene	0.84	0.230	3.64	1.0	01/12/12	KCA	TO15
Propylene	ND	0.581	ND	1.0	01/12/12	KCA	TO15
sec-Butylbenzene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
Styrene	0.31	0.235	1.32	1.0	01/12/12	KCA	TO15
Tetrachloroethene	12.4	0.037	84.0	0.25	01/12/12	KCA	TO15
Tetrahydrofuran	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Toluene	5.57	0.266	21.0	1.0	01/12/12	KCA	TO15
Trans-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
trans-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Trichloroethene	1.24	0.047	6.66	0.25	01/12/12	KCA	TO15
Trichlorofluoromethane	3.65	0.178	20.5	1.0	01/12/12	KCA	TO15
Trichlorotrifluoroethane	ND	0.130	ND	1.0	01/12/12	KCA	TO15
Vinyl Chloride	ND	0.098	ND	0.25	01/12/12	KCA	TO15
<b><u>QA/OC Surrogates</u></b>							
% Bromofluorobenzene	106	%	106	%	01/12/12	KCA	70 - 130 %

Client ID: SG-1


Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
-----------	----------------	------------	-----------------	-------------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
January 16, 2012



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 16, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: AIR  
 Location Code: EBC  
 Rush Request: RUSH##  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/06/12                    10:10  
 01/09/12                    15:58

## Laboratory Data

SDG ID: GBB29096  
 Phoenix ID: BB29097

Project ID: 390 WALABOUT ST., BROOKLYN

Client ID: SG-2

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,1-Trichloroethane	0.32	0.183	1.74	1.0	01/12/12	KCA	TO15
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,2-Trichloroethane	ND	0.183	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trichlorobenzene	ND	0.135	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trimethylbenzene	2.36	0.204	11.6	1.0	01/12/12	KCA	TO15
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,2-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,2-dichloropropane	ND	0.216	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.0	01/12/12	KCA	TO15
1,3,5-Trimethylbenzene	0.48	0.204	2.36	1.0	01/12/12	KCA	TO15
1,3-Butadiene	ND	0.452	ND	1.0	01/12/12	KCA	TO15
1,3-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dioxane	ND	0.278	ND	1.0	01/12/12	KCA	TO15
2-Hexanone(MBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
4-Ethyltoluene	0.42	0.204	2.06	1.0	01/12/12	KCA	TO15
4-Isopropyltoluene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
Acetone	43.3	0.421	103	1.0	01/12/12	KCA	TO15
Acrylonitrile	ND	0.461	ND	1.0	01/12/12	KCA	TO15
Benzene	0.46	0.313	1.47	1.0	01/12/12	KCA	TO15
Benzyl chloride	ND	0.193	ND	1.0	01/12/12	KCA	TO15

Client ID: SG-2

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
Bromodichloromethane	ND	0.149	ND	1.0	01/12/12	KCA	TO15
Bromoform	ND	0.097	ND	1.0	01/12/12	KCA	TO15
Bromomethane	ND	0.258	ND	1.0	01/12/12	KCA	TO15
Carbon Disulfide	0.6	0.321	1.87	1.0	01/12/12	KCA	TO15
Carbon Tetrachloride	ND	0.040	ND	0.25	01/12/12	KCA	TO15
Chlorobenzene	ND	0.217	ND	1.0	01/12/12	KCA	TO15
Chloroethane	ND	0.379	ND	1.0	01/12/12	KCA	TO15
Chloroform	ND	0.205	ND	1.0	01/12/12	KCA	TO15
Chloromethane	ND	0.484	ND	1.0	01/12/12	KCA	TO15
Cis-1,2-Dichloroethene	3.53	0.252	14.0	1.0	01/12/12	KCA	TO15
cis-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Cyclohexane	0.51	0.291	1.75	1.0	01/12/12	KCA	TO15
Dibromochloromethane	ND	0.117	ND	1.0	01/12/12	KCA	TO15
Dichlorodifluoromethane	14.1	0.202	69.7	1.0	01/12/12	KCA	TO15
Ethanol	2.7	0.531	5.08	1.0	01/12/12	KCA	TO15
Ethyl acetate	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Ethylbenzene	0.92	0.230	3.99	1.0	01/12/12	KCA	TO15
Heptane	0.8	0.244	3.28	1.0	01/12/12	KCA	TO15
Hexachlorobutadiene	ND	0.094	ND	1.0	01/12/12	KCA	TO15
Hexane	2.93	0.284	10.3	1.0	01/12/12	KCA	TO15
Isopropylalcohol	87.2	0.407	214	1.0	01/12/12	KCA	TO15
Isopropylbenzene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
m,p-Xylene	3.57	0.230	15.5	1.0	01/12/12	KCA	TO15
Methyl Ethyl Ketone	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Methylene Chloride	2.67	0.288	9.27	1.0	01/12/12	KCA	TO15
n-Butylbenzene	0.22	0.182	1.21	1.0	01/12/12	KCA	TO15
o-Xylene	1.11	0.230	4.82	1.0	01/12/12	KCA	TO15
Propylene	ND	0.581	ND	1.0	01/12/12	KCA	TO15
sec-Butylbenzene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
Styrene	ND	0.235	ND	1.0	01/12/12	KCA	TO15
Tetrachloroethene	27	0.037	183	0.25	01/12/12	KCA	TO15
Tetrahydrofuran	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Toluene	7.77	0.266	29.3	1.0	01/12/12	KCA	TO15
Trans-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
trans-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Trichloroethene	2.6	0.047	14.0	0.25	01/12/12	KCA	TO15
Trichlorofluoromethane	33.6	0.178	189	1.0	01/12/12	KCA	TO15
Trichlorotrifluoroethane	ND	0.130	ND	1.0	01/12/12	KCA	TO15
Vinyl Chloride	ND	0.098	ND	0.25	01/12/12	KCA	TO15
<b><u>QA/OC Surrogates</u></b>							
% Bromofluorobenzene	104	%	104	%	01/12/12	KCA	70 - 130 %

Client ID: SG-2


Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
-----------	----------------	------------	-----------------	-------------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**  
January 16, 2012



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 16, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: AIR  
 Location Code: EBC  
 Rush Request: RUSH##  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date                      Time  
 01/06/12                      10:00  
 01/09/12                      15:58

## Laboratory Data

SDG ID: GBB29096  
 Phoenix ID: BB29098

Project ID: 390 WALABOUT ST., BROOKLYN

Client ID: SG-3

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
<b><u>Volatiles</u></b>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,1-Trichloroethane	ND	0.183	ND	1.0	01/12/12	KCA	TO15
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,2-Trichloroethane	ND	0.183	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trichlorobenzene	ND	0.135	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trimethylbenzene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,2-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,2-dichloropropane	ND	0.216	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.0	01/12/12	KCA	TO15
1,3,5-Trimethylbenzene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
1,3-Butadiene	ND	0.452	ND	1.0	01/12/12	KCA	TO15
1,3-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dioxane	ND	0.278	ND	1.0	01/12/12	KCA	TO15
2-Hexanone(MBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
4-Ethyltoluene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
4-Isopropyltoluene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
Acetone	4.12	0.421	9.78	1.0	01/12/12	KCA	TO15
Acrylonitrile	ND	0.461	ND	1.0	01/12/12	KCA	TO15
Benzene	0.46	0.313	1.47	1.0	01/12/12	KCA	TO15
Benzyl chloride	ND	0.193	ND	1.0	01/12/12	KCA	TO15

Client ID: SG-3

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
Bromodichloromethane	ND	0.149	ND	1.0	01/12/12	KCA	TO15
Bromoform	ND	0.097	ND	1.0	01/12/12	KCA	TO15
Bromomethane	ND	0.258	ND	1.0	01/12/12	KCA	TO15
Carbon Disulfide	ND	0.321	ND	1.0	01/12/12	KCA	TO15
Carbon Tetrachloride	0.08	0.040	0.503	0.25	01/12/12	KCA	TO15
Chlorobenzene	ND	0.217	ND	1.0	01/12/12	KCA	TO15
Chloroethane	ND	0.379	ND	1.0	01/12/12	KCA	TO15
Chloroform	ND	0.205	ND	1.0	01/12/12	KCA	TO15
Chloromethane	0.61	0.484	1.26	1.0	01/12/12	KCA	TO15
Cis-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
cis-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Cyclohexane	ND	0.291	ND	1.0	01/12/12	KCA	TO15
Dibromochloromethane	ND	0.117	ND	1.0	01/12/12	KCA	TO15
Dichlorodifluoromethane	0.51	0.202	2.52	1.0	01/12/12	KCA	TO15
Ethanol	10.6	0.531	20.0	1.0	01/12/12	KCA	TO15
Ethyl acetate	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Ethylbenzene	ND	0.230	ND	1.0	01/12/12	KCA	TO15
Heptane	ND	0.244	ND	1.0	01/12/12	KCA	TO15
Hexachlorobutadiene	ND	0.094	ND	1.0	01/12/12	KCA	TO15
Hexane	0.62	0.284	2.18	1.0	01/12/12	KCA	TO15
Isopropylalcohol	ND	0.407	ND	1.0	01/12/12	KCA	TO15
Isopropylbenzene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
m,p-Xylene	0.28	0.230	1.22	1.0	01/12/12	KCA	TO15
Methyl Ethyl Ketone	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Methylene Chloride	ND	0.288	ND	1.0	01/12/12	KCA	TO15
n-Butylbenzene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
o-Xylene	ND	0.230	ND	1.0	01/12/12	KCA	TO15
Propylene	ND	0.581	ND	1.0	01/12/12	KCA	TO15
sec-Butylbenzene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
Styrene	ND	0.235	ND	1.0	01/12/12	KCA	TO15
Tetrachloroethene	0.54	0.037	3.66	0.25	01/12/12	KCA	TO15
Tetrahydrofuran	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Toluene	1	0.266	3.77	1.0	01/12/12	KCA	TO15
Trans-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
trans-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Trichloroethene	ND	0.047	ND	0.25	01/12/12	KCA	TO15
Trichlorofluoromethane	0.23	0.178	1.29	1.0	01/12/12	KCA	TO15
Trichlorotrifluoroethane	ND	0.130	ND	1.0	01/12/12	KCA	TO15
Vinyl Chloride	ND	0.098	ND	0.25	01/12/12	KCA	TO15
<b><u>QA/OC Surrogates</u></b>							
% Bromofluorobenzene	102	%	102	%	01/12/12	KCA	70 - 130 %

Client ID: SG-3


Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
-----------	----------------	------------	-----------------	-------------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director  
January 16, 2012



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

January 16, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: AIR  
 Location Code: EBC  
 Rush Request: RUSH##  
 P.O.#:

## Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date: 01/06/12 10:25  
 01/09/12 15:58

## Laboratory Data

SDG ID: GBB29096  
 Phoenix ID: BB29099

Project ID: 390 WALABOUT ST., BROOKLYN

Client ID: SG-4

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
<b>Volatiles</b>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,1-Trichloroethane	0.55	0.183	3.00	1.0	01/12/12	KCA	TO15
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.0	01/12/12	KCA	TO15
1,1,2-Trichloroethane	ND	0.183	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,1-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trichlorobenzene	ND	0.135	ND	1.0	01/12/12	KCA	TO15
1,2,4-Trimethylbenzene	1.65	0.204	8.11	1.0	01/12/12	KCA	TO15
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,2-Dichloroethane	ND	0.247	ND	1.0	01/12/12	KCA	TO15
1,2-dichloropropane	ND	0.216	ND	1.0	01/12/12	KCA	TO15
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.0	01/12/12	KCA	TO15
1,3,5-Trimethylbenzene	0.35	0.204	1.72	1.0	01/12/12	KCA	TO15
1,3-Butadiene	ND	0.452	ND	1.0	01/12/12	KCA	TO15
1,3-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dichlorobenzene	ND	0.166	ND	1.0	01/12/12	KCA	TO15
1,4-Dioxane	ND	0.278	ND	1.0	01/12/12	KCA	TO15
2-Hexanone(MBK)	ND	0.244	ND	1.0	01/12/12	KCA	TO15
4-Ethyltoluene	0.32	0.204	1.57	1.0	01/12/12	KCA	TO15
4-Isopropyltoluene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
4-Methyl-2-pentanone(MIBK)	0.26	0.244	1.06	1.0	01/12/12	KCA	TO15
Acetone	58	0.421	138	1.0	01/12/12	KCA	TO15
Acrylonitrile	ND	0.461	ND	1.0	01/12/12	KCA	TO15
Benzene	ND	0.313	ND	1.0	01/12/12	KCA	TO15
Benzyl chloride	ND	0.193	ND	1.0	01/12/12	KCA	TO15

Client ID: SG-4

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
Bromodichloromethane	ND	0.149	ND	1.0	01/12/12	KCA	TO15
Bromoform	ND	0.097	ND	1.0	01/12/12	KCA	TO15
Bromomethane	ND	0.258	ND	1.0	01/12/12	KCA	TO15
Carbon Disulfide	0.8	0.321	2.49	1.0	01/12/12	KCA	TO15
Carbon Tetrachloride	ND	0.040	ND	0.25	01/12/12	KCA	TO15
Chlorobenzene	ND	0.217	ND	1.0	01/12/12	KCA	TO15
Chloroethane	ND	0.379	ND	1.0	01/12/12	KCA	TO15
Chloroform	ND	0.205	ND	1.0	01/12/12	KCA	TO15
Chloromethane	ND	0.484	ND	1.0	01/12/12	KCA	TO15
Cis-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
cis-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Cyclohexane	ND	0.291	ND	1.0	01/12/12	KCA	TO15
Dibromochloromethane	ND	0.117	ND	1.0	01/12/12	KCA	TO15
Dichlorodifluoromethane	5.33	0.202	26.3	1.0	01/12/12	KCA	TO15
Ethanol	4.48	0.531	8.44	1.0	01/12/12	KCA	TO15
Ethyl acetate	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Ethylbenzene	0.45	0.230	1.95	1.0	01/12/12	KCA	TO15
Heptane	0.26	0.244	1.06	1.0	01/12/12	KCA	TO15
Hexachlorobutadiene	ND	0.094	ND	1.0	01/12/12	KCA	TO15
Hexane	ND	0.284	ND	1.0	01/12/12	KCA	TO15
Isopropylalcohol	ND	0.407	ND	1.0	01/12/12	KCA	TO15
Isopropylbenzene	ND	0.204	ND	1.0	01/12/12	KCA	TO15
m,p-Xylene	1.91	0.230	8.29	1.0	01/12/12	KCA	TO15
Methyl Ethyl Ketone	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.0	01/12/12	KCA	TO15
Methylene Chloride	ND	0.288	ND	1.0	01/12/12	KCA	TO15
n-Butylbenzene	0.22	0.182	1.21	1.0	01/12/12	KCA	TO15
o-Xylene	0.63	0.230	2.73	1.0	01/12/12	KCA	TO15
Propylene	ND	0.581	ND	1.0	01/12/12	KCA	TO15
sec-Butylbenzene	ND	0.182	ND	1.0	01/12/12	KCA	TO15
Styrene	ND	0.235	ND	1.0	01/12/12	KCA	TO15
Tetrachloroethene	4.48	0.037	30.4	0.25	01/12/12	KCA	TO15
Tetrahydrofuran	ND	0.339	ND	1.0	01/12/12	KCA	TO15
Toluene	3.62	0.266	13.6	1.0	01/12/12	KCA	TO15
Trans-1,2-Dichloroethene	ND	0.252	ND	1.0	01/12/12	KCA	TO15
trans-1,3-Dichloropropene	ND	0.220	ND	1.0	01/12/12	KCA	TO15
Trichloroethene	ND	0.047	ND	0.25	01/12/12	KCA	TO15
Trichlorofluoromethane	15.1	0.178	84.8	1.0	01/12/12	KCA	TO15
Trichlorotrifluoroethane	ND	0.130	ND	1.0	01/12/12	KCA	TO15
Vinyl Chloride	ND	0.098	ND	0.25	01/12/12	KCA	TO15
<b><u>QA/OC Surrogates</u></b>							
% Bromofluorobenzene	103	%	103	%	01/12/12	KCA	70 - 130 %

Client ID: SG-4


Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
-----------	----------------	------------	-----------------	-------------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**January 16, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

January 16, 2012

## QA/QC Data

SDG I.D.: GBB29096

Parameter	Blank ppbv	Blank ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
QA/QC Batch 192416, QC Sample No: BB29096 (BB29096, BB29097, BB29098, BB29099)										
<b>Volatiles</b>										
1,1,1,2-Tetrachloroethane	ND	ND	108	ND	ND	ND	ND	NC	70 - 130	20
1,1,1-Trichloroethane	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
1,1,2,2-Tetrachloroethane	ND	ND	94	ND	ND	ND	ND	NC	70 - 130	20
1,1,2-Trichloroethane	ND	ND	94	ND	ND	ND	ND	NC	70 - 130	20
1,1-Dichloroethane	ND	ND	99	ND	ND	ND	ND	NC	70 - 130	20
1,1-Dichloroethene	ND	ND	101	ND	ND	ND	ND	NC	70 - 130	20
1,2,4-Trichlorobenzene	ND	ND	107	1.19	0.519	0.16	0.07	78.3	70 - 130	20
1,2,4-Trimethylbenzene	ND	ND	101	8.16	8.16	1.66	1.66	0.0	70 - 130	20
1,2-Dibromoethane(EDB)	ND	ND	94	ND	ND	ND	ND	NC	70 - 130	20
1,2-Dichlorobenzene	ND	ND	87	ND	ND	ND	ND	NC	70 - 130	20
1,2-Dichloroethane	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
1,2-dichloropropane	ND	ND	95	ND	ND	ND	ND	NC	70 - 130	20
1,2-Dichlorotetrafluoroethane	ND	ND	92	ND	ND	ND	ND	NC	70 - 130	20
1,3,5-Trimethylbenzene	ND	ND	100	1.77	1.82	0.36	0.37	2.7	70 - 130	20
1,3-Butadiene	ND	ND	106	ND	ND	ND	ND	NC	70 - 130	20
1,3-Dichlorobenzene	ND	ND	93	ND	ND	ND	ND	NC	70 - 130	20
1,4-Dichlorobenzene	ND	ND	106	ND	ND	ND	ND	NC	70 - 130	20
1,4-Dioxane	ND	ND	82	ND	ND	ND	ND	NC	70 - 130	20
2-Hexanone(MBK)	ND	ND	89	ND	ND	ND	ND	NC	70 - 130	20
4-Ethyltoluene	ND	ND	103	1.47	1.57	0.30	0.32	6.5	70 - 130	20
4-Isopropyltoluene	ND	ND	104	ND	ND	ND	ND	NC	70 - 130	20
4-Methyl-2-pentanone(MIBK)	ND	ND	95	ND	ND	ND	ND	NC	70 - 130	20
Acetone	ND	ND	97	185	180	77.8	75.8	2.6	70 - 130	20
Acrylonitrile	ND	ND	113	ND	ND	ND	ND	NC	70 - 130	20
Benzene	ND	ND	103	ND	ND	ND	ND	NC	70 - 130	20
Benzyl chloride	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
Bromodichloromethane	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
Bromoform	ND	ND	113	ND	ND	ND	ND	NC	70 - 130	20
Bromomethane	ND	ND	99	ND	ND	ND	ND	NC	70 - 130	20
Carbon Disulfide	ND	ND	115	ND	ND	ND	ND	NC	70 - 130	20
Carbon Tetrachloride	ND	ND	101	ND	ND	ND	ND	NC	70 - 130	20
Chlorobenzene	ND	ND	99	ND	ND	ND	ND	NC	70 - 130	20
Chloroethane	ND	ND	99	ND	ND	ND	ND	NC	70 - 130	20
Chloroform	ND	ND	98	2.44	2.39	0.50	0.49	2.0	70 - 130	20
Chloromethane	ND	ND	104	ND	ND	ND	ND	NC	70 - 130	20
Cis-1,2-Dichloroethene	ND	ND	92	ND	ND	ND	ND	NC	70 - 130	20
cis-1,3-Dichloropropene	ND	ND	100	ND	ND	ND	ND	NC	70 - 130	20
Cyclohexane	ND	ND	115	ND	ND	ND	ND	NC	70 - 130	20
Dibromochloromethane	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
Dichlorodifluoromethane	ND	ND	100	5.19	4.99	1.05	1.01	3.9	70 - 130	20
Ethanol	ND	ND	66	12.1	12.4	6.45	6.61	2.5	70 - 130	20

QA/QC Data

SDG I.D.: GBB29096

Parameter	Blank ppbv	Blank ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Ethyl acetate	ND	ND	108	ND	ND	ND	ND	NC	70 - 130	20
Ethylbenzene	ND	ND	104	2.86	2.91	0.66	0.67	1.5	70 - 130	20
Heptane	ND	ND	104	1.60	1.31	0.39	0.32	19.7	70 - 130	20
Hexachlorobutadiene	ND	ND	114	ND	ND	ND	ND	NC	70 - 130	20
Hexane	ND	ND	106	1.02	1.27	0.29	0.36	21.5	70 - 130	20
Isopropylalcohol	ND	ND	79	ND	ND	ND	ND	NC	70 - 130	20
Isopropylbenzene	ND	ND	111	ND	ND	ND	ND	NC	70 - 130	20
m,p-Xylene	ND	ND	104	11.3	11.5	2.60	2.66	2.3	70 - 130	20
Methyl Ethyl Ketone	ND	ND	92	1.68	1.68	0.57	0.57	0.0	70 - 130	20
Methyl tert-butyl ether(MTBE)	ND	ND	104	ND	ND	ND	ND	NC	70 - 130	20
Methylene Chloride	ND	ND	78	ND	ND	ND	ND	NC	70 - 130	20
n-Butylbenzene	ND	ND	102	ND	ND	ND	ND	NC	70 - 130	20
o-Xylene	ND	ND	102	3.64	3.64	0.84	0.84	0.0	70 - 130	20
Propylene	ND	ND	111	ND	ND	ND	ND	NC	70 - 130	20
sec-Butylbenzene	ND	ND	110	ND	ND	ND	ND	NC	70 - 130	20
Styrene	ND	ND	107	1.32	1.36	0.31	0.32	3.2	70 - 130	20
Tetrachloroethene	ND	ND	96	84.0	84.0	12.4	12.4	0.0	70 - 130	20
Tetrahydrofuran	ND	ND	111	ND	ND	ND	ND	NC	70 - 130	20
Toluene	ND	ND	98	21.0	21.0	5.57	5.58	0.2	70 - 130	20
Trans-1,2-Dichloroethene	ND	ND	109	ND	ND	ND	ND	NC	70 - 130	20
trans-1,3-Dichloropropene	ND	ND	100	ND	ND	ND	ND	NC	70 - 130	20
Trichloroethene	ND	ND	95	6.66	6.60	1.24	1.23	0.8	70 - 130	20
Trichlorofluoromethane	ND	ND	96	20.5	19.6	3.65	3.49	4.5	70 - 130	20
Trichlorotrifluoroethane	ND	ND	100	ND	ND	ND	ND	NC	70 - 130	20
Vinyl Chloride	ND	ND	103	ND	ND	ND	ND	NC	70 - 130	20
% Bromofluorobenzene	102	102	99	106	105	106	105	0.9	70 - 130	20

I = This parameter is outside laboratory lcs/lcsd specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference


LCS - Laboratory Control Sample

LCS D - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



Phyllis Shiller, Laboratory Director  
January 16, 2012

NY/NJ CHAIN OF CUSTODY RECORD



587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040  
 Email: info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Data Delivery:

Fax #:  
 Email: csosik@phoenixlabs.com

Customer: EBC Project: 390 Wallabout Street Brooklyn Project P.O.:  
 Address: 1808 Middle County Road Ridge, NY Report to: Charlie Sosik Phone #: 681 509 6000  
 Invoice to: " Fax #:

Analysis Request

SOIL VOA [Methanol] S. Biskraie [H2O]	oz	GL Soil container ( )
40 ml VOA Vial [Ases] [HCl]	oz	GL Amber 100ml [Ases] [H2SO4]
PL Ases [ 1250ml ] [500ml] [1000ml]		PL HNO3 250ml
PL H2SO4 [ 250ml ] [500ml] [1000ml]		PL HNO3 250ml
Bacteria Bottle		

Client Sample - Information - Identification

Sampler's Signature: [Signature] Date: 1-6-2012

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
29096	50-1 11250	WASTEWATER	1-6-2012	09:45
29097	50-2 11291	WASTEWATER		10:10
29098	50-3 371	WASTEWATER		10:00
29099	50-4 223	WASTEWATER		10:25

Relinquished by:	Accepted by:	Date:	Time:	Turnaround:	NJ	NY	Data Format
<u>[Signature]</u>	<u>[Signature]</u>	1-9-12	9:50 A	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Days* <input type="checkbox"/> 3 Days* <input checked="" type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days <input type="checkbox"/> Other	<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil <input type="checkbox"/> Cleanup Criteria <input type="checkbox"/> GW Criteria	<input type="checkbox"/> TOGS GA GW <input type="checkbox"/> CP-51 Soil <input type="checkbox"/> NY375 Unrestricted Soil <input type="checkbox"/> NY375 Residential Soil <input type="checkbox"/> NY375 Restricted Non-Residential Soil	<input checked="" type="checkbox"/> Phoenix Std Report <input checked="" type="checkbox"/> Excel <input type="checkbox"/> PDF <input type="checkbox"/> GIS/Key <input type="checkbox"/> EQUIS <input type="checkbox"/> NJ Hazsite EDD <input type="checkbox"/> NY EZ EDD (ASP) <input type="checkbox"/> Other

Comments, Special Requirements or Regulations:  
E-site Pricing

State where samples were collected: NY



Thursday, March 08, 2012

Attn: Mr. Charles B. Sosik, P.G.  
Environmental Business Consultants  
1808 Middle Country Rd  
Ridge NY 11961-2406

Project ID: 390 WALLABOUT ST BRKLYN NY  
Sample ID#s: BB49054

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller  
Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #MA-CT-007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B  
NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# Analysis Report

March 08, 2012

FOR: Attn: Mr. Charles B. Sosik, P.G.  
 Environmental Business Consultants  
 1808 Middle Country Rd  
 Ridge NY 11961-2406

## Sample Information

Matrix: AIR  
 Location Code: EBC  
 Rush Request: Standard  
 P.O.#:

## Custody Information

Collected by:  
 Received by: SW  
 Analyzed by: see "By" below

## Date

03/01/12  
 03/02/12

## Time

16:10  
 15:57

## Laboratory Data

SDG ID: GBB49054  
 Phoenix ID: BB49054

Project ID: 390 WALLABOUT ST BRKLYN NY

Client ID: SG-5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
<b><u>Volatiles (TO15)</u></b>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.0	03/03/12	KCA	TO15
1,1,1-Trichloroethane	ND	0.183	ND	1.0	03/03/12	KCA	TO15
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.0	03/03/12	KCA	TO15
1,1,2-Trichloroethane	ND	0.183	ND	1.0	03/03/12	KCA	TO15
1,1-Dichloroethane	ND	0.247	ND	1.0	03/03/12	KCA	TO15
1,1-Dichloroethene	ND	0.252	ND	1.0	03/03/12	KCA	TO15
1,2,4-Trichlorobenzene	ND	0.135	ND	1.0	03/03/12	KCA	TO15
1,2,4-Trimethylbenzene	1.06	0.204	5.21	1.0	03/03/12	KCA	TO15
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.0	03/03/12	KCA	TO15
1,2-Dichlorobenzene	ND	0.166	ND	1.0	03/03/12	KCA	TO15
1,2-Dichloroethane	ND	0.247	ND	1.0	03/03/12	KCA	TO15
1,2-dichloropropane	ND	0.216	ND	1.0	03/03/12	KCA	TO15
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.0	03/03/12	KCA	TO15
1,3,5-Trimethylbenzene	0.33	0.204	1.62	1.0	03/03/12	KCA	TO15
1,3-Butadiene	ND	0.452	ND	1.0	03/03/12	KCA	TO15
1,3-Dichlorobenzene	ND	0.166	ND	1.0	03/03/12	KCA	TO15
1,4-Dichlorobenzene	ND	0.166	ND	1.0	03/03/12	KCA	TO15
1,4-Dioxane	ND	0.278	ND	1.0	03/03/12	KCA	TO15
2-Hexanone(MBK)	ND	0.244	ND	1.0	03/03/12	KCA	TO15
4-Ethyltoluene	0.22	0.204	1.08	1.0	03/03/12	KCA	TO15
4-Isopropyltoluene	ND	0.182	ND	1.0	03/03/12	KCA	TO15
4-Methyl-2-pentanone(MIBK)	0.56	0.244	2.29	1.0	03/03/12	KCA	TO15
Acetone	12	0.421	28.5	1.0	03/03/12	KCA	TO15
Acrylonitrile	ND	0.461	ND	1.0	03/03/12	KCA	TO15
Benzene	0.52	0.313	1.66	1.0	03/03/12	KCA	TO15
Benzyl chloride	ND	0.193	ND	1.0	03/03/12	KCA	TO15

Client ID: SG-5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
Bromodichloromethane	ND	0.149	ND	1.0	03/03/12	KCA	TO15
Bromoform	ND	0.097	ND	1.0	03/03/12	KCA	TO15
Bromomethane	ND	0.258	ND	1.0	03/03/12	KCA	TO15
Carbon Disulfide	0.37	0.321	1.15	1.0	03/03/12	KCA	TO15
Carbon Tetrachloride	0.07	0.040	0.440	0.25	03/03/12	KCA	TO15
Chlorobenzene	ND	0.217	ND	1.0	03/03/12	KCA	TO15
Chloroethane	ND	0.379	ND	1.0	03/03/12	KCA	TO15
Chloroform	0.22	0.205	1.07	1.0	03/03/12	KCA	TO15
Chloromethane	ND	0.484	ND	1.0	03/03/12	KCA	TO15
Cis-1,2-Dichloroethene	ND	0.252	ND	1.0	03/03/12	KCA	TO15
cis-1,3-Dichloropropene	ND	0.220	ND	1.0	03/03/12	KCA	TO15
Cyclohexane	ND	0.291	ND	1.0	03/03/12	KCA	TO15
Dibromochloromethane	ND	0.117	ND	1.0	03/03/12	KCA	TO15
Dichlorodifluoromethane	2.16	0.202	10.7	1.0	03/03/12	KCA	TO15
Ethanol	242 E	0.531	456 E	1.0	03/03/12	KCA	TO15
Ethyl acetate	ND	0.278	ND	1.0	03/03/12	KCA	TO15
Ethylbenzene	0.54	0.230	2.34	1.0	03/03/12	KCA	TO15
Heptane	0.63	0.244	2.58	1.0	03/03/12	KCA	TO15
Hexachlorobutadiene	ND	0.094	ND	1.0	03/03/12	KCA	TO15
Hexane	0.66	0.284	2.32	1.0	03/03/12	KCA	TO15
Isopropylalcohol	ND	0.407	ND	1.0	03/03/12	KCA	TO15
Isopropylbenzene	ND	0.204	ND	1.0	03/03/12	KCA	TO15
m,p-Xylene	1.65	0.230	7.16	1.0	03/03/12	KCA	TO15
Methyl Ethyl Ketone	0.93	0.339	2.74	1.0	03/03/12	KCA	TO15
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.0	03/03/12	KCA	TO15
Methylene Chloride	0.89	0.288	3.09	1.0	03/03/12	KCA	TO15
n-Butylbenzene	0.28	0.182	1.54	1.0	03/03/12	KCA	TO15
o-Xylene	0.48	0.230	2.08	1.0	03/03/12	KCA	TO15
Propylene	ND	0.581	ND	1.0	03/03/12	KCA	TO15
sec-Butylbenzene	ND	0.182	ND	1.0	03/03/12	KCA	TO15
Styrene	ND	0.235	ND	1.0	03/03/12	KCA	TO15
Tetrachloroethene	0.17	0.037	1.15	0.25	03/03/12	KCA	TO15
Tetrahydrofuran	ND	0.339	ND	1.0	03/03/12	KCA	TO15
Toluene	2.58	0.266	9.72	1.0	03/03/12	KCA	TO15
Trans-1,2-Dichloroethene	ND	0.252	ND	1.0	03/03/12	KCA	TO15
trans-1,3-Dichloropropene	ND	0.220	ND	1.0	03/03/12	KCA	TO15
Trichloroethene	0.35	0.047	1.88	0.25	03/03/12	KCA	TO15
Trichlorofluoromethane	3.2	0.178	18.0	1.0	03/03/12	KCA	TO15
Trichlorotrifluoroethane	ND	0.130	ND	1.0	03/03/12	KCA	TO15
Vinyl Chloride	ND	0.098	ND	0.25	03/03/12	KCA	TO15
<b><u>QA/OC Surrogates</u></b>							
% Bromofluorobenzene	105	%	105	%	03/03/12	KCA	70 - 130 %

Client ID: SG-5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date	By	Reference
-----------	----------------	------------	-----------------	-------------	------	----	-----------

---

---


Comments:

E = Estimated value quantitated above calibration range for this compound.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**March 08, 2012**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

March 08, 2012

## QA/QC Data

SDG I.D.: GBB49054

Parameter	Blank ppbv	Blank ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
QA/QC Batch 195520, QC Sample No: BB49057 (BB49054)										
<b>Volatiles</b>										
1,1,1,2-Tetrachloroethane	ND	ND	109	ND	ND	ND	ND	NC	70 - 130	20
1,1,1-Trichloroethane	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
1,1,2,2-Tetrachloroethane	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
1,1,2-Trichloroethane	ND	ND	93	ND	ND	ND	ND	NC	70 - 130	20
1,1-Dichloroethane	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
1,1-Dichloroethene	ND	ND	101	ND	ND	ND	ND	NC	70 - 130	20
1,2,4-Trichlorobenzene	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
1,2,4-Trimethylbenzene	ND	ND	106	1.33	1.42	0.27	0.29	7.1	70 - 130	20
1,2-Dibromoethane(EDB)	ND	ND	94	ND	ND	ND	ND	NC	70 - 130	20
1,2-Dichlorobenzene	ND	ND	92	ND	ND	ND	ND	NC	70 - 130	20
1,2-Dichloroethane	ND	ND	94	ND	ND	ND	ND	NC	70 - 130	20
1,2-dichloropropane	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
1,2-Dichlorotetrafluoroethane	ND	ND	93	ND	ND	ND	ND	NC	70 - 130	20
1,3,5-Trimethylbenzene	ND	ND	113	ND	ND	ND	ND	NC	70 - 130	20
1,3-Butadiene	ND	ND	104	ND	ND	ND	ND	NC	70 - 130	20
1,3-Dichlorobenzene	ND	ND	97	ND	ND	ND	ND	NC	70 - 130	20
1,4-Dichlorobenzene	ND	ND	99	ND	ND	ND	ND	NC	70 - 130	20
1,4-Dioxane	ND	ND	105	ND	ND	ND	ND	NC	70 - 130	20
2-Hexanone(MBK)	ND	ND	95	ND	ND	ND	ND	NC	70 - 130	20
4-Ethyltoluene	ND	ND	105	ND	ND	ND	ND	NC	70 - 130	20
4-Isopropyltoluene	ND	ND	108	ND	ND	ND	ND	NC	70 - 130	20
4-Methyl-2-pentanone(MIBK)	ND	ND	94	ND	ND	ND	ND	NC	70 - 130	20
Acetone	ND	ND	112	7.57	7.43	3.19	3.13	1.9	70 - 130	20
Acrylonitrile	ND	ND	108	ND	ND	ND	ND	NC	70 - 130	20
Benzene	ND	ND	93	1.21	1.24	0.38	0.39	2.6	70 - 130	20
Benzyl chloride	ND	ND	102	ND	ND	ND	ND	NC	70 - 130	20
Bromodichloromethane	ND	ND	101	ND	ND	ND	ND	NC	70 - 130	20
Bromoform	ND	ND	117	ND	ND	ND	ND	NC	70 - 130	20
Bromomethane	ND	ND	100	ND	ND	ND	ND	NC	70 - 130	20
Carbon Disulfide	ND	ND	111	ND	ND	ND	ND	NC	70 - 130	20
Carbon Tetrachloride	ND	ND	98	0.629	0.629	0.10	0.10	0.0	70 - 130	20
Chlorobenzene	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
Chloroethane	ND	ND	103	ND	ND	ND	ND	NC	70 - 130	20
Chloroform	ND	ND	98	9.12	9.08	1.87	1.86	0.5	70 - 130	20
Chloromethane	ND	ND	106	ND	ND	ND	ND	NC	70 - 130	20
Cis-1,2-Dichloroethene	ND	ND	95	ND	ND	ND	ND	NC	70 - 130	20
cis-1,3-Dichloropropene	ND	ND	98	ND	ND	ND	ND	NC	70 - 130	20
Cyclohexane	ND	ND	103	ND	ND	ND	ND	NC	70 - 130	20
Dibromochloromethane	ND	ND	101	ND	ND	ND	ND	NC	70 - 130	20
Dichlorodifluoromethane	ND	ND	101	2.47	2.47	0.50	0.50	0.0	70 - 130	20
Ethanol	ND	ND	93	17.6	18.0	9.35	9.58	2.4	70 - 130	20

## QA/QC Data

SDG I.D.: GBB49054

Parameter	Blank ppbv	Blank ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Ethyl acetate	ND	ND	105	ND	ND	ND	ND	NC	70 - 130	20
Ethylbenzene	ND	ND	100	1.56	1.56	0.36	0.36	0.0	70 - 130	20
Heptane	ND	ND	102	ND	ND	ND	ND	NC	70 - 130	20
Hexachlorobutadiene	ND	ND	97	ND	ND	ND	ND	NC	70 - 130	20
Hexane	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
Isopropylalcohol	ND	ND	80	3.07	3.00	1.25	1.22	2.4	70 - 130	20
Isopropylbenzene	ND	ND	111	ND	ND	ND	ND	NC	70 - 130	20
m,p-Xylene	ND	ND	106	4.56	4.64	1.05	1.07	1.9	70 - 130	20
Methyl Ethyl Ketone	ND	ND	91	1.77	1.77	0.60	0.60	0.0	70 - 130	20
Methyl tert-butyl ether(MTBE)	ND	ND	100	ND	ND	ND	ND	NC	70 - 130	20
Methylene Chloride	ND	ND	93	ND	ND	ND	ND	NC	70 - 130	20
n-Butylbenzene	ND	ND	109	ND	ND	ND	ND	NC	70 - 130	20
o-Xylene	ND	ND	103	1.56	1.65	0.36	0.38	5.4	70 - 130	20
Propylene	ND	ND	104	ND	ND	ND	ND	NC	70 - 130	20
sec-Butylbenzene	ND	ND	108	ND	ND	ND	ND	NC	70 - 130	20
Styrene	ND	ND	101	ND	ND	ND	ND	NC	70 - 130	20
Tetrachloroethene	ND	ND	95	4.74	4.20	0.70	0.62	12.1	70 - 130	20
Tetrahydrofuran	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
Toluene	ND	ND	92	7.76	7.00	2.06	1.86	10.2	70 - 130	20
Trans-1,2-Dichloroethene	ND	ND	104	ND	ND	ND	ND	NC	70 - 130	20
trans-1,3-Dichloropropene	ND	ND	96	ND	ND	ND	ND	NC	70 - 130	20
Trichloroethene	ND	ND	96	3.54	3.22	0.66	0.60	9.5	70 - 130	20
Trichlorofluoromethane	ND	ND	98	1.40	1.29	0.25	0.23	8.3	70 - 130	20
Trichlorotrifluoroethane	ND	ND	100	ND	ND	ND	ND	NC	70 - 130	20
Vinyl Chloride	ND	ND	103	ND	ND	ND	ND	NC	70 - 130	20
% Bromofluorobenzene	105	105	102	106	106	106	106	0.0	70 - 130	20

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



Phyllis Shiller, Laboratory Director  
March 08, 2012

